VITAL STATISTICS

MISSISSIPPI

1978 AND 1979

****

MISSISSIPPI STATE DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH STATISTICS
DAVID LOHRISCH, PH.D., DIRECTOR

P. O. BOX 1700
JACKSON, MISSISSIPPI 39205

TELEPHONE NUMBER 601-354-6607

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin 1
Definitions of Live Birth and Fetal Death 1
Occurrence and Residence Allocation 1
Urban-Rural Classification 2
Population 2
Rates 2
Classification of Cause of Death 2

SUMMARY TABLES, 1978

LIVE BIRTHS

Table A1. Live Births and Percentage Distribution, by Type of Facility, Attendant, and Race 5
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1978 6
Table A3. Live Births and Average per Day, by Month 6
Table A4. Live Births and Percentage Distribution, by Age of Mother and Race 7
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race 7
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race 8
Table A7. Live Births, Percentage Distribution, and Median Age of Mother, by Total-Birth Order and Race 8
Table A8. Median Number of Months between Last Delivery to Mothers Who Had Had Previous Pregnancies and Live Birth in 1978, by Race and Outcome of Last Delivery 9
Table A9. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race 9
Table A10. Live Births and Percentage Distribution, by Maturity and Race .. 10
Table A11. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race 10

FETAL DEATHS

Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race 11
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race 12
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race 12
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1976-1978 13

DEATHS

Table C1. Deaths and Average per Day, by Month 14
Table C2. Deaths and Percentage Distribution, by Age and Race 14
Table C3. Deaths, by Age, Race, and Sex, and Male/Female Ratios, by Age and Race 15
Table C4. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race 15
Table C5. Deaths and Percent of Total Deaths from Five Leading Causes, by Age and Cause 16

Page

SUMMARY TABLES, 1978

DEATHS (continued)

Table C6. Deaths from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race 17
Table C7. Deaths from Major Chronic Respiratory Diseases, 1953, 1958, 1963, 1968, 1973, 1978 17
Table C8. Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race 18
Table C9. Deaths from Selected Types of Accidents, by Sex, also by Age 19
Table C10. Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1978 20
Table C11. Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race 20
Table C12. Deaths and Mortality Rates for Six Leading Causes of Infant Deaths, by Cause and Race 21

MARRIAGES

Table D1. Marriages and Average per Day, by Month 22
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race 22
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race 23
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race, also by Previous Marital Status and Race 23
Table D5. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride 24

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race 25
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race 25
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race 26

MAJOR TABLES, 1978

LIVE BIRTHS

Table 1. Live Births, by Place of Occurrence and Race, also Live Births, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1978 29
Table 2. Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1978 32
Table 3A. Total Live Births, by County of Residence and Age of Mother, Mississippi, 1978 35
Table 3B. White Live Births, by County of Residence and Age of Mother, Mississippi, 1978 37
Table 3C. Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1978 39
Table 4. Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1978 41
Table 5A. Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1978 43
Table 5B. White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1978 45

Page

MAJOR TABLES, 1978

LIVE BIRTHS (continued)
Table 5C. Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1978 47
Table 6. Immature Live Births by County of Residence and Race, Mississippi, 1978 49
Table 7. Premature Live Births by County of Residence and Race, Mississippi, 1978 51

FETAL DEATHS
Table 8. Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1978 53

DEATHS
Table 9. Deaths, by Place of Occurrence and Race, also Deaths, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1978 55
Table 10. Deaths, by Cause and Race, Mississippi Residents, 1978 58
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1978 73
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1978 81
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1974-1978 (5-Year Average) 83
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1978 85

MARRIAGES
Table 14. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1978 87

DIVORCES
Table 15. Divorces, by County of Occurrence and Race, Mississippi, 1978 89

DEATHS (COUNTY AND STATE SUMMARIES)
Table 16. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents
The Counties (in alphabetical order) 91
The State 111

Page

SUMMARY TABLES, 1979

LIVE BIRTHS
Table A1. Live Births and Percentage Distribution, by Type of Facility, Attendant, and Race 115
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1979 116
Table A3. Live Births and Average per Day, by Month 116
Table A4. Live Births and Percentage Distribution, by Age of Mother and Race 117
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race 117
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race 118
Table A7. Live Births, Percentage Distribution, and Median Age of Mother, by Total-Birth Order and Race 118
Table A8. Median Number of Months between Last Delivery to Mothers who Had Had Previous Pregnancies and Live Birth in 1979, by Race and Outcome of Last Delivery 119
Table A9. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race 119
Table A10. Live Births and Percentage Distribution, by Maturity and Race 120
Table A11. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race 120

FETAL DEATHS
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race 121
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race 122
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race ... 122
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1977-1979 123

DEATHS
Table C1. Deaths and Average per Day, by Month 124
Table C2. Deaths and Percentage Distribution, by Age and Race 124
Table C3. Deaths by Age, Race, and Sex, and Male/Female Ratios, by Age and Race 125
Table C4. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race 125
Table C5. Deaths and Percent of Total Deaths from Five Leading Causes, by Age and Cause 126
Table C6. Deaths from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race 127
Table C7. Deaths from Major Chronic Respiratory Diseases, 1954, 1959, 1964, 1969, 1974, 1979 127
Table C8. Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race 128
Table C9. Deaths from Selected Types of Accidents, by Sex, also by Age 129
Table C10. Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1979 130

Page

SUMMARY TABLES, 1979

DEATHS (continued)
Table C11. Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race 130
Table C12. Deaths and Mortality Rates for Six Leading Causes of Infant Deaths, by Cause and Race 131

MARRIAGES
Table D1. Marriages and Average per Day, by Month 132
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race 132
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race 133
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race 133
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race 134
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride 135

DIVORCES
Table E1. Divorces and Percentage Distribution, by Cause and Race 136
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race 136
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race 137

MAJOR TABLES, 1979

LIVE BIRTHS
Table 1. Live Births, by Place of Occurrence and Race, also Live Births, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1979 141
Table 2. Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1979 144
Table 3A. Total Live Births, by County of Residence and Age of Mother, Mississippi, 1979 147
Table 3B. White Live Births, by County of Residence and Age of Mother, Mississippi, 1979 149
Table 3C. Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1979 151
Table 4. Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1979 153
Table 5A. Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1979 155
Table 5B. White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1979 157
Table 5C. Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1979 159
Table 6. Immature Live Births by County of Residence and Race, Mississippi, 1979 161
Table 7. Premature Live Births by County of Residence and Race, Mississippi, 1979 163

Page

MAJOR TABLES, 1979

FETAL DEATHS
Table 8. Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1979 165

DEATHS
Table 9. Deaths, by Place of Occurrence and Race, also Deaths, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1979 167
Table 10. Deaths, by Cause and Race, Mississippi Residents, 1979 170
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1979 185
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1979 192
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1975-1979 (5-Year Average) 194
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1979 196
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1979 198

MARRIAGES
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1979 200

DIVORCES
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 1979 202

DEATHS (COUNTY AND STATE SUMMARIES)
Table 17. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents
The Counties (in alphabetical order) 205
The State 225

TIME SERIES TABLES

Table 18. Live Births and Rates, by Year and Race, Mississippi, 1913-1979, (Occurrence Data 1913-1943, Residence Data 1944-1979) 229
Table 19. Deaths and Rates, by Year and Race, Mississippi, 1913-1979, (Occurrence Data 1913-1943, Residence Data 1944-1979) 231
Table 20. Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1979, (Occurrence Data 1913-1943, Residence Data 1944-1979) 233
Table 21. Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1979, (Occurrence Data 1917-1943, Residence Data 1944-1979) 235

Page

TIME SERIES TABLES (continued)

Table 22. Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1979, (Occurrence Data 1924-1944, Residence Data 1945-1979) 237

Table 23. Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1979, (Occurrence Data 1924-1943, Residence Data 1944-1979) 239

Table 24. Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1979 241

VITAL STATISTICS
MISSISSIPPI, 1978 AND 1979

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Board of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables and major statistical tables for 1978. The second part contains summary tables and major statistical tables for 1979. Time series tables numbered 18 through 24 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definition adopted by the Mississippi State Board of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

> Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.
>
> Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Board of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Marriages were classified according to place of issuance of marriage license, place of occurrence of marriage, and place of residence of bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Urban-Rural Classification

The urban category included all incorporated towns with population of 2,500 or more according to the 1970 census plus the City of Pearl which was not incorporated until 1973. Definitions used in this bulletin differ from those used by the U.S. Bureau of the Census which also includes as urban certain areas it is not possible to identify from entries on vital records - unincorporated places of 2,500 or more and certain other densely settled areas outside the limits of incorporated towns. Urban-rural classifications were used for live births and deaths only. Information on marriage records is inadequate for proper classification, and divorce records do not contain this item.

Population

The only population figures used in this bulletin are the U.S. Census Bureau's final state estimate of 2,400,000 as of July 1, 1978 and 2,406,000 as of July 1, 1979. No breakdowns by race or sex are available, and estimates by age and estimates for counties were not used as they are considerably less reliable than the state figures.

Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes, except maternal and certain causes of mortality in early infancy (1978) and certain conditions originating in the perinatal period (1979). Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, deaths from certain causes of mortality in early infancy (1978), and deaths from certain conditions originating in the perinatal period (1979), as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death in 1978 were assigned according to the Eighth Revision International Classification of Diseases, Adapted for Use in the United States, and in 1979 were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Cause of Death. On certificates with more than one cause entered, only that indicated as the underlying cause was classified. The Eighth Revision was first used in 1968 and the Ninth Revision first used in 1979. Neither of these revisions is markedly different from the Seventh Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for

SUMMARY TABLES, 1978

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

Table Al. Live births and percentage distribution, by type of facility, attendent, and race
Mississippi, 1978

ype of Facility nd Race	Number						Percent					
	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown
otal	44,373	41,581	2,445	245	94	8	100.0	93.7	5.5	0.6	0.2	*
ospital	43,959	41,492	2,442	0	25	0	99.1	93.5	5.5	–	*	–
ome, etc.	387	84	3	232	61	7	0.9	0.2	*	0.5	0.1	*
nroute to hospital	11	4	0	0	7	0	*	*	–	–	*	–
nknown place	16	1	0	13	1	1	*	*	–	*	*	*
hite	22,632	22,245	328	26	28	5	100.0	98.3	1.4	0.1	0.1	*
ospital	22,560	22,226	328	0	6	0	99.7	98.2	1.4	–	*	–
ome, etc.	69	18	0	26	21	4	0.3	0.1	–	0.1	0.1	*
nroute to hospital	2	1	0	0	1	0	*	–	–	–	*	–
nknown place	1	0	0	0	0	1	*	*	–	–	–	*
onwhite	21,741	19,336	2,117	219	66	3	100.0	88.9	9.7	1.0	0.3	*
ospital	21,399	19,266	2,114	0	19	0	98.4	88.6	9.7	–	0.1	–
ome, etc.	318	66	3	206	40	3	1.5	0.3	*	0.9	0.2	*
nroute to hospital	9	3	0	0	6	0	*	*	–	–	*	–
nknown place	15	1	0	13	1	0	0.1	*	–	*	*	–

Less than 0.06 percent.

Table A2. Percentage of live births in hospitals or clinics, by year and race, 1940, 1950, 1960, 1970-1978
Mississippi, 1978

Year	Total	White	Non-white	Year	Total	White	Non-white
1940	14.1	27.1	3.9	1970*	90.0	99.7	79.7
				1971*	92.2	99.6	84.2
1950	46.1	83.3	18.9	1972*	95.2	99.8	90.4
				1973*	96.4	99.7	92.8
1960	73.2	99.0	51.3	1974*	97.4	99.7	94.8
				1975*	97.9	99.6	96.0
				1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
				1978*	99.1	99.7	98.4

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing inpatient care were included.

Table A3. Live births and average per day, by month
Mississippi, 1978

Month	Births	Average per Day	Month	Births	Average per Day
Total	44,373	122			
January	3,768	122	July	3,862	124
February	3,289	117	August	4,254	137
March	3,414	110	September	4,145	138
April	3,035	101	October	4,005	129
May	3,238	104	November	3,853	128
June	3,442	115	December	4,068	131

Table A4. Live births and percentage distribution, by age of mother and race
Mississippi, 1978

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	44,373	22,632	21,741	100.0	100.0	100.0
10-14	389	47	342	0.9	0.2	1.6
15-19	10,590	3,953	6,637	23.9	17.5	30.5
20-24	15,764	8,310	7,454	35.5	36.7	34.3
25-29	10,934	6,664	4,270	24.6	29.4	19.6
30-34	4,807	2,889	1,918	10.8	12.8	8.8
35-39	1,517	671	846	3.4	3.0	3.9
40-44	340	89	251	0.8	0.4	1.2
45-49	21	3	18	*	*	0.1
Unknown	11	6	5	*	*	*

* Less than 0.06 percent.

Table A5. Live births and percentage distribution,
by years of school completed by father and mother and race
Mississippi, 1978

Years of School Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
FATHER									
Median years completed*	12.6	12.7	12.2						
Total legitimate births	32,670	21,564	11,106	100.0	100.0	100.0			
0-6 years	958	403	555	3.0	1.9	5.2	3.0	1.9	5.2
7-9 years	3,891	2,221	1,670	12.1	10.4	15.7	15.1	12.3	20.9
10, 11 years	5,017	2,666	2,351	15.6	12.4	22.1	30.8	24.7	43.0
12 years	11,166	7,401	3,765	34.8	34.6	35.4	65.6	59.3	78.4
1-3 years college	5,770	4,403	1,367	18.0	20.6	12.8	83.6	79.9	91.2
4 or more years college	5,236	4,303	933	16.3	20.1	8.8	100.0	100.0	100.0
Unknown	632	167	465						
MOTHER									
Median years completed*	12.3	12.6	11.9						
Total births	44,373	22,632	21,741	100.0	100.0	100.0			
0-6 years	918	276	642	2.1	1.2	3.0	2.1	1.2	3.0
7-9 years	6,797	2,566	4,231	15.4	11.4	19.5	17.4	12.6	22.5
10, 11 years	9,762	3,576	6,186	22.1	15.8	28.6	39.5	28.4	51.1
12 years	15,666	8,811	6,855	35.4	39.0	31.7	74.9	67.4	82.8
1-3 years college	6,534	4,105	2,429	14.8	18.2	11.2	89.7	85.6	94.0
4 or more years college	4,558	3,257	1,301	10.3	14.4	6.0	100.0	100.0	100.0
Unknown	138	41	97						

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A6. Illegitimate live births and percent of total live births in specified group, by age of mother and race
Mississippi, 1978

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	11,703	1,068	10,635	26.4	4.7	48.9
10-14	356	23	333	91.5	48.9	97.4
15-19	5,639	586	5,053	53.2	14.8	76.1
20-24	3,646	297	3,349	23.1	3.6	44.9
25-29	1,218	95	1,123	11.1	1.4	26.3
30-34	519	50	469	10.8	1.7	24.4
35-39	248	13	235	16.3	1.9	27.8
40-44	69	3	66	20.3	3.4	26.3
45-49	6	0	6	28.6	-	33.3
Unknown	2	1	1			

Table A7. Live births, percentage distribution, and median age of mother, by total-birth order and race
Mississippi, 1978

Total-Birth Order*	Number			Percent			Median Age of Mother		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	44,373	22,632	21,741	100.0	100.0	100.0	23.5	24.4	22.3
First	16,084	8,908	7,176	36.2	39.4	33.0	20.2	21.6	18.8
Second	12,809	7,256	5,553	28.9	32.1	25.5	23.6	24.8	21.9
Third	7,092	3,614	3,478	16.0	16.0	16.0	25.6	27.1	23.8
Fourth	3,458	1,449	2,009	7.8	6.4	9.2	27.0	28.9	25.5
Fifth	1,675	577	1,098	3.8	2.5	5.0	28.5	30.6	27.4
Sixth	930	269	661	2.1	1.2	3.0	30.1	31.5	29.4
Seventh	577	121	456	1.3	0.5	2.1	31.7	33.2	31.2
Eighth	346	50	296	0.8	0.2	1.4	32.7	33.8	32.6
Ninth	217	23	194	0.5	0.1	0.9	33.9	34.0	33.9
Tenth & over	474	42	432	1.1	0.2	2.0	37.2	34.8	37.4
Unknown	711	323	388	1.6	1.4	1.8			

* Includes all live births plus all fetal deaths regardless of length of gestation.

Table A8. Median number of months between last delivery to mothers who had had previous pregnancies and live birth in 1978, by race and outcome of last delivery

Race	Total*	Outcome of Last Delivery	
		Live Birth	Fetal Death
Total	33.2	35.5	19.2
White	36.1	39.4	18.9
Nonwhite	30.2	31.5	19.6

* Excludes those with outcome of last delivery unknown.

Table A9. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race Mississippi, 1978

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	44,373	22,632	21,741	100.0	100.0	100.0
No prenatal care	369	109	260	0.8	0.5	1.2
Some prenatal care	43,650	22,318	21,332	98.4	98.6	98.1
First trimester	31,585	18,548	13,037	71.2	82.0	60.0
Second trimester	9,918	3,020	6,898	22.4	13.3	31.7
Third trimester	1,781	543	1,238	4.0	2.4	5.7
Unknown month	366	207	159	0.8	0.9	0.7
Unknown whether any prenatal care	354	205	149	0.8	0.9	0.7

Table A10. Live births and percentage distribution, by maturity and race
Mississippi, 1978

Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	44,373	22,632	21,741	100.0	100.0	100.0
Immature only**	1,791	640	1,151	4.0	2.8	5.3
Premature only**	3,725	1,153	2,572	8.4	5.1	11.8
Both immature and premature	2,116	689	1,427	4.8	3.0	6.6
Total immature	3,907	1,329	2,578	8.8	5.9	11.8
Total premature	5,841	1,842	3,999	13.2	8.1	18.4
Total immature and/or premature	7,632	2,482	5,150	17.2	11.0	23.7
Neither immature nor premature**	36,741	20,150	16,591	82.8	89.0	76.3

* Immature - birthweight 5½ pounds (2,500 grams) or less; premature - gestation less than 37 weeks.

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A11. Congenital malformations reported on live birth certificates, by system or organs affected and race
Mississippi, 1978

System or Organs Affected and International Classification Number*	Total	White	Non-white
Total malformations reported	394	212	182
Musculoskeletal system (754-756)	169	60	109
Digestive system (749-751)	52	35	17
Genital organs (752)	49	33	16
Nervous system (740-743)	32	25	7
Circulatory system (746, 747)	21	14	7
All others	71	45	26

* From the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

FETAL DEATHS

Table B1. Reportable* fetal deaths and percentage distribution, by place of delivery, attendant, and race
Mississippi, 1978

Place of Delivery and Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	678	216	462	100.0	100.0	100.0
Hospital	655	213	442	96.6	98.6	95.7
Physician	625	212	413	92.2	98.1	89.4
Certified nurse midwife	18	0	18	2.6	-	3.9
Other	9	0	9	1.3	-	1.9
Unknown	3	1	2	0.4	0.5	0.4
Enroute to hospital	1	0	1	0.1	-	0.2
Physician	1	0	1	0.1	-	0.2
Other named place	22	3	19	3.2	1.4	4.1
Physician	6	0	6	0.9	-	1.3
"Granny" midwife	2	0	2	0.3	-	0.4
Other	2	0	2	0.3	-	0.4
Unknown	12	3	9	1.8	1.4	1.9

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B2. Reportable* fetal deaths and fetal death ratios, by age of mother and race Mississippi, 1978

Age of Mother	Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white
Total	678	216	462	15.3	9.5	21.2
10-14	6	0	6	15.4	-	17.5
15-19	167	45	122	15.8	11.4	18.4
20-24	205	70	135	13.0	8.4	18.1
25-29	145	53	92	13.3	8.0	21.5
30-34	86	28	58	17.9	9.7	30.2
35-39	49	19	30	32.3	28.3	35.5
40-44	17	1	16	50.0	#	63.7
45-49	1	0	1	#	#	#
Unknown	2	0	2			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births to mothers in specified group.

# Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and reportable* fetal deaths, by whether mother received prenatal care and race Mississippi, 1978

Prenatal Care	Live Births			Reportable* Fetal Deaths		
	Total	White	Non-white	Total	White	Non-white
Total	100.0	100.0	100.0	100.0	100.0	100.0
No care	0.8	0.5	1.2	7.4	2.8	9.5
Some care	98.4	98.6	98.1	80.2	91.2	75.1
Unknown whether any care	0.8	0.9	0.7	12.4	6.0	15.4

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B4. Reportable* fetal deaths and fetal death ratios,
by completed weeks of gestation and race
Mississippi, 1976-1978

Completed Weeks of Gestation**	Total			White			Nonwhite		
	1976	1977	1978	1976	1977	1978	1976	1977	1978
REPORTABLE* FETAL DEATHS									
Total	835	780	678	295	261	216	540	519	462
Under 20	71	32	37	17	7	10	54	25	27
20 and over	614	674	587	221	226	193	393	448	394
20-22	68	85	75	19	25	18	49	60	57
23-27	141	134	116	46	39	33	95	95	83
28-36	209	245	206	85	84	69	124	161	137
37 and over	196	210	190	71	78	73	125	132	117
Unknown	150	74	54	57	28	13	93	46	41
FETAL DEATH RATIOS#									
Total	19.4	17.1	15.3	13.0	11.2	9.5	26.5	23.4	21.2
Under 20	1.6	0.7	0.8	0.8	0.3	0.4	2.6	1.1	1.2
20 and over	14.3	14.8	13.2	9.8	9.7	8.5	19.3	20.2	18.1
20-22	1.6	1.9	1.7	0.8	1.1	0.8	2.4	2.7	2.6
23-27	3.3	2.9	2.6	2.0	1.7	1.4	4.7	4.3	3.8
28-36	4.9	5.4	4.6	3.8	3.6	3.0	6.1	7.3	6.3
37 and over	4.6	4.6	4.3	3.1	3.3	3.2	6.1	6.0	5.4
Unknown	3.5	1.6	1.2	2.5	1.2	0.6	4.6	2.1	1.9

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of delivery.

# Reportable fetal deaths per 1,000 live births.

DEATHS

Table C1. Deaths and average per day, by month
Mississippi, 1978

Month	Deaths	Average per Day	Month	Deaths	Average per Day
Total	23,363	64			
January	2,541	82	July	1,863	60
February	2,090	75	August	1,841	59
March	1,982	64	September	1,741	58
April	1,794	60	October	2,019	65
May	1,883	61	November	1,710	57
June	1,786	60	December	2,113	68

Table C2. Deaths and percentage distribution, by age and race
Mississippi, 1978

	Number			Percent		
Age	Total	White	Non-white	Total	White	Non-white
Total	23,363	14,631	8,732	100.0	100.0	100.0
Under 1	846	266	580	3.6	1.8	6.6
1-4	149	70	79	0.6	0.5	0.9
5-9	91	47	44	0.4	0.3	0.5
10-14	93	48	45	0.4	0.3	0.5
15-24	683	394	289	2.9	2.7	3.3
25-34	614	325	289	2.6	2.2	3.3
35-44	866	488	378	3.7	3.3	4.3
45-54	1,709	1,104	605	7.3	7.5	6.9
55-64	3,376	2,167	1,209	14.4	14.8	13.8
65-74	5,591	3,614	1,977	23.9	24.7	22.6
75-84	5,783	3,829	1,954	24.8	26.2	22.4
85 and over	3,553	2,278	1,275	15.2	15.6	14.6
Unknown	9	1	8	*	*	0.1

* Less than 0.06 percent.

Table C3. Deaths, by age, race, and sex, and male/female ratios, by age and race
Mississippi, 1978

Age	Total			White			Nonwhite		
	Male	Female	Males per Female	Male	Female	Males per Female	Male	Female	Males per Female
Total	13,232	10,131	1.31	8,421	6,210	1.36	4,811	3,921	1.23
Under 1	466	380	1.23	157	109	1.44	309	271	1.14
1-4	90	59	1.52	44	26	1.69	46	33	1.39
5-9	54	37	1.46	26	21	1.24	28	16	1.75
10-14	67	26	2.58	38	10	3.80	29	16	1.81
15-24	495	188	2.63	289	105	2.75	206	83	2.48
25-34	447	167	2.68	235	90	2.61	212	77	2.75
35-44	552	314	1.76	330	158	2.09	222	156	1.42
45-54	1,134	575	1.97	781	323	2.42	353	252	1.40
55-64	2,199	1,177	1.87	1,501	666	2.25	698	511	1.36
65-74	3,414	2,177	1.57	2,283	1,331	1.72	1,131	846	1.34
75-84	2,967	2,816	1.05	1,947	1,882	1.03	1,020	934	1.09
85 and over	1,341	2,212	0.61	789	1,489	0.53	552	723	0.76
Unknown	6	3		1	0		5	3	
Median age	68.2	74.8		68.5	76.4		67.6	71.4	

Table C4. Deaths and percent of total deaths from ten leading causes, by cause and race
Mississippi, 1978

Cause and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of ten leading causes	18,389	11,906	6,483	78.7	81.4	74.2
1. Heart diseases (390-398, 402, 404-429)	7,780	5,264	2,516	33.3	36.0	28.8
2. Malignant neoplasms (140-209)	4,110	2,787	1,323	17.6	19.0	15.2
3. Cerebrovascular disease (430-438)	2,476	1,470	1,006	10.6	10.0	11.5
4. Accidents (800-949)	1,709	1,108	601	7.3	7.6	6.9
5. Influenza and pneumonia (470-486)	656	432	224	2.8	3.0	2.6
6. Diabetes mellitus (250)	417	207	210	1.8	1.4	2.4
7. Certain causes of mortality in early infancy (760-778)	379	123	256	1.6	0.8	2.9
8. Homicide (960-978)	336	114	222	1.4	0.8	2.5
9. Arteriosclerosis (440)	287	211	76	1.2	1.4	0.9
10. Suicide (950-959)	239	190	49	1.0	1.3	0.6

Table C5. Deaths and percent of total deaths from five leading causes, by age and cause
Mississippi, 1978

Age	Cause and International Classification Number	Number	Percent
1-4	All causes	149	100.0
	1. Accidents (800-949)	64	43.0
	2. Congenital anomalies (740-759)	15	10.1
	3. Malignant neoplasms (140-209)	8	5.4
	3. Heart diseases (390-398, 402, 404-429)	8	5.4
	5. Meningococcal infection (036)	7	4.7
	5. Influenza and pneumonia (470-474, 480-486)	7	4.7
5-14	All causes	184	100.0
	1. Accidents (800-949)	111	60.3
	2. Malignant neoplasms (140-209)	16	8.7
	3. Congenital anomalies (740-759)	8	4.3
	4. Heart diseases (390-398, 402, 404-429)	5	2.7
	5. Anemias (280-285)	4	2.2
15-24	All causes	683	100.0
	1. Accidents (800-949)	416	60.9
	2. Homicide (960-978)	79	11.6
	3. Suicide (950-959)	53	7.8
	4. Malignant neoplasms (140-209)	31	4.5
	5. Heart diseases (390-398, 402, 404-429)	26	3.8
25-44	All causes	1,480	100.0
	1. Accidents (800-949)	410	27.7
	2. Heart diseases (390-398, 402, 404-429)	216	14.6
	3. Malignant neoplasms (140-209)	215	14.5
	4. Homicide (960-978)	149	10.1
	5. Suicide (950-959)	83	5.6
45-64	All causes	5,085	100.0
	1. Heart diseases (390-398, 402, 404-429)	1,600	31.5
	2. Malignant neoplasms (140-209)	1,333	26.2
	3. Cerebrovascular disease (430-438)	334	6.6
	4. Accidents (800-949)	327	6.4
	5. Cirrhosis of liver (571)	119	2.3
65 and over	All causes	14,927	100.0
	1. Heart diseases (390-398, 402, 404-429)	5,905	39.6
	2. Malignant neoplasms (140-209)	2,504	16.8
	3. Cerebrovascular disease (430-438)	2,077	13.9
	4. Influenza and pneumonia (470-474, 480-486)	506	3.4
	5. Accidents (800-949)	340	2.3

Table C6. Deaths from malignant neoplasms and percentage distribution, by primary site, sex, and race Mississippi, 1978

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Percent			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non-whit
Total	1,699	756	1,088	567	100.0	100.0	100.0	100.
1. Respiratory system (160-163)	695	222	145	51	40.9	29.4	13.3	9.
2. Digestive organs and peritoneum (150-159)	363	198	310	145	21.4	26.2	28.5	25.
3. Genital organs (180-187)	159	135	114	109	9.4	17.8	10.5	19.
4. Lymphatic and hematopoietic tissue (200-209)	136	68	128	42	8.0	9.0	11.8	7.
5. Breast (174)	2	3	188	103	0.1	0.4	17.3	18.
6. Urinary organs (188, 189)	82	32	35	15	4.8	4.2	3.2	2.
7. Buccal cavity and pharynx (140-149)	43	16	23	9	2.5	2.1	2.1	1.
8. Brain (191)	47	4	30	8	2.8	0.5	2.8	1.
9. Skin (172, 173)	35	3	14	3	2.1	0.4	1.3	0.
10. Bone and connective tissue (170, 171)	12	3	16	7	0.7	0.4	1.5	1.
- Other and unspecified sites (190, 192-199)	125	72	85	75	7.4	9.5	7.8	13.

Table C7. Deaths from major chronic respiratory diseases, 1953, 1958, 1963, 1968, 1973, 1978

Cause and International Classification Number	1953	1958	1963	1968	1973	197
Tuberculosis of respiratory system (010-012)	293	154	106	78	31	4
Malignant neoplasms of respiratory system (160-163)	223	310	480	634	811	1,11
Malignant neoplasms of trachea, bronchus, and lung (162)	200	279	443	602	768	1,06
Chronic and unqualified bronchitis (490, 491)	28	31	49	38	42	3
Emphysema (492)	12	61	152	213	191	13
Asthma (493)	62	58	45	52	21	2
(Adjusted figures*)	(34)	(40)	(31)			

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revisions of the cause-of-death classification system in 1958 and 1968.

Table C8. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race Mississippi, 1978

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of five leading causes	1,334	859	475	78.0	77.5	79.0
1. Motor vehicle (810-823)	877	603	274	51.3	54.4	45.6
2. Fires and flames (890-899)	151	64	87	8.8	5.8	14.5
3. Falls (880-887)	126	99	27	7.4	8.9	4.5
4. Drowning, except in transport accidents (910)	107	53	54	6.3	4.8	9.0
5. Inhalation and ingestion of food or other object causing obstruction or suffocation (911, 912)	73	40	33	4.3	3.6	5.5

Table C9. Deaths from selected types of accidents, by sex, also by age Mississippi, 1978

Type of Accident and International Classification Number	Total	Sex		Age								
		Male	Female	Under 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & Over	Unknown
ALL ACCIDENTS	1,709	1,219	490	41	64	111	416	239	171	327	340	0
Motor vehicle (810-823)	877	640	237	9	29	47	292	164	93	136	107	0
Water transport (830-838)	37	35	2	0	3	2	8	8	5	10	1	0
Submersion, drowning (830, 832)	32	30	2	0	3	2	5	8	3	10	1	0
Other (831, 833-838)	5	5	0	0	0	0	3	0	2	0	0	0
Air and space transport (840-845)	16	15	1	0	0	0	1	5	7	2	1	0
Poisoning (850-877)	49	31	18	0	2	0	15	12	6	6	8	0
By drugs and medicaments (850-859)	16	6	10	0	0	0	2	5	3	2	4	0
By other solid and liquid substances (860-869)	9	8	1	0	2	0	3	0	0	2	2	0
By gases and vapors (870-877)	24	17	7	0	0	0	10	7	3	2	2	0
Falls (880-887)	126	63	63	1	0	2	4	3	7	20	89	0
Fires and flames (890-899)	151	78	73	6	12	16	7	6	11	42	51	0
Drowning and submersion (except in transport accidents) (910)	107	93	14	1	5	24	47	8	9	9	4	0
Inhalation and ingestion of food or other object causing obstruction or suffocation (911, 912)	73	44	29	13	6	4	2	5	6	18	19	0
Mechanical suffocation (including in bed or cradle) (913)	17	11	6	9	1	2	1	0	2	1	1	0
Struck by, striking against, and caught in or between objects (916-918)	47	45	2	0	2	2	11	9	8	11	4	0
Caused by firearm missiles (922)	57	47	10	0	3	9	10	5	7	19	4	0
Caused by electric current (925)	14	14	0	0	0	1	5	4	1	2	1	0
Caused by machinery and not elsewhere classifiable (928)	12	12	0	0	0	0	1	1	0	10	0	0

Table C10. Motor vehicle accident deaths occurring in Mississippi and rates, also motor vehicle accident deaths of Mississippi residents and rates, by year, 1950, 1955, 1960, 1965, 1970-1978

Year	Occurrence Data		Residence Data	
	Number	Rate*	Number	Rate*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5

* Deaths in Mississippi per 100,000,000 miles of vehicle travel; deaths of residents per 100,000 population.

** Not available.

Table C11. Infant deaths, percentage distribution, and mortality rates, by age and race Mississippi, 1978

Age	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total under 1 year	846	266	580	100.0	100.0	100.0	19.1	11.8	26.7
Neonatal (under 28 days)	559	191	368	66.1	71.8	63.4	12.6	8.4	16.9
Hebdomadal (under 7 days)	464	158	306	54.8	59.4	52.8	10.4	7.0	14.1
Under 1 day	278	87	191	32.9	32.7	32.9	6.3	3.8	8.8
1-6 days	186	71	115	22.0	26.7	19.8	4.2	3.1	5.3
7-27 days	95	33	62	11.2	12.4	10.7	2.1	1.4	2.8
Postneonatal (28 days to 1 year)	287	75	212	33.9	28.2	36.6	6.5	3.3	9.8

* Deaths per 1,000 live births.

Table C12. Deaths and mortality rates for six leading causes of infant deaths, by cause and race
Mississippi, 1978

Cause and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
All causes	846	266	580	19.1	11.8	26.7
1. Congenital anomalies (740-759)	102	51	51	2.3	2.2	2.3
2. Immaturity, unqualified (777)	81	16	65	1.8	0.7	3.0
3. Asphyxia of newborn, unspecified (776.9)	70	17	53	1.6	0.8	2.4
4. Hyaline membrane disease (776.1)	54	26	28	1.2	1.1	1.3
5. Influenza and pneumonia (470-486)	50	9	41	1.1	0.4	1.9
6. Respiratory distress syndrome (776.2)	48	18	30	1.1	0.8	1.4

* Deaths per 1,000 live births.

MARRIAGES

Table D1. Marriages and average per day, by month Mississippi, 1978

Month	Marriages	Average per Day	Month	Marriages	Average per Day
Total	27,280	75			
January	1,592	51	July	2,733	88
February	1,695	60	August	2,680	86
March	2,044	66	September	2,339	78
April	1,995	66	October	1,817	59
May	2,328	75	November	2,116	70
June	3,078	103	December	2,863	92

Table D2. Brides and grooms and percentage distribution, by age and race Mississippi, 1978

	Number						Percent					
	Bride			Groom			Bride			Groom		
e	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
al	27,280	19,762	7,518	27,280	19,752	7,528	100.0	100.0	100.0	100.0	100.0	100.0
ler 20	8,708	6,568	2,140	3,814	3,051	763	31.9	33.2	28.5	14.0	15.4	10.1
13	14	10	4	0	0	0	*	*	*	–	–	–
14	88	69	19	0	0	0	0.3	0.3	0.2	–	–	–
15	646	536	110	14	14	0	2.4	2.7	1.5	*	0.1	–
16	1,060	848	212	86	79	7	3.9	4.3	2.8	0.3	0.4	0.1
17	1,847	1,424	423	493	431	62	6.8	7.2	5.6	1.8	2.2	0.8
18	2,682	2,004	678	1,379	1,130	249	9.8	10.1	9.0	5.0	5.7	3.3
19	2,371	1,677	694	1,842	1,397	445	8.7	8.5	9.2	6.8	7.1	5.9
-24	8,575	5,909	2,666	10,079	6,937	3,142	31.4	29.9	35.5	36.9	35.1	41.7
-34	5,663	4,052	1,611	7,601	5,490	2,111	20.8	20.5	21.4	27.9	27.8	28.0
-44	2,218	1,695	523	2,702	2,091	611	8.1	8.6	7.0	9.9	10.6	8.1
-54	1,193	880	313	1,568	1,197	371	4.4	4.4	4.2	5.7	6.1	4.9
-64	610	455	155	879	590	289	2.2	2.3	2.1	3.2	3.0	3.8
-74	266	176	90	481	308	173	1.0	0.9	1.2	1.8	1.6	2.3
and over	46	26	20	149	85	64	0.2	0.1	0.3	0.5	0.4	0.8
nown	1	1	0	7	3	4	*	*	–	*	*	*

ess than 0.06 percent.

Table D3. Median age of bride and groom, for all marriages and first marriages, by race Mississippi, 1978

All and First Marriages	Bride			Groom		
	Total	White	Non-white	Total	White	Non-white
All marriages	22.4	22.4	22.5	24.8	24.9	24.7
First marriages	20.1	19.6	21.5	22.5	22.2	23.2

Table D4. Brides and grooms and percentage distribution, by marriage order and race, also by previous marital status and race Mississippi, 1978

Marriage Order and Previous Marital Status	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	27,280	19,762	7,518	27,280	19,752	7,528	100.0	100.0	100.0	100.0	100.0	100.0
First	16,967	11,264	5,703	16,516	11,156	5,360	62.2	57.0	75.8	60.5	56.5	71.2
Remarriage	10,305	8,494	1,811	10,756	8,592	2,164	37.8	43.0	24.1	39.4	43.5	28.7
Second	7,655	6,118	1,537	7,986	6,238	1,748	28.1	31.0	20.4	29.3	31.6	23.2
Over two	2,650	2,376	274	2,770	2,354	416	9.7	12.0	3.6	10.2	11.9	5.5
Third	2,042	1,806	236	2,162	1,824	338	7.5	9.1	3.1	7.9	9.2	4.5
Fourth	513	480	33	509	441	68	1.9	2.4	0.4	1.9	2.2	0.9
Fifth	82	77	5	77	70	7	0.3	0.4	0.1	0.3	0.4	0.1
Sixth	5	5	0	20	17	3	##	##	-	0.1	0.1	##
Seventh	5	5	0	1	1	0	##	##	-	##	##	-
Eighth	2	2	0	1	1	0	##	##	-	##	##	-
Ninth	0	0	0	0	0	0	-	-	-	-	-	-
Tenth	0	0	0	0	0	0	-	-	-	-	-	-
Eleventh	1	1	0	0	0	0	##	##	-	-	-	-
Widowed	1,455	1,109	346	1,139	773	366	5.3	5.6	4.6	4.2	3.9	4.9
Divorced*	8,817	7,368	1,449	9,586	7,800	1,786	32.3	37.3	19.3	35.1	39.5	23.7
Unknown**	33	17	16	31	19	12	0.1	0.1	0.2	0.1	0.1	0.2
Unknown#	8	4	4	8	4	4	##	##	##	##	##	##

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

# Unknown whether any previous marriage.

Table D5. Marriages and percentage distribution, by residence of bride and groom and race of bride Mississippi, 1978

idence Groom	Race and Residence of Bride								
	Total			White			Nonwhite		
	Total	Missis-sippi	Other	Total	Missis-sippi	Other	Total	Missis-sippi	Other
BER									
al	27,280	24,755	2,525	19,762	17,669	2,093	7,518	7,086	432
sissippi	23,918	23,246	672	17,082	16,507	575	6,836	6,739	97
er	3,362	1,509	1,853	2,680	1,162	1,518	682	347	335
CENT									
al	100.0	90.7	9.2	100.0	89.4	10.6	100.0	94.2	5.7
sissippi	87.7	85.2	2.5	86.4	83.5	2.9	90.9	89.6	1.3
er	12.3	5.5	6.8	13.6	5.9	7.7	9.1	4.6	4.4

DIVORCES

Table E1. Divorces and percentage distribution, by cause and race
Mississippi, 1978

Cause	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	13,313	10,339	2,974	100.0	100.0	100.0
Irreconcilable differences	4,454	3,984	470	33.4	38.5	15.8
Cruel and inhuman treatment	6,862	5,396	1,466	51.5	52.2	49.3
Desertion	1,541	614	927	11.6	5.9	31.2
Adultery	227	167	60	1.7	1.6	2.0
Drunkenness	125	101	24	0.9	1.0	0.8
Penitentiary	48	34	14	0.4	0.3	0.5
Insanity	2	2	0	*	*	-
Annulment	33	28	5	0.2	0.3	0.2
Bigamy	11	7	4	0.1	0.1	0.1
Miscellaneous and other	9	5	4	0.1	*	0.1
Not stated	1	1	0	*	*	-

* Less than 0.06 percent.

Table E2. Divorces and percentage distribution, by number of minor children and race
Mississippi, 1978

Number of Minor Children	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total divorces	13,313	10,339	2,974	100.0	100.0	100.0
None	5,970	4,801	1,169	44.8	46.4	39.3
One	3,484	2,687	797	26.2	26.0	26.8
Two	2,306	1,794	512	17.3	17.4	17.2
Three or more	1,489	1,008	481	11.2	9.7	16.2
Not stated	64	49	15	0.5	0.5	0.5

Table E3. Divorces and percentage distribution, by number of years married and race Mississippi, 1978

Number of Years Married	Number Total	Number White	Number Non-white	Percent Total	Percent White	Percent Non-white
Total divorces	13,313	10,339	2,974	100.0	100.0	100.0
Under five	6,189	5,162	1,027	46.5	49.9	34.5
Under one	1,039	941	98	7.8	9.1	3.3
One	1,535	1,324	211	11.5	12.8	7.1
Two	1,353	1,125	228	10.2	10.9	7.7
Three	1,202	957	245	9.0	9.2	8.2
Four	1,060	815	245	8.0	7.9	8.2
Five - nine	3,332	2,437	895	25.0	23.6	30.1
Ten - nineteen	2,430	1,861	569	18.2	18.0	19.1
Twenty and over	1,336	862	474	10.0	8.3	15.9
Not stated	26	17	9	0.2	0.2	0.3

MAJOR TABLES

1978

TABLE 1
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE, ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL), MISSISSIPPI, 1978

	Occurrence Data			Residence Data		
County	Total	White	Non-White	Total	White	Non-White
STATE	44,168	22,708	21,460	44,373	22,632	21,741
Adams	1,409	669	740	653	269	384
Alcorn	363	297	66	482	404	78
Amite	7	0	7	203	93	110
Attala	216	137	79	288	132	156
Benton	1	1	0	140	76	64
Bolivar	2,072	358	1,714	1,081	252	829
Calhoun	2	1	1	231	147	84
Carroll	2	0	2	116	50	66
Chickasaw	169	91	78	354	174	180
Choctaw	92	22	70	147	90	57
Claiborne	57	2	55	221	43	178
Clarke	38	14	24	301	147	154
Clay	352	124	228	395	152	243
Coahoma	894	292	602	816	193	623
Copiah	295	139	156	494	194	300
Covington	108	52	56	284	126	158
DeSoto	0	0	0	825	616	209
Forrest	2,272	1,572	700	1,078	638	440
Franklin	1	0	1	133	65	68
George	192	151	41	268	224	44
Greene	61	44	17	187	138	49
Grenada	550	261	289	402	189	213
Hancock	5	4	1	332	287	45
Harrison	3,333	2,505	828	2,804	2,062	742
Hinds	6,413	2,259	4,154	4,512	1,857	2,655
Holmes	397	47	350	514	76	438
Humphreys	240	20	220	296	70	226
Issaquena	0	0	0	32	11	21
Itawamba	37	31	6	230	200	30
Jackson	1,995	1,430	565	2,195	1,592	603
Jasper	2	0	2	316	119	197
Jefferson	37	3	34	199	23	176
Jeff Davis	100	30	70	271	78	193
Jones	1,705	775	930	968	627	341
Kemper	42	13	29	158	58	100
Lafayette	493	305	188	401	231	170
Lamar	1	1	0	373	318	55
Lauderdale	2,315	1,305	1,010	1,300	692	608
Lawrence	4	0	4	221	121	100
Leake	94	45	49	312	145	167
Lee	1,688	1,187	501	978	652	326
Leflore	1,021	349	672	842	244	598

Table 1 - Page 2
Live Births - Mississippi - 1978

County	Occurrence Data			Residence Data		
	Total	White	Non-White	Total	White	Non-White
Lincoln	296	198	98	474	258	216
Lowndes	959	644	315	1,063	584	479
Madison	15	2	13	812	285	527
Marion	5	2	3	432	257	175
Marshall	11	1	10	537	187	350
Monroe	1,276	907	369	594	348	246
Montgomery	231	72	159	216	96	120
Neshoba	221	94	127	390	207	183
Newton	162	86	76	306	163	143
Noxubee	291	28	263	273	68	205
Oktibbeha	639	298	341	503	246	257
Panola	627	175	452	582	195	387
Pearl River	432	334	98	521	406	115
Perry	124	95	29	213	144	69
Pike	1,039	585	454	589	261	328
Pontotoc	81	45	36	276	205	71
Prentiss	250	225	25	321	262	59
Quitman	186	28	158	295	72	223
Rankin	1,725	1,371	354	1,058	796	262
Scott	121	80	41	392	213	179
Sharkey	66	5	61	236	55	181
Simpson	115	82	33	380	227	153
Smith	51	41	10	218	146	72
Stone	2	0	2	151	97	54
Sunflower	268	65	203	807	190	617
Tallahatchie	261	45	216	352	81	271
Tate	7	2	5	339	150	189
Tippah	323	193	130	298	226	72
Tishomingo	77	67	10	216	197	19
Tunica	159	10	149	273	42	231
Union	429	316	113	339	256	83
Walthall	245	108	137	251	95	156
Warren	1,719	667	1,052	948	478	470
Washington	1,417	680	737	1,590	523	1,067
Wayne	338	175	163	359	189	170
Webster	206	106	100	181	108	73
Wilkinson	162	82	80	154	42	112
Winston	214	97	117	313	119	194
Yalobusha	150	61	89	221	100	121
Yazoo	193	100	93	547	183	364
Out of state	2,267	1,528	739	2,062	1,604	458

Table 1 - Page 3
Live Births - Mississippi - 1978

Town*	Residence Data Total	 White	 Non-White
Biloxi	959	738	221
Brookhaven	213	85	128
Canton	301	66	235
Clarksdale	469	131	338
Cleveland	319	118	201
Columbus	538	240	298
Corinth	138	95	43
Greenville	912	259	653
Greenwood	449	147	302
Gulfport	774	447	327
Hattiesburg	698	334	364
Jackson	3,717	1,496	2,221
Laurel	379	155	224
McComb	193	96	97
Meridian	805	367	438
Moss Point	420	92	328
Natchez	409	147	262
Oxford	154	88	66
Pascagoula	642	495	147
Pearl	255	240	15
Picayune	178	110	68
Starkville	233	142	91
Tupelo	390	257	133
Vicksburg	536	204	332
Yazoo City	266	68	198
Total urban**	19,206	9,085	10,121
Total rural	25,167	13,547	11,620

*Towns of 10,000 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

**All incorporated towns of 2,500 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT, ALSO BY COUNTY OF RESIDENCE AND SEX, MISSISSIPPI, 1978

		White				Nonwhite				Sex	
County	Total	Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
STATE	44,373	22,632	22,560	19	53	21,741	21,399	70	272	22,673	21,700
Adams	653	269	269	0	0	384	384	0	0	351	302
Alcorn	482	404	403	0	1	78	78	0	0	249	233
Amite	203	93	93	0	0	110	104	1	5	97	106
Attala	288	132	132	0	0	156	123	0	33	159	129
Benton	140	76	75	0	1	64	64	0	0	66	74
Bolivar	1,081	252	250	1	1	829	827	2	0	558	523
Calhoun	231	147	146	0	1	84	83	0	1	117	114
Carroll	116	50	50	0	0	66	64	1	1	57	59
Chickasaw	354	174	174	0	0	180	179	1	0	197	157
Choctaw	147	90	90	0	0	57	55	0	2	69	78
Claiborne	221	43	43	0	0	178	176	0	2	103	118
Clarke	301	147	147	0	0	154	154	0	0	147	154
Clay	395	152	152	0	0	243	239	2	2	207	188
Coahoma	816	193	192	1	0	623	622	1	0	424	392
Copiah	494	194	191	3	0	300	299	0	1	240	254
Covington	284	126	126	0	0	158	152	0	6	143	141
DeSoto	825	616	616	0	0	209	209	0	0	405	420
Forrest	1,078	638	632	2	4	440	439	1	0	558	520
Franklin	133	65	65	0	0	68	68	0	0	69	64
George	268	224	222	1	1	44	44	0	0	143	125
Greene	187	138	138	0	0	49	48	0	1	92	95
Grenada	402	189	187	1	1	213	213	0	0	215	187
Hancock	332	287	285	0	2	45	45	0	0	158	174
Harrison	2,804	2,062	2,047	3	12	742	727	1	14	1,417	1,387

Table 2 - Page 2
Live Births - Mississippi - 1978

County	Total	White Total	White Hosp. or Clinic	White Phys., Other Place	White Other	Nonwhite Total	Nonwhite Hosp. or Clinic	Nonwhite Phys., Other Place	Nonwhite Other	Sex Male	Sex Female
Hinds	4,512	1,857	1,856	1	0	2,655	2,633	10	12	2,342	2,170
Holmes	514	76	76	0	0	438	435	0	3	246	268
Humphreys	296	70	70	0	0	226	220	5	1	155	141
Issaquena	32	11	11	0	0	21	21	0	0	15	17
Itawamba	230	200	200	0	0	30	30	0	0	119	111
Jackson	2,195	1,592	1,589	1	2	603	593	2	8	1,096	1,099
Jasper	316	119	119	0	0	197	197	0	0	158	158
Jefferson	199	23	23	0	0	176	176	0	0	102	97
Jeff Davis	271	78	77	0	1	193	191	1	1	139	132
Jones	968	627	623	0	4	341	341	0	0	491	477
Kemper	158	58	58	0	0	100	99	0	1	87	71
Lafayette	401	231	230	0	1	170	169	0	1	203	198
Lamar	373	318	317	0	1	55	54	1	0	196	177
Lauderdale	1,300	692	692	0	0	608	607	1	0	649	651
Lawrence	221	121	121	0	0	100	95	1	4	108	113
Leake	312	145	145	0	0	167	160	0	7	165	147
Lee	978	652	650	2	0	326	326	0	0	496	482
Leflore	842	244	242	2	0	598	580	7	11	434	408
Lincoln	474	258	258	0	0	216	215	1	0	256	218
Lowndes	1,063	584	584	0	0	479	455	2	22	543	520
Madison	812	285	285	0	0	527	518	1	8	384	428
Marion	432	257	255	0	2	175	173	0	2	222	210
Marshall	537	187	187	0	0	350	346	1	3	294	243
Monroe	594	348	347	1	0	246	245	0	1	297	297
Montgomery	216	96	96	0	0	120	119	0	1	102	114
Neshoba	390	207	207	0	0	183	182	1	0	229	161
Newton	306	163	163	0	0	143	141	2	0	150	156
Noxubee	273	68	67	0	1	205	203	1	1	142	131
Oktibbeha	503	246	246	0	0	257	254	1	2	255	248
Panola	582	195	195	0	0	387	372	2	13	292	290

Table 2 - Page 3
Live Births - Mississippi - 1978

		White				Nonwhite				Sex	
County	Total	Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	521	406	405	0	1	115	115	0	0	271	250
Perry	213	144	144	0	0	69	68	0	1	110	103
Pike	589	261	256	0	5	328	308	2	18	290	299
Pontotoc	276	205	205	0	0	71	70	1	0	144	132
Prentiss	321	262	261	0	1	59	59	0	0	153	168
Quitman	295	72	72	0	0	223	222	0	1	151	144
Rankin	1,058	796	795	0	1	262	261	0	1	545	513
Scott	392	213	213	0	0	179	172	2	5	209	183
Sharkey	236	55	55	0	0	181	179	0	2	121	115
Simpson	380	227	227	0	0	153	151	2	0	187	193
Smith	218	146	146	0	0	72	72	0	0	114	104
Stone	151	97	97	0	0	54	52	0	2	77	74
Sunflower	807	190	190	0	0	617	611	5	1	383	424
Tallahatchie	352	81	81	0	0	271	249	0	22	175	177
Tate	339	150	150	0	0	189	185	3	1	177	162
Tippah	298	226	226	0	0	72	72	0	0	162	136
Tishomingo	216	197	193	0	4	19	18	0	1	106	110
Tunica	273	42	42	0	0	231	228	2	1	142	131
Union	339	256	256	0	0	83	83	0	0	169	170
Walthall	251	95	91	0	4	156	135	0	21	125	126
Warren	948	478	478	0	0	470	467	0	3	485	463
Washington	1,590	523	522	0	1	1,067	1,064	1	2	856	734
Wayne	359	189	189	0	0	170	169	1	0	187	172
Webster	181	108	108	0	0	73	73	0	0	93	88
Wilkinson	154	42	42	0	0	112	110	0	2	78	76
Winston	313	119	119	0	0	194	193	1	0	165	148
Yalobusha	221	100	100	0	0	121	120	0	1	111	110
Yazoo	547	183	183	0	0	364	347	0	17	279	268

NOTE: "Hosp. or Clinic" includes delivery by physician, CNM, or any other named person. "Other" includes delivery by any person other than a physician, at any place other than a hospital or clinic.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1978

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Unknown
STATE	44,373	389	10,590	15,764	10,934	4,807	1,517	340	21	11
Adams	653	6	156	250	163	52	23	2	0	1
Alcorn	482	6	90	184	123	65	14	0	0	0
Amite	203	1	54	60	48	28	10	2	0	0
Attala	288	4	64	96	82	31	7	4	0	0
Benton	140	1	34	60	28	8	9	0	0	0
Bolivar	1,081	17	331	347	228	104	44	10	0	0
Calhoun	231	4	58	92	52	19	5	1	0	0
Carroll	116	1	34	39	25	9	5	2	1	0
Chickasaw	354	3	85	123	83	36	16	8	0	0
Choctaw	147	3	35	47	41	12	7	2	0	0
Claiborne	221	4	62	74	50	17	11	3	0	0
Clarke	301	2	70	100	80	35	11	2	1	0
Clay	395	1	79	166	88	46	13	1	1	0
Coahoma	816	15	264	282	159	68	19	8	0	1
Copiah	494	8	116	182	117	49	14	8	0	0
Covington	284	1	71	109	69	15	17	1	0	1
DeSoto	825	4	164	280	243	103	25	5	1	0
Forrest	1,078	7	238	395	271	138	24	5	0	0
Franklin	133	2	32	55	26	8	9	0	1	0
George	268	1	74	102	59	26	6	0	0	0
Greene	187	2	49	65	36	26	8	0	1	0
Grenada	402	10	98	143	102	36	10	3	0	0
Hancock	332	2	90	99	93	39	9	0	0	0
Harrison	2,804	10	615	1,090	715	275	73	24	0	2
Hinds	4,512	28	868	1,537	1,329	575	144	29	1	1
Holmes	514	6	164	171	96	52	15	10	0	0
Humphreys	296	1	104	99	48	27	13	4	0	0
Issaquena	32	2	8	12	5	3	1	1	0	0
Itawamba	230	0	61	84	52	26	6	0	0	1
Jackson	2,195	14	473	830	555	240	72	10	0	1
Jasper	316	5	89	113	65	35	8	1	0	0
Jefferson	199	1	47	73	48	18	10	2	0	0
Jeff Davis	271	4	65	84	75	32	10	1	0	0
Jones	968	6	191	383	233	106	44	3	1	1
Kemper	158	1	40	60	40	11	5	1	0	0
Lafayette	401	4	89	137	121	34	13	3	0	0
Lamar	373	1	67	133	111	48	9	4	0	0
Lauderdale	1,300	9	277	453	361	138	45	16	1	0
Lawrence	221	1	40	85	57	30	7	1	0	0
Leake	312	4	79	108	70	30	16	4	1	0
Lee	978	5	209	356	277	98	28	5	0	0
Leflore	842	8	240	303	185	75	28	3	0	0

Table 3A - Page 2
Total Live Births - Mississippi - 1978

County	Total	Age of Mother Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	474	2	105	185	116	48	14	3	1	0
Lowndes	1,063	10	224	404	279	101	39	6	0	0
Madison	812	6	191	232	234	101	41	6	1	0
Marion	432	2	120	155	87	50	12	5	1	0
Marshall	537	10	134	194	115	55	21	8	0	0
Monroe	594	6	148	198	145	66	23	7	1	0
Montgomery	216	1	54	74	57	25	4	1	0	0
Neshoba	390	5	90	143	95	40	15	2	0	0
Newton	306	1	74	124	62	33	11	0	1	0
Noxubee	273	4	71	111	46	26	10	5	0	0
Oktibbeha	503	4	96	195	111	74	21	2	0	0
Panola	582	2	163	199	126	56	29	6	1	0
Pearl River	521	3	125	180	129	63	18	3	0	0
Perry	213	0	51	76	56	19	9	2	0	0
Pike	589	3	148	195	138	78	25	2	0	0
Pontotoc	276	2	50	96	80	37	8	3	0	0
Prentiss	321	1	78	123	66	40	10	3	0	0
Quitman	295	6	101	88	53	32	13	2	0	0
Rankin	1,058	5	182	359	305	159	39	9	0	0
Scott	392	5	115	138	90	36	8	0	0	0
Sharkey	236	3	76	73	48	21	8	7	0	0
Simpson	380	3	83	147	87	41	16	3	0	0
Smith	218	2	45	89	53	22	4	3	0	0
Stone	151	2	34	53	33	21	5	3	0	0
Sunflower	807	9	255	263	190	53	28	8	1	0
Tallahatchie	352	9	123	110	71	27	10	2	0	0
Tate	339	3	88	116	83	30	13	6	0	0
Tippah	298	2	74	108	67	38	6	2	1	0
Tishomingo	216	1	36	92	51	32	3	1	0	0
Tunica	273	3	97	94	44	22	8	5	0	0
Union	339	2	83	131	86	28	7	2	0	0
Walthall	251	3	54	80	63	35	13	2	1	0
Warren	948	7	230	333	225	109	37	5	1	1
Washington	1,590	31	443	529	360	153	60	14	0	0
Wayne	359	1	94	120	87	45	11	1	0	0
Webster	181	0	43	72	35	20	9	2	0	0
Wilkinson	154	1	44	53	29	16	11	0	0	0
Winston	313	4	74	119	68	34	8	4	1	1
Yalobusha	221	2	55	70	44	40	8	2	0	0
Yazoo	547	8	165	182	111	58	19	4	0	0

TABLE 3B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1978

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	22,632	47	3,953	8,310	6,664	2,889	671	89	3	6
Adams	269	0	36	110	81	30	11	0	0	1
Alcorn	404	1	74	148	111	57	13	0	0	0
Amite	93	0	22	27	23	17	3	1	0	0
Attala	132	1	19	50	48	12	1	1	0	0
Benton	76	0	14	36	17	5	4	0	0	0
Bolivar	252	1	39	98	78	25	11	0	0	0
Calhoun	147	0	27	60	41	16	3	0	0	0
Carroll	50	1	9	24	11	4	1	0	0	0
Chickasaw	174	0	28	64	52	22	6	2	0	0
Choctaw	90	0	14	31	34	8	3	0	0	0
Claiborne	43	0	10	21	11	1	0	0	0	0
Clarke	147	0	22	52	45	26	1	0	1	0
Clay	152	1	16	65	44	23	3	0	0	0
Coahoma	193	1	30	71	64	18	7	1	0	1
Copiah	194	1	29	77	61	23	1	2	0	0
Covington	126	0	28	50	32	9	7	0	0	0
DeSoto	616	0	94	210	205	90	17	0	0	0
Forrest	638	0	101	236	190	96	13	2	0	0
Franklin	65	0	11	33	11	6	4	0	0	0
George	224	0	58	88	51	22	5	0	0	0
Greene	138	1	32	49	28	21	7	0	0	0
Grenada	189	2	32	73	52	25	4	1	0	0
Hancock	287	1	74	87	87	32	6	0	0	0
Harrison	2,062	3	429	828	556	190	44	11	0	1
Hinds	1,857	0	165	562	736	340	50	4	0	0
Holmes	76	0	15	23	23	13	2	0	0	0
Humphreys	70	0	11	31	19	8	1	0	0	0
Issaquena	11	0	2	4	3	1	1	0	0	0
Itawamba	200	0	54	73	46	23	3	0	0	1
Jackson	1,592	8	310	623	414	181	48	8	0	0
Jasper	119	0	22	43	34	17	3	0	0	0
Jefferson	23	0	5	8	7	2	1	0	0	0
Jeff Davis	78	1	10	21	34	10	2	0	0	0
Jones	627	2	99	259	162	72	32	1	0	0
Kemper	58	0	10	21	17	8	2	0	0	0
Lafayette	231	1	28	78	86	25	11	2	0	0
Lamar	318	1	52	108	99	45	9	4	0	0
Lauderdale	692	1	106	247	223	86	25	4	0	0
Lawrence	121	0	16	49	35	16	4	1	0	0
Leake	145	0	33	55	35	18	4	0	0	0
Lee	652	2	125	231	198	76	17	3	0	0
Leflore	244	0	34	96	74	33	7	0	0	0

Table 3B - Page 2
White Live Births - Mississippi - 1978

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	258	0	44	115	65	26	7	0	1	0
Lowndes	584	0	76	235	185	67	19	2	0	0
Madison	285	0	29	82	121	43	10	0	0	0
Marion	257	0	61	107	52	30	5	1	1	0
Marshall	187	1	40	77	40	24	2	3	0	0
Monroe	348	1	72	123	93	44	11	4	0	0
Montgomery	96	1	15	35	31	12	2	0	0	0
Neshoba	207	1	38	78	56	27	6	1	0	0
Newton	163	0	36	69	34	20	4	0	0	0
Noxubee	68	0	8	26	20	10	4	0	0	0
Oktibbeha	246	0	23	95	71	49	7	1	0	0
Panola	195	0	49	69	54	16	7	0	0	0
Pearl River	406	0	84	143	106	55	16	2	0	0
Perry	144	0	35	50	37	14	7	1	0	0
Pike	261	1	53	83	77	35	12	0	0	0
Pontotoc	205	0	32	73	63	29	5	3	0	0
Prentiss	262	0	63	101	57	32	7	2	0	0
Quitman	72	0	21	22	17	11	1	0	0	0
Rankin	796	1	107	262	256	130	32	8	0	0
Scott	213	2	55	74	55	22	5	0	0	0
Sharkey	55	0	13	20	13	8	1	0	0	0
Simpson	227	1	47	88	52	25	13	1	0	0
Smith	146	0	28	59	39	16	2	2	0	0
Stone	97	0	19	37	20	16	5	0	0	0
Sunflower	190	0	32	61	76	16	4	1	0	0
Tallahatchie	81	2	12	28	33	6	0	0	0	0
Tate	150	0	29	52	45	18	5	1	0	0
Tippah	226	0	54	83	56	27	6	0	0	0
Tishomingo	197	0	29	88	46	30	3	1	0	0
Tunica	42	0	8	15	13	6	0	0	0	0
Union	256	2	60	97	69	22	6	0	0	0
Walthall	95	1	16	34	23	16	5	0	0	0
Warren	478	0	89	159	138	69	20	2	0	1
Washington	523	1	93	180	172	63	12	2	0	0
Wayne	189	0	41	66	47	30	5	0	0	0
Webster	108	0	21	40	25	15	7	0	0	0
Wilkinson	42	0	9	18	7	5	3	0	0	0
Winston	119	0	23	46	34	11	3	1	0	1
Yalobusha	100	1	20	31	26	19	2	1	0	0
Yazoo	183	1	24	69	62	23	3	1	0	0

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1978

		Age of Mother								
County	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	21,741	342	6,637	7,454	4,270	1,918	846	251	18	5
Adams	384	6	120	140	82	22	12	2	0	0
Alcorn	78	5	16	36	12	8	1	0	0	0
Amite	110	1	32	33	25	11	7	1	0	0
Attala	156	3	45	46	34	19	6	3	0	0
Benton	64	1	20	24	11	3	5	0	0	0
Bolivar	829	16	292	249	150	79	33	10	0	0
Calhoun	84	4	31	32	11	3	2	1	0	0
Carroll	66	0	25	15	14	5	4	2	1	0
Chickasaw	180	3	57	59	31	14	10	6	0	0
Choctaw	57	3	21	16	7	4	4	2	0	0
Claiborne	178	4	52	53	39	16	11	3	0	0
Clarke	154	2	48	48	35	9	10	2	0	0
Clay	243	0	63	101	44	23	10	1	1	0
Coahoma	623	14	234	211	95	50	12	7	0	0
Copiah	300	7	87	105	56	26	13	6	0	0
Covington	158	1	43	59	37	6	10	1	0	1
DeSoto	209	4	70	70	38	13	8	5	1	0
Forrest	440	7	137	159	81	42	11	3	0	0
Franklin	68	2	21	22	15	2	5	0	1	0
George	44	1	16	14	8	4	1	0	0	0
Greene	49	1	17	16	8	5	1	0	1	0
Grenada	213	8	66	70	50	11	6	2	0	0
Hancock	45	1	16	12	6	7	3	0	0	0
Harrison	742	7	186	262	159	85	29	13	0	1
Hinds	2,655	28	703	975	593	235	94	25	1	1
Holmes	438	6	149	148	73	39	13	10	0	0
Humphreys	226	1	93	68	29	19	12	4	0	0
Issaquena	21	2	6	8	2	2	0	1	0	0
Itawamba	30	0	7	11	6	3	3	0	0	0
Jackson	603	6	163	207	141	59	24	2	0	1
Jasper	197	5	67	70	31	18	5	1	0	0
Jefferson	176	1	42	65	41	16	9	2	0	0
Jeff Davis	193	3	55	63	41	22	8	1	0	0
Jones	341	4	92	124	71	34	12	2	1	1
Kemper	100	1	30	39	23	3	3	1	0	0
Lafayette	170	3	61	59	35	9	2	1	0	0
Lamar	55	0	15	25	12	3	0	0	0	0
Lauderdale	608	8	171	206	138	52	20	12	1	0
Lawrence	100	1	24	36	22	14	3	0	0	0
Leake	167	4	46	53	35	12	12	4	1	0
Lee	326	3	84	125	79	22	11	2	0	0
Leflore	598	8	206	207	111	42	21	3	0	0

Table 3C - Page 2
Nonwhite Live Births - Mississippi - 1978

County	Total	Age of Mother Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	216	2	61	70	51	22	7	3	0	0
Lowndes	479	10	148	169	94	34	20	4	0	0
Madison	527	6	162	150	113	58	31	6	1	0
Marion	175	2	59	48	35	20	7	4	0	0
Marshall	350	9	94	117	75	31	19	5	0	0
Monroe	246	5	76	75	52	22	12	3	1	0
Montgomery	120	0	39	39	26	13	2	1	0	0
Neshoba	183	4	52	65	39	13	9	1	0	0
Newton	143	1	38	55	28	13	7	0	1	0
Noxubee	205	4	63	85	26	16	6	5	0	0
Oktibbeha	257	4	73	100	40	25	14	1	0	0
Panola	387	2	114	130	72	40	22	6	1	0
Pearl River	115	3	41	37	23	8	2	1	0	0
Perry	69	0	16	26	19	5	2	1	0	0
Pike	328	2	95	112	61	43	13	2	0	0
Pontotoc	71	2	18	23	17	8	3	0	0	0
Prentiss	59	1	15	22	9	8	3	1	0	0
Quitman	223	6	80	66	36	21	12	2	0	0
Rankin	262	4	75	97	49	29	7	1	0	0
Scott	179	3	60	64	35	14	3	0	0	0
Sharkey	181	3	63	53	35	13	7	7	0	0
Simpson	153	2	36	59	35	16	3	2	0	0
Smith	72	2	17	30	14	6	2	1	0	0
Stone	54	2	15	16	13	5	0	3	0	0
Sunflower	617	9	223	202	114	37	24	7	1	0
Tallahatchie	271	7	111	82	38	21	10	2	0	0
Tate	189	3	59	64	38	12	8	5	0	0
Tippah	72	2	20	25	11	11	0	2	1	0
Tishomingo	19	1	7	4	5	2	0	0	0	0
Tunica	231	3	89	79	31	16	8	5	0	0
Union	83	0	23	34	17	6	1	2	0	0
Walthall	156	2	38	46	40	19	8	2	1	0
Warren	470	7	141	174	87	40	17	3	1	0
Washington	1,067	30	350	349	188	90	48	12	0	0
Wayne	170	1	53	54	40	15	6	1	0	0
Webster	73	0	22	32	10	5	2	2	0	0
Wilkinson	112	1	35	35	22	11	8	0	0	0
Winston	194	4	51	73	34	23	5	3	1	0
Yalobusha	121	1	35	39	18	21	6	1	0	0
Yazoo	364	7	141	113	49	35	16	3	0	0

TABLE 4
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1978

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
STATE	11,703	1,068	10,635	26.4	4.7	48.9
Adams	235	22	213	36.0	8.2	55.5
Alcorn	41	14	27	8.5	3.5	34.6
Amite	46	2	44	22.7	2.2	40.0
Attala	63	3	60	21.9	2.3	38.5
Benton	27	1	26	19.3	1.3	40.6
Bolivar	514	11	503	47.5	4.4	60.7
Calhoun	44	10	34	19.0	6.8	40.5
Carroll	27	5	22	23.3	10.0	33.3
Chickasaw	67	8	59	18.9	4.6	32.8
Choctaw	29	4	25	19.7	4.4	43.8
Claiborne	108	2	106	48.9	4.6	59.6
Clarke	70	3	67	23.2	2.0	43.5
Clay	99	5	94	25.1	3.3	38.7
Coahoma	403	9	394	49.4	4.7	63.2
Copiah	133	4	129	26.9	2.1	43.0
Covington	85	7	78	29.9	5.6	49.4
DeSoto	133	18	115	16.1	2.9	55.0
Forrest	251	28	223	23.3	4.4	50.7
Franklin	31	1	30	23.3	1.5	44.1
George	32	11	21	11.9	4.9	47.7
Greene	31	7	24	16.6	5.1	49.0
Grenada	119	11	108	29.6	5.8	50.7
Hancock	45	27	18	13.6	9.4	40.0
Harrison	432	140	292	15.4	6.8	39.4
Hinds	1,348	81	1,267	29.9	4.4	47.7
Holmes	236	3	233	45.9	3.9	53.2
Humphreys	133	2	131	44.9	2.8	58.0
Issaquena	15	1	14	46.9	9.1	66.7
Itawamba	21	10	11	9.1	5.0	36.7
Jackson	341	84	257	15.5	5.3	42.6
Jasper	84	2	82	26.6	1.7	41.6
Jefferson	97	2	95	48.7	8.7	54.0
Jeff Davis	84	2	82	31.0	2.6	42.5
Jones	167	24	143	17.2	3.8	41.9
Kemper	42	0	42	26.6	-	42.0
Lafayette	97	6	91	24.2	2.6	53.5
Lamar	44	15	29	11.8	4.7	52.7
Lauderdale	315	33	282	24.2	4.8	46.4
Lawrence	47	4	43	21.3	3.3	43.0
Leake	46	3	43	14.7	2.1	25.7
Lee	165	30	135	16.9	4.6	41.4
Leflore	352	11	341	41.8	4.5	57.0

Table 4 - Page 2
Illegitimate Live Births - Mississippi - 1978

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	107	10	97	22.6	3.9	44.9
Lowndes	278	21	257	26.2	3.6	53.6
Madison	296	10	286	36.4	3.5	54.3
Marion	85	11	74	19.7	4.3	42.3
Marshall	179	8	171	33.3	4.3	48.8
Monroe	129	21	108	21.7	6.0	43.9
Montgomery	63	7	56	29.2	7.3	46.7
Neshoba	79	6	73	20.2	2.9	39.9
Newton	75	9	66	24.5	5.5	46.2
Noxubee	110	0	110	40.3	-	53.6
Oktibbeha	115	5	110	22.9	2.0	42.8
Panola	180	10	170	30.9	5.1	43.9
Pearl River	94	23	71	18.0	5.7	61.7
Perry	46	8	38	21.6	5.6	55.1
Pike	168	13	155	28.5	5.0	47.2
Pontotoc	28	4	24	10.1	2.0	33.8
Prentiss	31	5	26	9.6	1.9	44.1
Quitman	127	6	121	43.0	8.3	54.3
Rankin	145	37	108	13.7	4.6	41.2
Scott	87	13	74	22.2	6.1	41.3
Sharkey	115	6	109	48.7	10.9	60.2
Simpson	53	9	44	13.9	4.0	28.8
Smith	30	4	26	13.8	2.7	36.1
Stone	31	6	25	20.5	6.2	46.3
Sunflower	335	10	325	41.5	5.3	52.7
Tallahatchie	169	7	162	48.0	8.6	59.8
Tate	92	5	87	27.1	3.3	46.0
Tippah	35	8	27	11.7	3.5	37.5
Tishomingo	15	7	8	6.9	3.6	42.1
Tunica	141	2	139	51.6	4.8	60.2
Union	37	12	25	10.9	4.7	30.1
Walthall	51	2	49	20.3	2.1	31.4
Warren	277	19	258	29.2	4.0	54.9
Washington	664	35	629	41.8	6.7	59.0
Wayne	90	11	79	25.1	5.8	46.5
Webster	33	6	27	18.2	5.6	37.0
Wilkinson	64	2	62	41.6	4.8	55.4
Winston	90	3	87	28.8	2.5	44.8
Yalobusha	60	11	49	27.1	11.0	40.5
Yazoo	200	10	190	36.6	5.5	52.2

TABLE 5A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1978

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	11,703	356	5,639	3,646	1,218	519	248	69	6	2
Adams	235	6	104	83	28	8	5	1	0	0
Alcorn	41	5	15	14	7	0	0	0	0	0
Amite	46	1	23	13	8	0	1	0	0	0
Attala	63	3	27	15	8	6	3	1	0	0
Benton	27	1	13	10	1	0	2	0	0	0
Bolivar	514	16	264	145	45	32	7	5	0	0
Calhoun	44	2	21	17	3	1	0	0	0	0
Carroll	27	1	16	7	2	1	0	0	0	0
Chickasaw	67	3	37	16	7	3	1	0	0	0
Choctaw	29	2	15	8	2	2	0	0	0	0
Claiborne	108	4	44	34	16	4	5	1	0	0
Clarke	70	2	35	16	8	1	8	0	0	0
Clay	99	1	44	27	19	5	2	0	1	0
Coahoma	403	15	199	123	42	19	2	2	0	1
Copiah	133	6	67	36	10	8	5	1	0	0
Covington	85	1	37	31	9	4	2	1	0	0
DeSoto	133	4	66	39	19	3	1	0	1	0
Forrest	251	7	122	80	27	9	4	2	0	0
Franklin	31	2	15	9	4	0	0	0	1	0
George	32	1	18	8	3	2	0	0	0	0
Greene	31	2	16	8	3	2	0	0	0	0
Grenada	119	9	54	38	11	5	2	0	0	0
Hancock	45	1	31	8	4	0	1	0	0	0
Harrison	432	8	209	132	48	25	8	2	0	0
Hinds	1,348	28	622	475	149	51	15	8	0	0
Holmes	236	6	108	80	25	11	2	4	0	0
Humphreys	133	1	71	41	11	5	4	0	0	0
Issaquena	15	2	6	6	0	1	0	0	0	0
Itawamba	21	0	14	3	3	1	0	0	0	0
Jackson	341	11	164	99	33	22	12	0	0	0
Jasper	84	5	42	28	5	4	0	0	0	0
Jefferson	97	1	33	39	13	7	3	1	0	0
Jeff Davis	84	4	39	24	14	2	1	0	0	0
Jones	167	5	68	53	22	11	7	0	0	1
Kemper	42	1	20	15	4	1	1	0	0	0
Lafayette	97	3	49	28	12	4	1	0	0	0
Lamar	44	1	18	18	5	2	0	0	0	0
Lauderdale	315	8	141	92	46	10	10	7	1	0
Lawrence	47	1	18	20	6	1	1	0	0	0
Leake	46	4	23	12	6	1	0	0	0	0
Lee	165	4	75	54	20	7	4	1	0	0
Leflore	352	8	184	114	34	6	6	0	0	0

Table 5A - Page 2
Total Illegitimate Live Births - Mississippi - 1978

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	107	2	42	39	17	2	4	1	0	0
Lowndes	278	10	125	98	27	8	10	0	0	0
Madison	296	6	144	82	43	12	7	1	1	0
Marion	85	2	46	23	8	4	2	0	0	0
Marshall	179	9	81	55	16	10	6	2	0	0
Monroe	129	6	61	41	9	7	4	1	0	0
Montgomery	63	0	32	19	6	4	2	0	0	0
Neshoba	79	4	31	24	12	5	2	1	0	0
Newton	75	1	30	27	11	5	1	0	0	0
Noxubee	110	4	51	38	9	5	1	2	0	0
Oktibbeha	115	4	51	38	10	8	4	0	0	0
Panola	180	2	98	48	15	8	6	3	0	0
Pearl River	94	3	46	32	8	4	1	0	0	0
Perry	46	0	16	15	12	3	0	0	0	0
Pike	168	2	78	57	19	9	3	0	0	0
Pontotoc	28	2	12	9	4	0	1	0	0	0
Prentiss	31	1	16	9	0	3	1	1	0	0
Quitman	127	6	67	37	7	5	4	1	0	0
Rankin	145	5	68	49	12	9	1	1	0	0
Scott	87	4	47	23	6	3	4	0	0	0
Sharkey	115	3	59	34	12	2	2	3	0	0
Simpson	53	2	25	16	8	1	1	0	0	0
Smith	30	0	12	10	5	2	1	0	0	0
Stone	31	2	16	5	4	2	0	2	0	0
Sunflower	335	9	182	93	32	11	7	1	0	0
Tallahatchie	169	7	91	48	13	4	5	1	0	0
Tate	92	3	46	23	11	4	3	2	0	0
Tippah	35	2	19	9	4	1	0	0	0	0
Tishomingo	15	1	6	4	1	3	0	0	0	0
Tunica	141	3	80	42	5	9	1	1	0	0
Union	37	1	21	14	1	0	0	0	0	0
Walthall	51	2	20	16	9	2	1	1	0	0
Warren	277	6	131	95	22	17	5	1	0	0
Washington	664	30	326	204	55	29	17	3	0	0
Wayne	90	1	46	23	11	8	1	0	0	0
Webster	33	0	20	13	0	0	0	0	0	0
Wilkinson	64	1	30	19	7	4	3	0	0	0
Winston	90	4	38	31	7	5	2	2	1	0
Yalobusha	60	2	35	11	4	3	5	0	0	0
Yazoo	200	8	107	55	14	11	4	1	0	0

TABLE 5B
WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1978

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	1,068	23	586	297	95	50	13	3	0	1
Adams	22	0	11	11	0	0	0	0	0	0
Alcorn	14	0	6	6	2	0	0	0	0	0
Amite	2	0	2	0	0	0	0	0	0	0
Attala	3	0	3	0	0	0	0	0	0	0
Benton	1	0	1	0	0	0	0	0	0	0
Bolivar	11	0	5	3	2	0	1	0	0	0
Calhoun	10	0	4	5	0	1	0	0	0	0
Carroll	5	1	2	1	1	0	0	0	0	0
Chickasaw	8	0	5	2	1	0	0	0	0	0
Choctaw	4	0	2	1	0	1	0	0	0	0
Claiborne	2	0	1	0	1	0	0	0	0	0
Clarke	3	0	1	2	0	0	0	0	0	0
Clay	5	1	1	1	2	0	0	0	0	0
Coahoma	9	1	4	2	1	0	0	0	0	1
Copiah	4	0	4	0	0	0	0	0	0	0
Covington	7	0	5	2	0	0	0	0	0	0
DeSoto	18	0	10	5	3	0	0	0	0	0
Forrest	28	0	14	6	7	1	0	0	0	0
Franklin	1	0	1	0	0	0	0	0	0	0
George	11	0	7	3	0	1	0	0	0	0
Greene	7	1	2	3	1	0	0	0	0	0
Grenada	11	1	3	4	0	3	0	0	0	0
Hancock	27	0	21	5	1	0	0	0	0	0
Harrison	140	1	78	35	19	6	1	0	0	0
Hinds	81	0	42	27	9	3	0	0	0	0
Holmes	3	0	3	0	0	0	0	0	0	0
Humphreys	2	0	0	2	0	0	0	0	0	0
Issaquena	1	0	1	0	0	0	0	0	0	0
Itawamba	10	0	8	1	0	1	0	0	0	0
Jackson	84	5	49	18	4	5	3	0	0	0
Jasper	2	0	2	0	0	0	0	0	0	0
Jefferson	2	0	2	0	0	0	0	0	0	0
Jeff Davis	2	1	1	0	0	0	0	0	0	0
Jones	24	1	11	6	2	2	2	0	0	0
Kemper	0	0	0	0	0	0	0	0	0	0
Lafayette	6	0	6	0	0	0	0	0	0	0
Lamar	15	1	6	7	1	0	0	0	0	0
Lauderdale	33	0	13	10	4	3	2	1	0	0
Lawrence	4	0	1	2	1	0	0	0	0	0
Leake	3	0	2	1	0	0	0	0	0	0
Lee	30	1	16	8	4	1	0	0	0	0
Leflore	11	0	6	2	2	1	0	0	0	0

Table 5B - Page 2
White Illegitimate Live Births - Mississippi

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	10	0	6	3	1	0	0	0	0	0
Lowndes	21	0	10	9	2	0	0	0	0	0
Madison	10	0	7	2	1	0	0	0	0	0
Marion	11	0	8	3	0	0	0	0	0	0
Marshall	8	0	1	5	0	1	0	1	0	0
Monroe	21	1	9	4	2	4	1	0	0	0
Montgomery	7	0	5	2	0	0	0	0	0	0
Neshoba	6	0	2	1	0	3	0	0	0	0
Newton	9	0	6	0	2	0	1	0	0	0
Noxubee	0	0	0	0	0	0	0	0	0	0
Oktibbeha	5	0	4	0	0	0	1	0	0	0
Panola	10	0	7	3	0	0	0	0	0	0
Pearl River	23	0	12	8	0	3	0	0	0	0
Perry	8	0	3	3	1	1	0	0	0	0
Pike	13	0	9	3	1	0	0	0	0	0
Pontotoc	4	0	2	2	0	0	0	0	0	0
Prentiss	5	0	4	0	0	0	0	1	0	0
Quitman	6	0	5	1	0	0	0	0	0	0
Rankin	37	1	19	15	2	0	0	0	0	0
Scott	13	1	6	3	1	1	1	0	0	0
Sharkey	6	0	5	1	0	0	0	0	0	0
Simpson	9	0	3	4	2	0	0	0	0	0
Smith	4	0	2	1	0	1	0	0	0	0
Stone	6	0	4	1	0	1	0	0	0	0
Sunflower	10	0	6	4	0	0	0	0	0	0
Tallahatchie	7	1	4	2	0	0	0	0	0	0
Tate	5	0	3	1	1	0	0	0	0	0
Tippah	8	0	6	2	0	0	0	0	0	0
Tishomingo	7	0	2	3	1	1	0	0	0	0
Tunica	2	0	1	1	0	0	0	0	0	0
Union	12	1	6	4	1	0	0	0	0	0
Walthall	2	1	0	1	0	0	0	0	0	0
Warren	19	0	14	2	1	2	0	0	0	0
Washington	35	0	18	13	3	1	0	0	0	0
Wayne	11	0	4	3	2	2	0	0	0	0
Webster	6	0	4	2	0	0	0	0	0	0
Wilkinson	2	0	2	0	0	0	0	0	0	0
Winston	3	0	2	0	1	0	0	0	0	0
Yalobusha	11	1	6	3	1	0	0	0	0	0
Yazoo	10	1	7	1	1	0	0	0	0	0

TABLE 5C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1978

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	10,635	333	5,053	3,349	1,123	469	235	66	6	1
Adams	213	6	93	72	28	8	5	1	0	0
Alcorn	27	5	9	8	5	0	0	0	0	0
Amite	44	1	21	13	8	0	1	0	0	0
Attala	60	3	24	15	8	6	3	1	0	0
Benton	26	1	12	10	1	0	2	0	0	0
Bolivar	503	16	259	142	43	32	6	5	0	0
Calhoun	34	2	17	12	3	0	0	0	0	0
Carroll	22	0	14	6	1	1	0	0	0	0
Chickasaw	59	3	32	14	6	3	1	0	0	0
Choctaw	25	2	13	7	2	1	0	0	0	0
Claiborne	106	4	43	34	15	4	5	1	0	0
Clarke	67	2	34	14	8	1	8	0	0	0
Clay	94	0	43	26	17	5	2	0	1	0
Coahoma	394	14	195	121	41	19	2	2	0	0
Copiah	129	6	63	36	10	8	5	1	0	0
Covington	78	1	32	29	9	4	2	1	0	0
DeSoto	115	4	56	34	16	3	1	0	1	0
Forrest	223	7	108	74	20	8	4	2	0	0
Franklin	30	2	14	9	4	0	0	0	1	0
George	21	1	11	5	3	1	0	0	0	0
Greene	24	1	14	5	2	2	0	0	0	0
Grenada	108	8	51	34	11	2	2	0	0	0
Hancock	18	1	10	3	3	0	1	0	0	0
Harrison	292	7	131	97	29	19	7	2	0	0
Hinds	1,267	28	580	448	140	48	15	8	0	0
Holmes	233	6	105	80	25	11	2	4	0	0
Humphreys	131	1	71	39	11	5	4	0	0	0
Issaquena	14	2	5	6	0	1	0	0	0	0
Itawamba	11	0	6	2	3	0	0	0	0	0
Jackson	257	6	115	81	29	17	9	0	0	0
Jasper	82	5	40	28	5	4	0	0	0	0
Jefferson	95	1	31	39	13	7	3	1	0	0
Jeff Davis	82	3	38	24	14	2	1	0	0	0
Jones	143	4	57	47	20	9	5	0	0	1
Kemper	42	1	20	15	4	1	1	0	0	0
Lafayette	91	3	43	28	12	4	1	0	0	0
Lamar	29	0	12	11	4	2	0	0	0	0
Lauderdale	282	8	128	82	42	7	8	6	1	0
Lawrence	43	1	17	18	5	1	1	0	0	0
Leake	43	4	21	11	6	1	0	0	0	0
Lee	135	3	59	46	16	6	4	1	0	0
Leflore	341	8	178	112	32	5	6	0	0	0

Table 5C - Page 2
Nonwhite Illegitimate Live Births - Mississippi - 1978

County	Total	Age of Mother Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Unknown
Lincoln	97	2	36	36	16	2	4	1	0	0
Lowndes	257	10	115	89	25	8	10	0	0	0
Madison	286	6	137	80	42	12	7	1	1	0
Marion	74	2	38	20	8	4	2	0	0	0
Marshall	171	9	80	50	16	9	6	1	0	0
Monroe	108	5	52	37	7	3	3	1	0	0
Montgomery	56	0	27	17	6	4	2	0	0	0
Neshoba	73	4	29	23	12	2	2	1	0	0
Newton	66	1	24	27	9	5	0	0	0	0
Noxubee	110	4	51	38	9	5	1	2	0	0
Oktibbeha	110	4	47	38	10	8	3	0	0	0
Panola	170	2	91	45	15	8	6	3	0	0
Pearl River	71	3	34	24	8	1	1	0	0	0
Perry	38	0	13	12	11	2	0	0	0	0
Pike	155	2	69	54	18	9	3	0	0	0
Pontotoc	24	2	10	7	4	0	1	0	0	0
Prentiss	26	1	12	9	0	3	1	0	0	0
Quitman	121	6	62	36	7	5	4	1	0	0
Rankin	108	4	49	34	10	9	1	1	0	0
Scott	74	3	41	20	5	2	3	0	0	0
Sharkey	109	3	54	33	12	2	2	3	0	0
Simpson	44	2	22	12	6	1	1	0	0	0
Smith	26	0	10	9	5	1	1	0	0	0
Stone	25	2	12	4	4	1	0	2	0	0
Sunflower	325	9	176	89	32	11	7	1	0	0
Tallahatchie	162	6	87	46	13	4	5	1	0	0
Tate	87	3	43	22	10	4	3	2	0	0
Tippah	27	2	13	7	4	1	0	0	0	0
Tishomingo	8	1	4	1	0	2	0	0	0	0
Tunica	139	3	79	41	5	9	1	1	0	0
Union	25	0	15	10	0	0	0	0	0	0
Walthall	49	1	20	15	9	2	1	1	0	0
Warren	258	6	117	93	21	15	5	1	0	0
Washington	629	30	308	191	52	28	17	3	0	0
Wayne	79	1	42	20	9	6	1	0	0	0
Webster	27	0	16	11	0	0	0	0	0	0
Wilkinson	62	1	28	19	7	4	3	0	0	0
Winston	87	4	36	31	6	5	2	2	1	0
Yalobusha	49	1	29	8	3	3	5	0	0	0
Yazoo	190	7	100	54	13	11	4	1	0	0

TABLE 6
IMMATURE LIVE BIRTHS BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1978

	Total			White			Nonwhite		
	Total Live Births	Immature* Live Births		Total Live Births	Immature* Live Births		Total Live Births	Immature* Live Births	
County		Number	Percent		Number	Percent		Number	Percent
STATE	44,373	3,907	8.8	22,632	1,329	5.9	21,741	2,578	11.8
Adams	653	56	8.6	269	16	5.9	384	40	10.4
Alcorn	482	24	5.0	404	19	4.7	78	5	6.4
Amite	203	14	6.9	93	3	3.2	110	11	10.0
Attala	288	21	7.3	132	4	3.0	156	17	10.9
Benton	140	13	9.3	76	4	5.3	64	9	14.1
Bolivar	1,081	134	12.4	252	15	6.0	829	119	14.4
Calhoun	231	12	5.2	147	6	4.1	84	6	7.1
Carroll	116	8	6.9	50	4	8.0	66	4	6.1
Chickasaw	354	33	9.3	174	9	5.2	180	24	13.3
Choctaw	147	10	6.8	90	3	3.3	57	7	12.3
Claiborne	221	26	11.8	43	5	11.6	178	21	11.8
Clarke	301	31	10.3	147	7	4.8	154	24	15.6
Clay	395	42	10.6	152	7	4.6	243	35	14.4
Coahoma	816	89	10.9	193	11	5.7	623	78	12.5
Copiah	494	54	10.9	194	8	4.1	300	46	15.3
Covington	284	27	9.5	126	6	4.8	158	21	13.3
DeSoto	825	60	7.3	616	39	6.3	209	21	10.0
Forrest	1,078	90	8.3	638	41	6.4	440	49	11.1
Franklin	133	8	6.0	65	5	7.7	68	3	4.4
George	268	18	6.7	224	14	6.2	44	4	9.1
Greene	187	12	6.4	138	6	4.3	49	6	12.2
Grenada	402	44	10.9	189	12	6.3	213	32	15.0
Hancock	332	31	9.3	287	25	8.7	45	6	13.3
Harrison	2,804	191	6.8	2,062	109	5.3	742	82	11.0
Hinds	4,512	445	9.9	1,857	103	5.5	2,655	342	12.9
Holmes	514	46	8.9	76	0	-	438	46	10.5
Humphreys	296	30	10.1	70	2	2.8	226	28	12.4
Issaquena	32	4	12.5	11	0	-	21	4	19.0
Itawamba	230	18	7.8	200	11	5.5	30	7	23.3
Jackson	2,195	175	8.0	1,592	99	6.2	603	76	12.6
Jasper	316	24	7.6	119	9	7.6	197	15	7.6
Jefferson	199	23	11.6	23	2	8.7	176	21	11.9
Jeff Davis	271	28	10.3	78	6	7.7	193	22	11.4
Jones	968	78	8.0	627	38	6.1	341	40	11.7
Kemper	158	10	6.3	58	3	5.2	100	7	7.0
Lafayette	401	27	6.7	231	9	3.9	170	18	10.6
Lamar	373	21	5.6	318	19	6.0	55	2	3.6
Lauderdale	1,300	114	8.8	692	32	4.6	608	82	13.5
Lawrence	221	14	6.3	121	3	2.5	100	11	11.0
Leake	312	32	10.2	145	18	12.4	167	14	8.4
Lee	978	92	9.4	652	53	8.1	326	39	12.0
Leflore	842	77	9.1	244	18	7.4	598	59	9.9

Table 6 - Page 2
Immature Live Births - Mississippi - 1978

County	Total: Total Live Births	Total: Immature* Live Births Number	Total: Immature* Live Births Percent	White: Total Live Births	White: Immature* Live Births Number	White: Immature* Live Births Percent	Nonwhite: Total Live Births	Nonwhite: Immature* Live Births Number	Nonwhite: Immature* Live Births Percent
Lincoln	474	39	8.2	258	11	4.3	216	28	13.0
Lowndes	1,063	77	7.2	584	23	3.9	479	54	11.3
Madison	812	72	8.9	285	15	5.3	527	57	10.8
Marion	432	31	7.2	257	15	5.8	175	16	9.1
Marshall	537	59	11.0	187	14	7.5	350	45	12.8
Monroe	594	35	5.9	348	13	3.7	246	22	8.9
Montgomery	216	19	8.8	96	10	10.4	120	9	7.5
Neshoba	390	34	8.7	207	9	4.3	183	25	13.7
Newton	306	23	7.5	163	11	6.7	143	12	8.4
Noxubee	273	17	6.2	68	2	2.9	205	15	7.3
Oktibbeha	503	34	6.8	246	8	3.2	257	26	10.1
Panola	582	52	8.9	195	11	5.6	387	41	10.6
Pearl River	521	50	9.6	406	30	7.4	115	20	17.4
Perry	213	18	8.4	144	7	4.9	69	11	15.9
Pike	589	62	10.5	261	20	7.7	328	42	12.8
Pontotoc	276	12	4.3	205	11	5.4	71	1	1.4
Prentiss	321	27	8.4	262	17	6.5	59	10	16.9
Quitman	295	44	14.9	72	7	9.7	223	37	16.6
Rankin	1,058	88	8.3	796	55	6.9	262	33	12.6
Scott	392	21	5.4	213	10	4.7	179	11	6.1
Sharkey	236	27	11.4	55	4	7.3	181	23	12.7
Simpson	380	27	7.1	227	10	4.4	153	17	11.1
Smith	218	21	9.6	146	13	8.9	72	8	11.1
Stone	151	13	8.6	97	6	6.2	54	7	13.0
Sunflower	807	72	8.9	190	11	5.8	617	61	9.9
Tallahatchie	352	46	13.1	81	6	7.4	271	40	14.8
Tate	339	33	9.7	150	7	4.7	189	26	13.8
Tippah	298	36	12.1	226	24	10.6	72	12	16.7
Tishomingo	216	6	2.8	197	6	3.0	19	0	-
Tunica	273	35	12.8	42	1	2.4	231	34	14.7
Union	339	24	7.1	256	18	7.0	83	6	7.2
Walthall	251	18	7.2	95	0	-	156	18	11.5
Warren	948	96	10.1	478	31	6.5	470	65	13.8
Washington	1,590	159	10.0	523	34	6.5	1,067	125	11.7
Wayne	359	30	8.4	189	13	6.9	170	17	10.0
Webster	181	18	9.9	108	7	6.5	73	11	15.1
Wilkinson	154	14	9.1	42	2	4.8	112	12	10.7
Winston	313	31	9.9	119	7	5.9	194	24	12.4
Yalobusha	221	27	12.2	100	10	10.0	121	17	14.0
Yazoo	547	54	9.9	183	17	9.3	364	37	10.2

* Birthweight 2,500 grams or less.

TABLE 7
PREMATURE LIVE BIRTHS BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1978

	Total			White			Nonwhite		
	Total Live Births	Premature* Live Births		Total Live Births	Premature* Live Births		Total Live Births	Premature* Live Births	
County		Number	Percent		Number	Percent		Number	Percent
STATE	44,373	5,841	13.2	22,632	1,842	8.1	21,741	3,999	18.4
Adams	653	93	14.2	269	29	10.8	384	64	16.7
Alcorn	482	52	10.8	404	37	9.2	78	15	19.2
Amite	203	24	11.8	93	4	4.3	110	20	18.2
Attala	288	30	10.4	132	2	1.5	156	28	17.9
Benton	140	17	12.1	76	8	10.5	64	9	14.1
Bolivar	1,081	199	18.4	252	20	7.9	829	179	21.6
Calhoun	231	20	8.6	147	9	6.1	84	11	13.1
Carroll	116	11	9.5	50	3	6.0	66	8	12.1
Chickasaw	354	43	12.1	174	7	4.0	180	36	20.0
Choctaw	147	14	9.5	90	5	5.6	57	9	15.8
Claiborne	221	32	14.5	43	6	14.0	178	26	14.6
Clarke	301	45	15.0	147	10	6.8	154	35	22.7
Clay	395	65	16.4	152	12	7.9	243	53	21.8
Coahoma	816	137	16.8	193	17	8.8	623	120	19.3
Copiah	494	59	11.9	194	8	4.1	300	51	17.0
Covington	284	35	12.3	126	8	6.3	158	27	17.1
DeSoto	825	82	9.9	616	55	8.9	209	27	12.9
Forrest	1,078	126	11.7	638	44	6.9	440	82	18.6
Franklin	133	13	9.8	65	5	7.7	68	8	11.8
George	268	32	11.9	224	24	10.7	44	8	18.2
Greene	187	20	10.7	138	13	9.4	49	7	14.3
Grenada	402	78	19.4	189	26	13.8	213	52	24.4
Hancock	332	41	12.3	287	32	11.1	45	9	20.0
Harrison	2,804	312	11.1	2,062	171	8.3	742	141	19.0
Hinds	4,512	562	12.4	1,857	149	8.0	2,655	413	15.6
Holmes	514	85	16.5	76	2	2.6	438	83	18.9
Humphreys	296	50	16.9	70	8	11.4	226	42	18.6
Issaquena	32	10	31.2	11	1	9.1	21	9	42.8
Itawamba	230	19	8.3	200	12	6.0	30	7	23.3
Jackson	2,195	240	10.9	1,592	132	8.3	603	108	17.9
Jasper	316	49	15.5	119	13	10.9	197	36	18.3
Jefferson	199	36	18.1	23	2	8.7	176	34	19.3
Jeff Davis	271	52	19.2	78	7	9.0	193	45	23.3
Jones	968	103	10.6	627	46	7.3	341	57	16.7
Kemper	158	22	13.9	58	5	8.6	100	17	17.0
Lafayette	401	46	11.5	231	11	4.8	170	35	20.6
Lamar	373	32	8.6	318	24	7.5	55	8	14.5
Lauderdale	1,300	170	13.1	692	52	7.5	608	118	19.4
Lawrence	221	22	10.0	121	7	5.8	100	15	15.0
Leake	312	43	13.8	145	13	9.0	167	30	18.0
Lee	978	138	14.1	652	75	11.5	326	63	19.3
Leflore	842	166	19.7	244	22	9.0	598	144	24.1

Table 7 - Page 2
Premature Live Births - Mississippi - 1978

County	Total: Total Live Births	Total: Premature* Live Births Number	Total: Premature* Live Births Percent	White: Total Live Births	White: Premature* Live Births Number	White: Premature* Live Births Percent	Nonwhite: Total Live Births	Nonwhite: Premature* Live Births Number	Nonwhite: Premature* Live Births Percent
Lincoln	474	57	12.0	258	19	7.4	216	38	17.6
Lowndes	1,063	151	14.2	584	49	8.4	479	102	21.3
Madison	812	123	15.1	285	21	7.4	527	102	19.4
Marion	432	62	14.4	257	27	10.5	175	35	20.0
Marshall	537	85	15.8	187	22	11.8	350	63	18.0
Monroe	594	72	12.1	348	26	7.5	246	46	18.7
Montgomery	216	33	15.3	96	11	11.4	120	22	18.3
Neshoba	390	48	12.3	207	17	8.2	183	31	16.9
Newton	306	28	9.2	163	10	6.1	143	18	12.6
Noxubee	273	30	11.0	68	0	-	205	30	14.6
Oktibbeha	503	50	9.9	246	6	2.4	257	44	17.1
Panola	582	102	17.5	195	22	11.3	387	80	20.7
Pearl River	521	54	10.4	406	27	6.6	115	27	23.5
Perry	213	26	12.2	144	10	6.9	69	16	23.2
Pike	589	96	16.3	261	23	8.8	328	73	22.2
Pontotoc	276	27	9.8	205	13	6.3	71	14	19.7
Prentiss	321	37	11.5	262	20	7.6	59	17	28.8
Quitman	295	46	15.6	72	10	13.9	223	36	16.1
Rankin	1,058	103	9.7	796	61	7.7	262	42	16.0
Scott	392	49	12.5	213	18	8.4	179	31	17.3
Sharkey	236	29	12.3	55	3	5.4	181	26	14.4
Simpson	380	46	12.1	227	24	10.6	153	22	14.4
Smith	218	29	13.3	146	16	11.0	72	13	18.0
Stone	151	13	8.6	97	4	4.1	54	9	16.7
Sunflower	807	130	16.1	190	15	7.9	617	115	18.6
Tallahatchie	352	65	18.5	81	8	9.9	271	57	21.0
Tate	339	48	14.2	150	11	7.3	189	37	19.6
Tippah	298	25	8.4	226	15	6.6	72	10	13.9
Tishomingo	216	19	8.8	197	17	8.6	19	2	10.5
Tunica	273	49	17.9	42	0	-	231	49	21.2
Union	339	37	10.9	256	24	9.4	83	13	15.7
Walthall	251	35	13.9	95	5	5.3	156	30	19.2
Warren	948	138	14.6	478	42	8.8	470	96	20.4
Washington	1,590	233	14.6	523	43	8.2	1,067	190	17.8
Wayne	359	36	10.0	189	13	6.9	170	23	13.5
Webster	181	19	10.5	108	7	6.5	73	12	16.4
Wilkinson	154	8	5.2	42	1	2.4	112	7	6.2
Winston	313	48	15.3	119	10	8.4	194	38	19.6
Yalobusha	221	40	18.1	100	14	14.0	121	26	21.5
Yazoo	547	90	16.4	183	22	12.0	364	68	18.7

* Gestation less than 37 weeks.

TABLE 8

REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE, ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1978

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	699	227	472	678	216	462	15.3	9.5	21.2
Adams	12	2	10	8	1	7	12.2	3.7	18.2
Alcorn	4	4	0	3	3	0	6.2	7.4	-
Amite	0	0	0	2	1	1	9.8	10.8	9.1
Attala	3	1	2	4	1	3	13.9	7.6	19.2
Benton	0	0	0	0	0	0	-	-	-
Bolivar	32	5	27	17	2	15	15.7	7.9	18.1
Calhoun	0	0	0	3	1	2	13.0	6.8	23.8
Carroll	0	0	0	2	1	1	17.2	20.0	15.2
Chickasaw	1	1	0	2	0	2	5.6	-	11.1
Choctaw	1	0	1	0	0	0	-	-	-
Claiborne	1	0	1	5	1	4	22.6	23.2	22.5
Clarke	0	0	0	9	4	5	29.9	27.2	32.5
Clay	3	0	3	4	1	3	10.1	6.6	12.3
Coahoma	26	5	21	20	4	16	24.5	20.7	25.7
Copiah	9	1	8	15	2	13	30.4	10.3	43.3
Covington	3	2	1	9	4	5	31.7	31.7	31.6
DeSoto	0	0	0	0	0	0	-	-	-
Forrest	38	22	16	17	6	11	15.8	9.4	25.0
Franklin	2	1	1	3	1	2	22.6	15.4	29.4
George	2	2	0	2	2	0	7.5	8.9	-
Greene	2	1	1	2	1	1	10.7	7.2	20.4
Grenada	5	2	3	6	2	4	14.9	10.6	18.8
Hancock	0	0	0	6	6	0	18.1	20.9	-
Harrison	53	26	27	40	17	23	14.3	8.2	31.0
Hinds	135	27	108	66	16	50	14.6	8.6	18.8
Holmes	2	0	2	8	0	8	15.6	-	18.3
Humphreys	4	0	4	5	0	5	16.9	-	22.1
Issaquena	0	0	0	1	0	1	31.2	-	47.6
Itawamba	0	0	0	0	0	0	-	-	-
Jackson	28	17	11	32	19	13	14.6	11.9	21.6
Jasper	0	0	0	10	1	9	31.6	8.4	45.7
Jefferson	1	0	1	3	0	3	15.1	-	17.0
Jeff Davis	3	0	3	5	2	3	18.4	25.6	15.5
Jones	41	12	29	25	14	11	25.8	22.3	32.2
Kemper	0	0	0	3	0	3	19.0	-	30.0
Lafayette	2	1	1	2	1	1	5.0	4.3	5.9
Lamar	0	0	0	11	8	3	29.5	25.2	54.5
Lauderdale	34	15	19	17	9	8	13.1	13.0	13.2
Lawrence	0	0	0	5	3	2	22.6	24.8	20.0
Leake	1	0	1	7	1	6	22.4	6.9	35.9
Lee	11	6	5	6	4	2	6.1	6.1	6.1
Leflore	15	2	13	11	1	10	13.1	4.1	16.7

Table 8 - Page 2
Reportable* Fetal Deaths - Mississippi - 1978

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	4	1	3	3	1	2	6.3	3.9	9.2
Lowndes	12	4	8	12	2	10	11.3	3.4	20.9
Madison	2	0	2	20	0	20	24.6	-	38.0
Marion	1	1	0	4	2	2	9.2	7.8	11.4
Marshall	2	0	2	3	0	3	5.6	-	8.6
Monroe	14	7	7	5	2	3	8.4	5.7	12.2
Montgomery	2	0	2	1	0	1	4.6	-	8.3
Neshoba	2	0	2	7	1	6	17.9	4.8	32.8
Newton	3	0	3	8	0	8	26.1	-	55.9
Noxubee	5	1	4	3	2	1	11.0	29.4	4.9
Oktibbeha	10	4	6	9	3	6	17.9	12.2	23.3
Panola	8	2	6	9	2	7	15.5	10.2	18.1
Pearl River	4	3	1	5	3	2	9.6	7.4	17.4
Perry	2	2	0	4	3	1	18.8	20.8	14.5
Pike	20	5	15	18	2	16	30.6	7.7	48.8
Pontotoc	0	0	0	3	3	0	10.9	14.6	-
Prentiss	3	3	0	3	2	1	9.3	7.6	16.9
Quitman	2	0	2	6	0	6	20.3	-	26.9
Rankin	20	12	8	18	10	8	17.0	12.6	30.5
Scott	4	0	4	6	3	3	15.3	14.1	16.8
Sharkey	1	0	1	6	0	6	25.4	-	33.1
Simpson	5	3	2	5	2	3	13.2	8.8	19.6
Smith	0	0	0	2	0	2	9.2	-	27.8
Stone	0	0	0	1	1	0	6.6	10.3	-
Sunflower	7	1	6	19	4	15	23.5	21.0	24.3
Tallahatchie	6	0	6	7	1	6	19.9	12.3	22.1
Tate	3	0	3	2	0	2	5.9	-	10.6
Tippah	1	1	0	2	1	1	6.7	4.4	13.9
Tishomingo	0	0	0	4	3	1	18.5	15.2	52.6
Tunica	0	0	0	1	0	1	3.7	-	4.3
Union	6	4	2	4	3	1	11.8	11.7	12.0
Walthall	1	1	0	2	1	1	8.0	10.5	6.4
Warren	38	5	33	26	6	20	27.4	12.6	42.6
Washington	21	8	13	28	8	20	17.6	15.3	18.7
Wayne	7	1	6	6	0	6	16.7	-	35.3
Webster	3	1	2	4	3	1	22.1	27.8	13.7
Wilkinson	0	0	0	0	0	0	-	-	-
Winston	1	0	1	5	1	4	16.0	8.4	20.6
Yalobusha	3	2	1	2	1	1	9.0	10.0	8.3
Yazoo	2	0	2	9	0	9	16.4	-	24.7
Out of state	3	3	0	24	14	10			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE, ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL), MISSISSIPPI, 1978

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
STATE	22,951	14,336	8,615	23,363	14,631	8,732
Adams	454	230	224	383	182	201
Alcorn	232	209	23	301	273	28
Amite	41	24	17	117	67	50
Attala	207	128	79	233	139	94
Benton	18	14	4	72	50	22
Bolivar	475	161	314	506	180	326
Calhoun	118	100	18	162	137	25
Carroll	27	10	17	77	27	50
Chickasaw	176	120	56	189	130	59
Choctaw	59	35	24	96	68	28
Claiborne	89	23	66	117	31	86
Clarke	122	80	42	168	114	54
Clay	187	95	92	227	120	107
Coahoma	473	172	301	431	144	287
Copiah	213	109	104	303	161	142
Covington	99	71	28	135	101	34
DeSoto	163	92	71	327	221	106
Forrest	929	685	244	669	477	192
Franklin	108	63	45	113	68	45
George	93	79	14	124	101	23
Greene	62	41	21	85	62	23
Grenada	280	155	125	261	147	114
Hancock	171	151	20	224	198	26
Harrison	1,452	1,163	289	1,232	997	235
Hinds	3,280	1,931	1,349	1,890	1,079	811
Holmes	260	72	188	290	90	200
Humphreys	151	38	113	185	54	131
Issaquena	5	1	4	21	11	10
Itawamba	146	140	6	219	208	11
Jackson	666	547	119	702	577	125
Jasper	113	66	47	153	92	61
Jefferson	54	11	43	93	23	70
Jeff Davis	102	52	50	133	68	65
Jones	609	429	180	596	430	166
Kemper	61	33	28	103	60	43
Lafayette	250	166	84	246	158	88
Lamar	67	55	12	148	120	28
Lauderdale	1,031	708	323	844	564	280
Lawrence	74	45	29	117	78	39
Leake	162	107	55	230	157	73
Lee	728	594	134	478	378	100
Leflore	539	226	313	497	218	279

Table 9 - Page 2
Deaths - Mississippi - 1978

County	Occurrence Data Total	Occurrence Data White	Occurrence Data Non-white	Residence Data Total	Residence Data White	Residence Data Non-white
Lincoln	289	201	88	299	207	92
Lowndes	458	310	148	437	283	154
Madison	246	112	134	338	146	192
Marion	183	126	57	261	173	88
Marshall	161	81	80	242	130	112
Monroe	332	223	109	367	251	116
Montgomery	181	100	81	181	104	77
Neshoba	185	132	53	238	186	52
Newton	181	130	51	247	171	76
Noxubee	126	37	89	153	59	94
Oktibbeha	238	141	97	240	137	103
Panola	267	124	143	306	152	154
Pearl River	201	156	45	275	218	57
Perry	81	68	13	121	95	26
Pike	417	255	162	436	265	171
Pontotoc	128	104	24	187	163	24
Prentiss	143	127	16	206	185	21
Quitman	72	19	53	163	64	99
Rankin	381	261	120	502	372	130
Scott	212	146	66	277	190	87
Sharkey	46	15	31	72	30	42
Simpson	195	156	39	260	203	57
Smith	42	34	8	110	96	14
Stone	101	79	22	110	82	28
Sunflower	282	105	177	352	140	212
Tallahatchie	152	71	81	211	101	110
Tate	117	60	57	167	92	75
Tippah	189	159	30	205	179	26
Tishomingo	134	131	3	187	181	6
Tunica	92	30	62	118	26	92
Union	182	149	33	176	144	32
Walthall	147	91	56	166	105	61
Warren	593	310	283	479	246	233
Washington	720	281	439	700	264	436
Wayne	150	106	44	172	120	52
Webster	96	75	21	107	83	24
Wilkinson	137	67	70	105	32	73
Winston	168	130	38	216	151	65
Yalobusha	115	73	42	146	93	53
Yazoo	265	130	135	331	152	179
Out of state	1,005	343	1,348	936	710	226

Table 9 - Page 3
Deaths - Mississippi -1978

Town*	Residence Data		
	Total	White	Non-white
Biloxi	337	286	51
Brookhaven	159	105	54
Canton	155	70	85
Clarksdale	254	98	156
Cleveland	151	81	70
Columbus	291	183	108
Corinth	130	111	19
Greenville	504	203	301
Greenwood	326	147	179
Gulfport	467	359	108
Hattiesburg	490	330	160
Jackson	1,539	895	644
Laurel	293	177	116
McComb	186	127	59
Meridian	618	401	217
Moss Point	122	63	59
Natchez	259	121	138
Oxford	109	78	31
Pascagoula	221	183	38
Pearl	63	60	3
Picayune	100	58	42
Starkville	124	77	47
Tupelo	209	166	43
Vicksburg	317	156	161
Yazoo City	179	73	106
Total urban**	10,926	6,809	4,117
Total rural	12,437	7,822	4,615

* Towns of 10,000 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

** All incorporated towns of 2,500 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

TABLE 10
DEATHS, BY CAUSE AND RACE, MISSISSIPPI RESIDENTS, 1978

International Classification Number*	Cause*	Total	White	Non-white
000-999	ALL CAUSES	23,363	14,631	8,732
000-136	INFECTIVE AND PARASITIC DISEASES	269	133	136
000-009	Intestinal infectious diseases	55	20	35
002,003	Paratyphoid fever and other Salmonella infections	3	2	1
003	Other Salmonella infections	3	2	1
008,009	Enteritis and other diarrheal diseases	52	18	34
008	Enteritis due to other specified organism	3	1	2
009	Diarrheal disease	49	17	32
010-019	Tuberculosis, all forms	47	20	27
010-012	Respiratory	42	18	24
011	Pulmonary	37	15	22
012	Other respiratory	5	3	2
013-018	Other forms	3	1	2
015	Bones and joints	1	1	0
017	Other organs	1	0	1
018	Disseminated	1	0	1
019	Late effects of tuberculosis	2	1	1
020-027	Zoonotic bacterial diseases	0	0	0
030-039	Other bacterial diseases	134	71	63
031	Other diseases due to mycobacteria	3	3	0
034	Streptococcal sore throat and scarlet fever	1	0	1
036	Meningococcal infection	19	13	6
037	Tetanus	2	1	1
038	Septicemia	102	50	52
039	Other bacterial diseases	7	4	3
040-046	Poliomyelitis and other enterovirus diseases of central nervous system	0	0	0
050-057	Viral diseases accompanied by exanthem	6	6	0
052	Chickenpox	2	2	0
053	Herpes zoster	1	1	0
054	Herpes simplex	2	2	0
057	Other viral exanthem	1	1	0
060-068	Arthropod-borne viral diseases	0	0	0
070-079	Other viral diseases	9	7	2
070	Infectious hepatitis	3	1	2
079	Other viral diseases	6	6	0
080-089	Rickettsioses and other arthropod-borne diseases	0	0	0
090-099	Syphilis and other venereal diseases	1	1	0
090-097	Syphilis and its sequelae	1	1	0
094	Central nervous system	1	1	0
100-104	Other spirochetal diseases	0	0	0
110-117	Mycoses	9	6	3
112	Moniliasis	3	3	0
115	Histoplasmosis	1	1	0
116	Blastomycosis	4	2	2
117	Other systemic mycosis	1	0	1

able 10 - Page 2
eaths - Mississippi - 1978

nternational lassification umber*	Cause*	Total	White	Non-white
20-129	Helminthiases	0	0	0
30-136	Other infective and parasitic diseases	8	2	6
135	Sarcoidosis	5	0	5
136	Other and unspecified infective and parasitic diseases	3	2	1
140-239	NEOPLASMS	4,150	2,811	1,339
140-209	Malignant neoplasms	4,110	2,787	1,323
140-149	Buccal cavity and pharynx	91	66	25
140	Lip	1	1	0
141	Tongue	14	10	4
142	Salivary gland	7	5	2
143	Gum	1	0	1
144	Floor of mouth	4	4	0
145	Other and unspecified parts of mouth	18	13	5
146	Oropharynx	10	7	3
147	Nasopharynx	7	5	2
148	Hypopharynx	8	7	1
149	Pharynx, unspecified	21	14	7
150-159	Digestive organs and peritoneum	1,016	673	343
150	Esophagus	80	39	41
151	Stomach	155	79	76
152	Small intestine, including duodenum	7	2	5
153	Large intestine, except rectum	389	293	96
154	Rectum and rectosigmoid junction	73	46	27
155	Liver and intrahepatic bile ducts, specified as primary	37	23	14
156	Gallbladder and bile ducts	24	18	6
157	Pancreas	228	159	69
158	Peritoneum and retroperitoneal tissue	13	9	4
159	Unspecified digestive organs	10	5	5
160-163	Respiratory system	1,113	840	273
160	Nose, nasal cavities, middle ear, and accessory sinuses	7	6	1
161	Larynx	29	20	9
162	Trachea, bronchus, and lung	1,069	809	260
163	Other and unspecified respiratory organs	8	5	3
170-174	Bone, connective tissue, skin, and breast	389	267	122
170	Bone	26	20	6
171	Connective and other soft tissue	12	8	4
172	Melanoma of skin	33	31	2
173	Skin, other	22	18	4
174	Breast	296	190	106
180-189	Genitourinary organs	681	390	291
(180-187)	(Genital organs)	517	273	244
180	Cervix uteri	63	26	37
181	Chorionepithelioma	2	0	2
182	Uterus, other	60	26	34

Table 10 - Page 3
Deaths - Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
183	Ovary, fallopian tube, and broad ligament	86	54	32
184	Other and unspecified female genital organs	12	8	4
185	Prostate	283	150	133
186	Testis	4	4	0
187	Other and unspecified male genital organs	7	5	2
(188,189)	(Urinary organs)	164	117	47
188	Bladder	88	60	28
189	Other and unspecified urinary organs	76	57	19
190-199	Other and unspecified sites	446	287	159
190	Eye	3	3	0
191	Brain	89	77	12
192	Other parts of nervous system	11	9	2
193	Thyroid gland	9	7	2
194	Other endocrine glands	2	1	1
195	Ill-defined sites	28	19	9
196	Lymph nodes, secondary and unspecified	3	3	0
197	Respiratory and digestive systems, secondary	78	46	32
198	Other secondary	29	21	8
199	Site unspecified	194	101	93
200-209	Lymphatic and hematopoietic tissue	374	264	110
200	Lymphosarcoma and reticulum-cell sarcoma	42	33	9
201	Hodgkin's disease	18	14	4
202	Lymphoid tissue, other	61	45	16
203	Multiple myeloma	70	39	31
208	Polycythemia vera	1	1	0
209	Myelofibrosis	10	8	2
(204-207)	(Leukemia)	172	124	48
204	Lymphatic	60	43	17
205	Myeloid	61	47	14
206	Monocytic	6	5	1
207	Other and unspecified	45	29	16
210-228	Benign neoplasms	22	14	8
211	Benign neoplasm of other parts of digestive system	1	1	0
218	Uterine fibroma	2	0	2
220	Benign neoplasm of ovary	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	13	10	3
226	Benign neoplasm of endocrine glands	2	1	1
227	Hemangioma and lymphangioma	2	2	0
228	Benign neoplasm of other and unspecified organs and tissues	1	0	1
230-239	Neoplasms of unspecified nature	18	10	8
231	Respiratory organs	4	2	2
238	Eye, brain, and other parts of nervous system	12	8	4
239	Other and unspecified organs	2	0	2
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	512	265	247
240-246	Diseases of thyroid gland	7	3	4

Table 10 - Page 4
Deaths - Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
240	Simple goiter	1	0	1
242	Thyrotoxicosis with or without goiter	2	1	1
244	Myxedema	4	2	2
250-258	Diseases of other endocrine glands	431	217	214
250	Diabetes mellitus	417	207	210
251	Disorders of pancreatic internal secretion other than diabetes mellitus	1	1	0
252	Diseases of parathyroid gland	1	1	0
253	Diseases of pituitary gland	5	3	2
255	Diseases of adrenal glands	4	3	1
258	Polyglandular dysfunction and other diseases of endocrine glands	3	2	1
260-269	Avitaminoses and other nutritional deficiency	39	23	16
268	Nutritional marasmus	8	4	4
269	Other nutritional deficiency	31	19	12
270-279	Other metabolic diseases	35	22	13
272	Congenital disorders of lipid metabolism	2	1	1
273	Other and unspecified congenital disorders of metabolism	7	6	1
275	Plasma protein abnormalities	7	2	5
276	Amyloidosis	2	1	1
277	Obesity not specified as of endocrine origin	12	7	5
278	Other hyperalimentation	2	2	0
279	Other and unspecified metabolic diseases	3	3	0
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	70	39	31
280-285	Anemias	47	21	26
280	Iron deficiency	4	2	2
281	Other deficiency	2	2	0
282	Hereditary hemolytic	15	1	14
283	Acquired hemolytic	2	2	0
284	Aplastic	14	11	3
285	Other and unspecified	10	3	7
286	Coagulation defects	8	5	3
287	Purpura and other hemorrhagic conditions	8	6	2
288	Agranulocytosis	5	5	0
289	Other diseases of blood and blood-forming organs	2	2	0
290-315	MENTAL DISORDERS	103	68	35
290-299	Psychoses	29	23	6
290	Senile and presenile dementia	12	10	2
291	Alcoholic psychosis	9	7	2
294	Psychosis associated with other physical conditions	1	0	1
295	Schizophrenia	3	2	1
296	Affective psychoses	2	2	0
298	Other psychoses	1	1	0
299	Unspecified psychosis	1	1	0

Table 10 - Page 5
Deaths - Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
300-309	Neuroses, personality disorders, and other nonpsychotic mental disorders	69	42	27
303	Alcoholism	42	22	20
306	Special symptoms not elsewhere classified	2	2	0
307	Transient situational disturbances	1	0	1
309	Mental disorders not specified as psychotic associated with physical conditions	24	18	6
310-315	Mental retardation	5	3	2
313	Severe	2	1	1
315	Unspecified	3	2	1
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	159	87	72
320-324	Inflammatory diseases of central nervous system	39	17	22
320	Meningitis	30	12	18
322	Intracranial and intraspinal abscess	5	3	2
323	Encephalitis, myelitis, and encephalomyelitis	3	2	1
324	Late effects of intracranial abscess or pyogenic infection	1	0	1
330-333	Hereditary and familial diseases of nervous system	10	8	2
330	Hereditary neuromuscular disorders	8	6	2
333	Other hereditary and familial diseases of nervous system	2	2	0
340-349	Other diseases of central nervous system	108	61	47
340	Multiple sclerosis	4	3	1
342	Paralysis agitans	26	20	6
343	Cerebral spastic infantile paralysis	9	4	5
344	Other cerebral paralysis	5	1	4
345	Epilepsy	19	3	16
347	Other diseases of brain	24	13	11
348	Motor neurone disease	20	17	3
349	Other diseases of spinal cord	1	0	1
350-358	Diseases of nerves and peripheral ganglia	1	0	1
354	Polyneuritis and polyradiculitis	1	0	1
360-369	Inflammatory diseases of the eye	0	0	0
370-379	Other diseases and conditions of eye	0	0	0
380-389	Diseases of the ear and mastoid process	1	1	0
381-383	Otitis media and mastoiditis	1	1	0
383	Mastoiditis without mention of otitis media	1	1	0
390-458	DISEASES OF THE CIRCULATORY SYSTEM	11,141	7,282	3,859
390-392	Active rheumatic fever	3	1	2
391	Rheumatic fever with heart involvement	3	1	2
393-398	Chronic rheumatic heart disease	75	49	26
393	Diseases of pericardium	1	1	0
394	Diseases of mitral valve	22	15	7
395	Diseases of aortic valve	33	22	11
396	Diseases of mitral and aortic valves	5	4	1
397	Diseases of other endocardial structures	6	3	3
398	Other heart disease, specified as rheumatic	8	4	4

Table 10 - Page 6
Deaths - Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
400-404	Hypertensive disease	233	89	144
400,401, 403	Hypertension	94	38	56
400	Malignant hypertension	11	1	10
401	Essential benign hypertension	31	7	24
403	Hypertensive renal disease	52	30	22
402,404	Hypertensive heart disease with or without renal disease	139	51	88
402	Hypertensive heart disease	92	30	62
404	Hypertensive heart and renal disease	47	21	26
410-414	Ischemic heart disease	6,313	4,411	1,902
410	Acute myocardial infarction	3,503	2,555	948
411	Other acute and subacute forms of ischemic heart disease	36	22	14
412	Chronic ischemic heart disease	2,771	1,833	938
413	Angina pectoris	3	1	2
420-429	Other forms of heart disease	1,250	752	498
421	Acute and subacute endocarditis	7	5	2
422	Acute myocarditis	3	2	1
423	Chronic disease of pericardium, nonrheumatic	8	2	6
424	Chronic disease of endocardium	13	7	6
425	Cardiomyopathy	42	20	22
426	Pulmonary heart disease	6	3	3
427	Symptomatic heart disease	779	487	292
428	Other myocardial insufficiency	38	25	13
429	Ill-defined heart disease	354	201	153
430-438	Cerebrovascular disease	2,476	1,470	1,006
430	Subarachnoid hemorrhage	79	55	24
431	Cerebral hemorrhage	270	138	132
432	Occlusion of precerebral arteries	23	16	7
433	Cerebral thrombosis	438	281	157
434	Cerebral embolism	5	4	1
436	Acute but ill-defined cerebrovascular disease	1,199	654	545
437	Generalized ischemic cerebrovascular disease	435	302	133
438	Other and ill-defined cerebrovascular disease	27	20	7
440-448	Diseases of arteries, arterioles, and capillaries	548	375	173
440	Arteriosclerosis	287	211	76
441-448	Other diseases of arteries, arterioles, and capillaries	261	164	97
441	Aortic aneurysm (nonsyphilitic)	102	72	30
442	Other aneurysm	15	11	4
443	Other peripheral vascular disease	22	10	12
444	Arterial embolism and thrombosis	62	43	19
445	Gangrene	40	11	29
446	Polyarteritis nodosa and allied conditions	10	7	3
447	Other diseases of arteries and arterioles	10	10	0
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	243	135	108
450-453	Venous thrombosis and embolism	210	121	89
450	Pulmonary embolism and infarction	171	99	72

Table 10 - Page 7
Deaths - Mississippi-1978

International Classification Number*	Cause*	Total	White	Non-white
451	Phlebitis and thrombophlebitis	21	10	11
453	Other venous embolism and thrombosis	18	12	6
454-458	Other diseases of the circulatory system	33	14	19
454	Varicose veins of lower extremities	1	0	1
456	Varicose veins of other sites	5	3	2
458	Other diseases of circulatory system	27	11	16
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,274	920	354
460-466	Acute respiratory infections, except influenza	21	10	11
460	Acute nasopharyngitis (common cold)	4	0	4
463	Acute tonsillitis	1	0	1
464	Acute laryngitis and tracheitis	3	3	0
465	Acute upper respiratory infection of multiple or unspecified sites	10	6	4
466	Acute bronchitis and bronchiolitis	3	1	2
470-474	Influenza	65	41	24
470	Unqualified	31	18	13
471	With pneumonia	31	20	11
472	With other respiratory manifestations	2	2	0
474	With nervous manifestations	1	1	0
480-486	Pneumonia	591	391	200
480	Viral	11	6	5
481,482	Bacterial	58	39	19
481	Pneumococcal	34	22	12
482	Other bacterial	24	17	7
483	Due to other specified organism	2	2	0
484	Acute interstitial, organism unspecified	7	4	3
485	Broncho, organism unspecified	88	62	26
486	Unspecified	425	278	147
490-493	Bronchitis, emphysema, and asthma	199	158	41
490,491	Chronic and unqualified bronchitis	38	30	8
490	Unqualified	12	8	4
491	Chronic	26	22	4
492	Emphysema	138	116	22
493	Asthma	23	12	11
500-508	Other diseases of upper respiratory tract	1	0	1
508	Other diseases of upper respiratory tract	1	0	1
510-519	Other diseases of respiratory system	397	320	77
510	Empyema	4	1	3
511	Pleurisy	5	4	1
512	Spontaneous pneumothorax	2	2	0
513	Abscess of lung	12	5	7
514	Pulmonary congestion and hypostasis	13	8	5
515	Pneumoconiosis due to silica and silicates	2	2	0
517	Other chronic interstitial pneumonia	36	29	7
518	Bronchiectasis	6	5	1
519	Other diseases of respiratory system	317	264	53
520-577	DISEASES OF THE DIGESTIVE SYSTEM	579	408	171

Table 10 - Page 8
Deaths - Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
520-529	Diseases of oral cavity, salivary glands, and jaws	4	2	2
520-525	Diseases of teeth and supporting structures	1	0	1
525	Other diseases of the teeth and supporting structures	1	0	1
526	Diseases of the jaws	1	0	1
527	Diseases of the salivary glands	2	2	0
530-537	Diseases of esophagus, stomach, and duodenum	85	67	18
530	Diseases of esophagus	13	12	1
531-533	Peptic ulcer	55	42	13
531	Ulcer of stomach	17	14	3
532	Ulcer of duodenum	22	17	5
533	Peptic ulcer, site unspecified	16	11	5
534	Gastrojejunal ulcer	6	5	1
535	Gastritis and duodenitis	6	5	1
536	Disorders of function of stomach	3	1	2
537	Other diseases of stomach and duodenum	2	2	0
540-543	Appendicitis	7	3	4
540	Acute appendicitis	6	2	4
541	Appendicitis, unqualified	1	1	0
550-553	Hernia of abdominal cavity	24	14	10
550	Inguinal, without mention of obstruction	1	1	0
551	Other, of abdominal cavity without mention of obstruction	13	8	5
552	Inguinal, with obstruction	3	1	2
553	Other, of abdominal cavity with obstruction	7	4	3
560-569	Other diseases of intestines and peritomeum	145	91	54
560	Intestinal obstruction without mention of hernia	34	15	19
562	Diverticula of intestine	34	27	7
563	Chronic enteritis and ulcerative colitis	6	5	1
566	Abscess of anal and rectal regions	4	1	3
567	Peritonitis	6	5	1
569	Other diseases of intestines and peritoneum	61	38	23
570-577	Diseases of liver, gallbladder, and pancreas	314	231	83
570	Acute and subacute necrosis of liver	6	2	4
571	Cirrhosis of liver	192	152	40
572	Suppurative hepatitis and liver abscess	1	0	1
573	Other diseases of liver	38	25	13
574,575	Cholelithiasis, cholecystitis, and cholangitis	33	23	10
574	Cholelithiasis	15	9	6
575	Cholecystitis and cholangitis, without mention of calculus	18	14	4
576	Other diseases of gallbladder and biliary ducts	6	5	1
577	Diseases of pancreas	38	24	14
580-629	DISEASES OF THE GENITOURINARY SYSTEM	383	212	171
580-584	Nephritis and nephrosis	119	55	64

Table 10 - Page 9
Deaths - Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
580,581	Acute nephritis and nephrotic syndrome	31	17	14
580	Acute nephritis	23	13	10
581	Nephrotic syndrome	8	4	4
582-584	Chronic and unqualified nephritis and renal sclerosis	88	38	50
582	Chronic nephritis	85	36	49
583	Nephritis, unqualified	2	2	0
584	Renal sclerosis, unqualified	1	0	1
590-599	Other diseases of urinary system	238	141	97
590	Infections of kidney	60	39	21
592,594	Calculus of urinary system	2	1	1
592	Of kidney and ureter	2	1	1
593	Other diseases of kidney and ureter	97	48	49
595	Cystitis	3	1	2
596	Other diseases of bladder	6	3	3
598	Stricture of urethra	1	0	1
599	Other diseases of urinary tract	69	49	20
600-607	Diseases of male genital organs	19	12	7
600	Hyperplasia of prostate	11	5	6
601	Prostatitis	2	1	1
602	Other diseases of prostate	5	5	0
607	Other diseases of male genital organs	1	1	0
610-616	Diseases of breast, ovary, fallopian tube, and parametrium	1	0	1
611	Other diseases of breast	1	0	1
620-629	Diseases of uterus and other female genital organs	6	4	2
621	Other diseases of cervix	1	1	0
625	Other diseases of uterus	1	1	0
629	Other diseases of female genital organs	4	2	2
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	6	1	5
630-634	Complications of pregnancy	1	0	1
634	Other complications of pregnancy	1	0	1
635-639	Urinary infections and toxemias of pregnancy and the puerperium	2	1	1
636-639	Toxemias of pregnancy and the puerperium except abortion with toxemia	2	1	1
636	Renal disease arising during pregnancy and the puerperium	1	0	1
637	Pre-eclampsia, eclampsia, and toxemia, unspecified	1	1	0
640-645	Abortion	1	0	1
642	Abortion induced for other reasons	1	0	1
650-662	Delivery	1	0	1
661	Delivery with other complications	1	0	1

Table 10 - Page 10
Deaths - Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
670-678	Complications of the puerperium	1	0	1
670,671, 673	Sepsis of childbirth and the puerperium	1	0	1
673	Puerperal pulmonary embolism	1	0	1
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	48	25	23
680-686	Infections of skin and subcutaneous tissue	12	4	8
680	Boil and carbuncle	1	1	0
682	Other cellulitis and abscess	8	2	6
686	Other local infections of skin and subcutaneous tissue	3	1	2
690-698	Other inflammatory conditions of skin and subcutaneous tissue	7	3	4
694	Pemphigus	1	1	0
695	Erythematous conditions	6	2	4
700-709	Other diseases of skin and subcutaneous tissue	29	18	11
707	Chronic ulcer of skin	28	17	11
709	Other diseases of skin	1	1	0
710-738	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	59	35	24
710-718	Arthritis and rheumatism, except rheumatic fever	30	17	13
710-715	Arthritis and spondylitis	27	15	12
710	Acute arthritis due to pyogenic organisms	2	1	1
712	Rheumatoid arthritis and allied conditions	13	9	4
713	Osteoarthritis and allied conditions	4	2	2
715	Arthritis, unspecified	8	3	5
716-718	Nonarticular rheumatism and rheumatism unspecified	3	2	1
716	Polymyositis and dermatomyositis	3	2	1
720-729	Osteomyelitis and other diseases of bone and joint	8	6	2
720	Osteomyelitis and periostitis	3	2	1
723	Other diseases of bone	3	2	1
728	Vertebrogenic pain syndrome	1	1	0
729	Other diseases of joint	1	1	0
730-738	Other diseases of musculoskeletal system	21	12	9
732	Infective myositis and other inflammatory diseases of tendon and fascia	1	0	1
733	Other diseases of muscle, tendon, and fascia	1	0	1
734	Diffuse diseases of connective tissue	17	10	7
735	Curvature of the spine	2	2	0
740-759	CONGENITAL ANOMALIES	147	79	68
740-743	Nervous system	18	10	8

Table 10 - Page 11
Deaths - Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
740	Anencephalus	8	5	3
741	Spina bifida	1	1	0
742	Congenital hydrocephalus	8	4	4
743	Other congenital anomalies of nervous system	1	0	1
746,747	Circulatory system	75	40	35
746	Heart	61	30	31
747	Other of circulatory system	14	10	4
748	Respiratory system	18	6	12
749-751	Digestive system	5	3	2
750	Other congenital anomalies of upper alimentary tract	1	1	0
751	Other congenital anomalies of digestive system	4	2	2
752,753	Genitourinary system	6	4	2
753	Urinary system	6	4	2
754-756	Musculoskeletal system	4	3	1
756	Other congenital anomalies of musculoskeletal system	4	3	1
757	Skin, hair, and nails	1	0	1
758	Other and unspecified	3	1	2
759	Congenital syndromes affecting multiple systems	17	12	5
760-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	379	123	256
761	Other maternal conditions unrelated to pregnancy	1	0	1
762	Toxemia of pregnancy	2	0	2
763	Maternal ante- and intrapartum infection	6	1	5
764-768	Difficult labor	5	1	4
766	With malposition of fetus	4	1	3
768	With other and unspecified complications	1	0	1
769	Other complications of pregnancy and childbirth	18	8	10
770,771	Conditions of placenta and cord	18	7	11
770	Of placenta	16	7	9
771	Of umbilical cord	2	0	2
772	Birth injury without mention of cause	28	10	18
774,775	Hemolytic disease of newborn	5	1	4
774	With kernicterus	1	0	1
775	Without mention of kernicterus	4	1	3
776	Anoxic and hypoxic conditions not elsewhere classifiable	185	66	119
777	Immaturity, unqualified	81	16	65
778	Other conditions of fetus or newborn	30	13	17
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	1,763	706	1,057
780-789	Symptoms referable to systems or organs	98	56	42
780	Certain symptoms referable to nervous system and special senses	3	1	2
782	Symptoms referable to cardiovascular and lymphatic system	83	53	30
783	Symptoms referable to respiratory system	4	1	3

Table 10 - Page 12
Deaths - Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
784	Symptoms referable to upper gastrointestinal tract	1	1	0
785	Symptoms referable to abdomen and lower gastro-intestinal tract	3	0	3
788	Other general symptoms	4	0	4
790-796	Senility and ill-defined diseases	1,665	650	1,015
790	Nervousness and debility	1	0	1
792	Uremia	7	7	0
794	Senility without mention of psychosis	85	10	75
795	Sudden death (cause unknown)	81	19	62
796	Other ill-defined and unknown causes	1,491	614	877
800-999	ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)	2,321	1,437	884
800-949	Accidents	1,709	1,108	601
800-807	Railway	6	6	0
804	Fall in, on, or from a train	1	1	0
805	Hit by rolling stock	4	4	0
806	Other specified railway accident	1	1	0
810-823	Motor vehicle	877	603	274
(810-819)	(Traffic)	861	592	269
810	Involving collision with train	16	10	6
812	Involving collision with another motor vehicle	320	220	100
813	Involving collision with other vehicle	7	6	1
814	Involving collision with pedestrian	82	48	34
815	Other involving collision	59	44	15
816	Noncollision due to loss of control	218	150	68
818	Other noncollision	17	12	5
819	Of unspecified nature	142	102	40
(820-823)	(Nontraffic)	16	11	5
820	Involving collision with moving object	10	6	4
821	Involving collision with stationary object	1	1	0
822	While boarding or alighting	1	1	0
823	Of other and unspecified nature	4	3	1
825-827	Other road vehicle	1	1	0
826	Pedal cycle	1	1	0
830-838	Water transport	37	32	5
830	Accident to watercraft causing submersion	8	7	1
832	Other submersion or drowning in water transport	24	20	4
836	Machinery accident in water transport	1	1	0
837	Explosion, fire, burning, in water transport	1	1	0
838	Other and unspecified water transport accident	3	3	0
840-845	Air and space transport	16	15	1
840	Accident to powered aircraft at take-off or landing	2	2	0
841	Accident to powered aircraft, other and unspecified	13	13	0

Table 10 - Page 13
Deaths - Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
844	Other specified air transport accidents	1	0	1
850-877	Poisoning	49	35	14
(850-859)	(By drugs and medicaments)	16	12	4
851	Hormones and synthetic substitutes	1	0	1
853	Analgesics and antipyretics	1	0	1
854	Other sedatives and hypnotics	1	1	0
855	Autonomic nervous system and psychotherapeutic drugs	2	1	1
857	Cardiovascular drugs	3	3	0
859	Other and unspecified drugs and medicaments	8	7	1
(860-869)	(By other solid and liquid substances)	9	7	2
860	Alcohol	2	2	0
865	Pesticides, fertilizers or plant foods	2	1	1
869	Other and unspecified solid and liquid substances	5	4	1
(870-877)	(By gases and vapors)	24	16	8
870	Gas distributed by pipeline	3	0	3
873	Motor vehicle exhaust gas	15	12	3
874	Carbon monoxide from incomplete combustion of domestic fuels	2	1	1
876	Other gases and vapors	2	2	0
877	Unspecified gases and vapors	2	1	1
880-887	Falls	126	99	27
880	On or from stairs and steps	4	4	0
881	On or from ladders or scaffolding	2	1	1
882	From or out of building or other structure	5	5	0
883	Into hole or other opening in surface	2	1	1
884	Other from one level to another	12	9	3
887	Other and unspecified fall	101	79	22
890-899	Caused by fires and flames	151	64	87
890	Conflagration in private dwelling	102	38	64
891	Conflagration in other building or structure	20	13	7
892	Conflagration not in building or structure	5	3	2
893	Ignition of clothing	11	2	9
894	Ignition of highly inflammable material	2	1	1
895	Controlled fire in private dwelling	2	1	1
898	Other specified fires or flames	3	2	1
899	Unspecified fire	6	4	2
900-909	Due to natural and environmental factors	33	15	18
900	Excessive heat	3	0	3
901	Excessive cold	9	2	7
904	Hunger, thirst, exposure, and neglect	11	6	5
905	Bites and stings of venomous animals and insects	1	1	0
907	Lightning	2	1	1
908	Cataclysm	7	5	2
910-929	Other accidents	379	217	162
910	Drowning and submersion	107	53	54

Table 10 - Page 14
Deaths- Mississippi - 1978

International Classification Number*	Cause*	Total	White	Non-white
911	Inhalation and ingestion of food causing obstruction or suffocation	41	21	20
912	Inhalation and ingestion of other object causing obstruction or suffocation	32	19	13
913	Mechanical suffocation	17	4	13
915	Foreign body accidently entering other orifice	1	1	0
916	Struck by falling object	27	15	12
917	Striking against or struck by objects	15	11	4
918	Caught in or between objects	5	4	1
920	Caused by cutting or piercing instruments	6	3	3
922	Caused by firearm missiles	57	40	17
923	Caused by explosive material	7	5	2
924	Caused by hot substance, corrosive liquid, and steam	6	2	4
925	Caused by electric current	14	7	7
927	Vehicle accidents not elswhere classifiable	2	2	0
928	Machinery accidents not elswhere classifiable	12	11	1
929	Other and unspecified accidents	30	19	11
930-936	Surgical and medical complications and misadventures	24	17	7
930	In operative therapeutic procedures	10	6	4
931	In other and unspecified therapeutic procedures	12	9	3
932	In diagnostic procedures	1	1	0
936	In other nontherapeutic procedures	1	1	0
940-949	Late effects of accidental injury	10	4	6
940	Of motor vehicle accident	1	0	1
943	Of accidental fall	3	2	1
944	Of accident caused by fire	1	0	1
946	Of other accident	4	1	3
949	Of other surgical and medical procedures	1	1	0
950-959	Suicide and self-inflicted injury	239	190	49
950-952	By poisoning	22	19	3
950	By solid or liquid substances	16	13	3
952	By other gases	6	6	0
953	By hanging, strangulation, and suffocation	12	8	4
954	By submersion (drowning)	3	1	2
955	By firearms and explosives	191	154	37
956	By cutting and piercing instruments	1	0	1
957	By jumping from high place	6	5	1
958	By other and unspecified means	4	3	1
960-978	Homicide and injury purposely inflicted by other persons; legal intervention	336	114	222
960-969	Homicide and injury purposely inflicted by other persons	332	112	220
962	Assault by poisoning	2	2	0
963	Assault by hanging and strangulation	3	2	1
965	Assault by firearms and explosives	246	79	167

ternational assification mber*	Cause*	Total	White	Non-white
966	Assault by cutting and piercing instruments	45	9	36
968	Assault by other and unspecified means	36	20	16
970-978	Legal intervention	4	2	2
970	Injury by firearms	4	2	2
0-989	Injury undetermined whether accidently or purposely inflicted	37	25	12
980	Poisoning by solid or liquid substances	3	3	0
983	Hanging, strangulation, or suffocation	1	1	0
985	Injury by firearms and explosives	26	19	7
986	Injury by cutting and piercing instruments	1	0	1
988	Injury by other and unspecified means	6	2	4
0-999	Injury resulting from operations of war	0	0	0

Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE, ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1978

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age: Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
000-999	ALL CAUSES	23,363	9.7	W	14,631	M	8,421	157	44	26	38	289	235	330	781	1,501	5,019	1
						F	6,210	109	26	21	10	105	90	158	323	666	4,702	0
				NW	8,732	M	4,811	309	46	28	29	206	212	222	353	698	2,703	5
						F	3,921	271	33	16	16	83	77	156	252	511	2,503	3
000-136	Infective and parasitic diseases	269	11.2	W	133	M	79	8	6	0	1	2	1	3	6	11	41	0
						F	54	9	3	2	2	1	0	1	3	5	28	0
				NW	136	M	71	22	3	2	0	2	1	5	8	5	23	0
						F	65	22	3	0	1	2	2	3	8	3	21	0
008, 009	Enteritis and other diarrheal diseases	52	2.2	W	18	M	9	1	2	0	1	0	0	0	1	1	3	0
						F	9	4	0	0	0	0	0	0	0	0	5	0
				NW	34	M	20	16	1	1	0	0	0	0	0	0	2	0
						F	14	10	1	0	0	0	0	0	1	0	2	0
010-019	Tuberculosis	47	2.0	W	20	M	16	0	0	0	0	0	0	0	1	2	13	0
						F	4	0	0	0	0	0	0	0	0	0	4	0
				NW	27	M	17	0	0	1	0	1	1	1	4	3	6	0
						F	10	0	1	0	0	0	0	0	3	1	5	0
070	Infectious hepatitis	3	0.1	W	1	M	1	0	0	0	0	0	0	0	0	0	1	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	2	M	2	0	0	0	0	0	0	1	0	1	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
140-209	Malignant neoplasms	4,110	171.2	W	2,787	M	1,699	0	3	2	2	11	15	49	186	408	1,023	0
						F	1,088	0	2	5	1	8	14	57	104	232	665	0
				NW	1,323	M	756	0	1	1	2	8	6	19	70	152	494	3
						F	567	0	2	1	2	4	15	40	57	124	322	0

ble 11 - Page 2
aths - Mississippi - 1978

ter-tional assifi-tion mber*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age: Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
0-239	Benign and unspecified neoplasms	40	1.7	W	24	M	12	0	0	0	0	0	0	1	0	3	8	0
						F	12	0	0	0	0	0	0	1	2	4	5	0
				NW	16	M	10	0	0	0	0	0	0	1	1	3	5	0
						F	6	0	0	0	0	0	0	1	0	1	4	0
0-279	Endocrine, nutritional, and metabolic diseases	512	21.3	W	265	M	108	0	0	1	1	1	2	6	9	15	73	0
						F	157	0	0	1	1	0	2	3	8	17	125	0
				NW	247	M	89	1	1	0	0	0	3	5	9	13	57	0
						F	158	2	0	1	0	0	2	3	16	25	109	0
0	Diabetes mellitus	417	17.4	W	207	M	84	0	0	0	0	0	0	6	8	10	60	0
						F	123	0	0	0	0	0	2	2	7	12	100	0
				NW	210	M	71	0	0	0	0	0	3	5	7	9	47	0
						F	139	0	0	1	0	0	0	3	12	22	101	0
0-269	Avitaminoses and other nutritional deficiency	39	1.6	W	23	M	6	0	0	0	0	0	0	0	0	0	6	0
						F	17	0	0	0	0	0	0	0	1	1	15	0
				NW	16	M	9	1	0	0	0	0	0	0	2	0	6	0
						F	7	1	0	0	0	0	0	0	0	0	6	0
0-289	Diseases of the blood and blood-forming organs	70	2.9	W	39	M	26	0	2	1	0	0	0	0	3	4	16	0
						F	13	0	0	0	1	0	0	0	0	1	11	0
				NW	31	M	12	0	0	1	0	1	3	1	2	0	4	0
						F	19	1	2	1	0	2	1	1	2	1	8	0
0-285	Anemias	47	2.0	W	21	M	14	0	0	1	0	0	0	0	1	1	11	0
						F	7	0	0	0	1	0	0	0	0	1	5	0
				NW	26	M	9	0	0	1	0	1	3	0	2	0	2	0
						F	17	1	2	1	0	1	1	1	2	0	8	0

aths - Mississippi - 1978

tertional assication mber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
0-315	Mental disorders	103	4.3	W	68	M	44	0	1	0	0	0	2	6	9	10	16	0
						F	24	0	0	0	0	0	0	0	1	6	17	0
				NW	35	M	22	0	0	0	0	0	4	3	2	9	4	0
						F	13	0	0	0	2	0	1	3	0	1	6	0
3	Alcoholism	42	1.8	W	22	M	20	0	0	0	0	0	0	4	6	5	5	0
						F	2	0	0	0	0	0	0	0	1	1	0	0
				NW	20	M	15	0	0	0	0	0	4	2	2	5	2	0
						F	5	0	0	0	0	0	1	2	0	1	1	0
0-389	Diseases of the nervous system and sense organs	159	6.6	W	87	M	59	5	2	3	1	4	3	1	6	10	24	0
						F	28	2	2	0	0	0	1	2	3	2	16	0
				NW	72	M	51	7	1	2	2	2	6	9	4	6	12	0
						F	21	7	2	0	0	3	1	2	0	2	4	0
0	Meningitis	30	1.2	W	12	M	8	3	2	0	0	0	0	0	1	0	2	0
						F	4	2	1	0	0	0	0	0	0	0	1	0
				NW	18	M	10	6	0	0	0	0	1	0	1	2	0	0
						F	8	6	0	0	0	0	1	0	0	0	1	0
5	Epilepsy	19	0.8	W	3	M	3	0	0	0	0	0	3	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	16	M	11	0	0	0	0	1	2	4	1	0	3	0
						F	5	0	1	0	0	2	0	0	0	1	1	0
0-458	Diseases of the circulatory system	11,141	464.2	W	7,282	M	3,869	6	2	1	2	8	22	99	291	659	2,779	0
						F	3,413	2	1	0	0	6	4	24	101	246	3,029	0
				NW	3,859	M	1,974	9	5	0	1	13	25	73	127	302	1,418	1
						F	1,885	12	1	1	1	13	15	37	104	251	1,448	2
0-398, 402, 4-429	Heart diseases	7,780	324.2	W	5,264	M	2,971	4	2	1	1	6	17	83	253	552	2,052	0
						F	2,293	1	0	0	0	2	2	13	76	187	2,012	0
				NW	2,516	M	1,313	5	5	0	1	10	15	54	92	203	927	1
						F	1,203	9	1	1	1	8	8	24	67	170	914	0

nter-ational lassifi-ation umber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
00, 401, 403	Hypertension	94	3.9	W	38	M	22	0	0	0	0	0	0	0	0	3	19	0
						F	16	0	0	0	0	0	0	0	1	2	13	0
				NW	56	M	28	0	0	0	0	0	1	3	3	3	18	0
						F	28	0	0	0	0	0	0	2	4	5	17	0
30-438	Cerebrovascular disease	2,476	103.2	W	1,470	M	636	1	0	0	1	1	1	7	23	72	530	0
						F	834	1	0	0	0	1	1	4	19	36	772	0
				NW	1,006	M	494	4	0	0	0	2	7	13	29	68	371	0
						F	512	3	0	0	0	3	5	8	25	62	404	2
40	Arteriosclerosis	287	12.0	W	211	M	83	0	0	0	0	0	0	1	3	3	76	0
						F	128	0	0	0	0	0	0	0	0	3	125	0
				NW	76	M	26	0	0	0	0	0	0	0	0	3	23	0
						F	50	0	0	0	0	0	0	0	0	2	48	0
60-519	Diseases of the respiratory system	1,274	53.1	W	920	M	557	10	0	0	0	1	6	6	24	85	425	0
						F	363	3	2	0	0	1	3	4	12	48	290	0
				NW	354	M	223	26	5	0	1	1	5	11	12	24	138	0
						F	131	25	3	1	1	4	2	4	8	12	71	0
70-474	Influenza	65	2.7	W	41	M	21	1	0	0	0	0	1	0	2	2	15	0
						F	20	0	0	0	0	0	0	0	0	2	18	0
				NW	24	M	10	2	0	0	0	0	0	0	0	0	8	0
						F	14	1	0	0	0	0	0	0	0	1	12	0
80-486	Pneumonia	591	24.6	W	391	M	188	6	0	0	0	0	2	3	7	12	158	0
						F	203	2	1	0	0	1	2	4	6	13	174	0
				NW	200	M	121	21	4	0	1	0	2	5	9	5	74	0
						F	79	17	2	1	1	1	0	1	3	6	47	0
90, 491	Chronic and unqualified bronchitis	38	1.6	W	30	M	17	2	0	0	0	0	0	0	0	1	14	0
						F	13	0	0	0	0	0	0	0	1	5	7	0
				NW	8	M	5	0	1	0	0	0	0	0	0	0	4	0
						F	3	0	1	0	0	0	0	0	1	1	0	0

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-65	65 and Over	Unknown
492	Emphysema	138	5.8	W	116	M	91	0	0	0	0	0	0	0	2	20	69	0
						F	25	0	0	0	0	0	0	0	2	11	12	0
				NW	22	M	18	0	0	0	0	0	0	0	1	4	13	0
						F	4	1	0	0	0	0	0	0	0	1	2	0
493	Asthma	23	1.0	W	12	M	5	0	0	0	0	0	0	0	2	1	2	0
						F	7	0	0	0	0	0	0	0	0	1	6	0
				NW	11	M	5	0	0	0	0	1	2	0	0	0	2	0
						F	6	0	0	0	0	0	1	0	2	0	3	0
520-577	Diseases of the digestive system	579	24.1	W	408	M	224	4	1	0	0	0	2	15	42	62	98	0
						F	184	1	0	0	0	1	2	9	25	31	115	0
				NW	171	M	101	7	0	0	0	0	7	8	14	17	48	0
						F	70	2	0	0	0	4	1	6	8	6	43	0
531-533	Peptic ulcer	55	2.3	W	42	M	24	0	0	0	0	0	0	2	0	3	19	0
						F	18	0	0	0	0	0	0	1	2	1	14	0
				NW	13	M	10	0	0	0	0	0	1	1	1	1	6	0
						F	3	0	0	0	0	0	0	0	0	1	2	0
550-553, 560	Hernia and intestinal obstruction	58	2.4	W	29	M	16	3	1	0	0	0	0	1	1	1	9	0
						F	13	0	0	0	0	0	0	0	0	1	12	0
				NW	29	M	19	6	0	0	0	0	0	0	1	1	11	0
						F	10	1	0	0	0	1	0	0	0	0	8	0
571	Cirrhosis of liver	192	8.0	W	152	M	94	0	0	0	0	0	0	10	23	38	23	0
						F	58	0	0	0	0	0	0	6	16	22	14	0
				NW	40	M	30	0	0	0	0	0	2	5	5	10	8	0
						F	10	0	0	0	0	0	0	3	3	2	2	0

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
580-629	Diseases of the genitourinary system	383	16.0	W	212	M	118	2	0	0	0	0	0	4	4	12	96	0
						F	94	1	0	0	0	0	1	1	4	6	81	0
				NW	171	M	100	3	1	0	0	1	1	1	6	14	73	0
						F	71	1	0	0	0	2	0	2	6	9	51	0
580-584	Nephritis and nephrosis	119	5.0	W	55	M	31	1	0	0	0	0	0	2	2	6	20	0
						F	24	1	0	0	0	0	0	0	1	4	18	0
				NW	64	M	33	1	1	0	0	0	0	0	3	7	21	0
						F	31	0	0	0	0	1	0	0	3	5	22	0
590	Infections of kidney	60	2.5	W	39	M	17	0	0	0	0	0	0	0	0	1	16	0
						F	22	0	0	0	0	0	0	0	1	0	21	0
				NW	21	M	10	0	0	0	0	0	0	0	0	1	9	0
						F	11	0	0	0	0	0	0	1	1	1	8	0
630-678	Complications of pregnancy, childbirth, and the puerperium	6	13.5	W	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	0	1	0	0	0	0	0
				NW	5	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	5	0	0	0	0	1	2	2	0	0	0	0
680-709	Diseases of the skin and subcutaneous tissue	48	2.0	W	25	M	14	0	0	0	0	0	0	0	1	0	13	0
						F	11	0	0	0	0	0	0	2	0	0	9	0
				NW	23	M	13	1	0	0	0	0	1	0	1	0	10	0
						F	10	0	0	1	0	0	2	1	1	0	5	0
710-738	Diseases of the musculoskeletal system and connective tissue	59	2.4	W	35	M	13	0	0	0	0	0	0	0	1	3	9	0
						F	22	0	0	0	0	0	1	0	2	1	18	0
				NW	24	M	5	0	0	0	0	1	0	0	0	1	3	0
						F	19	0	0	0	0	4	3	1	0	2	9	0
740-759	Congenital anomalies	147	6.1	W	79	M	39	26	7	0	2	0	0	1	0	1	2	0
						F	40	25	5	0	2	2	0	0	0	1	5	0
				NW	68	M	42	30	3	2	1	1	2	1	0	0	2	0
						F	26	21	0	0	1	2	1	0	0	0	1	0

able 11 - Page 7
eaths - Mississippi - 1978

nter- ational lassi- ication umber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
60-778	Certain causes of mortality in early infancy	379	8.5	W	123	M	70	70	0	0	0	0	0	0	0	0	0	0
						F	53	53	0	0	0	0	0	0	0	0	0	0
				NW	256	M	143	143	0	0	0	0	0	0	0	0	0	0
						F	113	113	0	0	0	0	0	0	0	0	0	0
80-796	Symptoms and ill-defined conditions	1,763	73.4	W	706	M	456	16	0	0	1	1	4	22	60	110	242	0
						F	250	9	0	1	0	0	5	9	21	25	180	0
				NW	1,057	M	543	49	4	2	1	8	13	15	42	90	318	1
						F	514	49	2	2	1	0	5	21	25	58	350	1
00-999	Accidents, poisonings, and violence	2,321	96.7	W	1,437	M	1,034	10	20	18	28	261	178	117	139	108	154	1
						F	403	4	11	12	3	86	56	45	37	41	108	0
				NW	884	M	656	11	22	18	21	168	135	70	55	62	94	0
						F	228	16	18	8	7	42	24	29	17	16	51	0
10-823	Motor vehicle accidents	877	36.5	W	603	M	431	3	5	8	13	152	82	45	41	28	54	0
						F	172	3	5	8	2	57	30	20	14	12	21	0
				NW	274	M	209	2	8	7	5	62	49	20	14	17	25	0
						F	65	1	11	2	2	21	3	8	2	8	7	0
00-807, 25-949	All other accidents	832	34.7	W	505	M	359	7	13	10	15	63	42	39	56	47	67	0
						F	146	1	6	4	1	9	7	8	15	17	78	0
				NW	327	M	220	9	12	9	15	45	20	22	14	25	49	0
						F	107	15	4	5	5	7	6	9	12	5	39	0
50-959	Suicide	239	10.0	W	190	M	140	0	0	0	0	28	32	16	20	23	21	0
						F	50	0	0	0	0	10	10	8	4	12	6	0
				NW	49	M	42	0	0	1	1	14	10	2	3	4	7	0
						F	7	0	0	0	0	1	3	2	0	1	0	0

ble 11 - Page 8
aths - Mississippi - 1978

ter-tional assifi-tion		Total							Age										
mber*	Cause*	Number	Rate#	Race	Total by Race	Sex	Total by Race and Sex	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
0-978	Homicide	336	14.0	W	114	M	86	0	2	0	0	13	18	17	17	10	9	0
						F	28	0	0	0	0	8	8	7	4	0	1	0
				NW	222	M	176	0	1	1	0	45	53	25	23	15	13	0
						F	46	0	3	1	0	13	11	10	3	1	4	0

Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-678) are per 100,000 live births and deaths from certain causes of mortality in early infancy (classification numbers 760-778) are per 1,000 live births.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1978

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	846	266	580	559	191	368	287	75	212
Adams	13	4	9	10	2	8	3	2	1
Alcorn	3	1	2	2	1	1	1	0	1
Amite	5	1	4	3	0	3	2	1	1
Attala	8	0	8	5	0	5	3	0	3
Benton	3	2	1	3	2	1	0	0	0
Bolivar	25	3	22	15	3	12	10	0	10
Calhoun	2	1	1	0	0	0	2	1	1
Carroll	4	0	4	1	0	1	3	0	3
Chickasaw	7	0	7	4	0	4	3	0	3
Choctaw	2	1	1	0	0	0	2	1	1
Claiborne	6	0	6	4	0	4	2	0	2
Clarke	4	1	3	4	1	3	0	0	0
Clay	8	1	7	6	1	5	2	0	2
Coahoma	17	2	15	12	2	10	5	0	5
Copiah	14	2	12	6	1	5	8	1	7
Covington	6	1	5	4	0	4	2	1	1
DeSoto	13	9	4	10	8	2	3	1	2
Forrest	24	9	15	20	8	12	4	1	3
Franklin	0	0	0	0	0	0	0	0	0
George	5	4	1	2	2	0	3	2	1
Greene	4	2	2	3	1	2	1	1	0
Grenada	10	4	6	8	3	5	2	1	1
Hancock	2	1	1	0	0	0	2	1	1
Harrison	41	23	18	29	16	13	12	7	5
Hinds	54	12	42	40	9	31	14	3	11
Holmes	5	0	5	4	0	4	1	0	1
Humphreys	16	2	14	13	2	11	3	0	3
Issaquena	0	0	0	0	0	0	0	0	0
Itawamba	3	3	0	1	1	0	2	2	0
Jackson	40	20	20	29	14	15	11	6	5
Jasper	7	2	5	4	2	2	3	0	3
Jefferson	5	0	5	4	0	4	1	0	1
Jeff Davis	7	1	6	3	1	2	4	0	4
Jones	16	5	11	3	1	2	13	4	9
Kemper	6	0	6	2	0	2	4	0	4
Lafayette	3	1	2	1	0	1	2	1	1
Lamar	5	4	1	4	4	0	1	0	1
Lauderdale	31	12	19	21	7	14	10	5	5
Lawrence	4	0	4	3	0	3	1	0	1
Leake	7	4	3	5	3	2	2	1	1
Lee	19	12	7	12	7	5	7	5	2
Leflore	20	2	18	12	2	10	8	0	8

Table 12A - Page 2
Deaths - Mississippi - 1978

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	9	4	5	7	4	3	2	0	2
Lowndes	15	7	8	11	5	6	4	2	2
Madison	11	2	9	6	2	4	5	0	5
Marion	12	5	7	6	3	3	6	2	4
Marshall	11	5	6	6	3	3	5	2	3
Monroe	9	3	6	5	2	3	4	1	3
Montgomery	3	1	2	1	1	0	2	0	2
Neshoba	9	3	6	3	2	1	6	1	5
Newton	7	3	4	5	3	2	2	0	2
Noxubee	8	1	7	4	1	3	4	0	4
Oktibbeha	12	2	10	9	1	8	3	1	2
Panola	13	0	13	9	0	9	4	0	4
Pearl River	6	4	2	4	3	1	2	1	1
Perry	6	3	3	5	2	3	1	1	0
Pike	16	5	11	8	3	5	8	2	6
Pontotoc	5	4	1	4	3	1	1	1	0
Prentiss	8	5	3	5	4	1	3	1	2
Quitman	10	0	10	6	0	6	4	0	4
Rankin	12	9	3	9	7	2	3	2	1
Scott	4	1	3	3	0	3	1	1	0
Sharkey	1	0	1	0	0	0	1	0	1
Simpson	4	1	3	3	1	2	1	0	1
Smith	8	5	3	5	4	1	3	1	2
Stone	5	2	3	3	2	1	2	0	2
Sunflower	22	2	20	18	2	16	4	0	4
Tallahatchie	13	2	11	8	1	7	5	1	4
Tate	8	2	6	3	1	2	5	1	4
Tippah	6	3	3	4	2	2	2	1	1
Tishomingo	2	2	0	1	1	0	1	1	0
Tunica	10	0	10	5	0	5	5	0	5
Union	1	1	0	1	1	0	0	0	0
Walthall	9	2	7	7	1	6	2	1	1
Warren	25	8	17	22	7	15	3	1	2
Washington	30	4	26	19	4	15	11	0	11
Wayne	8	3	5	7	2	5	1	1	0
Webster	4	2	2	3	2	1	1	0	1
Wilkinson	4	1	3	3	1	2	1	0	1
Winston	4	2	2	4	2	2	0	0	0
Yalobusha	6	2	4	5	2	3	1	0	1
Yazoo	16	3	13	10	2	8	6	1	5

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1974-1978 (5-YEAR AVERAGE)

	Infant**			Neonatal**			Postneonatal**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	20.9	14.0	28.4	14.3	10.4	18.6	6.6	3.5	9.8
Adams	19.4	12.4	24.4	13.8	8.0	17.8	5.7	4.4	6.6
Alcorn	11.9	11.0	16.9	7.5	7.8	5.6	4.4	3.1	11.3
Amite	23.2	6.6	35.2	14.0	4.4	20.8	9.3	2.2	14.4
Attala	17.4	9.7	24.6	12.1	6.9	16.8	5.4	2.8	7.8
Benton	11.2	12.7	9.7	11.2	12.7	9.7	-	-	-
Bolivar	26.6	15.0	30.2	18.1	11.2	20.2	8.5	3.8	10.0
Calhoun	19.7	13.9	28.9	13.7	12.5	15.6	6.0	1.4	13.3
Carroll	26.4	6.8	41.1	16.2	6.8	23.1	10.3	-	18.0
Chickasaw	21.9	11.3	32.9	17.3	6.8	28.2	4.6	4.5	4.7
Choctaw	11.2	9.2	14.1	7.0	4.6	10.6	4.2	4.6	3.5
Claiborne	34.6	27.6	36.2	25.7	27.6	25.2	8.9	-	11.0
Clarke	20.3	10.0	31.1	13.1	8.5	17.8	7.2	1.4	13.3
Clay	21.8	16.7	24.7	17.7	16.7	18.3	4.0	-	6.4
Coahoma	26.1	11.2	30.6	18.3	10.2	20.8	7.7	1.0	9.8
Copiah	26.7	12.2	35.7	14.8	8.8	18.5	11.9	3.3	17.2
Covington	22.9	13.7	30.7	11.1	7.6	14.1	11.8	6.1	16.6
DeSoto	15.1	12.4	22.9	10.1	9.4	11.9	5.0	2.9	11.0
Forrest	23.5	16.1	36.0	16.9	12.2	24.9	6.6	3.9	11.2
Franklin	21.3	18.8	23.6	15.2	15.7	14.7	6.1	3.1	8.8
George	15.6	13.5	27.9	7.5	7.2	9.3	8.2	6.4	18.6
Greene	28.0	27.1	30.2	20.2	19.1	22.6	7.8	8.0	7.5
Grenada	22.9	11.9	32.6	17.3	10.7	23.2	5.6	1.2	9.5
Hancock	13.5	12.0	21.8	9.5	9.6	8.7	4.0	2.4	13.1
Harrison	16.5	13.2	26.2	11.1	8.7	17.9	5.4	4.4	8.3
Hinds	15.9	10.6	19.9	11.2	8.8	13.0	4.7	1.8	6.9
Holmes	23.5	15.6	25.3	14.4	13.3	14.6	9.2	2.2	10.7
Humphreys	31.1	11.9	36.4	22.0	11.9	24.8	9.1	-	11.6
Issaquena	43.1	33.3	47.0	33.5	33.3	33.6	9.6	-	13.4
Itawamba	14.9	13.8	27.3	10.2	10.3	9.1	4.7	3.4	18.2
Jackson	17.1	13.6	27.3	11.6	9.0	19.2	5.5	4.6	8.2
Jasper	26.2	15.6	32.0	20.1	15.6	22.6	6.1	-	9.4
Jefferson	19.1	-	21.6	13.8	-	15.6	5.3	-	6.0
Jeff Davis	21.6	12.6	25.6	10.8	10.1	11.1	10.8	2.5	14.5
Jones	21.7	15.8	32.7	15.5	11.2	23.5	6.2	4.6	9.3
Kemper	24.2	3.8	33.2	13.8	-	19.9	10.4	3.8	13.3
Lafayette	21.2	14.0	30.7	14.1	7.9	22.4	7.0	6.2	8.3
Lamar	9.8	8.3	17.1	6.3	6.2	6.8	3.4	2.1	10.2
Lauderdale	25.5	18.0	34.7	19.0	13.6	25.6	6.5	4.4	9.1
Lawrence	17.5	13.1	22.6	12.2	11.5	13.2	5.2	1.6	9.4
Leake	21.8	15.4	26.9	13.6	12.3	14.7	8.2	3.1	12.2
Lee	22.4	19.6	28.2	16.6	16.6	16.4	5.8	3.0	11.8
Leflore	32.5	23.5	36.4	22.2	18.2	23.9	10.3	5.3	12.4

Table 12 B - Page 2
Deaths - Mississippi - 1974-1978

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	22.8	14.8	33.8	18.8	12.7	27.1	4.1	2.1	6.8
Lowndes	17.1	11.8	24.1	12.6	9.1	17.1	4.6	2.7	7.0
Madison	16.4	5.8	21.1	10.6	5.0	13.2	5.7	0.8	7.9
Marion	22.3	13.4	35.5	13.7	8.7	21.3	8.5	4.7	14.2
Marshall	22.4	18.9	24.5	12.5	10.9	13.5	9.8	7.9	11.0
Monroe	24.4	18.4	32.7	17.1	13.8	21.5	7.4	4.6	11.2
Montgomery	25.9	22.3	28.5	19.4	20.0	19.0	6.5	2.2	9.5
Neshoba	17.9	12.4	24.8	10.4	8.9	12.4	7.4	3.6	12.4
Newton	29.2	26.8	32.0	19.4	20.1	18.6	9.7	6.7	13.3
Noxubee	38.9	23.2	44.3	24.7	20.3	26.2	14.2	2.9	18.1
Oktibbeha	22.8	13.2	32.2	15.0	8.6	21.4	7.7	4.7	10.7
Panola	28.0	14.2	35.2	18.9	9.1	24.0	9.1	5.0	11.2
Pearl River	16.7	14.9	23.2	12.0	10.4	17.8	4.6	4.5	5.3
Perry	21.2	18.1	27.4	15.1	13.6	18.3	6.0	4.5	9.1
Pike	19.7	11.7	26.1	12.6	7.3	16.8	7.1	4.4	9.3
Pontotoc	17.7	15.1	28.0	14.1	11.5	24.5	3.5	3.5	3.5
Prentiss	23.7	20.5	39.4	15.2	15.4	14.3	8.5	5.1	25.1
Quitman	36.4	13.4	45.4	20.1	8.9	24.4	16.3	4.4	21.0
Rankin	12.9	12.5	14.2	9.1	8.8	10.0	3.8	3.6	4.2
Scott	16.7	10.0	24.1	12.9	6.4	20.1	3.8	3.6	4.0
Sharkey	13.0	4.0	15.9	7.5	4.0	8.5	5.6	-	7.3
Simpson	12.9	11.6	14.4	9.4	11.6	6.6	3.5	-	7.8
Smith	24.0	14.9	39.9	13.7	12.2	16.4	10.3	2.7	23.5
Stone	16.6	12.8	23.6	8.3	8.5	7.9	8.3	4.2	15.7
Sunflower	31.5	11.0	38.0	22.8	9.9	26.8	8.7	1.1	11.2
Tallahatchie	29.9	9.6	37.4	17.5	7.7	21.2	12.4	1.9	16.2
Tate	20.8	16.2	24.6	11.2	8.7	13.3	9.6	7.5	11.3
Tippah	21.6	14.0	47.5	16.9	11.4	35.6	4.7	2.6	11.9
Tishomingo	11.2	9.9	34.5	6.5	5.9	17.2	4.7	3.9	17.2
Tunica	29.3	25.4	30.1	19.5	20.3	19.4	9.8	5.1	10.7
Union	19.6	14.1	37.1	14.3	11.0	24.8	5.4	3.1	12.4
Walthall	24.3	12.0	33.1	16.8	10.0	21.6	7.5	2.0	11.5
Warren	26.1	17.0	35.4	20.7	13.1	28.5	5.3	3.8	6.9
Washington	21.2	14.8	24.4	13.9	11.8	14.9	7.4	3.0	9.5
Wayne	20.2	11.1	30.9	16.1	7.8	25.7	4.2	3.3	5.1
Webster	24.3	16.7	38.6	15.8	14.8	17.5	8.5	1.8	21.0
Wilkinson	16.4	13.0	17.8	12.6	8.7	14.3	3.8	4.3	3.6
Winston	19.1	14.2	22.6	14.9	14.2	15.4	4.2	-	7.2
Yalobusha	22.2	16.6	27.1	16.4	12.4	19.9	5.8	4.1	7.2
Yazoo	26.6	15.8	32.7	17.5	10.6	21.4	9.1	5.3	11.3

* Deaths per 1,000 live births.

** Infant - age less than one year; neonatal - age less than 28 days; postneonatal - age 28 days to one year.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE, ALSO MORTALITY RATES FOR SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1978

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
ALL CAUSES	846	19.1	W	266	191	87	71	19	8	6	75
			NW	580	368	191	115	21	24	17	212
Diarrheal disease (009)	30	0.7	W	5	3	0	0	0	2	1	2
			NW	25	14	0	5	4	3	2	11
Septicemia (038)	24	0.5	W	8	6	1	4	1	0	0	2
			NW	16	14	3	9	1	1	0	2
Other infective and parasitic diseases (000-008, 010-037, 039-136)	7	0.2	W	4	1	0	1	0	0	0	3
			NW	3	0	0	0	0	0	0	3
Meningitis (320)	17	0.4	W	5	1	0	0	0	1	0	4
			NW	12	4	0	2	0	1	1	8
Acute upper respiratory infections (460-465)	6	0.1	W	1	0	0	0	0	0	0	1
			NW	5	1	0	0	0	0	1	4
Bronchitis and bronchiolitis (466, 490, 491)	2	##	W	2	0	0	0	0	0	0	2
			NW	0	0	0	0	0	0	0	0
Influenza and pneumonia (470-486)	50	1.1	W	9	4	0	2	2	0	0	5
			NW	41	8	0	4	0	2	2	33
Hernia and intestinal obstruction (550-553, 560)	10	0.2	W	3	3	2	1	0	0	0	0
			NW	7	5	4	1	0	0	0	2
Congenital anomalies (740-759)	102	2.3	W	51	39	15	16	5	2	1	12
			NW	51	36	13	15	5	2	1	15
Maternal conditions unrelated to pregnancy (760, 761)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Toxemia of pregnancy (762)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	1	1	0	0	0	0
Maternal antepartum and intrapartum infection (763)	6	0.1	W	1	1	1	0	0	0	0	0
			NW	5	5	4	1	0	0	0	0
Difficult labor (764-768)	5	0.1	W	1	1	1	0	0	0	0	0
			NW	4	4	3	1	0	0	0	0
Other complications of pregnancy and childbirth (769)	18	0.4	W	8	8	7	1	0	0	0	0
			NW	10	10	6	3	1	0	0	0

Table 13 - Page 2
Infant Deaths - Mississippi - 1978

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Conditions of placenta (770)	16	0.4	W	7	7	5	2	0	0	0	0
			NW	9	9	8	1	0	0	0	0
Conditions of umbilical cord (771)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	0	2	0	0	0	0
Birth injury without mention of cause (772)	28	0.6	W	10	10	2	4	3	1	0	0
			NW	18	18	8	7	1	2	0	0
Hemolytic disease of newborn (774, 775)	5	0.1	W	1	1	1	0	0	0	0	0
			NW	4	4	2	2	0	0	0	0
Hyaline membrane disease (776.1)	54	1.2	W	26	26	9	15	2	0	0	0
			NW	28	25	9	14	2	0	0	3
Respiratory distress syndrome (776.2)	48	1.1	W	18	17	9	6	1	0	1	1
			NW	30	29	21	7	0	1	0	1
Asphyxia of newborn, unspecified (776.9)	70	1.6	W	17	17	8	5	2	1	1	0
			NW	53	53	35	13	3	2	0	0
Other anoxic and hypoxic conditions not elsewhere classifiable (776.0, 776.3, 776.4)	13	0.3	W	5	5	3	2	0	0	0	0
			NW	8	8	2	3	1	0	2	0
Immaturity, unqualified (777)	81	1.8	W	16	16	15	1	0	0	0	0
			NW	65	64	55	8	0	1	0	1
Hemorrhagic disease of newborn (778.2)	8	0.2	W	5	5	0	3	2	0	0	0
			NW	3	3	1	2	0	0	0	0
Other conditions of newborn (778.0, 778.1, 778.3, 778.9)	22	0.5	W	8	8	6	2	0	0	0	0
			NW	14	14	8	4	0	1	1	0
Symptoms and ill-defined conditions (780-796)	123	2.8	W	25	5	1	2	0	0	2	20
			NW	98	20	4	4	2	5	5	78
Accidents (800-949)	41	0.9	W	14	0	0	0	0	0	0	14
			NW	27	3	0	2	1	0	0	24
All other causes	55	1.2	W	16	7	1	4	1	1	0	9
			NW	39	12	3	4	0	3	2	27

* Deaths of children under 1 year of age.

** Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Deaths per 1,000 live births.

## Less than 0.06.

TABLE 14
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE, ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE, ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE, MISSISSIPPI, 1978

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	27,280	19,762	7,518	27,280	19,762	7,518	24,755	17,669	7,086
Adams	408	248	160	426	262	164	367	211	156
Alcorn	454	403	51	465	418	47	329	282	47
Amite	134	68	66	137	72	65	104	51	53
Attala	216	149	67	202	138	64	188	122	66
Benton	56	37	19	69	46	23	64	46	18
Bolivar	373	177	196	387	186	201	369	177	192
Calhoun	145	105	40	149	108	41	148	106	42
Carroll	46	30	16	58	40	18	45	33	12
Chickasaw	243	162	81	216	150	66	224	153	71
Choctaw	107	67	40	107	68	39	84	57	27
Claiborne	109	50	59	107	45	62	92	41	51
Clarke	148	104	44	170	127	43	142	97	45
Clay	193	107	86	210	117	93	186	109	77
Coahoma	400	191	209	391	184	207	358	160	198
Copiah	193	103	90	218	120	98	235	138	97
Covington	144	104	40	167	125	42	181	131	50
DeSoto	803	616	187	766	588	178	357	306	51
Forrest	969	764	205	905	697	208	910	715	195
Franklin	73	51	22	75	54	21	68	47	21
George	259	240	19	258	241	17	168	157	11
Greene	101	90	11	112	99	13	97	74	23
Grenada	236	166	70	210	143	67	216	149	67
Hancock	315	295	20	320	301	19	183	170	13
Harrison	2,258	1,969	289	2,283	1,993	290	1,923	1,673	250
Hinds	2,950	1,950	1,000	2,665	1,720	945	2,727	1,769	958
Holmes	194	57	137	193	60	133	217	71	146
Humphreys	111	44	67	106	38	68	118	46	72
Issaquena	4	3	1	7	5	2	6	2	4
Itawamba	183	175	8	186	176	10	145	136	9
Jackson	1,417	1,229	188	1,424	1,236	188	1,239	1,071	168
Jasper	156	91	65	175	99	76	172	101	71
Jefferson	67	16	51	66	16	50	62	15	47
Jeff Davis	137	72	65	146	78	68	126	64	62
Jones	716	585	131	699	581	118	685	565	120
Kemper	76	48	28	81	53	28	63	38	25
Lafayette	248	168	80	257	171	86	222	143	79
Lamar	175	159	16	226	209	17	213	196	17
Lauderdale	768	567	201	743	539	204	749	552	197
Lawrence	117	89	28	133	107	26	141	106	35
Leake	207	141	66	227	156	71	225	155	70
Lee	652	527	125	637	525	112	650	537	113
Leflore	367	190	177	367	188	179	368	191	177

Table 14 - Page 2
Marriages - Mississippi - 1978

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	334	245	89	318	230	88	291	216	75
Lowndes	529	366	163	519	359	160	479	320	159
Madison	283	139	144	328	173	155	295	147	148
Marion	393	285	108	380	273	107	362	264	98
Marshall	277	167	110	268	158	110	218	122	96
Monroe	300	239	61	325	248	77	269	204	65
Montgomery	97	71	26	113	85	28	116	85	31
Neshoba	259	186	73	256	181	75	223	152	71
Newton	148	97	51	170	116	54	199	138	61
Noxubee	105	41	64	118	50	68	108	46	62
Oktibbeha	315	213	102	288	184	104	310	205	105
Panola	285	186	99	294	190	104	264	164	100
Pearl River	430	393	37	431	392	39	355	324	31
Perry	132	114	18	122	105	17	106	92	14
Pike	382	240	142	391	246	145	370	227	143
Pontotoc	220	191	29	226	197	29	206	178	28
Prentiss	262	239	23	257	233	24	263	238	25
Quitman	124	68	56	131	76	55	129	74	55
Rankin	614	500	114	632	530	102	664	561	103
Scott	304	220	84	309	225	84	303	222	81
Sharkey	66	33	33	67	34	33	51	27	24
Simpson	261	192	69	264	189	75	244	176	68
Smith	85	74	11	131	111	20	101	77	24
Stone	122	101	21	116	97	19	115	96	19
Sunflower	281	125	156	303	139	164	272	117	155
Tallahatchie	139	68	71	141	72	69	123	60	63
Tate	198	140	58	186	133	53	173	120	53
Tippah	190	162	28	199	168	31	198	169	29
Tishomingo	326	307	19	322	303	19	186	179	7
Tunica	98	54	44	97	54	43	80	41	39
Union	285	254	31	272	241	31	261	227	34
Walthall	157	105	52	158	106	52	111	68	43
Warren	585	391	194	535	371	164	494	330	164
Washington	768	485	283	808	512	296	753	464	289
Wayne	217	152	65	208	146	62	174	124	50
Webster	73	60	13	85	70	15	84	66	18
Wilkinson	158	110	48	162	105	57	82	35	47
Winston	190	124	66	192	128	64	182	116	66
Yalobusha	109	77	32	123	90	33	138	102	36
Yazoo	251	141	110	277	159	118	237	133	104
Not reported				12	4	8			
Out of state	*	*	*	*	*	*	2,525	2,093	432

* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 15
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE, MISSISSIPPI, 1978

County	Total	White	Non-white	County	Total	White	Non-white
STATE	13,313	10,339	2,974				
Adams	210	136	74	Lincoln	121	79	42
Alcorn	95	88	7	Lowndes	262	186	76
Amite	51	30	21	Madison	128	71	57
Attala	79	61	18	Marion	163	122	41
Benton	34	25	9	Marshall	185	144	41
Bolivar	166	90	76	Monroe	213	167	46
Calhoun	53	44	9	Montgomery	59	45	14
Carroll	8	5	3	Neshoba	150	115	35
Chickasaw	100	67	33	Newton	75	52	23
Choctaw	32	22	10	Noxubee	32	15	17
Claiborne	34	20	14	Oktibbeha	141	120	21
Clarke	58	46	12	Panola	146	106	40
Clay	63	36	27	Pearl River	243	221	22
Coahoma	149	97	52	Perry	37	30	7
Copiah	111	80	31	Pike	212	147	65
Covington	72	48	24	Pontotoc	132	120	12
DeSoto	376	359	17	Prentiss	122	112	10
Forrest	511	412	99	Quitman	29	15	14
Franklin	31	20	11	Rankin	356	315	41
George	87	82	5	Scott	142	105	37
Greene	29	24	5	Sharkey	23	10	13
Grenada	113	88	25	Simpson	74	51	23
Hancock	122	117	5	Smith	75	62	13
Harrison	1,206	1,039	167	Stone	75	54	21
Hinds	1,430	1,010	420	Sunflower	113	61	52
Holmes	68	34	34	Tallahatchie	67	43	24
Humphreys	36	25	11	Tate	91	70	21
Issaquena	2	0	2	Tippah	94	83	11
Itawamba	113	109	4	Tishomingo	69	66	3
Jackson	980	849	131	Tunica	19	11	8
Jasper	80	50	30	Union	112	104	8
Jefferson	35	4	31	Walthall	59	43	16
Jeff Davis	17	11	6	Warren	331	251	80
Jones	388	322	66	Washington	416	263	153
Kemper	26	19	7	Wayne	83	70	13
Lafayette	113	82	31	Webster	52	43	9
Lamar	141	131	10	Wilkinson	23	10	13
Lauderdale	467	388	79	Winston	72	53	19
Lawrence	71	50	21	Yalobusha	43	29	14
Leake	72	55	17	Yazoo	125	83	42
Lee	344	291	53				
Leflore	176	126	50				

NOTE:

Table 16 extends from page 91 through page 111 with identical data for each county as well as for the state.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Adams County			Alcorn County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	1	0
Malignant neoplasms (140-209)	92	49	43	41	33	8
Diabetes mellitus (250)	9	2	7	1	1	0
Heart diseases (390-398, 402, 404-429)	105	40	65	150	138	12
Hypertension (400, 401, 403)	4	2	2	2	1	1
Cerebrovascular disease (430-438)	46	23	23	26	24	2
Arteriosclerosis (440)	9	6	3	4	3	1
Influenza and pneumonia (470-486)	11	8	3	12	12	0
Bronchitis, emphysema, asthma (490-493)	3	2	1	2	2	0
Cirrhosis of liver (571)	6	4	2	3	3	0
Nephritis and nephrosis (580-584)	1	0	1	2	2	0
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	0	0	0
Certain causes of mortality in early infancy (760-778)	7	2	5	3	1	
Accidents (800-949)	20	10	10	17	17	
Motor vehicle accidents (810-823)	9	5	4	11	11	
Suicide (950-959)	4	4	0	4	4	
Homicide (960-978)	5	2	3	4	3	
Ill-defined and unknown# (780-796)	20	6	14	3	3	

Cause and International Classification Number*	Amite County			Attala County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	13	8	5	49	33	16
Diabetes mellitus (250)	4	2	2	8	5	3
Heart diseases (390-398, 402, 404-429)	26	19	7	89	56	33
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	12	10	2	19	10	9
Arteriosclerosis (440)	1	1	0	1	1	0
Influenza and pneumonia (470-486)	3	1	2	8	5	3
Bronchitis, emphysema, asthma (490-493)	2	2	0	1	1	0
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	2	1	1
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	0	2	2	0	2
Certain causes of mortality in early infancy (760-778)	2	0	2	1	0	1
Accidents (800-949)	14	8	6	11	7	4
Motor vehicle accidents (810-823)	6	3	3	6	4	2
Suicide (950-959)	2	2	0	2	1	1
Homicide (960-978)	1	0	1	6	2	4
Ill-defined and unknown# (780-796)	21	8	13	12	5	

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Benton County			Bolivar County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	1	0	1
Malignant neoplasms (140-209)	12	10	2	64	26	38
Diabetes mellitus (250)	0	0	0	5	1	4
Heart diseases (390-398, 402, 404-429)	20	16	4	170	76	94
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	6	4	2	61	24	37
Arteriosclerosis (440)	2	1	1	11	6	5
Influenza and pneumonia (470-486)	2	1	1	13	3	10
Bronchitis, emphysema, asthma (490-493)	1	1	0	4	2	2
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	7	2	5
Infections of kidney (590)	0	0	0	2	1	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	0	1
Certain causes of mortality in early infancy (760-778)	2	1	1	14	2	12
Accidents (800-949)	11	5	6	33	9	24
Motor vehicle accidents (810-823)	4	1	3	11	5	6
Suicide (950-959)	1	1	0	5	3	2
Homicide (960-978)	1	0	1	7	1	6
Ill-defined and unknown# (780-796)	6	5	1	55	6	49

Cause and International Classification Number*	Calhoun County			Carroll County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	31	26	5	11	3	8
Diabetes mellitus (250)	2	2	0	1	0	1
Heart diseases (390-398, 402, 404-429)	62	56	6	28	14	14
Hypertension (400, 401, 403)	1	1	0	2	0	2
Cerebrovascular disease (430-438)	17	13	4	6	2	4
Arteriosclerosis (440)	1	1	0	0	0	0
Influenza and pneumonia (470-486)	1	1	0	2	0	2
Bronchitis, emphysema, asthma (490-493)	0	0	0	0	0	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	2	2	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	0	0	0	0	0	0
Accidents (800-949)	14	10	4	5	1	4
Motor vehicle accidents (810-823)	10	7	3	3	1	2
Suicide (950-959)	3	3	0	0	0	0
Homicide (960-978)	0	0	0	2	0	2
Ill-defined and unknown# (780-796)	6	5	1	9	3	6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Chickasaw County			Choctaw County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	35	28	7	15	12	3
Diabetes mellitus (250)	3	3	0	3	2	1
Heart diseases (390-398, 402, 404-429)	78	60	18	47	32	15
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	25	12	13	8	6	2
Arteriosclerosis (440)	1	1	0	1	1	0
Influenza and pneumonia (470-486)	1	1	0	3	1	2
Bronchitis, emphysema, asthma (490-493)	0	0	0	1	1	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	3	0	3	0	0	0
Accidents (800-949)	15	9	6	6	4	2
Motor vehicle accidents (810-823)	9	5	4	4	3	1
Suicide (950-959)	4	4	0	2	2	0
Homicide (960-978)	1	0	1	1	0	1
Ill-defined and unknown# (780-796)	7	4	3	0	0	0

	Claiborne County			Clarke County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	17	2	15	22	16	6
Diabetes mellitus (250)	5	0	5	2	1	1
Heart diseases (390-398, 402, 404-429)	46	18	28	72	52	20
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	8	4	4	16	9	7
Arteriosclerosis (440)	1	0	1	2	2	0
Influenza and pneumonia (470-486)	4	0	4	6	4	2
Bronchitis, emphysema, asthma (490-493)	1	1	0	2	2	0
Cirrhosis of liver (571)	0	0	0	1	0	1
Nephritis and nephrosis (580-584)	2	0	2	1	1	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	1	0
Certain causes of mortality in early infancy (760-778)	3	0	3	4	1	3
Accidents (800-949)	15	4	11	16	11	5
Motor vehicle accidents (810-823)	8	2	6	8	4	4
Suicide (950-959)	0	0	0	0	0	0
Homicide (960-978)	4	2	2	1	0	1
Ill-defined and unknown# (780-796)	5	0	5	5	2	3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Clay County			Coahoma County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	3	0	3	1	0	1
Malignant neoplasms (140-209)	29	18	11	68	30	38
Diabetes mellitus (250)	6	3	3	5	1	4
Heart diseases (390-398, 402, 404-429)	87	45	42	84	37	47
Hypertension (400, 401, 403)	1	1	0	2	0	2
Cerebrovascular disease (430-438)	35	18	17	55	18	37
Arteriosclerosis (440)	2	2	0	5	1	4
Influenza and pneumonia (470-486)	4	2	2	13	5	8
Bronchitis, emphysema, asthma (490-493)	2	2	0	2	2	0
Cirrhosis of liver (571)	5	3	2	0	0	0
Nephritis and nephrosis (580-584)	1	0	1	5	0	5
Infections of kidney (590)	0	0	0	4	3	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	1	2	3	1	2
Certain causes of mortality in early infancy (760-778)	4	0	4	8	0	8
Accidents (800-949)	18	13	5	38	21	17
Motor vehicle accidents (810-823)	11	8	3	24	15	9
Suicide (950-959)	0	0	0	5	2	3
Homicide (960-978)	4	1	3	7	1	6
Ill-defined and unknown# (780-796)	7	0	7	98	10	88

	Copiah County			Covington County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	47	21	26	20	16	4
Diabetes mellitus (250)	3	2	1	3	2	1
Heart diseases (390-398, 402, 404-429)	94	56	38	42	36	6
Hypertension (400, 401, 403)	1	0	1	1	1	0
Cerebrovascular disease (430-438)	32	18	14	21	17	4
Arteriosclerosis (440)	0	0	0	2	2	0
Influenza and pneumonia (470-486)	7	6	1	3	2	1
Bronchitis, emphysema, asthma (490-493)	1	0	1	0	0	0
Cirrhosis of liver (571)	6	3	3	0	0	0
Nephritis and nephrosis (580-584)	2	1	1	1	1	0
Infections of kidney (590)	2	1	1	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	2	0	2
Certain causes of mortality in early infancy (760-778)	1	0	1	3	0	3
Accidents (800-949)	26	17	9	14	11	3
Motor vehicle accidents (810-823)	8	5	3	5	4	1
Suicide (950-959)	2	1	1	0	0	0
Homicide (960-978)	2	0	2	4	3	1
Ill-defined and unknown# (780-796)	39	13	26	14	7	7

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	DeSoto County			Forrest County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	69	60	9	115	84	31
Diabetes mellitus (250)	10	8	2	10	4	6
Heart diseases (390-398, 402, 404-429)	87	59	28	230	181	49
Hypertension (400, 401, 403)	2	1	1	3	0	3
Cerebrovascular disease (430-438)	29	16	13	60	43	17
Arteriosclerosis (440)	1	1	0	15	13	2
Influenza and pneumonia (470-486)	6	5	1	15	14	1
Bronchitis, emphysema, asthma (490-493)	2	2	0	5	4	1
Cirrhosis of liver (571)	1	1	0	9	8	1
Nephritis and nephrosis (580-584)	2	1	1	1	0	1
Infections of kidney (590)	1	1	0	3	3	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	4	3	1	3	1	2
Certain causes of mortality in early infancy (760-778)	5	4	1	15	6	9
Accidents (800-949)	21	14	7	33	24	9
Motor vehicle accidents (810-823)	8	4	4	13	11	2
Suicide (950-959)	4	4	0	7	7	0
Homicide (960-978)	3	2	1	4	3	1
Ill-defined and unknown# (780-796)	46	18	28	64	28	36

	Franklin County			George County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	
Malignant neoplasms (140-209)	22	13	9	23	20	
Diabetes mellitus (250)	7	2	5	4	4	
Heart diseases (390-398, 402, 404-429)	37	24	13	38	33	
Hypertension (400, 401, 403)	2	2	0	1	1	
Cerebrovascular disease (430-438)	11	6	5	3	3	
Arteriosclerosis (440)	2	1	1	0	0	
Influenza and pneumonia (470-486)	5	3	2	3	1	
Bronchitis, emphysema, asthma (490-493)	0	0	0	1	1	
Cirrhosis of liver (571)	0	0	0	2	2	
Nephritis and nephrosis (580-584)	0	0	0	0	0	
Infections of kidney (590)	0	0	0	3	3	
Maternal causes (630-678)	0	0	0	0	0	
Congenital anomalies (740-759)	1	1	0	1	1	
Certain causes of mortality in early infancy (760-778)	0	0	0	1	1	
Accidents (800-949)	8	6	2	17	12	
Motor vehicle accidents (810-823)	5	3	2	10	7	
Suicide (950-959)	0	0	0	2	1	
Homicide (960-978)	1	1	0	2	0	
Ill-defined and unknown# (780-796)	5	1	4	3	1	

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Greene County			Grenada County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	8	5	3	41	26	15
Diabetes mellitus (250)	1	1	0	4	2	2
Heart diseases (390-398, 402, 404-429)	49	38	11	68	44	24
Hypertension (400, 401, 403)	1	1	0	1	1	0
Cerebrovascular disease (430-438)	7	4	3	62	34	28
Arteriosclerosis (440)	3	2	1	1	0	1
Influenza and pneumonia (470-486)	1	1	0	6	4	2
Bronchitis, emphysema, asthma (490-493)	0	0	0	1	1	0
Cirrhosis of liver (571)	1	1	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	1	1	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	2	1	1	7	3	4
Accidents (800-949)	4	3	1	16	11	5
Motor vehicle accidents (810-823)	2	1	1	9	6	3
Suicide (950-959)	0	0	0	2	1	1
Homicide (960-978)	0	0	0	1	0	1
Ill-defined and unknown# (780-796)	1	1	0	33	10	23

	Hancock County			Harrison County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	5	4	1
Malignant neoplasms (140-209)	43	36	7	236	194	42
Diabetes mellitus (250)	1	0	1	15	11	4
Heart diseases (390-398, 402, 404-429)	100	93	7	454	367	87
Hypertension (400, 401, 403)	1	0	1	1	1	0
Cerebrovascular disease (430-438)	11	10	1	97	77	20
Arteriosclerosis (440)	2	2	0	8	7	1
Influenza and pneumonia (470-486)	7	6	1	33	29	4
Bronchitis, emphysema, asthma (490-493)	1	1	0	15	12	3
Cirrhosis of liver (571)	3	2	1	21	16	5
Nephritis and nephrosis (580-584)	1	1	0	6	3	3
Infections of kidney (590)	0	0	0	2	2	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	15	10	5
Certain causes of mortality in early infancy (760-778)	0	0	0	16	10	6
Accidents (800-949)	17	11	6	95	86	9
Motor vehicle accidents (810-823)	12	7	5	54	50	4
Suicide (950-959)	3	2	1	24	23	1
Homicide (960-978)	2	2	0	23	11	12
Ill-defined and unknown# (780-796)	3	3	0	11	9	2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Hinds County			Holmes County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	3	1	2	2	0	2
Malignant neoplasms (140-209)	389	236	153	42	18	24
Diabetes mellitus (250)	20	8	12	12	0	12
Heart diseases (390-398, 402, 404-429)	642	358	284	82	35	47
Hypertension (400, 401, 403)	7	4	3	3	0	3
Cerebrovascular disease (430-438)	212	123	89	39	11	28
Arteriosclerosis (440)	23	16	7	2	0	2
Influenza and pneumonia (470-486)	64	40	24	7	1	6
Bronchitis, emphysema, asthma (490-493)	12	11	1	1	0	1
Cirrhosis of liver (571)	21	19	2	5	5	0
Nephritis and nephrosis (580-584)	4	3	1	3	0	3
Infections of kidney (590)	5	3	2	0	0	0
Maternal causes (630-678)	1	0	1	1	0	1
Congenital anomalies (740-759)	12	7	5	0	0	0
Certain causes of mortality in early infancy (760-778)	24	4	20	2	0	2
Accidents (800-949)	122	71	51	23	4	19
Motor vehicle accidents (810-823)	58	37	21	10	3	7
Suicide (950-959)	29	23	6	3	2	1
Homicide (960-978)	35	11	24	3	0	3
Ill-defined and unknown# (780-796)	62	23	39	36	2	34

	Humphreys County			Issaquena County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	38	15	23	2	1	1
Diabetes mellitus (250)	0	0	0	0	0	0
Heart diseases (390-398, 402, 404-429)	72	22	50	5	3	2
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	12	1	11	2	1	1
Arteriosclerosis (440)	3	0	3	0	0	0
Influenza and pneumonia (470-486)	3	0	3	1	1	0
Bronchitis, emphysema, asthma (490-493)	1	1	0	0	0	0
Cirrhosis of liver (571)	1	0	1	1	1	0
Nephritis and nephrosis (580-584)	2	0	2	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	0	0	0
Certain causes of mortality in early infancy (760-778)	11	1	10	0	0	0
Accidents (800-949)	15	5	10	0	0	0
Motor vehicle accidents (810-823)	7	4	3	0	0	0
Suicide (950-959)	0	0	0	0	0	0
Homicide (960-978)	4	1	3	2	0	2
Ill-defined and unknown# (780-796)	7	2	5	2	0	2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Itawamba County			Jackson County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	40	37	3	173	148	25
Diabetes mellitus (250)	2	2	0	9	8	1
Heart diseases (390-398, 402, 404-429)	94	90	4	194	162	32
Hypertension (400, 401, 403)	0	0	0	2	1	1
Cerebrovascular disease (430-438)	32	31	1	44	37	7
Arteriosclerosis (440)	1	1	0	12	11	1
Influenza and pneumonia (470-486)	4	3	1	18	16	2
Bronchitis, emphysema, asthma (490-493)	3	2	1	13	10	3
Cirrhosis of liver (571)	1	1	0	15	13	2
Nephritis and nephrosis (580-584)	0	0	0	4	4	0
Infections of kidney (590)	0	0	0	1	0	1
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	0	0	0	8	5	3
Certain causes of mortality in early infancy (760-778)	1	1	0	18	9	9
Accidents (800-949)	11	11	0	48	40	8
Motor vehicle accidents (810-823)	8	8	0	32	28	4
Suicide (950-959)	5	4	1	8	8	0
Homicide (960-978)	4	4	0	13	11	2
Ill-defined and unknown# (780-796)	3	3	0	54	43	11

	Jasper County			Jefferson County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	29	22	7	18	6	12
Diabetes mellitus (250)	4	1	3	4	0	4
Heart diseases (390-398, 402, 404-429)	52	36	16	33	6	27
Hypertension (400, 401, 403)	1	0	1	1	1	0
Cerebrovascular disease (430-438)	12	6	6	7	3	4
Arteriosclerosis (440)	1	0	1	1	0	1
Influenza and pneumonia (470-486)	6	4	2	3	2	1
Bronchitis, emphysema, asthma (490-493)	1	1	0	0	0	0
Cirrhosis of liver (571)	0	0	0	1	0	1
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	2	2	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	0	1
Certain causes of mortality in early infancy (760-778)	5	2	3	2	0	2
Accidents (800-949)	8	7	1	8	3	5
Motor vehicle accidents (810-823)	5	4	1	0	0	0
Suicide (950-959)	1	1	0	1	1	0
Homicide (960-978)	5	0	5	0	0	0
Ill-defined and unknown# (780-796)	19	6	13	3	0	3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Jeff Davis County Total	Jeff Davis County White	Jeff Davis County Non-white	Jones County Total	Jones County White	Jones County Non-white
Tuberculosis (010-019)	0	0	0	2	1	1
Malignant neoplasms (140-209)	23	14	9	92	56	36
Diabetes mellitus (250)	0	0	0	15	8	7
Heart diseases (390-398, 402, 404-429)	53	28	25	204	164	40
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	13	6	7	54	49	5
Arteriosclerosis (440)	1	0	1	5	4	1
Influenza and pneumonia (470-486)	6	3	3	14	9	5
Bronchitis, emphysema, asthma (490-493)	0	0	0	5	4	1
Cirrhosis of liver (571)	0	0	0	4	4	0
Nephritis and nephrosis (580-584)	0	0	0	3	3	0
Infections of kidney (590)	0	0	0	2	1	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	3	2	1
Certain causes of mortality in early infancy (760-778)	2	1	1	3	0	3
Accidents (800-949)	15	10	5	57	39	18
Motor vehicle accidents (810-823)	9	5	4	20	14	6
Suicide (950-959)	0	0	0	9	7	2
Homicide (960-978)	1	0	1	6	3	3
Ill-defined and unknown# (780-796)	4	2	2	61	35	26

	Kemper County Total	Kemper County White	Kemper County Non-white	Lafayette County Total	Lafayette County White	Lafayette County Non-white
Tuberculosis (010-019)	0	0	0	1	1	0
Malignant neoplasms (140-209)	15	9	6	43	31	12
Diabetes mellitus (250)	2	1	1	6	4	2
Heart diseases (390-398, 402, 404-429)	19	12	7	67	50	17
Hypertension (400, 401, 403)	0	0	0	1	0	1
Cerebrovascular disease (430-438)	13	10	3	34	21	13
Arteriosclerosis (440)	0	0	0	2	2	0
Influenza and pneumonia (470-486)	3	1	2	3	3	0
Bronchitis, emphysema, asthma (490-493)	2	1	1	1	1	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	1	1	0	1	1	0
Infections of kidney (590)	1	0	1	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	0	1
Certain causes of mortality in early infancy (760-778)	1	0	1	0	0	0
Accidents (800-949)	6	5	1	20	13	7
Motor vehicle accidents (810-823)	2	1	1	11	8	3
Suicide (950-959)	2	1	1	4	3	1
Homicide (960-978)	3	1	2	4	1	3
Ill-defined and unknown# (780-796)	17	7	10	37	16	21

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Lamar County			Lauderdale County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	32	28	4	154	114	40
Diabetes mellitus (250)	0	0	0	15	9	6
Heart diseases (390-398, 402, 404-429)	44	36	8	198	143	55
Hypertension (400, 401, 403)	0	0	0	1	1	0
Cerebrovascular disease (430-438)	10	7	3	71	46	25
Arteriosclerosis (440)	0	0	0	7	6	1
Influenza and pneumonia (470-486)	3	3	0	35	23	12
Bronchitis, emphysema, asthma (490-493)	6	5	1	3	3	0
Cirrhosis of liver (571)	0	0	0	10	7	3
Nephritis and nephrosis (580-584)	0	0	0	5	1	4
Infections of kidney (590)	0	0	0	2	1	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	9	7	2
Certain causes of mortality in early infancy (760-778)	3	3	0	13	5	8
Accidents (800-949)	15	12	3	57	35	22
Motor vehicle accidents (810-823)	13	10	3	34	22	12
Suicide (950-959)	1	1	0	7	7	0
Homicide (960-978)	3	1	2	11	6	5
Ill-defined and unknown# (780-796)	20	16	4	163	88	75

	Lawrence County			Leake County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	25	20	5	31	20	11
Diabetes mellitus (250)	4	2	2	11	2	9
Heart diseases (390-398, 402, 404-429)	48	31	17	90	73	17
Hypertension (400, 401, 403)	0	0	0	1	0	1
Cerebrovascular disease (430-438)	13	6	7	24	15	9
Arteriosclerosis (440)	1	1	0	3	2	1
Influenza and pneumonia (470-486)	2	2	0	7	4	3
Bronchitis, emphysema, asthma (490-493)	1	1	0	4	4	0
Cirrhosis of liver (571)	1	1	0	1	0	1
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	2	2	0
Certain causes of mortality in early infancy (760-778)	1	0	1	3	1	2
Accidents (800-949)	11	8	3	23	16	7
Motor vehicle accidents (810-823)	3	2	1	18	13	5
Suicide (950-959)	0	0	0	5	3	2
Homicide (960-978)	0	0	0	4	1	3
Ill-defined and unknown# (780-796)	1	0	1	7	4	3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Lee County			Leflore County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	89	77	12	70	40	30
Diabetes mellitus (250)	4	3	1	8	4	4
Heart diseases (390-398, 402, 404-429)	199	156	43	183	75	108
Hypertension (400, 401, 403)	0	0	0	1	0	1
Cerebrovascular disease (430-438)	49	40	9	69	37	32
Arteriosclerosis (440)	13	13	0	6	3	3
Influenza and pneumonia (470-486)	15	9	6	17	8	9
Bronchitis, emphysema, asthma (490-493)	5	4	1	2	2	0
Cirrhosis of liver (571)	4	3	1	5	5	0
Nephritis and nephrosis (580-584)	2	0	2	5	2	3
Infections of kidney (590)	0	0	0	2	1	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	5	4	1	0	0	0
Certain causes of mortality in early infancy (760-778)	6	2	4	11	2	9
Accidents (800-949)	29	25	4	38	20	18
Motor vehicle accidents (810-823)	14	12	2	14	8	6
Suicide (950-959)	4	4	0	6	4	2
Homicide (960-978)	6	0	6	6	0	6
Ill-defined and unknown# (780-796)	3	3	0	17	1	16

	Lincoln County			Lowndes County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	2	0
Malignant neoplasms (140-209)	44	30	14	79	56	23
Diabetes mellitus (250)	4	3	1	7	5	2
Heart diseases (390-398, 402, 404-429)	103	82	21	136	95	41
Hypertension (400, 401, 403)	1	1	0	4	0	4
Cerebrovascular disease (430-438)	27	18	9	55	40	15
Arteriosclerosis (440)	2	2	0	10	6	4
Influenza and pneumonia (470-486)	8	5	3	6	3	3
Bronchitis, emphysema, asthma (490-493)	0	0	0	3	2	1
Cirrhosis of liver (571)	2	2	0	5	3	2
Nephritis and nephrosis (580-584)	2	1	1	2	2	0
Infections of kidney (590)	2	1	1	1	1	0
Maternal causes (630-678)	1	1	0	0	0	0
Congenital anomalies (740-759)	1	0	1	4	3	1
Certain causes of mortality in early infancy (760-778)	6	4	2	6	1	5
Accidents (800-949)	22	14	8	25	15	10
Motor vehicle accidents (810-823)	11	7	4	10	7	3
Suicide (950-959)	3	1	2	5	3	2
Homicide (960-978)	3	1	2	4	0	4
Ill-defined and unknown# (780-796)	44	24	20	29	12	17

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Madison County			Marion County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	2	1	1	1	0	1
Malignant neoplasms (140-209)	55	28	27	42	31	11
Diabetes mellitus (250)	9	3	6	4	1	3
Heart diseases (390-398, 402, 404-429)	95	44	51	85	65	20
Hypertension (400, 401, 403)	1	0	1	0	0	0
Cerebrovascular disease (430-438)	27	12	15	36	22	14
Arteriosclerosis (440)	4	3	1	6	5	1
Influenza and pneumonia (470-486)	18	11	7	7	3	4
Bronchitis, emphysema, asthma (490-493)	5	4	1	1	1	0
Cirrhosis of liver (571)	2	1	1	3	3	0
Nephritis and nephrosis (580-584)	3	2	1	3	0	3
Infections of kidney (590)	0	0	0	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	4	3	1
Certain causes of mortality in early infancy (760-778)	4	2	2	3	2	1
Accidents (800-949)	24	10	14	22	17	5
Motor vehicle accidents (810-823)	8	4	4	14	12	2
Suicide (950-959)	6	4	2	0	0	0
Homicide (960-978)	11	3	8	6	0	6
Ill-defined and unknown# (780-796)	39	6	33	14	4	10

	Marshall County			Monroe County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	1	1	0
Malignant neoplasms (140-209)	42	28	14	63	45	18
Diabetes mellitus (250)	1	0	1	3	1	2
Heart diseases (390-398, 402, 404-429)	65	34	31	120	89	31
Hypertension (400, 401, 403)	0	0	0	2	0	2
Cerebrovascular disease (430-438)	26	13	13	43	26	17
Arteriosclerosis (440)	3	0	3	10	8	2
Influenza and pneumonia (470-486)	7	7	0	12	9	3
Bronchitis, emphysema, asthma (490-493)	0	0	0	4	2	2
Cirrhosis of liver (571)	2	2	0	2	2	0
Nephritis and nephrosis (580-584)	2	1	1	1	1	0
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	1	0	1
Certain causes of mortality in early infancy (760-778)	5	2	3	3	1	2
Accidents (800-949)	19	10	9	31	24	7
Motor vehicle accidents (810-823)	14	6	8	18	16	2
Suicide (950-959)	4	3	1	2	1	1
Homicide (960-978)	1	1	0	4	0	4
Ill-defined and unknown# (780-796)	40	13	27	20	6	14

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MONTGOMERY, NESHOBA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Montgomery County			Neshoba County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	26	15	11	31	25	6
Diabetes mellitus (250)	3	1	2	4	2	2
Heart diseases (390-398, 402, 404-429)	65	40	25	71	60	11
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	38	20	18	30	25	5
Arteriosclerosis (440)	0	0	0	1	1	0
Influenza and pneumonia (470-486)	4	2	2	7	6	1
Bronchitis, emphysema, asthma (490-493)	3	2	1	3	3	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	1	1	0	2	1	1
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	0	1
Certain causes of mortality in early infancy (760-778)	1	1	0	3	2	1
Accidents (800-949)	18	12	6	23	16	7
Motor vehicle accidents (810-823)	4	3	1	13	11	2
Suicide (950-959)	0	0	0	2	2	0
Homicide (960-978)	0	0	0	1	1	0
Ill-defined and unknown# (780-796)	10	3	7	33	21	12

	Newton County			Noxubee County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	2	1	1
Malignant neoplasms (140-209)	42	28	14	22	11	11
Diabetes mellitus (250)	10	3	7	7	1	6
Heart diseases (390-398, 402, 404-429)	93	74	19	47	20	27
Hypertension (400, 401, 403)	1	1	0	2	0	2
Cerebrovascular disease (430-438)	25	16	9	13	1	12
Arteriosclerosis (440)	3	2	1	0	0	0
Influenza and pneumonia (470-486)	4	3	1	3	3	0
Bronchitis, emphysema, asthma (490-493)	2	2	0	3	3	0
Cirrhosis of liver (571)	2	0	2	0	0	0
Nephritis and nephrosis (580-584)	1	1	0	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	2	0	2	0	2
Certain causes of mortality in early infancy (760-778)	3	2	1	1	1	0
Accidents (800-949)	15	12	3	12	8	4
Motor vehicle accidents (810-823)	10	8	2	3	3	0
Suicide (950-959)	4	2	2	0	0	0
Homicide (960-978)	0	0	0	3	1	2
Ill-defined and unknown# (780-796)	23	11	12	23	2	21

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Oktibbeha County			Panola County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	0	2
Malignant neoplasms (140-209)	45	24	21	58	34	24
Diabetes mellitus (250)	2	1	1	6	2	4
Heart diseases (390-398, 402, 404-429)	78	49	29	92	54	38
Hypertension (400, 401, 403)	2	0	2	1	0	1
Cerebrovascular disease (430-438)	34	16	18	40	18	22
Arteriosclerosis (440)	1	1	0	3	3	0
Influenza and pneumonia (470-486)	5	4	1	1	1	0
Bronchitis, emphysema, asthma (490-493)	2	1	1	7	3	4
Cirrhosis of liver (571)	3	2	1	1	0	1
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	1	2	2	1	1
Certain causes of mortality in early infancy (760-778)	7	0	7	5	0	5
Accidents (800-949)	19	12	7	23	7	16
Motor vehicle accidents (810-823)	9	6	3	8	3	5
Suicide (950-959)	3	3	0	3	2	1
Homicide (960-978)	3	1	2	5	2	3
Ill-defined and unknown# (780-796)	14	9	5	23	10	13

	Pearl River County			Perry County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	49	40	9	19	17	2
Diabetes mellitus (250)	2	0	2	2	1	1
Heart diseases (390-398, 402, 404-429)	90	78	12	43	35	8
Hypertension (400, 401, 403)	1	1	0	0	0	0
Cerebrovascular disease (430-438)	22	10	12	10	8	2
Arteriosclerosis (440)	4	3	1	0	0	0
Influenza and pneumonia (470-486)	13	13	0	9	8	1
Bronchitis, emphysema, asthma (490-493)	2	2	0	2	1	1
Cirrhosis of liver (571)	2	2	0	2	2	0
Nephritis and nephrosis (580-584)	2	1	1	0	0	0
Infections of kidney (590)	2	2	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0
Certain causes of mortality in early infancy (760-778)	4	2	2	4	2	2
Accidents (800-949)	27	23	4	7	5	2
Motor vehicle accidents (810-823)	11	10	1	3	2	1
Suicide (950-959)	2	2	0	0	0	0
Homicide (960-978)	2	0	2	3	2	1
Ill-defined and unknown# (780-796)	20	15	5	8	5	3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Pike County			Pontotoc County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	78	53	25	32	29	3
Diabetes mellitus (250)	8	5	3	4	4	0
Heart diseases (390-398, 402, 404-429)	119	85	34	79	69	10
Hypertension (400, 401, 403)	3	1	2	0	0	0
Cerebrovascular disease (430-438)	59	36	23	20	18	2
Arteriosclerosis (440)	6	6	0	2	2	0
Influenza and pneumonia (470-486)	15	13	2	3	3	0
Bronchitis, emphysema, asthma (490-493)	3	3	0	4	4	0
Cirrhosis of liver (571)	1	1	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	3	1	2	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	5	3	2	1	0	1
Certain causes of mortality in early infancy (760-778)	4	1	3	3	3	0
Accidents (800-949)	21	12	9	18	14	4
Motor vehicle accidents (810-823)	8	4	4	10	7	3
Suicide (950-959)	4	3	1	4	3	1
Homicide (960-978)	8	4	4	0	0	0
Ill-defined and unknown# (780-796)	62	15	47	6	5	1

	Prentiss County			Quitman County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	29	28	1	32	16	16
Diabetes mellitus (250)	6	6	0	2	1	1
Heart diseases (390-398, 402, 404-429)	57	49	8	59	26	33
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	19	18	1	23	4	19
Arteriosclerosis (440)	4	3	1	1	1	0
Influenza and pneumonia (470-486)	8	8	0	4	1	3
Bronchitis, emphysema, asthma (490-493)	3	2	1	1	1	0
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	1	1	0	1	0	1
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	0	0	0
Certain causes of mortality in early infancy (760-778)	4	3	1	4	0	4
Accidents (800-949)	15	14	1	9	4	5
Motor vehicle accidents (810-823)	11	10	1	4	1	3
Suicide (950-959)	0	0	0	1	0	1
Homicide (960-978)	2	2	0	2	1	1
Ill-defined and unknown# (780-796)	27	25	2	1	1	0

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Rankin County			Scott County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	91	76	15	48	34	14
Diabetes mellitus (250)	16	10	6	5	3	2
Heart diseases (390-398, 402, 404-429)	155	121	34	94	70	24
Hypertension (400, 401, 403)	3	2	1	0	0	0
Cerebrovascular disease (430-438)	26	17	9	31	23	8
Arteriosclerosis (440)	13	11	2	14	11	3
Influenza and pneumonia (470-486)	20	13	7	5	3	2
Bronchitis, emphysema, asthma (490-493)	3	2	1	2	2	0
Cirrhosis of liver (571)	1	1	0	3	3	0
Nephritis and nephrosis (580-584)	3	2	1	0	0	0
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	4	4	0	1	0	1
Certain causes of mortality in early infancy (760-778)	5	4	1	2	0	2
Accidents (800-949)	51	38	13	16	10	6
Motor vehicle accidents (810-823)	24	20	4	12	8	4
Suicide (950-959)	3	3	0	0	0	0
Homicide (960-978)	8	4	4	5	1	4
Ill-defined and unknown# (780-796)	33	16	17	30	18	12

	Sharkey County			Simpson County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	1	1
Malignant neoplasms (140-209)	8	3	5	41	33	8
Diabetes mellitus (250)	0	0	0	2	2	0
Heart diseases (390-398, 402, 404-429)	27	14	13	105	90	15
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	9	2	7	30	17	13
Arteriosclerosis (440)	1	1	0	4	3	1
Influenza and pneumonia (470-486)	1	0	1	2	2	0
Bronchitis, emphysema, asthma (490-493)	1	0	1	2	2	0
Cirrhosis of liver (571)	0	0	0	3	3	0
Nephritis and nephrosis (580-584)	1	1	0	2	1	1
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	0	0	0	1	0	1
Accidents (800-949)	10	5	5	17	13	4
Motor vehicle accidents (810-823)	7	4	3	7	5	2
Suicide (950-959)	0	0	0	3	3	0
Homicide (960-978)	0	0	0	3	2	1
Ill-defined and unknown# (780-796)	8	1	7	17	11	6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Smith County			Stone County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	18	17	1	21	16	5
Diabetes mellitus (250)	1	1	0	4	2	2
Heart diseases (390-398, 402, 404-429)	40	38	2	45	36	9
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	10	10	0	11	8	3
Arteriosclerosis (440)	0	0	0	0	0	0
Influenza and pneumonia (470-486)	3	2	1	5	4	1
Bronchitis, emphysema, asthma (490-493)	1	0	1	1	1	0
Cirrhosis of liver (571)	2	1	1	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	1	1	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0
Certain causes of mortality in early infancy (760-778)	5	4	1	3	2	1
Accidents (800-949)	8	5	3	4	3	1
Motor vehicle accidents (810-823)	5	2	3	1	0	1
Suicide (950-959)	0	0	0	0	0	0
Homicide (960-978)	0	0	0	1	0	1
Ill-defined and unknown# (780-796)	7	5	2	5	3	2

	Sunflower County			Tallahatchie County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	58	25	33	31	19	12
Diabetes mellitus (250)	4	2	2	3	1	2
Heart diseases (390-398, 402, 404-429)	122	58	64	81	41	40
Hypertension (400, 401, 403)	3	1	2	0	0	0
Cerebrovascular disease (430-438)	32	9	23	23	13	10
Arteriosclerosis (440)	2	0	2	1	0	1
Influenza and pneumonia (470-486)	11	5	6	7	3	4
Bronchitis, emphysema, asthma (490-493)	2	2	0	2	1	1
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	2	2	0	0	0	0
Infections of kidney (590)	2	0	2	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	1	2	3	0	3
Certain causes of mortality in early infancy (760-778)	13	1	12	6	1	5
Accidents (800-949)	29	14	15	12	7	5
Motor vehicle accidents (810-823)	14	10	4	10	6	4
Suicide (950-959)	6	4	2	2	2	0
Homicide (960-978)	9	2	7	3	0	3
Ill-defined and unknown# (780-796)	8	1	7	22	5	17

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Tate County			Tippah County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	33	25	8	35	32	3
Diabetes mellitus (250)	3	2	1	2	1	1
Heart diseases (390-398, 402, 404-429)	53	27	26	90	80	10
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	21	10	11	20	17	3
Arteriosclerosis (440)	0	0	0	7	7	0
Influenza and pneumonia (470-486)	3	1	2	0	0	0
Bronchitis, emphysema, asthma (490-493)	0	0	0	0	0	0
Cirrhosis of liver (571)	0	0	0	3	1	2
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	1	0	1	0	0	0
Certain causes of mortality in early infancy (760-778)	2	1	1	4	2	2
Accidents (800-949)	13	8	5	14	13	1
Motor vehicle accidents (810-823)	7	3	4	9	9	0
Suicide (950-959)	1	1	0	2	2	0
Homicide (960-978)	1	1	0	1	1	0
Ill-defined and unknown# (780-796)	21	7	14	3	1	2

	Tishomingo County			Tunica County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	31	30	1	21	5	16
Diabetes mellitus (250)	1	1	0	2	0	2
Heart diseases (390-398, 402, 404-429)	77	76	1	41	9	32
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	11	9	2	8	0	8
Arteriosclerosis (440)	3	3	0	0	0	0
Influenza and pneumonia (470-486)	4	4	0	10	2	8
Bronchitis, emphysema, asthma (490-493)	3	3	0	0	0	0
Cirrhosis of liver (571)	1	1	0	2	2	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	1	0	1
Certain causes of mortality in early infancy (760-778)	1	1	0	3	0	3
Accidents (800-949)	14	14	0	12	3	9
Motor vehicle accidents (810-823)	8	8	0	3	2	1
Suicide (950-959)	2	2	0	2	1	1
Homicide (960-978)	1	1	0	1	1	0
Ill-defined and unknown# (780-796)	10	10	0	10	2	8

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Union County			Walthall County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	34	31	3	23	18	5
Diabetes mellitus (250)	7	7	0	4	2	2
Heart diseases (390-398, 402, 404-429)	66	51	15	53	40	13
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	11	10	1	13	10	3
Arteriosclerosis (440)	3	2	1	1	1	0
Influenza and pneumonia (470-486)	5	3	2	5	2	3
Bronchitis, emphysema, asthma (490-493)	2	2	0	3	3	0
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	1	0	1	2	0	2
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	1	1	0	7	1	6
Accidents (800-949)	8	5	3	17	12	5
Motor vehicle accidents (810-823)	5	2	3	12	8	4
Suicide (950-959)	2	2	0	0	0	0
Homicide (960-978)	1	0	1	5	0	5
Ill-defined and unknown# (780-796)	9	6	3	14	5	9

	Warren County			Washington County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	1	1
Malignant neoplasms (140-209)	95	47	48	106	41	65
Diabetes mellitus (250)	6	1	5	17	5	12
Heart diseases (390-398, 402, 404-429)	151	88	63	223	106	117
Hypertension (400, 401, 403)	2	1	1	10	0	10
Cerebrovascular disease (430-438)	69	27	42	100	40	60
Arteriosclerosis (440)	7	3	4	4	3	1
Influenza and pneumonia (470-486)	10	7	3	23	11	12
Bronchitis, emphysema, asthma (490-493)	4	2	2	3	1	2
Cirrhosis of liver (571)	5	4	1	6	3	3
Nephritis and nephrosis (580-584)	3	2	1	4	1	3
Infections of kidney (590)	1	1	0	2	0	2
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	5	2	3	3	0	3
Certain causes of mortality in early infancy (760-778)	13	3	10	17	4	13
Accidents (800-949)	33	23	10	38	14	24
Motor vehicle accidents (810-823)	19	14	5	20	9	11
Suicide (950-959)	4	2	2	3	2	1
Homicide (960-978)	5	2	3	18	4	14
Ill-defined and unknown# (780-796)	13	6	7	45	7	38

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1978

Cause and International Classification Number*	Wayne County			Webster County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	30	23	7	22	17	5
Diabetes mellitus (250)	4	1	3	0	0	0
Heart diseases (390-398, 402, 404-429)	55	38	17	39	30	9
Hypertension (400, 401, 403)	8	7	1	0	0	0
Cerebrovascular disease (430-438)	16	12	4	13	12	1
Arteriosclerosis (440)	0	0	0	0	0	0
Influenza and pneumonia (470-486)	4	4	0	5	4	1
Bronchitis, emphysema, asthma (490-493)	2	2	0	1	1	0
Cirrhosis of liver (571)	2	2	0	1	1	0
Nephritis and nephrosis (580-584)	1	1	0	1	1	0
Infections of kidney (590)	1	1	0	2	1	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0
Certain causes of mortality in early infancy (760-778)	7	2	5	2	1	1
Accidents (800-949)	18	10	8	3	3	0
Motor vehicle accidents (810-823)	8	4	4	3	3	0
Suicide (950-959)	3	2	1	1	1	0
Homicide (960-978)	3	1	2	1	0	1
Ill-defined and unknown# (780-796)	1	1	0	4	2	2

	Wilkinson County			Winston County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	1	0
Malignant neoplasms (140-209)	23	10	13	44	31	13
Diabetes mellitus (250)	2	1	1	11	9	2
Heart diseases (390-398, 402, 404-429)	34	7	27	69	52	17
Hypertension (400, 401, 403)	0	0	0	1	1	0
Cerebrovascular disease (430-438)	14	4	10	21	17	4
Arteriosclerosis (440)	1	0	1	2	2	0
Influenza and pneumonia (470-486)	4	2	2	3	3	0
Bronchitis, emphysema, asthma (490-493)	1	1	0	3	1	2
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	1	0	1	1	0	1
Infections of kidney (590)	1	0	1	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	3	2	1
Certain causes of mortality in early infancy (760-778)	1	0	1	1	1	0
Accidents (800-949)	4	1	3	19	12	7
Motor vehicle accidents (810-823)	2	0	2	14	8	6
Suicide (950-959)	0	0	0	1	0	1
Homicide (960-978)	0	0	0	6	2	4
Ill-defined and unknown# (780-796)	3	0	3	4	2	2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND STATE OF MISSISSIPPI, 1978

Cause and International Classification Number*	Yalobusha County			Yazoo County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	25	20	5	56	35	21
Diabetes mellitus (250)	4	2	2	7	3	4
Heart diseases (390-398, 402, 404-429)	47	32	15	73	41	32
Hypertension (400, 401, 403)	1	0	1	4	2	2
Cerebrovascular disease (430-438)	18	11	7	39	16	23
Arteriosclerosis (440)	2	1	1	6	4	2
Influenza and pneumonia (470-486)	7	4	3	5	3	2
Bronchitis, emphysema, asthma (490-493)	3	3	0	5	4	1
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	1	1	0	6	1	5
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	2	2	0
Certain causes of mortality in early infancy (760-778)	4	1	3	4	1	3
Accidents (800-949)	9	5	4	20	13	7
Motor vehicle accidents (810-823)	3	2	1	7	5	2
Suicide (950-959)	0	0	0	0	0	0
Homicide (960-978)	1	0	1	10	0	10
Ill-defined and unknown# (780-796)	12	5	7	59	6	53

	State of Mississippi		
	Total	White	Non-white
Tuberculosis (010-019)	47	20	27
Malignant neoplasms (140-209)	4,110	2,787	1,323
Diabetes mellitus (250)	417	207	210
Heart diseases (390-398, 402, 404-429)	7,780	5,264	2,516
Hypertension (400, 401, 403)	94	38	56
Cerebrovascular disease (430-438)	2,476	1,470	1,006
Arteriosclerosis (440)	287	211	76
Influenza and pneumonia (470-486)	656	432	224
Bronchitis, emphysema, asthma (490-493)	199	158	41
Cirrhosis of liver (571)	192	152	40
Nephritis and nephrosis (580-584)	119	55	64
Infections of kidney (590)	60	39	21
Maternal causes (630-678)	6	1	5
Congenital anomalies (740-759)	147	79	68
Certain causes of mortality in early infancy (760-778)	379	123	256
Accidents (800-949)	1,709	1,108	601
Motor vehicle accidents (810-823)	877	603	274
Suicide (950-959)	239	190	49
Homicide (960-978)	336	114	222
Ill-defined and unknown# (780-796)	1,763	706	1,057

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

SUMMARY TABLES, 1979

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

LIVE BIRTHS

Table A1. Live births and percentage distribution, by type of facility, attendant, and race Mississippi, 1979

Type of Facility and Race	Number						Percent					
	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown
Total	45,919	43,635	2,009	164	104	7	100.0	95.0	4.4	0.4	0.2	*
Hospital	45,605	43,561	2,005	0	38	1	99.3	94.9	4.4	–	0.1	*
Home, etc.	302	70	4	162	60	6	0.6	0.2	*	0.4	0.1	*
Enroute to hospital	6	1	0	0	5	0	*	*	–	–	*	–
Unknown place	6	3	0	2	1	0	*	*	–	*	*	–
White	23,487	23,132	278	41	34	2	100.0	98.5	1.2	0.2	0.1	*
Hospital	23,411	23,124	277	0	9	1	99.7	98.4	1.2	–	*	*
Home, etc.	73	7	1	41	23	1	0.3	*	*	0.2	0.1	*
Enroute to hospital	2	0	0	0	2	0	*	–	–	–	*	–
Unknown place	1	1	0	0	0	0	*	*	–	–	–	–
Nonwhite	22,432	20,503	1,731	123	70	5	100.0	91.4	7.7	0.5	0.3	*
Hospital	22,194	20,437	1,728	0	29	0	98.9	91.1	7.7	–	0.1	–
Home, etc.	229	63	3	121	37	5	1.0	0.3	*	0.5	0.2	*
Enroute to hospital	4	1	0	0	3	0	*	*	–	–	*	–
Unknown place	5	2	0	2	1	0	*	*	–	*	*	–

* Less than 0.06 percent.

Table A2. Percentage of live births in hospitals or clinics, by year and race, 1940, 1950, 1960, 1970-1979

Year	Total	White	Non-White	Year	Total	White	Non-white
1940	14.1	27.1	3.9	1970*	90.0	99.7	79.7
				1971*	92.2	99.6	84.2
1950	46.1	83.3	18.9	1972*	95.2	99.8	90.4
				1973*	96.4	99.7	92.8
1960	73.2	99.0	51.3	1974*	97.4	99.7	94.8
				1975*	97.9	99.6	96.0
				1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
				1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing inpatient care were included.

Table A3. Live births and average per day, by month Mississippi, 1979

Month	Births	Average per Day	Month	Births	Average per Day
Total	45,919	126			
January	3,910	126	July	4,253	137
February	3,336	119	August	4,421	143
March	3,536	114	September	4,086	136
April	3,079	103	October	4,185	135
May	3,463	112	November	4,052	135
June	3,568	119	December	4,030	130

Table A4. Live births and percentage distribution, by age of mother and race Mississippi, 1979

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	45,919	23,487	22,432	100.0	100.0	100.0
10-14	411	51	360	0.9	0.2	1.6
15-19	10,618	3,850	6,768	23.1	16.4	30.2
20-24	16,377	8,637	7,740	35.7	36.8	34.5
25-29	11,577	7,066	4,511	25.2	30.1	20.1
30-34	4,963	3,005	1,958	10.8	12.8	8.7
35-39	1,552	726	826	3.4	3.1	3.7
40-44	392	149	243	0.8	0.6	1.1
45-49	24	3	21	*	*	0.1
Unknown	5	0	5	*	-	*

* Less than 0.06 percent.

Table A5. Live births and percentage distribution, by years of school completed by father and mother and race Mississippi, 1979

Years of School Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
FATHER									
Median years completed*	12.6	12.7	12.3						
Total legitimate births	33,427	22,269	11,158	100.0	100.0	100.0			
0-6 years	875	372	503	2.6	1.7	4.6	2.6	1.7	4.6
7-9 years	3,692	2,145	1,547	11.2	9.7	14.2	13.8	11.3	18.8
10, 11 years	5,167	2,840	2,327	15.6	12.8	21.3	29.4	24.1	40.1
12 years	11,756	7,791	3,965	35.5	35.1	36.4	64.9	59.2	76.5
1-3 years college	6,080	4,482	1,598	18.4	20.2	14.6	83.3	79.4	91.2
4 or more years college	5,520	4,558	962	16.7	20.5	8.8	100.0	100.0	100.0
Unknown	337	81	256						
MOTHER									
Median years completed*	12.3	12.6	12.0						
Total births	45,919	23,487	22,432	100.0	100.0	100.0			
0-6 years	761	223	538	1.7	1.0	2.4	1.7	1.0	2.4
7-9 years	6,625	2,551	4,074	14.4	10.9	18.2	16.1	11.8	20.6
10, 11 years	9,954	3,595	6,359	21.7	15.3	28.4	37.8	27.2	49.0
12 years	16,481	9,222	7,259	36.0	39.3	32.4	73.8	66.5	81.4
1-3 years college	7,322	4,488	2,834	16.0	19.1	12.6	89.8	85.6	94.1
4 or more years college	4,695	3,368	1,327	10.2	14.4	5.9	100.0	100.0	100.0
Unknown	81	40	41						

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A6. Illegitimate live births and percent of total live births in specified group, by age of mother and race
Mississippi, 1979

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	12,492	1,218	11,274	27.2	5.2	50.2
10-14	380	29	351	92.4	56.9	97.5
15-19	6,087	629	5,458	57.3	16.3	80.6
20-24	3,887	379	3,508	23.7	4.4	45.3
25-29	1,333	103	1,230	11.5	1.4	27.3
30-34	518	52	466	10.4	1.7	23.8
35-39	222	21	201	14.3	2.9	24.3
40-44	59	5	54	15.0	3.4	22.2
45-49	5	0	5	20.8	-	23.8
Unknown	1	0	1			

Table A7. Live births, percentage distribution, and median age of mother, by total-birth order and race
Mississippi, 1979

tal-Birth der*	Number			Percent			Median Age of Mother		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
tal	45,919	23,487	22,432	100.0	100.0	100.0	23.6	24.5	22.4
rst	16,696	9,189	7,507	36.4	39.1	33.5	20.4	21.8	18.9
cond	13,362	7,634	5,728	29.1	32.5	25.5	23.7	24.9	22.1
ird	7,726	3,863	3,863	16.8	16.4	17.2	25.6	27.1	24.1
urth	3,780	1,563	2,217	8.2	6.6	9.9	26.8	28.4	25.5
fth	1,831	641	1,190	4.0	2.7	5.3	28.5	30.3	27.4
xth	951	267	684	2.1	1.1	3.0	30.1	31.5	29.6
venth	512	115	397	1.1	0.5	1.8	32.2	32.9	32.0
ghth	310	48	262	0.7	0.2	1.2	32.8	32.5	32.9
nth	195	25	170	0.4	0.1	0.8	35.1	35.8	35.0
nth & over	398	45	353	0.9	0.2	1.6	37.8	37.5	37.9
known	158	97	61	0.3	0.4	0.3			

Includes all live births plus all fetal deaths regardless of length of gestation.

Table A8. Median number of months between last delivery to mothers who had had previous pregnancies and live births in 1979, by race and outcome of last delivery

Race	Total*	Outcome of Last Delivery	
		Live Birth	Fetal Death
Total	33.6	35.7	19.4
White	37.1	39.7	19.1
Nonwhite	30.3	31.7	20.0

* Excludes those with outcome of last delivery unknown.

Table A9. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race Mississippi, 1979

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	45,919	23,487	22,432	100.0	100.0	100.0
No prenatal care	340	109	231	0.7	0.5	1.0
Some prenatal care	45,456	23,316	22,140	99.0	99.3	98.7
First trimester	33,684	19,721	13,963	73.4	84.0	62.2
Second trimester	10,010	3,056	6,954	21.8	13.0	31.0
Third trimester	1,655	491	1,164	3.6	2.1	5.2
Unknown month	107	48	59	0.2	0.2	0.3
Unknown whether any prenatal care	123	62	61	0.3	0.3	0.3

Table A10. Live births and percentage distribution, by maturity and race
Mississippi, 1979

Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	45,919	23,487	22,432	100.0	100.0	100.0
Immature only**	1,872	624	1,248	4.1	2.6	5.6
Premature only**	3,887	1,292	2,595	8.5	5.5	11.6
Both immature and premature	2,167	723	1,444	4.7	3.1	6.4
Total immature	4,039	1,347	2,692	8.8	5.7	12.0
Total premature	6,054	2,015	4,039	13.2	8.6	18.0
Total immature and/or premature	7,926	2,639	5,287	17.3	11.2	23.6
Neither immature nor premature**	37,993	20,848	17,145	82.7	88.8	76.4

* Immature - birthweight 5½ pounds (2,500 grams) or less; premature - gestation less than 37 weeks (calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of birth).

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A11. Congenital malformations reported on live birth certificates, by system or organs affected and race
Mississippi, 1979

System or Organs Affected and International Classification Number*	Total	White	Non-white
Total malformations reported	385	192	193
Musculoskeletal system (754-756)	175	63	112
Digestive system (749-751)	44	26	18
Genital organs (752)	33	16	17
Nervous system (740-743)	29	17	12
Circulatory system (746, 747)	28	19	9
All others	76	51	25

* From the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

FETAL DEATHS

Table B1. Reportable* fetal deaths and percentage distribution,
by place of delivery, attendant, and race
Mississippi, 1979

Place of Delivery and Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	665	209	456	100.0	100.0	100.0
Hospital	651	206	445	97.9	98.6	97.6
Physician	623	204	419	93.7	97.6	91.9
Certified nurse midwife	17	1	16	2.6	0.5	3.5
Other	8	0	8	1.2	-	1.8
Unknown	3	1	2	0.4	0.5	0.4
Other named place	13	3	10	2.0	1.4	2.2
Physician	5	1	4	0.8	0.5	0.9
"Granny" midwife	1	0	1	0.2	-	0.2
Other	2	1	1	0.3	0.5	0.2
Unknown	5	1	4	0.8	0.5	0.9
Unknown	1	0	1	0.2	-	0.2
Physician	1	0	1	0.2	-	0.2

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B2. Reportable* fetal deaths and fetal death ratios, by age of mother and race Mississippi, 1979

Age of Mother	Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white
Total	**665**	**209**	**456**	**14.5**	**8.9**	**20.3**
10-14	5	0	5	12.2	-	13.9
15-19	182	49	133	17.1	12.7	19.6
20-24	196	66	130	12.0	7.6	16.8
25-29	137	54	83	11.8	7.6	18.4
30-34	78	23	55	15.7	7.6	28.1
35-39	48	13	35	30.9	17.9	42.4
40-44	12	3	9	30.6	20.1	37.0
45-49	4	0	4	#	-	#
Unknown	3	1	2			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births to mothers in specified group.

# Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and reportable* fetal deaths, by whether mother received prenatal care and race Mississippi, 1979

Prenatal Care	Live Births			Reportable* Fetal Deaths		
	Total	White	Non-white	Total	White	Non-white
Total	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
No care	0.7	0.5	1.0	3.9	2.9	4.4
Some care	99.0	99.3	98.7	86.5	90.4	84.6
Unknown whether any care	0.3	0.3	0.3	9.6	6.7	11.0

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B4. Reportable* fetal deaths and fetal death ratios, by completed weeks of gestation and race, 1977-1979

Completed Weeks of Gestation**	Total			White			Nonwhite		
	1977	1978	1979	1977	1978	1979	1977	1978	1979
REPORTABLE* FETAL DEATHS									
Total	780	678	665	261	216	209	519	462	456
Under 20	32	37	29	7	10	5	25	27	24
20 and over	674	587	602	226	193	195	448	394	407
20-22	85	75	84	25	18	31	60	57	53
23-27	134	116	119	39	33	30	95	83	89
28-36	245	206	197	84	69	55	161	137	142
37 and over	210	190	202	78	73	79	132	117	123
Unknown	74	54	34	28	13	9	46	41	25
FETAL DEATH RATIOS#									
Total	17.1	15.3	14.5	11.2	9.5	8.9	23.4	21.2	20.3
Under 20	0.7	0.8	0.6	0.3	0.4	0.2	1.1	1.2	1.1
20 and over	14.8	13.2	13.1	9.7	8.5	8.3	20.2	18.1	18.1
20-22	1.9	1.7	1.8	1.1	0.8	1.3	2.7	2.6	2.4
23-27	2.9	2.6	2.6	1.7	1.4	1.3	4.3	3.8	4.0
28-36	5.4	4.6	4.3	3.6	3.0	2.3	7.3	6.3	6.3
37 and over	4.6	4.3	4.4	3.3	3.2	3.4	6.0	5.4	5.5
Unknown	1.6	1.2	0.7	1.2	0.6	0.4	2.1	1.9	1.1

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of delivery.

# Reportable fetal deaths per 1,000 live births.

DEATHS

Table C1. Deaths and average per day, by month Mississippi, 1979

Month	Deaths	Average per Day	Month	Deaths	Average per Day
Total	22,932	63			
January	2,098	68	July	1,818	59
February	1,873	67	August	1,851	60
March	2,003	65	September	1,788	60
April	1,881	63	October	1,952	63
May	1,812	58	November	1,917	64
June	1,819	61	December	2,120	68

Table C2. Deaths and percentage distribution, by age and race Mississippi, 1979

Age	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	22,932	14,348	8,584	100.0	100.0	100.0
Under 1	809	280	529	3.5	2.0	6.2
1-4	157	75	82	0.7	0.5	1.0
5-9	90	38	52	0.4	0.3	0.6
10-14	98	52	46	0.4	0.4	0.5
15-24	671	371	300	2.9	2.6	3.5
25-34	638	317	321	2.8	2.2	3.7
35-44	810	454	356	3.5	3.2	4.1
45-54	1,638	1,020	618	7.1	7.1	7.2
55-64	3,307	2,209	1,098	14.4	15.4	12.8
65-74	5,751	3,692	2,059	25.1	25.7	24.0
75-84	5,494	3,630	1,864	24.0	25.3	21.7
85 and over	3,461	2,208	1,253	15.1	15.4	14.6
Unknown	8	2	6	*	*	0.1

* Less than 0.06 percent.

Table C3. Deaths by age, race, and sex, and male/female ratios by age and race Mississippi, 1979

Age	Total			White			Nonwhite		
	Male	Female	Males per Female	Male	Female	Males per Female	Male	Female	Males per Female
Total	12,840	10,092	1.27	8,114	6,234	1.30	4,726	3,858	1.22
Under 1	468	341	1.37	164	116	1.41	304	225	1.35
1-4	91	66	1.38	47	28	1.68	44	38	1.16
5-9	55	35	1.57	26	12	2.17	29	23	1.26
10-14	63	35	1.80	32	20	1.60	31	15	2.07
15-24	506	165	3.07	282	89	3.17	224	76	2.95
25-34	460	178	2.58	231	86	2.69	229	92	2.49
35-44	554	256	2.16	317	137	2.31	237	119	1.99
45-54	1,030	608	1.69	670	350	1.91	360	258	1.40
55-64	2,148	1,159	1.85	1,506	703	2.14	642	456	1.41
65-74	3,453	2,298	1.50	2,311	1,381	1.67	1,142	917	1.24
75-84	2,773	2,721	1.02	1,797	1,833	0.98	976	888	1.10
85 and over	1,233	2,228	0.55	730	1,478	0.49	503	750	0.67
Unknown	6	2		1	1		5	1	
Median age	68.0	74.6		68.4	76.1		67.3	71.8	

Table C4. Deaths and percent of total deaths from ten leading causes, by cause and race Mississippi, 1979

Cause and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of ten leading causes	18,278	11,771	6,507	79.7	82.0	75.8
1. Heart diseases (390-398, 402, 404, 410-429)	7,869	5,334	2,535	34.3	37.2	29.5
2. Malignant neoplasms (140-208)	4,157	2,810	1,347	18.1	19.6	15.7
3. Cerebrovascular diseases (430-438)	2,342	1,373	969	10.2	9.6	11.3
4. Accidents (800-949)	1,649	1,003	646	7.2	7.0	7.5
5. Emphysema and other chronic obstructive pulmonary diseases (490-496)	457	383	74	2.0	2.7	0.9
6. Pneumonia and influenza (480-487)	407	279	128	1.8	1.9	1.5
7. Diabetes mellitus (250)	398	173	225	1.7	1.2	2.6
8. Certain conditions originating in the perinatal period (760-779)	381	130	251	1.7	0.9	2.9
9. Homicide and legal intervention (960-978)	350	107	243	1.5	0.7	2.8
10. Atherosclerosis (440)	268	179	89	1.2	1.2	1.0

Table C5. Deaths and percent of total deaths from five leading causes, by age and cause Mississippi, 1979

Age	Cause and International Classification Number	Number	Percent
1-4	All causes	157	100.0
	1. Accidents (800-949)	81	51.6
	2T. Malignant neoplasms (140-208)	10	6.4
	2T. Congenital anomalies (740-759)	10	6.4
	4. Meningococcal infection (036)	9	5.7
	5. Pneumonia and influenza (480-487)	8	5.1
5-14	All causes	188	100.0
	1. Accidents (800-949)	129	68.6
	2. Malignant neoplasms (140-208)	13	6.9
	3T. Heart diseases (390-398, 402, 404-429)	8	4.2
	3T. Congenital anomalies (740-759)	8	4.2
	5. Cerebrovascular diseases (430-438)	5	2.6
15-24	All causes	671	100.0
	1. Accidents (800-949)	383	57.1
	2. Homicide (960-978)	89	13.3
	3. Suicide (950-959)	41	6.1
	4. Malignant neoplasms (140-208)	32	4.8
	5. Heart diseases (390-398, 402, 404-429)	23	3.4
25-44	All causes	1,448	100.0
	1. Accidents (800-949)	403	27.8
	2. Heart diseases (390-398, 402, 404-429)	211	14.6
	3. Malignant neoplasms (140-208)	189	13.0
	4. Homicide (960-978)	164	11.3
	5. Suicide (950-959)	79	5.4
45-64	All causes	4,945	100.0
	1. Heart diseases (390-398, 402, 404-429)	1,610	32.6
	2. Malignant neoplasms (140-208)	1,323	26.8
	3. Cerebrovascular diseases (430-438)	314	6.3
	4. Accidents (800-949)	293	5.9
	5. Chronic liver disease and cirrhosis (571)	114	2.3
65 and over	All causes	14,706	100.0
	1. Heart diseases (390-398, 402, 404-429)	5,988	40.7
	2. Malignant neoplasms (140-208)	2,589	17.6
	3. Cerebrovascular diseases (430-438)	1,952	13.3
	4. Emphysema and other chronic obstructive pulmonary diseases (490-496)	349	2.4
	5. Accidents (800-949)	331	2.2

Table C6. Deaths from malignant neoplasms and percentage distribution, by primary site, sex, and race
Mississippi, 1979

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Percent			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non whit
Total	1,583	785	1,227	562	100.0	100.0	100.0	100.
1. Respiratory and intrathoracic organs (160-165)	665	228	187	63	42.0	29.0	15.2	11.
2. Digestive organs and peritoneum (150-159)	339	214	354	175	21.4	27.3	28.8	31.
3. Genital organs (179-187)	133	153	114	100	8.4	19.5	9.3	17.
4. Lymphatic and hematopoietic tissue (200-208)	146	52	125	55	9.2	6.6	10.2	9.
5. Breast (174, 175)	0	0	221	67	-	-	18.0	11.
6. Urinary organs (188, 189)	62	26	34	20	3.9	3.3	2.8	3.
7. Lip, oral cavity, and pharynx (140-149)	46	15	25	7	2.9	1.9	2.0	1.
8. Brain (191)	40	7	30	7	2.5	0.9	2.4	1.
9. Skin (172, 173)	42	3	26	5	2.6	0.4	2.1	0.
10. Bone and connective tissue (170, 171)	13	6	12	4	0.8	0.8	1.0	0.
- Other and unspecified sites (190, 192-199)	97	81	99	59	6.1	10.3	8.1	10.

Table C7. Deaths from major chronic respiratory diseases, 1954, 1959, 1964, 1969, 1974, 1979

Cause and International Classification Number	1954	1959	1964	1969	1974	197
Tuberculosis of respiratory system (010-012)	210	142	96	47	38	3
Malignant neoplasms of respiratory system (160-165)	227	339	447	669	943	1,14
Malignant neoplasms of trachea, bronchus, and lung (162)	206	308	418	637	904	1,10
Chronic and unqualified bronchitis (490, 491)	27	34	32	62	51	3
Emphysema (492)	26	79	123	206	180	12
Asthma (493)	47	52	51	28	14	2
(Adjusted figures*)	(26)	(36)	(35)			

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revisions of the cause-of-death classification system in 1958 and 1968.

Table C8. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race Mississippi, 1979

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of five leading causes	1,256	757	499	76.2	75.5	77.2
1. Motor vehicle (810-825)	783	524	259	47.5	52.2	40.1
2. Fires and flames (890-899)	161	47	114	9.8	4.7	17.6
3. Falls (880-888)	128	93	35	7.8	9.3	5.4
4. Drowning and submersion (except in transport accidents)(910)	114	50	64	6.9	5.0	9.9
5. Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (911, 912)	70	43	27	4.2	4.3	4.2

Table C9. Deaths from selected types of accidents, by sex, also by age
Mississippi, 1979

Type of Accident and International Classification Number	Total	Sex		Age								
		Male	Female	Under 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & Over	Unknown
ALL ACCIDENTS	1,649	1,224	425	28	81	129	383	230	173	293	331	1
Motor vehicle (810-825)	783	592	191	1	20	56	250	128	97	138	93	0
Water transport (830-838)	39	36	3	0	0	0	9	7	11	8	4	0
Submersion, drowning (830, 832)	34	31	3	0	0	0	8	5	10	8	3	0
Other (831, 833-838)	5	5	0	0	0	0	1	2	1	0	1	0
Air and space transport (840-845)	17	16	1	0	1	0	3	2	3	8	0	0
Poisoning (850-869)	53	34	19	3	2	0	14	11	4	13	6	0
By drugs, medicaments, and biologicals (850-858)	22	11	11	1	2	0	5	7	3	4	0	0
By other solid and liquid substances, gases, and vapors (860-869)	31	23	8	2	0	0	9	4	1	9	6	0
Falls (880-888)	128	72	56	0	1	2	6	5	7	18	89	0
Fires and flames (890-899)	161	99	62	2	34	20	7	16	7	32	43	0
Drowning and submersion (except in transport accidents) (910)	114	101	13	0	12	28	37	14	10	7	5	1
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (911, 912)	70	44	26	18	4	2	2	4	3	15	22	0
Mechanical suffocation (including in bed or cradle) (913)	17	15	2	2	2	3	4	2	0	4	0	0
Struck by, striking against, and caught in or between objects (916-918)	33	31	2	0	0	0	5	7	7	7	7	0
Caused by machinery (919)	40	39	1	0	1	2	13	9	4	4	7	0
Caused by firearm missile (922)	63	48	15	0	1	7	19	9	8	12	7	0
Caused by electric current (925)	23	21	2	0	0	3	7	5	2	5	1	0

Table C10. Motor vehicle accident deaths occurring in Mississippi and rates also motor vehicle accident deaths of Mississippi residents and rates, by year, 1950, 1955, 1960, 1965, 1970-1979

Year	Occurrence Data		Residence Data	
	Number	Rate*	Number	Rate*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5

* Deaths in Mississippi per 100,000,000 miles of vehicle travel; deaths of residents per 100,000 population.

** Not available.

Table C11. Infant deaths, percentage distribution, and mortality rates by age and race Mississippi, 1979

ge	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
otal under 1 year	809	280	529	100.0	100.0	100.0	17.6	11.9	23.6
eonatal (under 28 days)	514	191	323	63.5	68.2	61.0	11.2	8.1	14.4
Hebdomadal (under 7 days)	438	161	277	54.1	57.5	52.4	9.5	6.8	12.3
Under 1 day	277	98	179	34.2	35.0	33.8	6.0	4.2	8.0
1-6 days	161	63	98	19.9	22.5	18.5	3.5	2.7	4.4
7-27 days	76	30	46	9.4	10.7	8.7	1.6	1.3	2.0
ostneonatal (28 days to 1 year)	295	89	206	36.5	31.8	38.9	6.4	3.8	9.2

Deaths per 1,000 live births.

Table C12. Deaths and mortality rates for six leading causes of infant deaths, by cause and race
Mississippi, 1979

Cause and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
All causes	809	280	529	17.6	11.9	23.6
1. Congenital anomalies (740-759)	138	72	66	3.0	3.1	2.9
2. Disorders relating to short gestation and unspecified low birthweight (765)	81	13	68	1.8	0.6	3.0
3. Sudden infant death syndrome (798.0)	79	24	55	1.7	1.0	2.4
4. Respiratory distress syndrome (769)	78	27	51	1.7	1.1	2.3
5. Infections specific to the perinatal period (771)	32	16	16	0.7	0.7	0.7
6. Accidents (800-949)	28	5	23	0.6	0.2	1.0

* Deaths per 1,000 live births.

MARRIAGES

Table D1. Marriages and average per day, by month
Mississippi, 1979

Month	Marriages	Average per Day	Month	Marriages	Average per Day
Total	27,279	75			
January	1,625	52	July	2,424	78
February	1,734	62	August	2,846	92
March	2,133	69	September	2,112	70
April	2,053	68	October	1,873	60
May	2,325	75	November	2,066	69
June	3,328	111	December	2,760	89

Table D2. Brides and grooms and percentage distribution, by age and race
Mississippi, 1979

	Number						Percent					
	Bride			Groom			Bride			Groom		
e	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
tal	27,279	19,843	7,436	27,279	19,845	7,434	100.0	100.0	100.0	100.0	100.0	100.0
der 20	8,223	6,292	1,931	3,585	2,892	693	30.1	31.7	26.0	13.1	14.6	9.3
13	11	10	1	0	0	0	*	*	*	-	-	-
14	81	60	21	1	0	1	0.3	0.3	0.3	*	-	*
15	573	460	113	10	9	1	2.1	2.3	1.5	*	*	*
16	935	729	206	69	63	6	3.4	3.7	2.8	0.2	0.3	0.1
17	1,803	1,433	370	479	425	54	6.6	7.2	5.0	1.8	2.1	0.7
18	2,544	1,938	606	1,237	993	244	9.3	9.8	8.1	4.5	5.0	3.3
19	2,276	1,662	614	1,789	1,402	387	8.3	8.4	8.2	6.6	7.1	5.2
-24	8,703	6,064	2,639	10,046	7,057	2,989	31.9	30.6	35.5	36.8	35.6	40.2
-34	5,822	4,159	1,663	7,636	5,463	2,173	21.3	21.0	22.4	28.0	27.5	29.2
-44	2,142	1,629	513	2,673	2,078	595	7.8	8.2	6.9	9.8	10.5	8.0
-54	1,084	792	292	1,473	1,115	358	4.0	4.0	3.9	5.4	5.6	4.8
-64	583	432	151	834	598	236	2.1	2.2	2.0	3.0	3.0	3.2
-74	303	221	82	509	323	186	1.1	1.1	1.1	1.9	1.6	2.5
& over	46	30	16	155	100	55	0.2	0.2	0.2	0.6	0.5	0.7
known	373	224	149	368	219	149	1.4	1.1	2.0	1.3	1.1	2.0

Less than 0.06 percent.

Table D3. Median age of bride and groom, for all marriages and first marriages, by race Mississippi, 1979

All and First Marriages	Bride			Groom		
	Total	White	Non-white	Total	White	Non-white
All marriages	22.6	22.4	22.8	24.9	24.9	24.9
First marriages	20.4	19.8	21.7	22.6	22.3	23.4

Table D4. Brides and grooms and percentage distribution, by marriage order and race Mississippi, 1979

Marriage Order	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	27,279	19,843	7,436	27,279	19,845	7,434	100.0	100.0	100.0	100.0	100.0	100.0
First	16,926	11,303	5,623	16,630	11,262	5,368	62.0	57.0	75.6	61.0	56.7	72.2
Remarriage	10,309	8,511	1,798	10,599	8,553	2,046	37.8	42.9	24.2	38.8	43.1	27.5
Second	7,571	6,026	1,545	7,827	6,163	1,664	27.8	30.4	20.8	28.7	31.0	22.4
Over two	2,725	2,473	252	2,763	2,382	381	10.0	12.5	3.4	10.1	12.0	5.1
Third	2,125	1,905	220	2,154	1,846	308	7.8	9.6	3.0	7.9	9.3	4.1
Fourth	469	441	28	486	430	56	1.7	2.2	0.4	1.8	2.2	0.8
Fifth	93	89	4	93	81	12	0.3	0.4	#	0.3	0.4	0.2
Sixth	27	27	0	22	18	4	0.1	0.1	-	0.1	0.1	#
Seventh	7	7	0	6	6	0	#	#	-	#	#	-
Eighth	2	2	0	2	1	1	#	#	-	#	#	#
Ninth	0	0	0	0	0	0	-	-	-	-	-	-
Tenth	0	0	0	0	0	0	-	-	-	-	-	-
Eleventh	1	1	0	0	0	0	#	#	-	-	-	-
Twelfth	0	0	0	0	0	0	-	-	-	-	-	-
Thirteenth	1	1	0	0	0	0	#	#	-	-	-	-
Unknown*	13	12	1	9	8	1	#	0.1	#	#	#	#
Unknown**	44	29	15	50	30	20	0.2	0.1	0.2	0.2	0.2	0.3

* Previously married but number of previous marriages unknown.

** Unknown whether previously married.

# Less than 0.06 percent.

Table D5. Brides and grooms and percentage distribution by previous marital status and race Mississippi, 1979

Previous Marital Status	Bride			Groom		
	Total	White	Nonwhite	Total	White	Nonwhite
NUMBER						
Total	27,279	19,843	7,436	27,279	19,845	7,434
Not previously married	16,926	11,303	5,623	16,630	11,262	5,368
Remarriages	10,309	8,511	1,798	10,599	8,553	2,046
Widowed	1,393	1,049	344	1,101	794	307
Divorced*	8,790	7,361	1,429	9,454	7,730	1,724
Unknown**	126	101	25	44	29	15
Unknown#	44	29	15	50	30	20
PERCENT						
Total	100.0	100.0	100.0	100.0	100.0	100.0
Not previously married	62.0	57.0	75.6	61.0	56.7	72.2
Remarriages	37.8	42.9	24.2	38.8	43.1	27.5
Widowed	5.1	5.3	4.6	4.0	4.0	4.1
Divorced*	32.2	37.1	19.2	34.6	39.0	23.2
Unknown**	0.5	0.5	0.3	0.2	0.1	0.2
Unknown#	0.2	0.1	0.2	0.2	0.2	0.3

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

# Unknown whether any previous marriage.

Table D6. Marriages and percentage distribution, by residence of bride and groom and race of bride Mississippi, 1979

Residence of Groom	Race and Residence of Bride											
	Total				White				Nonwhite			
	Total	Missis-sippi	Other	Unknown	Total	Missis-sippi	Other	Unknown	Total	Missis-sippi	Other	Unknown
NUMBER												
Total	27,279	24,893	2,365	21	19,843	17,888	1,942	13	7,436	7,005	423	8
Mississippi	24,154	23,525	616	13	17,328	16,825	496	7	6,826	6,700	120	6
Other	3,112	1,358	1,748	6	2,504	1,055	1,445	4	608	303	303	2
Unknown	13	10	1	2	11	8	1	2	2	2	0	0
PERCENT												
Total	100.0	91.2	8.7	0.1	100.0	90.1	9.8	0.1	100.0	94.2	5.7	0.1
Mississippi	88.5	86.2	2.2	*	87.3	84.8	2.5	*	91.8	90.1	1.6	0.1
Other	11.4	5.0	6.4	*	12.6	5.3	7.3	*	8.2	4.1	4.1	*
Unknown	*	*	*	*	*	*	*	*	*	*	-	-

* Less than 0.06 percent.

DIVORCES

Table E1. Divorces and percentage distribution, by cause and race*
Mississippi, 1979

Cause	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	13,628	10,402	3,226	100.0	100.0	100.0
Irreconcilable differences	5,650	4,989	661	41.4	48.0	20.5
Cruel and inhuman treatment	6,222	4,653	1,569	45.6	44.7	48.6
Desertion	1,354	490	864	9.9	4.7	26.8
Adultery	214	145	69	1.6	1.4	2.1
Drunkenness	82	52	30	0.6	0.5	0.9
Penitentiary	36	21	15	0.3	0.2	0.5
Annulment	36	29	7	0.3	0.3	0.2
Bigamy	13	6	7	0.1	**	0.2
Miscellaneous and other	14	12	2	0.1	0.1	0.1
Unknown	7	5	2	**	**	0.1

* Divorces of mixed-race couples are included in figures for nonwhites.

** Less than 0.06 percent.

Table E2. Divorces and percentage distribution, by number of minor children and race*
Mississippi, 1979

Number of Minor Children	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total divorces	13,628	10,402	3,226	100.0	100.0	100.0
None	6,236	5,025	1,211	45.8	48.3	37.5
One	3,533	2,631	902	25.9	25.3	28.0
Two	2,331	1,769	562	17.1	17.0	17.4
Three or more	1,503	957	546	11.0	9.2	16.9
Unknown	25	20	5	0.2	0.2	0.2

* Divorces of mixed-race couples are included in figures for nonwhites.

Table E3. Divorces and percentage distribution, by number of years married and race* Mississippi, 1979

Number of Years Married	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total divorces	13,628	10,402	3,226	100.0	100.0	100.0
Under five	6,241	5,191	1,050	45.8	49.9	32.5
Under one	1,207	1,088	119	8.8	10.4	3.7
One	1,449	1,253	196	10.6	12.0	6.1
Two	1,326	1,073	253	9.7	10.3	7.8
Three	1,220	988	232	9.0	9.5	7.2
Four	1,039	789	250	7.6	7.6	7.7
Five - nine	3,451	2,432	1,019	25.3	23.4	31.6
Ten - nineteen	2,520	1,847	673	18.5	17.8	20.9
Twenty and over	1,333	858	475	9.8	8.2	14.7
Unknown	83	74	9	0.6	0.7	0.3

* Divorces of mixed-race couples are included in figures for nonwhites.

MAJOR TABLES

1979

TABLE 1
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE, ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL), MISSISSIPPI, 1979

	Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white
STATE	45,633	23,389	22,244	45,919	23,487	22,432
Adams	1,438	649	789	698	286	412
Alcorn	381	319	62	527	435	92
Amite	6	0	6	243	99	144
Attala	173	119	54	287	134	153
Benton	1	1	0	137	70	67
Bolivar	1,900	335	1,565	1,049	243	806
Calhoun	5	1	4	220	126	94
Carroll	3	0	3	132	62	70
Chickasaw	135	54	81	329	152	177
Choctaw	96	20	76	157	81	76
Claiborne	101	10	91	261	47	214
Clarke	49	13	36	312	159	153
Clay	363	117	246	413	160	253
Coahoma	1,148	273	875	799	167	632
Copiah	275	120	155	522	197	325
Covington	113	58	55	315	158	157
DeSoto	2	2	0	790	599	191
Forrest	2,486	1,734	752	1,119	706	413
Franklin	3	0	3	136	61	75
George	220	173	47	298	250	48
Greene	50	32	18	179	129	50
Grenada	589	302	287	397	198	199
Hancock	130	106	24	367	316	51
Harrison	3,320	2,418	902	2,865	2,034	831
Hinds	7,095	2,641	4,454	4,653	1,821	2,832
Holmes	408	46	362	505	81	424
Humphreys	258	12	246	319	63	256
Issaquena	0	0	0	40	18	22
Itawamba	34	29	5	280	261	19
Jackson	2,039	1,456	583	2,212	1,590	622
Jasper	1	1	0	329	118	211
Jefferson	31	2	29	211	17	194
Jeff Davis	75	23	52	239	74	165
Jones	1,689	794	895	1,072	674	398
Kemper	33	7	26	161	44	117
Lafayette	514	306	208	422	230	192
Lamar	1	1	0	419	358	61
Lauderdale	2,405	1,330	1,075	1,421	770	651
Lawrence	1	1	0	222	123	99
Leake	107	57	50	310	139	171
Lee	1,885	1,363	522	1,023	695	328
Leflore	1,078	375	703	852	268	584

Table 1 - Page 2
Live Births - Mississippi - 1979

	Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white
Lincoln	369	240	129	472	272	200
Lowndes	951	626	325	1,075	597	478
Madison	27	0	27	856	286	570
Marion	7	6	1	482	288	194
Marshall	11	1	10	531	208	323
Monroe	1,400	1,008	392	621	352	269
Montgomery	241	55	186	250	94	156
Neshoba	223	117	106	416	228	188
Newton	138	70	68	309	167	142
Noxubee	326	32	294	303	77	226
Oktibbeha	674	331	343	563	285	278
Panola	553	159	394	534	187	347
Pearl River	424	339	85	527	426	101
Perry	110	78	32	211	144	67
Pike	1,187	637	550	682	286	396
Pontotoc	0	0	0	299	237	62
Prentiss	184	167	17	341	282	59
Quitman	101	15	86	315	83	232
Rankin	1,471	1,154	317	1,083	845	238
Scott	130	82	48	431	226	205
Sharkey	66	3	63	214	57	157
Simpson	145	80	65	399	222	177
Smith	33	16	17	260	168	92
Stone	2	0	2	163	109	54
Sunflower	349	81	268	793	163	630
Tallahatchie	234	43	191	362	86	276
Tate	98	23	75	342	157	185
Tippah	303	184	119	297	225	72
Tishomingo	82	74	8	254	240	14
Tunica	8	3	5	259	37	222
Union	532	396	136	386	305	81
Walthall	279	131	148	261	118	143
Warren	1,633	669	964	957	498	459
Washington	1,431	666	765	1,667	542	1,125
Wayne	343	174	169	336	171	165
Webster	189	103	86	164	105	59
Wilkinson	179	72	107	149	33	116
Winston	201	96	105	316	152	164
Yalobusha	155	72	83	215	109	106
Yazoo	203	86	117	582	207	375
Out of state	2,259	1,625	634	1,973	1,527	446

Table 1 - Page 3
Live Births - Mississippi - 1979

Town*	Residence Data		
	Total	White	Non-white
Biloxi	928	676	252
Brookhaven	186	75	111
Canton	267	40	227
Clarksdale	466	104	362
Cleveland	309	123	186
Columbus	545	238	307
Corinth	172	110	62
Greenville	978	272	706
Greenwood	435	138	297
Gulfport	829	459	370
Hattiesburg	702	361	341
Jackson	3,835	1,425	2,410
Laurel	454	192	262
McComb	224	98	126
Meridian	861	409	452
Moss Point	463	115	348
Natchez	444	155	289
Oxford	184	117	67
Pascagoula	600	442	158
Pearl	310	289	21
Picayune	182	115	67
Starkville	283	175	108
Tupelo	443	292	151
Vicksburg	492	173	319
Yazoo City	237	67	170
Total urban**	19,949	9,301	10,648
Total rural	25,970	14,186	11,784

* Towns of 10,000 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

** All incorporated towns of 2,500 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT, ALSO BY COUNTY OF RESIDENCE AND SEX, MISSISSIPPI, 1979

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
STATE	45,919	23,487	23,411	8	68	22,432	22,194	66	172	23,388	22,531
Adams	698	286	286	0	0	412	411	1	0	352	346
Alcorn	527	435	434	1	0	92	92	0	0	250	277
Amite	243	99	99	0	0	144	138	0	6	132	111
Attala	287	134	133	0	1	153	137	1	15	151	136
Benton	137	70	69	0	1	67	67	0	0	76	61
Bolivar	1,049	243	243	0	0	806	805	0	1	546	503
Calhoun	220	126	126	0	0	94	93	0	1	124	96
Carroll	132	62	62	0	0	70	67	0	3	71	61
Chickasaw	329	152	152	0	0	177	175	2	0	170	159
Choctaw	157	81	81	0	0	76	76	0	0	82	75
Claiborne	261	47	47	0	0	214	211	0	3	137	124
Clarke	312	159	159	0	0	153	152	1	0	165	147
Clay	413	160	160	0	0	253	251	2	0	213	200
Coahoma	799	167	167	0	0	632	631	0	1	390	409
Copiah	522	197	197	0	0	325	321	3	1	277	245
Covington	315	158	157	0	1	157	156	0	1	140	175
DeSoto	790	599	598	0	1	191	191	0	0	426	364
Forrest	1,119	706	700	1	5	413	412	1	0	558	561
Franklin	136	61	61	0	0	75	74	0	1	71	65
George	298	250	250	0	0	48	48	0	0	150	148
Greene	179	129	129	0	0	50	50	0	0	91	88
Grenada	397	198	197	0	1	199	195	0	4	198	199
Hancock	367	316	313	1	2	51	51	0	0	188	179
Harrison	2,865	2,034	2,024	0	10	831	819	1	11	1,412	1,453

Table 2 - Page 2
Live Births - Mississippi - 1979

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Hinds	4,653	1,821	1,820	0	1	2,832	2,810	15	7	2,346	2,307
Holmes	505	81	80	0	1	424	422	0	2	276	229
Humphreys	319	63	63	0	0	256	253	3	0	141	178
Issaquena	40	18	18	0	0	22	22	0	0	19	21
Itawamba	280	261	261	0	0	19	19	0	0	143	137
Jackson	2,212	1,590	1,587	0	3	622	616	0	6	1,128	1,084
Jasper	329	118	117	0	1	211	211	0	0	166	163
Jefferson	211	17	17	0	0	194	191	0	3	120	91
Jeff Davis	239	74	74	0	0	165	163	2	0	128	111
Jones	1,072	674	672	0	2	398	398	0	0	536	536
Kemper	161	44	44	0	0	117	116	1	0	80	81
Lafayette	422	230	229	1	0	192	188	0	4	210	212
Lamar	419	358	357	1	0	61	61	0	0	211	208
Lauderdale	1,421	770	770	0	0	651	651	0	0	727	694
Lawrence	222	123	122	0	1	99	99	0	0	123	99
Leake	310	139	137	0	2	171	166	1	4	156	154
Lee	1,023	695	694	0	1	328	328	0	0	508	515
Leflore	852	268	268	0	0	584	577	2	5	459	393
Lincoln	472	272	270	0	2	200	199	1	0	252	220
Lowndes	1,075	597	596	0	1	478	468	3	7	574	501
Madison	856	286	286	0	0	570	551	3	16	439	417
Marion	482	288	283	0	5	194	193	1	0	243	239
Marshall	531	208	208	0	0	323	323	0	0	253	278
Monroe	621	352	350	1	1	269	266	3	0	331	290
Montgomery	250	94	94	0	0	156	155	0	1	126	124
Neshoba	416	228	228	0	0	188	188	0	0	219	197
Newton	309	167	167	0	0	142	141	1	0	146	163
Noxubee	303	77	77	0	0	226	223	2	1	140	163
Oktibbeha	563	285	285	0	0	278	278	0	0	292	271
Panola	534	187	186	0	1	347	339	4	4	286	248

Table 2 - Page 3
Live Births - Mississippi - 1979

		White				Nonwhite				Sex	
County	Total	Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	527	426	425	0	1	101	101	0	0	274	253
Perry	211	144	143	1	0	67	67	0	0	118	93
Pike	682	286	279	0	7	396	377	2	17	349	333
Pontotoc	299	237	237	0	0	62	62	0	0	159	140
Prentiss	341	282	282	0	0	59	59	0	0	176	165
Quitman	315	83	83	0	0	232	231	0	1	169	146
Rankin	1,083	845	844	0	1	238	236	2	0	544	539
Scott	431	226	225	1	0	205	200	3	2	231	200
Sharkey	214	57	57	0	0	157	156	0	1	116	98
Simpson	399	222	222	0	0	177	177	0	0	196	203
Smith	260	168	168	0	0	92	91	0	1	127	133
Stone	163	109	109	0	0	54	51	1	2	85	78
Sunflower	793	163	163	0	0	630	629	1	0	405	388
Tallahatchie	362	86	86	0	0	276	270	0	6	184	178
Tate	342	157	157	0	0	185	182	0	3	171	171
Tippah	297	225	225	0	0	72	72	0	0	151	146
Tishomingo	254	240	234	0	6	14	14	0	0	140	114
Tunica	259	37	37	0	0	222	218	2	2	132	127
Union	386	305	305	0	0	81	81	0	0	209	177
Walthall	261	118	110	0	8	143	131	0	12	123	138
Warren	957	498	498	0	0	459	458	0	1	469	488
Washington	1,667	542	542	0	0	1,125	1,119	0	6	825	842
Wayne	336	171	171	0	0	165	165	0	0	153	183
Webster	164	105	105	0	0	59	59	0	0	88	76
Wilkinson	149	33	33	0	0	116	116	0	0	80	69
Winston	316	152	152	0	0	164	164	0	0	162	154
Yalobusha	215	109	109	0	0	106	106	0	0	115	100
Yazoo	582	207	206	0	1	375	364	1	10	289	293

NOTE: "Hosp. or Clinic" includes delivery by physician, CNM, or any other named person. "Other" includes delivery by any person other than a physician, at any place other than a hospital or clinic.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1979

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known
STATE	45,919	411	10,618	16,377	11,577	4,963	1,552	392	24	5
Adams	698	9	182	239	168	62	31	7	0	0
Alcorn	527	3	89	214	128	64	26	3	0	0
Amite	243	1	58	92	58	25	8	1	0	0
Attala	287	3	63	95	76	39	10	1	0	0
Benton	137	0	32	56	30	9	8	2	0	0
Bolivar	1,049	9	326	341	211	115	38	9	0	0
Calhoun	220	1	57	89	50	16	7	0	0	0
Carroll	132	0	28	45	33	18	5	2	1	0
Chickasaw	329	3	110	103	57	38	13	4	1	0
Choctaw	157	1	44	55	36	11	6	3	1	0
Claiborne	261	8	68	86	56	25	14	3	0	1
Clarke	312	3	74	116	82	29	6	2	0	0
Clay	413	0	95	159	102	38	13	6	0	0
Coahoma	799	17	267	258	167	67	19	3	0	1
Copiah	522	6	123	187	127	57	17	5	0	0
Covington	315	3	82	105	73	37	15	0	0	0
DeSoto	790	6	143	267	247	93	31	3	0	0
Forrest	1,119	16	239	402	285	123	38	15	1	0
Franklin	136	1	22	55	36	11	8	3	0	0
George	298	0	77	110	62	38	9	2	0	0
Greene	179	2	34	82	28	23	6	3	1	0
Grenada	397	7	94	150	90	44	9	3	0	0
Hancock	367	0	80	137	93	43	11	3	0	0
Harrison	2,865	21	632	1,094	744	272	81	19	1	1
Hinds	4,653	50	864	1,589	1,378	572	174	25	1	0
Holmes	505	7	155	194	88	38	20	3	0	0
Humphreys	319	5	103	99	63	29	16	4	0	0
Issaquena	40	1	14	15	8	0	2	0	0	0
Itawamba	280	0	64	107	66	30	11	2	0	0
Jackson	2,212	11	444	838	598	239	63	17	2	0
Jasper	329	1	80	122	79	33	10	4	0	0
Jefferson	211	2	45	75	47	28	12	1	1	0
Jeff Davis	239	2	63	80	54	24	13	3	0	0
Jones	1,072	5	215	403	290	113	38	8	0	0
Kemper	161	0	48	57	28	17	7	4	0	0
Lafayette	422	3	87	152	128	41	9	1	1	0
Lamar	419	2	75	161	124	44	11	2	0	0
Lauderdale	1,421	11	324	508	376	157	37	8	0	0
Lawrence	222	0	51	90	52	20	7	2	0	0
Leake	310	0	64	118	71	33	20	4	0	0
Lee	1,023	6	222	344	291	127	26	6	1	0
Leflore	852	10	240	302	195	68	24	13	0	0

Table 3A - Page 2
Live Births - Mississippi - 1979

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	472	3	88	158	143	59	18	3	0	0
Lowndes	1,075	7	192	405	303	125	34	9	0	0
Madison	856	10	190	271	231	114	25	12	3	0
Marion	482	5	129	149	126	54	14	5	0	0
Marshall	531	2	114	208	121	59	20	7	0	0
Monroe	621	6	154	236	136	68	16	4	1	0
Montgomery	250	2	78	70	56	27	15	2	0	0
Neshoba	416	9	90	147	107	44	18	1	0	0
Newton	309	3	83	99	80	35	5	4	0	0
Noxubee	303	2	68	111	79	28	12	3	0	0
Oktibbeha	563	4	119	211	147	53	28	1	0	0
Panola	534	4	133	179	129	58	22	9	0	0
Pearl River	527	3	94	195	149	64	17	5	0	0
Perry	211	1	55	83	49	19	4	0	0	0
Pike	682	8	138	240	183	72	29	12	0	0
Pontotoc	299	1	71	109	68	33	10	7	0	0
Prentiss	341	0	77	116	94	35	14	5	0	0
Quitman	315	7	97	108	61	31	8	3	0	0
Rankin	1,083	7	191	339	336	172	33	4	0	1
Scott	431	4	116	155	94	39	18	4	1	0
Sharkey	214	1	64	76	45	19	6	3	0	0
Simpson	399	2	85	141	113	44	10	4	0	0
Smith	260	0	54	104	60	29	7	6	0	0
Stone	163	1	40	71	37	11	3	0	0	0
Sunflower	793	11	249	253	155	83	32	8	2	0
Tallahatchie	362	7	137	122	57	31	4	4	0	0
Tate	342	2	87	130	71	36	12	4	0	0
Tippah	297	1	76	109	65	32	9	5	0	0
Tishomingo	254	0	51	90	75	29	6	3	0	0
Tunica	259	6	89	91	35	26	7	3	2	0
Union	386	2	83	141	106	38	11	4	0	1
Walthall	261	3	48	102	66	32	9	1	0	0
Warren	957	6	207	345	232	121	42	3	1	0
Washington	1,667	27	474	562	376	175	38	14	1	0
Wayne	336	0	81	135	80	25	11	4	0	0
Webster	164	2	33	61	42	16	8	2	0	0
Wilkinson	149	1	39	52	42	8	5	1	1	0
Winston	316	3	61	118	84	33	14	3	0	0
Yalobusha	215	1	48	90	43	23	6	4	0	0
Yazoo	582	11	158	204	126	53	23	7	0	0

TABLE 3B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1979

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	23,487	51	3,850	8,637	7,066	3,005	726	149	3	0
Adams	286	1	47	94	91	37	15	1	0	0
Alcorn	435	2	71	168	108	62	22	2	0	0
Amite	99	0	15	40	34	7	3	0	0	0
Attala	134	0	27	42	37	22	6	0	0	0
Benton	70	0	17	30	18	2	3	0	0	0
Bolivar	243	0	31	79	81	38	13	1	0	0
Calhoun	126	0	29	49	34	12	2	0	0	0
Carroll	62	0	7	23	18	12	2	0	0	0
Chickasaw	152	1	49	54	25	18	4	1	0	0
Choctaw	81	0	21	30	20	6	3	1	0	0
Claiborne	47	0	3	22	13	5	4	0	0	0
Clarke	159	0	34	62	47	13	2	1	0	0
Clay	160	0	33	59	48	17	3	0	0	0
Coahoma	167	1	23	49	63	26	5	0	0	0
Copiah	197	1	30	64	66	28	6	2	0	0
Covington	158	0	33	58	44	20	3	0	0	0
DeSoto	599	1	74	211	214	83	14	2	0	0
Forrest	706	2	99	272	205	94	22	12	0	0
Franklin	61	0	6	23	21	6	4	1	0	0
George	250	0	62	95	50	36	6	1	0	0
Greene	129	1	24	62	21	14	5	2	0	0
Grenada	198	1	31	80	54	27	4	1	0	0
Hancock	316	0	66	122	80	37	9	2	0	0
Harrison	2,034	8	399	795	564	206	50	12	0	0
Hinds	1,821	0	151	593	677	327	65	8	0	0
Holmes	81	0	10	34	24	10	3	0	0	0
Humphreys	63	0	12	24	19	6	2	0	0	0
Issaquena	18	0	6	6	6	0	0	0	0	0
Itawamba	261	0	62	96	62	29	10	2	0	0
Jackson	1,590	2	282	623	443	178	47	14	1	0
Jasper	118	0	14	44	37	17	5	1	0	0
Jefferson	17	0	1	5	9	2	0	0	0	0
Jeff Davis	74	0	13	28	19	10	4	0	0	0
Jones	674	1	104	258	197	83	28	3	0	0
Kemper	44	0	6	21	12	5	0	0	0	0
Lafayette	230	0	28	75	91	31	5	0	0	0
Lamar	358	2	51	140	114	40	9	2	0	0
Lauderdale	770	0	127	268	243	112	18	2	0	0
Lawrence	123	0	27	49	29	12	5	1	0	0
Leake	139	0	28	52	33	15	9	2	0	0
Lee	695	3	118	232	221	99	19	3	0	0
Leflore	268	0	44	97	91	24	10	2	0	0

able 3B - Page 2
hite Live Births - Mississippi - 1979

ounty	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
incoln	272	1	38	96	92	29	13	3	0	0
owndes	597	0	61	232	206	75	19	4	0	0
adison	286	0	19	88	118	55	2	4	0	0
arion	288	3	57	93	85	38	11	1	0	0
arshall	208	0	38	81	56	23	8	2	0	0
onroe	352	3	72	141	84	40	10	1	1	0
ontgomery	94	0	22	33	20	14	5	0	0	0
eshoba	228	1	38	84	72	25	8	0	0	0
ewton	167	0	27	64	52	20	2	2	0	0
oxubee	77	0	5	29	29	11	3	0	0	0
ktibbeha	285	0	38	106	96	32	13	0	0	0
anola	187	0	35	68	55	21	7	1	0	0
earl River	426	2	68	159	128	52	14	3	0	0
erry	144	1	35	59	35	11	3	0	0	0
ike	286	1	31	107	96	38	9	4	0	0
ontotoc	237	1	48	91	57	26	8	6	0	0
rentiss	282	0	62	98	83	26	10	3	0	0
uitman	83	1	9	36	24	11	1	1	0	0
ankin	845	2	130	253	287	145	24	4	0	0
cott	226	1	40	85	64	26	8	1	1	0
harkey	57	0	3	28	20	6	0	0	0	0
impson	222	0	38	86	66	28	4	0	0	0
nith	168	0	33	67	39	21	4	4	0	0
one	109	0	22	52	28	6	1	0	0	0
unflower	163	0	25	62	43	27	6	0	0	0
llahatchie	86	0	20	33	19	12	2	0	0	0
ate	157	0	30	66	35	21	4	1	0	0
ippah	225	1	54	82	51	29	5	3	0	0
ishomingo	240	0	47	84	72	29	5	3	0	0
nica	37	1	7	17	8	4	0	0	0	0
ion	305	1	63	113	84	33	7	4	0	0
lthall	118	1	16	46	33	18	4	0	0	0
rren	498	1	60	191	159	66	20	1	0	0
shington	542	1	102	187	164	72	11	5	0	0
yne	171	0	39	66	48	11	6	1	0	0
ebster	105	0	16	37	35	9	7	1	0	0
ilkinson	33	0	3	12	14	3	1	0	0	0
inston	152	1	26	57	43	19	5	1	0	0
alobusha	109	0	24	45	19	16	3	2	0	0
azoo	207	0	34	75	64	29	4	1	0	0

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1979

		Age of Mother								
County	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	22,432	360	6,768	7,740	4,511	1,958	826	243	21	5
Adams	412	8	135	145	77	25	16	6	0	0
Alcorn	92	1	18	46	20	2	4	1	0	0
Amite	144	1	43	52	24	18	5	1	0	0
Attala	153	3	36	53	39	17	4	1	0	0
Benton	67	0	15	26	12	7	5	2	0	0
Bolivar	806	9	295	262	130	77	25	8	0	0
Calhoun	94	1	28	40	16	4	5	0	0	0
Carroll	70	0	21	22	15	6	3	2	1	0
Chickasaw	177	2	61	49	32	20	9	3	1	0
Choctaw	76	1	23	25	16	5	3	2	1	0
Claiborne	214	8	65	64	43	20	10	3	0	1
Clarke	153	3	40	54	35	16	4	1	0	0
Clay	253	0	62	100	54	21	10	6	0	0
Coahoma	632	16	244	209	104	41	14	3	0	1
Copiah	325	5	93	123	61	29	11	3	0	0
Covington	157	3	49	47	29	17	12	0	0	0
DeSoto	191	5	69	56	33	10	17	1	0	0
Forrest	413	14	140	130	80	29	16	3	1	0
Franklin	75	1	16	32	15	5	4	2	0	0
George	48	0	15	15	12	2	3	1	0	0
Greene	50	1	10	20	7	9	1	1	1	0
Grenada	199	6	63	70	36	17	5	2	0	0
Hancock	51	0	14	15	13	6	2	1	0	0
Harrison	831	13	233	299	180	66	31	7	1	1
Hinds	2,832	50	713	996	701	245	109	17	1	0
Holmes	424	7	145	160	64	28	17	3	0	0
Humphreys	256	5	91	75	44	23	14	4	0	0
Issaquena	22	1	8	9	2	0	2	0	0	0
Itawamba	19	0	2	11	4	1	1	0	0	0
Jackson	622	9	162	215	155	61	16	3	1	0
Jasper	211	1	66	78	42	16	5	3	0	0
Jefferson	194	2	44	70	38	26	12	1	1	0
Jeff Davis	165	2	50	52	35	14	9	3	0	0
Jones	398	4	111	145	93	30	10	5	0	0
Kemper	117	0	42	36	16	12	7	4	0	0
Lafayette	192	3	59	77	37	10	4	1	1	0
Lamar	61	0	24	21	10	4	2	0	0	0
Lauderdale	651	11	197	240	133	45	19	6	0	0
Lawrence	99	0	24	41	23	8	2	1	0	0
Leake	171	0	36	66	38	18	11	2	0	0
Lee	328	3	104	112	70	28	7	3	1	0
Leflore	584	10	196	205	104	44	14	11	0	0

able 3C - Page 2
onwhite Live Births - Mississippi - 1979

		Age of Mother								
ounty	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
incoln	200	2	50	62	51	30	5	0	0	0
owndes	478	7	131	173	97	50	15	5	0	0
adison	570	10	171	183	113	59	23	8	3	0
arion	194	2	72	56	41	16	3	4	0	0
arshall	323	2	76	127	65	36	12	5	0	0
onroe	269	3	82	95	52	28	6	3	0	0
ontgomery	156	2	56	37	36	13	10	2	0	0
eshoba	188	8	52	63	35	19	10	1	0	0
ewton	142	3	56	35	28	15	3	2	0	0
oxubee	226	2	63	82	50	17	9	3	0	0
ktibbeha	278	4	81	105	51	21	15	1	0	0
anola	347	4	98	111	74	37	15	8	0	0
earl River	101	1	26	36	21	12	3	2	0	0
erry	67	0	20	24	14	8	1	0	0	0
ike	396	7	107	133	87	34	20	8	0	0
ontotoc	62	0	23	18	11	7	2	1	0	0
rentiss	59	0	15	18	11	9	4	2	0	0
uitman	232	6	88	72	37	20	7	2	0	0
ankin	238	5	61	86	49	27	9	0	0	1
cott	205	3	76	70	30	13	10	3	0	0
harkey	157	1	61	48	25	13	6	3	0	0
impson	177	2	47	55	47	16	6	4	0	0
mith	92	0	21	37	21	8	3	2	0	0
tone	54	1	18	19	9	5	2	0	0	0
unflower	630	11	224	191	112	56	26	8	2	0
allahatchie	276	7	117	89	38	19	2	4	0	0
ate	185	2	57	64	36	15	8	3	0	0
ippah	72	0	22	27	14	3	4	2	0	0
ishomingo	14	0	4	6	3	0	1	0	0	0
unica	222	5	82	74	27	22	7	3	2	0
nion	81	1	20	28	22	5	4	0	0	1
althall	143	2	32	56	33	14	5	1	0	0
arren	459	5	147	154	73	55	22	2	1	0
ashington	1,125	26	372	375	212	103	27	9	1	0
ayne	165	0	42	69	32	14	5	3	0	0
ebster	59	2	17	24	7	7	1	1	0	0
ilkinson	116	1	36	40	28	5	4	1	1	0
inston	164	2	35	61	41	14	9	2	0	0
alobusha	106	1	24	45	24	7	3	2	0	0
azoo	375	11	124	129	62	24	19	6	0	0

TABLE 4
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1979

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
STATE	12,492	1,218	11,274	27.2	5.2	50.2
Adams	260	21	239	37.2	7.3	58.0
Alcorn	57	19	38	10.8	4.4	41.3
Amite	65	4	61	26.7	4.0	42.4
Attala	56	4	52	19.5	3.0	34.0
Benton	21	1	20	15.3	1.4	29.8
Bolivar	534	9	525	50.9	3.7	65.1
Calhoun	50	11	39	22.7	8.7	41.5
Carroll	33	1	32	25.0	1.6	45.7
Chickasaw	71	8	63	21.6	5.3	35.6
Choctaw	41	4	37	26.1	4.9	48.7
Claiborne	109	2	107	41.8	4.2	50.0
Clarke	74	7	67	23.7	4.4	43.8
Clay	93	4	89	22.5	2.5	35.2
Coahoma	391	9	382	48.9	5.4	60.4
Copiah	165	8	157	31.6	4.1	48.3
Covington	76	7	69	24.1	4.4	43.9
DeSoto	136	24	112	17.2	4.0	58.6
Forrest	264	45	219	23.6	6.4	53.0
Franklin	32	2	30	23.5	3.3	40.0
George	37	15	22	12.4	6.0	45.8
Greene	23	2	21	12.8	1.6	42.0
Grenada	111	16	95	28.0	8.1	47.7
Hancock	53	30	23	14.4	9.5	45.1
Harrison	520	170	350	18.2	8.4	42.1
Hinds	1,428	74	1,354	30.7	4.1	47.8
Holmes	236	3	233	46.7	3.7	55.0
Humphreys	140	3	137	43.9	4.8	53.5
Issaquena	12	0	12	30.0	-	54.5
Itawamba	23	16	7	8.2	6.1	36.8
Jackson	374	102	272	16.9	6.4	43.7
Jasper	83	1	[illegible]	25.2	0.8	38.9
Jefferson	107	2	105	50.7	11.8	54.1
Jeff Davis	80	4	76	33.5	5.4	46.1
Jones	199	28	171	18.6	4.2	43.0
Kemper	59	1	58	36.6	2.3	49.6
Lafayette	86	5	81	20.4	2.2	42.2
Lamar	49	18	31	11.7	5.0	50.8
Lauderdale	365	48	317	25.7	6.2	48.7
Lawrence	44	6	38	19.8	4.9	38.4
Leake	58	5	53	18.7	3.6	31.0
Lee	180	41	139	17.6	5.9	42.4
Leflore	357	14	343	41.9	5.2	58.7

Table 4 - Page 2
Illegitimate Live Births - Mississippi - 1979

	Number			Percent		
County	Total	White	Non-white	Total	White	Non-White
Lincoln	103	9	94	21.8	3.3	47.0
Lowndes	273	28	245	25.4	4.7	51.2
Madison	310	5	305	36.2	1.7	53.5
Marion	98	18	80	20.3	6.2	41.2
Marshall	148	6	142	27.9	2.9	44.0
Monroe	154	24	130	24.8	6.8	48.3
Montgomery	79	5	74	31.6	5.3	47.4
Neshoba	95	10	85	22.8	4.4	45.2
Newton	68	4	64	22.0	2.4	45.1
Noxubee	118	2	116	38.9	2.6	51.3
Oktibbeha	170	7	163	30.2	2.4	58.6
Panola	193	13	180	36.1	7.0	51.9
Pearl River	72	24	48	13.7	5.6	47.5
Perry	47	7	40	22.3	4.9	59.7
Pike	195	13	182	28.6	4.5	46.0
Pontotoc	31	8	23	10.4	3.4	37.1
Prentiss	31	11	20	9.1	3.9	33.9
Quitman	140	3	137	44.4	3.6	59.0
Rankin	126	43	83	11.6	5.1	34.9
Scott	112	5	107	26.0	2.2	52.2
Sharkey	108	2	106	50.5	3.5	67.5
Simpson	91	14	77	22.8	6.3	43.5
Smith	47	9	38	18.1	5.4	41.3
Stone	30	1	29	18.4	0.9	53.7
Sunflower	363	9	354	45.8	5.5	56.2
Tallahatchie	193	6	187	53.3	7.0	67.8
Tate	104	7	97	30.4	4.4	52.4
Tippah	37	11	26	12.4	4.9	36.1
Tishomingo	18	12	6	7.1	5.0	42.8
Tunica	161	3	158	62.2	8.1	71.2
Union	50	19	31	13.0	6.2	38.3
Walthall	50	1	49	19.2	0.8	34.3
Warren	282	21	261	29.5	4.2	56.9
Washington	726	30	696	43.6	5.5	61.9
Wayne	78	8	70	23.2	4.7	42.4
Webster	30	6	24	18.3	5.7	40.7
Wilkinson	67	2	65	45.0	6.1	56.0
Winston	80	5	75	25.3	3.3	45.7
Yalobusha	55	6	49	25.6	5.5	46.2
Yazoo	207	7	200	35.6	3.4	53.3

TABLE 5A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1979

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	12,492	380	6,087	3,887	1,333	518	222	59	5	1
Adams	260	8	132	79	24	7	9	1	0	0
Alcorn	57	0	20	29	5	1	2	0	0	0
Amite	65	1	31	20	7	5	1	0	0	0
Attala	56	3	29	10	9	4	1	0	0	0
Benton	21	0	10	9	2	0	0	0	0	0
Bolivar	534	9	275	166	52	22	9	1	0	0
Calhoun	50	1	30	17	1	1	0	0	0	0
Carroll	33	0	17	9	7	0	0	0	0	0
Chickasaw	71	3	45	10	6	4	3	0	0	0
Choctaw	41	0	20	15	4	0	0	1	1	0
Claiborne	109	8	59	19	13	6	3	0	0	1
Clarke	74	3	32	24	11	1	2	1	0	0
Clay	93	0	44	28	10	6	3	2	0	0
Coahoma	391	16	208	111	37	15	3	1	0	0
Copiah	165	6	74	53	22	8	2	0	0	0
Covington	76	3	40	19	7	5	2	0	0	0
DeSoto	136	6	68	32	19	3	7	1	0	0
Forrest	264	15	137	77	22	9	2	2	0	0
Franklin	32	1	13	10	6	1	0	1	0	0
George	37	0	19	12	5	0	1	0	0	0
Greene	23	0	9	10	2	2	0	0	0	0
Grenada	111	6	56	33	6	7	3	0	0	0
Hancock	53	0	27	17	5	3	1	0	0	0
Harrison	520	18	270	161	47	14	8	2	0	0
Hinds	1,428	49	636	476	170	65	27	5	0	0
Holmes	236	7	106	88	21	12	1	1	0	0
Humphreys	140	5	69	33	18	7	6	2	0	0
Issaquena	12	1	8	2	0	0	1	0	0	0
Itawamba	23	0	8	10	3	1	1	0	0	0
Jackson	374	11	174	129	38	19	3	0	0	0
Jasper	83	1	39	27	9	5	2	0	0	0
Jefferson	107	2	33	36	18	12	4	1	1	0
Jeff Davis	80	2	45	18	5	5	3	2	0	0
Jones	199	4	88	69	24	11	1	2	0	0
Kemper	59	0	29	20	7	1	1	1	0	0
Lafayette	86	3	48	28	6	1	0	0	0	0
Lamar	49	1	27	14	5	1	1	0	0	0
Lauderdale	365	11	183	109	45	12	4	1	0	0
Lawrence	44	0	23	17	2	1	1	0	0	0
Leake	58	0	22	22	8	4	1	1	0	0
Lee	180	5	102	47	20	5	1	0	0	0
Leflore	357	10	184	111	39	8	1	4	0	0

Table 5A - Page 2
Illegitimate Live Births - Mississippi - 1979

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known
Lincoln	103	3	36	37	14	11	2	0	0	0
Lowndes	273	7	123	95	26	16	6	0	0	0
Madison	310	10	146	95	40	14	3	2	0	0
Marion	98	4	62	17	10	2	2	1	0	0
Marshall	148	2	61	64	10	6	3	2	0	0
Monroe	154	5	79	41	15	8	4	2	0	0
Montgomery	79	2	49	15	8	2	3	0	0	0
Neshoba	95	9	40	31	7	4	4	0	0	0
Newton	68	3	47	9	3	4	1	1	0	0
Noxubee	118	2	53	41	17	5	0	0	0	0
Oktibbeha	170	4	73	60	24	4	5	0	0	0
Panola	193	4	84	59	29	10	5	2	0	0
Pearl River	72	1	26	27	7	7	2	2	0	0
Perry	47	1	24	11	8	3	0	0	0	0
Pike	195	8	85	61	27	9	2	3	0	0
Pontotoc	31	1	18	7	2	2	1	0	0	0
Prentiss	31	0	15	8	3	4	0	1	0	0
Quitman	140	6	76	37	14	4	3	0	0	0
Rankin	126	6	67	39	9	2	3	0	0	0
Scott	112	3	61	31	9	3	4	1	0	0
Sharkey	108	1	58	33	12	2	1	1	0	0
Simpson	91	1	42	22	18	6	2	0	0	0
Smith	47	0	23	15	4	3	1	1	0	0
Stone	30	1	16	8	3	1	1	0	0	0
Sunflower	363	11	192	101	40	13	6	0	0	0
Tallahatchie	193	7	105	56	15	9	1	0	0	0
Tate	104	2	55	34	7	3	3	0	0	0
Tippah	37	0	18	14	3	1	0	1	0	0
Tishomingo	18	0	11	5	1	1	0	0	0	0
Tunica	161	6	79	55	9	7	3	1	1	0
Union	50	2	25	15	7	0	1	0	0	0
Walthall	50	1	19	15	9	3	2	1	0	0
Warren	282	5	138	93	25	14	7	0	0	0
Washington	726	26	357	237	74	22	8	1	1	0
Wayne	78	0	32	32	10	4	0	0	0	0
Webster	30	2	14	10	2	1	1	0	0	0
Wilkinson	67	1	33	15	13	3	1	0	1	0
Winston	80	2	30	31	10	5	2	0	0	0
Yalobusha	55	1	23	23	4	1	2	1	0	0
Yazoo	207	11	103	62	18	5	6	2	0	0

TABLE 5B
WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1979

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	1,218	29	629	379	103	52	21	5	0	0
Adams	21	0	12	6	1	0	2	0	0	0
Alcorn	19	0	7	10	1	0	1	0	0	0
Amite	4	0	2	2	0	0	0	0	0	0
Attala	4	0	3	1	0	0	0	0	0	0
Benton	1	0	0	0	1	0	0	0	0	0
Bolivar	9	0	6	1	2	0	0	0	0	0
Calhoun	11	0	9	1	0	1	0	0	0	0
Carroll	1	0	0	1	0	0	0	0	0	0
Chickasaw	8	1	5	1	0	0	1	0	0	0
Choctaw	4	0	3	1	0	0	0	0	0	0
Claiborne	2	0	1	0	1	0	0	0	0	0
Clarke	7	0	4	3	0	0	0	0	0	0
Clay	4	0	3	1	0	0	0	0	0	0
Coahoma	9	1	5	3	0	0	0	0	0	0
Copiah	8	1	5	1	1	0	0	0	0	0
Covington	7	0	3	0	2	2	0	0	0	0
DeSoto	24	1	11	7	3	0	1	1	0	0
Forrest	45	1	23	11	5	3	1	1	0	0
Franklin	2	0	1	0	1	0	0	0	0	0
George	15	0	8	6	1	0	0	0	0	0
Greene	2	0	1	1	0	0	0	0	0	0
Grenada	16	1	9	3	0	1	2	0	0	0
Hancock	30	0	18	8	1	3	0	0	0	0
Harrison	170	5	84	55	18	4	3	1	0	0
Hinds	74	0	37	26	5	6	0	0	0	0
Holmes	3	0	0	3	0	0	0	0	0	0
Humphreys	3	0	2	1	0	0	0	0	0	0
Issaquena	0	0	0	0	0	0	0	0	0	0
Itawamba	16	0	6	7	2	1	0	0	0	0
Jackson	102	2	47	41	7	5	0	0	0	0
Jasper	1	0	0	1	0	0	0	0	0	0
Jefferson	2	0	1	0	1	0	0	0	0	0
Jeff Davis	4	0	3	0	0	0	1	0	0	0
Jones	28	1	9	10	6	2	0	0	0	0
Kemper	1	0	0	1	0	0	0	0	0	0
Lafayette	5	0	3	1	1	0	0	0	0	0
Lamar	18	1	8	6	3	0	0	0	0	0
Lauderdale	48	0	24	15	4	4	1	0	0	0
Lawrence	6	0	3	3	0	0	0	0	0	0
Leake	5	0	3	2	0	0	0	0	0	0
Lee	41	2	24	7	7	1	0	0	0	0
Leflore	14	0	10	2	2	0	0	0	0	0

Table 5B - Page 2
White Illegitimate Live Births - Mississippi - 1979

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	9	1	3	4	0	1	0	0	0	0
Lowndes	28	0	14	10	2	1	1	0	0	0
Madison	5	0	3	1	1	0	0	0	0	0
Marion	18	2	11	3	1	0	1	0	0	0
Marshall	6	0	4	1	0	0	1	0	0	0
Monroe	24	2	13	8	0	1	0	0	0	0
Montgomery	5	0	4	1	0	0	0	0	0	0
Neshoba	10	1	6	2	1	0	0	0	0	0
Newton	4	0	2	1	0	1	0	0	0	0
Noxubee	2	0	1	1	0	0	0	0	0	0
Oktibbeha	7	0	3	4	0	0	0	0	0	0
Panola	13	0	5	6	1	1	0	0	0	0
Pearl River	24	0	8	10	1	3	1	1	0	0
Perry	7	1	4	1	1	0	0	0	0	0
Pike	13	1	4	6	2	0	0	0	0	0
Pontotoc	8	1	3	2	0	1	1	0	0	0
Prentiss	11	0	5	4	1	1	0	0	0	0
Quitman	3	0	1	2	0	0	0	0	0	0
Rankin	43	1	26	13	2	0	1	0	0	0
Scott	5	0	3	2	0	0	0	0	0	0
Sharkey	2	0	1	1	0	0	0	0	0	0
Simpson	14	0	6	2	4	2	0	0	0	0
Smith	9	0	8	0	0	1	0	0	0	0
Stone	1	0	0	1	0	0	0	0	0	0
Sunflower	9	0	6	2	0	1	0	0	0	0
Tallahatchie	6	0	4	2	0	0	0	0	0	0
Tate	7	0	5	2	0	0	0	0	0	0
Tippah	11	0	5	3	1	1	0	1	0	0
Tishomingo	12	0	9	1	1	1	0	0	0	0
Tunica	3	1	1	0	0	1	0	0	0	0
Union	19	1	10	7	1	0	0	0	0	0
Walthall	1	0	1	0	0	0	0	0	0	0
Warren	21	0	10	7	4	0	0	0	0	0
Washington	30	0	18	10	0	2	0	0	0	0
Wayne	8	0	3	4	1	0	0	0	0	0
Webster	6	0	3	1	1	0	1	0	0	0
Wilkinson	2	0	1	0	1	0	0	0	0	0
Winston	5	0	3	1	0	0	1	0	0	0
Yalobusha	6	0	3	3	0	0	0	0	0	0
Yazoo	7	0	6	1	0	0	0	0	0	0

TABLE 5C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1979

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	11,274	351	5,458	3,508	1,230	466	201	54	5	1
Adams	239	8	120	73	23	7	7	1	0	0
Alcorn	38	0	13	19	4	1	1	0	0	0
Amite	61	1	29	18	7	5	1	0	0	0
Attala	52	3	26	9	9	4	1	0	0	0
Benton	20	0	10	9	1	0	0	0	0	0
Bolivar	525	9	269	165	50	22	9	1	0	0
Calhoun	39	1	21	16	1	0	0	0	0	0
Carroll	32	0	17	8	7	0	0	0	0	0
Chickasaw	63	2	40	9	6	4	2	0	0	0
Choctaw	37	0	17	14	4	0	0	1	1	0
Claiborne	107	8	58	19	12	6	3	0	0	1
Clarke	67	3	28	21	11	1	2	1	0	0
Clay	89	0	41	27	10	6	3	2	0	0
Coahoma	382	15	203	108	37	15	3	1	0	0
Copiah	157	5	69	52	21	8	2	0	0	0
Covington	69	3	37	19	5	3	2	0	0	0
DeSoto	112	5	57	25	16	3	6	0	0	0
Forrest	219	14	114	66	17	6	1	1	0	0
Franklin	30	1	12	10	5	1	0	1	0	0
George	22	0	11	6	4	0	1	0	0	0
Greene	21	0	8	9	2	2	0	0	0	0
Grenada	95	5	47	30	6	6	1	0	0	0
Hancock	23	0	9	9	4	0	1	0	0	0
Harrison	350	13	186	106	29	10	5	1	0	0
Hinds	1,354	49	599	450	165	59	27	5	0	0
Holmes	233	7	106	85	21	12	1	1	0	0
Humphreys	137	5	67	32	18	7	6	2	0	0
Issaquena	12	1	8	2	0	0	1	0	0	0
Itawamba	7	0	2	3	1	0	1	0	0	0
Jackson	272	9	127	88	31	14	3	0	0	0
Jasper	82	1	39	26	9	5	2	0	0	0
Jefferson	105	2	32	36	17	12	4	1	1	0
Jeff Davis	76	2	42	18	5	5	2	2	0	0
Jones	171	3	79	59	18	9	1	2	0	0
Kemper	58	0	29	19	7	1	1	1	0	0
Lafayette	81	3	45	27	5	1	0	0	0	0
Lamar	31	0	19	8	2	1	1	0	0	0
Lauderdale	317	11	159	94	41	8	3	1	0	0
Lawrence	38	0	20	14	2	1	1	0	0	0
Leake	53	0	19	20	8	4	1	1	0	0
Lee	139	3	78	40	13	4	1	0	0	0
Leflore	343	10	174	109	37	8	1	4	0	0

Table 5C - Page 2
Nonwhite Illegitimate Live Births - Mississippi - 1979

		Age of Mother								
County	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Unknown
Lincoln	94	2	33	33	14	10	2	0	0	0
Lowndes	245	7	109	85	24	15	5	0	0	0
Madison	305	10	143	94	39	14	3	2	0	0
Marion	80	2	51	14	9	2	1	1	0	0
Marshall	142	2	57	63	10	6	2	2	0	0
Monroe	130	3	66	33	15	7	4	2	0	0
Montgomery	74	2	45	14	8	2	3	0	0	0
Neshoba	85	8	34	29	6	4	4	0	0	0
Newton	64	3	45	8	3	3	1	1	0	0
Noxubee	116	2	52	40	17	5	0	0	0	0
Oktibbeha	163	4	70	56	24	4	5	0	0	0
Panola	180	4	79	53	28	9	5	2	0	0
Pearl River	48	1	18	17	6	4	1	1	0	0
Perry	40	0	20	10	7	3	0	0	0	0
Pike	182	7	81	55	25	9	2	3	0	0
Pontotoc	23	0	15	5	2	1	0	0	0	0
Prentiss	20	0	10	4	2	3	0	1	0	0
Quitman	137	6	75	35	14	4	3	0	0	0
Rankin	83	5	41	26	7	2	2	0	0	0
Scott	107	3	58	29	9	3	4	1	0	0
Sharkey	106	1	57	32	12	2	1	1	0	0
Simpson	77	1	36	20	14	4	2	0	0	0
Smith	38	0	15	15	4	2	1	1	0	0
Stone	29	1	16	7	3	1	1	0	0	0
Sunflower	354	11	186	99	40	12	6	0	0	0
Tallahatchie	187	7	101	54	15	9	1	0	0	0
Tate	97	2	50	32	7	3	3	0	0	0
Tippah	26	0	13	11	2	0	0	0	0	0
Tishomingo	6	0	2	4	0	0	0	0	0	0
Tunica	158	5	78	55	9	6	3	1	1	0
Union	31	1	15	8	6	0	1	0	0	0
Walthall	49	1	18	15	9	3	2	1	0	0
Warren	261	5	128	86	21	14	7	0	0	0
Washington	696	26	339	227	74	20	8	1	1	0
Wayne	70	0	29	28	9	4	0	0	0	0
Webster	24	2	11	9	1	1	0	0	0	0
Wilkinson	65	1	32	15	12	3	1	0	1	0
Winston	75	2	27	30	10	5	1	0	0	0
Yalobusha	49	1	20	20	4	1	2	1	0	0
Yazoo	200	11	97	61	18	5	6	2	0	0

TABLE 6
IMMATURE LIVE BIRTHS BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1979

County	Total			White			Nonwhite		
	Total Live Births	Immature* Live Births		Total Live Births	Immature* Live Births		Total Live Births	Immature* Live Births	
		Number	Percent		Number	Percent		Number	Percent
STATE	45,919	4,039	8.8	23,487	1,347	5.7	22,432	2,692	12.0
Adams	698	74	10.6	286	27	9.4	412	47	11.4
Alcorn	527	31	5.9	435	23	5.3	92	8	8.7
Amite	243	23	9.5	99	9	9.1	144	14	9.7
Attala	287	29	10.1	134	7	5.2	153	22	14.4
Benton	137	12	8.8	70	4	5.7	67	8	11.9
Bolivar	1,049	143	13.6	243	23	9.5	806	120	14.9
Calhoun	220	23	10.4	126	12	9.5	94	11	11.7
Carroll	132	8	6.1	62	0	-	70	8	11.4
Chickasaw	329	23	7.0	152	8	5.3	177	15	8.5
Choctaw	157	15	9.6	81	5	6.2	76	10	13.2
Claiborne	261	26	10.0	47	1	2.1	214	25	11.7
Clarke	312	25	8.0	159	12	7.5	153	13	8.5
Clay	413	25	6.0	160	3	1.9	253	22	8.7
Coahoma	799	79	9.9	167	7	4.2	632	72	11.4
Copiah	522	66	12.6	197	12	6.1	325	54	16.6
Covington	315	22	7.0	158	5	3.2	157	17	10.8
DeSoto	790	61	7.7	599	39	6.5	191	22	11.5
Forrest	1,119	88	7.9	706	35	5.0	413	53	12.8
Franklin	136	12	8.8	61	6	9.8	75	6	8.0
George	298	25	8.4	250	18	7.2	48	7	14.6
Greene	179	7	3.9	129	4	3.1	50	3	6.0
Grenada	397	33	8.3	198	11	5.6	199	22	11.0
Hancock	367	29	7.9	316	21	6.6	51	8	15.7
Harrison	2,865	198	6.9	2,034	104	5.1	831	94	11.3
Hinds	4,653	410	8.8	1,821	85	4.7	2,832	325	11.5
Holmes	505	60	11.9	81	2	2.5	424	58	13.7
Humphreys	319	53	16.6	63	4	6.3	256	49	19.1
Issaquena	40	1	2.5	18	0	-	22	1	4.5
Itawamba	280	15	5.4	261	10	3.8	19	5	26.3
Jackson	2,212	179	8.1	1,590	94	5.9	622	85	13.7
Jasper	329	32	9.7	118	6	5.1	211	26	12.3
Jefferson	211	17	8.0	17	1	5.9	194	16	8.2
Jeff Davis	239	21	8.8	74	2	2.7	165	19	11.5
Jones	1,072	90	8.4	674	44	6.5	398	46	11.6
Kemper	161	10	6.2	44	1	2.3	117	9	7.7
Lafayette	422	33	7.8	230	13	5.6	192	20	10.4
Lamar	419	33	7.9	358	22	6.1	61	11	18.0
Lauderdale	1,421	111	7.8	770	36	4.7	651	75	11.5
Lawrence	222	26	11.7	123	12	9.8	99	14	14.1
Leake	310	19	6.1	139	6	4.3	171	13	7.6
Lee	1,023	87	8.5	695	44	6.3	328	43	13.1
Leflore	852	84	9.9	268	16	6.0	584	68	11.6

Table 6 - Page 2
Immature Live Births - Mississippi - 1979

	Total			White			Nonwhite		
County	Total Live Births	Immature* Live Births Number	Immature* Live Births Percent	Total Live Births	Immature* Live Births Number	Immature* Live Births Percent	Total Live Births	Immature* Live Births Number	Immature* Live Births Percent
Lincoln	472	30	6.4	272	13	4.8	200	17	8.5
Lowndes	1,075	103	9.6	597	37	6.2	478	66	13.8
Madison	856	97	11.3	286	14	4.9	570	83	14.6
Marion	482	29	6.0	288	15	5.2	194	14	7.2
Marshall	531	50	9.4	208	16	7.7	323	34	10.5
Monroe	621	44	7.1	352	22	6.2	269	22	8.2
Montgomery	250	19	7.6	94	3	3.2	156	16	10.2
Neshoba	416	25	6.0	228	10	4.4	188	15	8.0
Newton	309	22	7.1	167	7	4.2	142	15	10.6
Noxubee	303	25	8.2	77	3	3.9	226	22	9.7
Oktibbeha	563	48	8.5	285	14	4.9	278	34	12.2
Panola	534	49	9.2	187	14	7.5	347	35	10.1
Pearl River	527	29	5.5	426	20	4.7	101	9	8.9
Perry	211	21	10.0	144	10	6.9	67	11	16.4
Pike	682	63	9.2	286	17	5.9	396	46	11.6
Pontotoc	299	25	8.4	237	14	5.9	62	11	17.7
Prentiss	341	32	9.4	282	24	8.5	59	8	13.6
Quitman	315	33	10.5	83	5	6.0	232	28	12.1
Rankin	1,083	83	7.7	845	51	6.0	238	32	13.4
Scott	431	52	12.1	226	20	8.8	205	32	15.6
Sharkey	214	21	9.8	57	0	-	157	21	13.4
Simpson	399	34	8.5	222	10	4.5	177	24	13.6
Smith	260	28	10.8	168	13	7.7	92	15	16.3
Stone	163	12	7.4	109	7	6.4	54	5	9.2
Sunflower	793	102	12.9	163	9	5.5	630	93	14.8
Tallahatchie	362	43	11.9	86	8	9.3	276	35	12.7
Tate	342	32	9.4	157	8	5.1	185	24	13.0
Tippah	297	24	8.1	225	12	5.3	72	12	16.7
Tishomingo	254	20	7.9	240	18	7.5	14	2	14.3
Tunica	259	31	12.0	37	3	8.1	222	28	12.6
Union	386	35	9.1	305	21	6.9	81	14	17.3
Walthall	261	21	8.0	118	5	4.2	143	16	11.2
Warren	957	79	8.2	498	36	7.2	459	43	9.4
Washington	1,667	148	8.9	542	32	5.9	1,125	116	10.3
Wayne	336	39	11.6	171	9	5.3	165	30	18.2
Webster	164	15	9.1	105	7	6.7	59	8	13.6
Wilkinson	149	16	10.7	33	0	-	116	16	13.8
Winston	316	21	6.6	152	5	3.3	164	16	9.8
Yalobusha	215	24	11.2	109	9	8.2	106	15	14.2
Yazoo	582	57	9.8	207	12	5.8	375	45	12.0

* Birthweight 2,500 grams or less.

TABLE 7
PREMATURE LIVE BIRTHS BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1979

County	Total			White			Nonwhite		
	Total Live Births	Premature* Live Births		Total Live Births	Premature* Live Births		Total Live Births	Premature* Live Births	
		Number	Percent		Number	Percent		Number	Percent
STATE	45,919	6,054	13.2	23,487	2,015	8.6	22,432	4,039	18.0
Adams	698	124	17.8	286	37	12.9	412	87	21.1
Alcorn	527	56	10.6	435	40	9.2	92	16	17.4
Amite	243	26	10.7	99	8	8.1	144	18	12.5
Attala	287	37	12.9	134	8	6.0	153	29	19.0
Benton	137	15	10.9	70	7	10.0	67	8	11.9
Bolivar	1,049	199	19.0	243	29	11.9	806	170	21.1
Calhoun	220	34	15.4	126	14	11.1	94	20	21.3
Carroll	132	22	16.7	62	5	8.1	70	17	24.3
Chickasaw	329	56	17.0	152	19	12.5	177	37	20.9
Choctaw	157	25	15.9	81	11	13.6	76	14	18.4
Claiborne	261	36	13.8	47	4	8.5	214	32	15.0
Clarke	312	44	14.1	159	21	13.2	153	23	15.0
Clay	413	42	10.2	160	7	4.4	253	35	13.8
Coahoma	799	129	16.1	167	14	8.4	632	115	18.2
Copiah	522	94	18.0	197	16	8.1	325	78	24.0
Covington	315	32	10.2	158	14	8.9	157	18	11.5
DeSoto	790	58	7.3	599	37	6.2	191	21	11.0
Forrest	1,119	140	12.5	706	47	6.6	413	93	22.5
Franklin	136	23	16.9	61	9	14.8	75	14	18.7
George	298	24	8.0	250	17	6.8	48	7	14.6
Greene	179	17	9.5	129	11	8.5	50	6	12.0
Grenada	397	61	15.4	198	22	11.1	199	39	19.6
Hancock	367	36	9.8	316	27	8.5	51	9	17.6
Harrison	2,865	341	11.9	2,034	190	9.3	831	151	18.2
Hinds	4,653	606	13.0	1,821	139	7.6	2,832	467	16.5
Holmes	505	87	17.2	81	3	3.7	424	84	19.8
Humphreys	319	59	18.5	63	5	7.9	256	54	21.1
Issaquena	40	6	15.0	18	2	11.1	22	4	18.2
Itawamba	280	22	7.8	261	17	6.5	19	5	26.3
Jackson	2,212	251	11.3	1,590	150	9.4	622	101	16.2
Jasper	329	33	10.0	118	4	3.4	211	29	13.7
Jefferson	211	37	17.5	17	1	5.9	194	36	18.6
Jeff Davis	239	38	15.9	74	6	8.1	165	32	19.4
Jones	1,072	131	12.2	674	56	8.3	398	75	18.8
Kemper	161	20	12.4	44	4	9.1	117	16	13.7
Lafayette	422	54	12.8	230	23	10.0	192	31	16.1
Lamar	419	38	9.1	358	28	7.8	61	10	16.4
Lauderdale	1,421	160	11.2	770	54	7.0	651	106	16.3
Lawrence	222	28	12.6	123	14	11.4	99	14	14.1
Leake	310	40	12.9	139	13	9.4	171	27	15.8
Lee	1,023	147	14.4	695	81	11.6	328	66	20.1
Leflore	852	144	16.9	268	25	9.3	584	119	20.4

Table 7 - Page 2
Premature Live Births - Mississippi - 1979

	Total			White			Nonwhite		
	Total Live Births	Premature* Live Births		Total Live Births	Premature* Live Births		Total Live Births	Live Births	
County		Number	Percent		Number	Percent		Number	Percent
Lincoln	472	61	12.9	272	25	9.2	200	36	18.0
Lowndes	1,075	142	13.2	597	52	8.7	478	90	18.8
Madison	856	109	12.7	286	18	6.3	570	91	16.0
Marion	482	66	13.7	288	24	8.3	194	42	21.6
Marshall	531	50	9.4	208	19	9.1	323	31	9.6
Monroe	621	82	13.2	352	27	7.7	269	55	20.4
Montgomery	250	41	16.4	94	11	11.7	156	30	19.2
Neshoba	416	41	9.8	228	18	7.9	188	23	12.2
Newton	309	36	11.6	167	12	7.2	142	24	16.9
Noxubee	303	51	16.8	77	6	7.8	226	45	19.9
Oktibbeha	563	76	13.5	285	22	7.7	278	54	19.4
Panola	534	90	16.8	187	18	9.6	347	72	20.7
Pearl River	527	54	10.2	426	37	8.7	101	17	16.8
Perry	211	19	9.0	144	9	6.2	67	10	14.9
Pike	682	107	15.7	286	25	8.7	396	82	20.7
Pontotoc	299	34	11.4	237	20	8.4	62	14	22.6
Prentiss	341	45	13.2	282	37	13.1	59	8	13.6
Quitman	315	55	17.5	83	7	8.4	232	48	20.7
Rankin	1,083	109	10.1	845	76	9.0	238	33	13.9
Scott	431	66	15.3	226	28	12.4	205	38	18.5
Sharkey	214	27	12.6	57	0	-	157	27	17.2
Simpson	399	55	13.8	222	22	9.9	177	33	18.6
Smith	260	35	13.5	168	15	8.9	92	20	21.7
Stone	163	12	7.4	109	6	5.5	54	6	11.1
Sunflower	793	151	19.0	163	13	8.0	630	138	21.9
Tallahatchie	362	61	16.8	86	12	14.0	276	49	17.8
Tate	342	48	14.0	157	13	8.3	185	35	18.9
Tippah	297	30	10.1	225	16	7.1	72	14	19.4
Tishomingo	254	20	7.9	240	15	6.2	14	5	35.7
Tunica	259	55	21.2	37	3	8.1	222	52	23.4
Union	386	47	12.2	305	27	8.8	81	20	24.7
Walthall	261	45	17.2	118	7	5.9	143	38	26.6
Warren	957	110	11.5	498	51	10.2	459	59	12.8
Washington	1,667	232	13.9	542	36	6.6	1,125	196	17.4
Wayne	336	40	11.9	171	12	7.0	165	28	17.0
Webster	164	22	13.4	105	11	10.5	59	11	18.6
Wilkinson	149	10	6.7	33	1	3.0	116	9	7.8
Winston	316	44	13.9	152	8	5.3	164	36	22.0
Yalobusha	215	30	14.0	109	7	6.4	106	23	21.7
Yazoo	582	74	12.7	207	10	4.8	375	64	17.1

* Gestation less than 37 weeks.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE, ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1979

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	665	212	453	665	209	456	14.5	8.9	20.3
Adams	25	2	23	14	0	14	20.0	-	34.0
Alcorn	3	3	0	5	3	2	9.5	6.9	21.7
Amite	0	0	0	3	2	1	12.3	20.2	6.9
Attala	1	1	0	2	2	0	7.0	14.9	-
Benton	0	0	0	2	0	2	14.6	-	29.8
Bolivar	37	0	37	20	0	20	19.1	-	24.8
Calhoun	0	0	0	3	1	2	13.6	7.9	21.3
Carroll	0	0	0	1	1	0	7.6	16.1	-
Chickasaw	5	0	5	7	2	5	21.3	13.2	28.2
Choctaw	1	0	1	3	0	3	19.1	-	39.5
Claiborne	4	1	3	7	0	7	26.8	-	32.7
Clarke	1	0	1	7	3	4	22.4	18.9	26.1
Clay	2	1	1	3	1	2	7.3	6.2	7.9
Coahoma	21	5	16	16	3	13	20.0	18.0	20.6
Copiah	1	1	0	4	1	3	7.7	5.1	9.2
Covington	1	0	1	2	1	1	6.3	6.3	6.4
DeSoto	0	0	0	6	5	1	7.6	8.3	5.2
Forrest	36	21	15	14	7	7	12.5	9.9	16.9
Franklin	0	0	0	5	2	3	36.8	32.8	40.0
George	0	0	0	2	0	2	6.7	-	41.7
Greene	1	0	1	4	1	3	22.3	7.8	60.0
Grenada	10	3	7	8	2	6	20.2	10.1	30.2
Hancock	1	0	1	2	1	1	5.4	3.2	19.6
Harrison	36	18	18	33	16	17	11.5	7.9	20.4
Hinds	154	39	115	84	14	70	18.0	7.7	24.7
Holmes	4	1	3	9	0	9	17.8	-	21.2
Humphreys	5	0	5	6	1	5	18.8	15.9	19.5
Issaquena	0	0	0	1	0	1	25.0	-	45.4
Itawamba	0	0	0	1	1	0	3.6	3.8	-
Jackson	24	16	8	22	16	6	9.9	10.1	9.6
Jasper	0	0	0	5	0	6	18.2	-	28.4
Jefferson	0	0	0	6	0	6	28.4	-	30.9
Jeff Davis	3	0	3	6	0	6	25.1	-	36.4
Jones	27	7	20	18	8	10	16.8	11.9	25.1
Kemper	0	0	0	1	0	1	6.2	-	8.5
Lafayette	9	4	5	6	2	4	14.2	8.7	20.8
Lamar	0	0	0	10	7	3	23.9	19.6	49.2
Lauderdale	23	10	13	19	5	14	13.4	6.5	21.5
Lawrence	0	0	0	1	0	1	4.5	-	10.1
Leake	1	0	1	1	0	1	3.2	-	5.8
Lee	7	5	2	4	3	1	3.9	4.3	3.0
Leflore	11	2	9	12	4	8	14.1	14.9	13.7

Table 8 - Page 2
Reportable Fetal Deaths - Mississippi - 1979

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	5	4	1	7	7	0	14.8	25.7	-
Lowndes	11	4	7	15	6	9	14.0	10.0	18.8
Madison	0	0	0	10	0	10	11.7	-	17.5
Marion	0	0	0	9	4	5	18.7	13.9	25.8
Marshall	1	0	1	2	0	2	3.8	-	6.2
Monroe	14	10	4	5	1	4	8.0	2.8	14.9
Montgomery	1	1	0	1	1	0	4.0	10.6	-
Neshoba	4	3	1	7	1	6	16.8	4.4	31.9
Newton	2	0	2	6	5	1	19.4	29.9	7.0
Noxubee	4	0	4	6	0	6	19.8	-	26.5
Oktibbeha	17	1	16	14	1	13	24.9	3.5	46.8
Panola	11	2	9	13	5	8	24.3	26.7	23.0
Pearl River	5	2	3	6	2	4	11.4	4.7	39.6
Perry	0	0	0	1	0	1	4.7	-	14.9
Pike	16	9	7	6	1	5	8.8	3.5	12.6
Pontotoc	0	0	0	0	0	0	-	-	-
Prentiss	3	3	0	3	3	0	8.8	10.6	-
Quitman	0	0	0	3	1	2	9.5	12.0	8.6
Rankin	13	3	10	19	13	6	17.5	15.4	25.2
Scott	2	1	1	8	7	1	18.6	31.0	4.9
Sharkey	0	0	0	6	0	6	28.0	-	38.2
Simpson	3	1	2	6	2	4	15.0	9.0	22.6
Smith	0	0	0	3	2	1	11.5	11.9	10.9
Stone	0	0	0	0	0	0	-	-	-
Sunflower	5	1	4	12	1	11	15.1	6.1	17.5
Tallahatchie	0	0	0	3	1	2	8.3	11.6	7.2
Tate	4	1	3	8	0	8	23.4	-	43.2
Tippah	4	2	2	4	3	1	13.5	13.3	13.9
Tishomingo	2	2	0	3	3	0	11.8	12.5	-
Tunica	1	0	1	6	1	5	23.2	27.0	22.5
Union	3	2	1	3	2	1	7.8	6.6	12.3
Walthall	5	1	4	8	2	6	30.6	16.9	42.0
Warren	23	5	18	10	5	5	10.4	10.0	10.9
Washington	24	10	14	32	10	22	19.2	18.4	19.6
Wayne	9	2	7	6	3	3	17.8	17.5	18.2
Webster	6	1	5	5	0	5	30.5	-	84.7
Wilkinson	6	0	6	5	0	5	33.6	-	43.1
Winston	4	0	4	5	0	5	15.8	-	30.5
Yalobusha	2	0	2	2	0	2	9.3	-	18.9
Yazoo	1	1	0	11	1	10	18.9	4.8	26.7
Out of state	19	11	8	19	14	5			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE, ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL)
MISSISSIPPI, 1979

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
STATE	22,552	14,057	8,495	22,932	14,348	8,584
Adams	480	219	261	417	186	231
Alcorn	247	215	32	306	268	38
Amite	47	20	27	123	76	47
Attala	206	141	65	248	161	87
Benton	10	7	3	63	47	16
Bolivar	475	147	328	496	163	333
Calhoun	110	89	21	163	134	29
Carroll	21	8	13	79	35	44
Chickasaw	157	116	41	200	140	60
Choctaw	65	48	17	92	74	18
Claiborne	105	34	71	121	45	76
Clarke	127	80	47	169	103	66
Clay	160	77	83	190	93	97
Coahoma	433	157	276	401	129	272
Copiah	183	89	94	276	145	131
Covington	120	76	44	174	115	59
DeSoto	133	80	53	303	209	94
Forrest	879	651	228	620	431	189
Franklin	110	69	41	120	72	48
George	106	96	10	131	115	16
Greene	68	49	19	100	77	23
Grenada	249	146	103	217	129	88
Hancock	177	150	27	246	212	34
Harrison	1,486	1,229	257	1,236	1,019	217
Hinds	3,320	1,905	1,415	1,856	1,020	836
Holmes	206	62	144	263	80	183
Humphreys	162	39	123	183	58	125
Issaquena	11	1	10	26	4	22
Itawamba	124	118	6	185	176	9
Jackson	630	510	120	705	583	122
Jasper	99	55	44	148	82	66
Jefferson	65	14	51	106	29	77
Jeff Davis	107	52	55	141	63	78
Jones	620	456	164	643	487	156
Kemper	61	31	30	95	48	47
Lafayette	255	169	86	239	149	90
Lamar	60	48	12	138	121	17
Lauderdale	987	675	312	795	542	253
Lawrence	74	48	26	118	83	35
Leake	154	108	46	191	123	68
Lee	754	584	170	495	384	111
Leflore	523	227	296	491	209	282

Table 9 - Page 2
Deaths - Mississippi - 1979

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Lincoln	308	219	89	317	223	94
Lowndes	450	279	171	409	239	170
Madison	228	84	144	345	140	205
Marion	180	107	73	254	160	94
Marshall	169	83	86	245	120	125
Monroe	310	232	78	345	255	90
Montgomery	144	81	63	144	86	58
Neshoba	149	110	39	226	173	53
Newton	146	101	45	199	139	60
Noxubee	94	18	76	109	27	82
Oktibbeha	219	122	97	228	126	102
Panola	269	131	138	290	152	138
Pearl River	214	182	32	278	233	45
Perry	50	35	15	79	60	19
Pike	410	257	153	422	267	155
Pontotoc	116	101	15	183	161	22
Prentiss	170	154	16	237	213	24
Quitman	85	34	51	136	58	78
Rankin	371	250	121	495	354	141
Scott	187	108	79	246	147	99
Sharkey	54	17	37	75	30	45
Simpson	187	141	46	237	168	69
Smith	66	49	17	139	115	24
Stone	79	66	13	92	70	22
Sunflower	287	120	167	347	148	199
Tallahatchie	150	64	86	225	100	125
Tate	142	93	49	188	122	66
Tippah	169	140	29	203	170	33
Tishomingo	130	128	2	165	162	3
Tunica	75	20	55	115	35	80
Union	228	199	29	222	191	31
Walthall	118	83	35	141	99	42
Warren	583	308	275	495	266	229
Washington	752	301	451	732	288	444
Wayne	165	110	55	188	137	51
Webster	91	71	20	105	83	22
Wilkinson	134	62	72	104	33	71
Winston	157	104	53	187	116	71
Yalobusha	89	62	27	148	103	45
Yazoo	261	136	125	328	160	168
Out of state	1,307	995	312	927	704	223

Table 9 - Page 3
Deaths - Mississippi - 1979

Town*	Residence Data		
	Total	White	Non-white
Biloxi	325	283	42
Brookhaven	151	99	52
Canton	151	67	84
Clarksdale	252	91	161
Cleveland	168	84	84
Columbus	261	143	118
Corinth	142	119	23
Greenville	503	207	296
Greenwood	304	147	157
Gulfport	476	361	115
Hattiesburg	438	290	148
Jackson	1,537	860	677
Laurel	316	198	118
McComb	192	128	64
Meridian	563	364	199
Moss Point	133	71	62
Natchez	308	133	175
Oxford	102	69	33
Pascagoula	243	206	37
Pearl	69	68	1
Picayune	110	81	29
Starkville	122	80	42
Tupelo	213	169	44
Vicksburg	336	167	169
Yazoo City	186	87	99
Total urban**	10,775	6,682	4,093
Total rural	12,157	7,666	4,491

* Towns of 10,000 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

** All incorporated towns of 2,500 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

TABLE 10
DEATHS, BY CAUSE AND RACE, MISSISSIPPI RESIDENTS, 1979

International Classification Number*	Cause*	Total	White	Non-white
001-999	ALL CAUSES	22,932	14,348	8,584
001-139	INFECTIOUS AND PARASITIC DISEASES	207	115	92
001-009	Intestinal infectious diseases	9	5	4
002,003	Typhoid and paratyphoid fevers, and other salmonella infections	1	0	1
002	Typhoid and paratyphoid fevers	1	0	1
008,009	Other and ill-defined intestinal infections	8	5	3
008	Intestinal infections due to other organisms	2	2	0
009	Ill-defined intestinal infections	6	3	3
010-018	Tuberculosis	43	21	22
010-012	Respiratory	38	18	20
011	Pulmonary	38	18	20
013-018	Other forms	5	3	2
013	Meninges and central nervous system	1	0	1
017	Other organs	1	1	0
018	Miliary	3	2	1
020-027	Zoonotic bacterial diseases	0	0	0
030-041	Other bacterial diseases	109	64	45
031	Other diseases due to mycobacteria	2	2	0
036	Meningococcal infection	18	12	6
037	Tetanus	1	0	1
038	Septicemia	83	48	35
039	Actinomycotic infections	1	0	1
040	Other bacterial disease	1	0	1
041	Bacterial infection of unspecified site	3	2	1
045-049	Poliomyelitis and other non-arthropod-borne diseases of central nervous system	6	3	3
046	Slow virus infection	3	3	0
048	Other enterovirus diseases	1	0	1
049	Other non-arthropod-borne diseases	2	0	2
050-057	Viral diseases accompanied by exanthem	5	5	0
053	Herpes zoster	3	3	0
054	Herpes simplex	2	2	0
060-066	Arthropod-borne viral diseases	0	0	0
070-079	Other diseases due to viruses and Chlamydiae	18	12	6
070	Viral hepatitis	14	11	3
078	Other diseases due to viruses and Chlamydiae	1	0	1
079	Viral infection in conditions classified elsewhere and of unspecified site	3	1	2
080-088	Rickettsioses and other arthropod-borne diseases	0	0	0
090-099	Syphilis and other venereal diseases	1	0	1
090-097	Syphilis and its sequelae	1	0	1
093	Cardiovascular	1	0	1
100-104	Other spirochetal diseases	0	0	0
110-118	Mycoses	6	2	4
116	Blastomycotic infection	1	0	1
117	Other mycoses	5	2	3

Table 10 - Page 2
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total	White	Non-white
120-129	Helminthiases	0	0	0
130-139	Other infectious and parasitic diseases	10	3	7
135	Sarcoidosis	7	1	6
136	Other and unspecified infectious and parasitic diseases	2	1	1
137	Late effects of tuberculosis	1	1	0
140-239	NEOPLASMS	4,222	2,861	1,361
140-208	Malignant neoplasms	4,157	2,810	1,347
140-149	Lip, oral cavity, and pharynx	93	71	22
140	Lip	1	1	0
141	Tongue	17	15	2
142	Major salivary glands	5	3	2
143	Gum	1	1	0
144	Floor of mouth	5	3	2
145	Other and unspecified parts of mouth	22	18	4
146	Oropharynx	10	6	4
147	Nasopharynx	8	5	3
148	Hypopharynx	7	6	1
149	Other and ill-defined sites	17	13	4
150-159	Digestive organs and peritoneum	1,082	693	389
150	Esophagus	69	41	28
151	Stomach	183	95	88
152	Small intestine, including duodenum	5	4	1
153	Colon	387	275	112
154	Rectum, rectosigmoid junction, and anus	82	59	23
155	Liver and intrahepatic bile ducts	61	31	30
156	Gallbladder and extrahepatic bile ducts	31	17	14
157	Pancreas	241	158	83
158	Retroperitoneum and peritoneum	11	7	4
159	Other and ill-defined sites	12	6	6
160-165	Respiratory and intrathoracic organs	1,143	852	291
160	Nasal cavities, middle ear, and accessory sinuses	5	4	1
161	Larynx	25	16	9
162	Trachea, bronchus, and lung	1,109	828	281
163	Pleura	3	3	0
164	Thymus, heart, and mediastinum	1	1	0
170-175	Bone, connective tissue, skin, and breast	399	314	85
170	Bone and articular cartilage	18	12	6
171	Connective and other soft tissue	17	13	4
172	Melanoma of skin	54	50	4
173	Skin, other	22	18	4
174	Female breast	288	221	67
179-189	Genitourinary organs	642	343	299
(179-187)	(Genital organs)	500	247	253
179	Uterus, part unspecified	34	14	20
180	Cervix uteri	70	29	41

ble 10 - Page 3
aths - Mississippi - 1979

ternational assification mber*	Cause*	Total	White	Non-white
181	Placenta	1	0	1
182	Body of uterus	13	8	5
183	Ovary and other uterine adnexa	87	58	29
184	Other and unspecified female genital organs	9	5	4
185	Prostate	280	128	152
186	Testis	5	4	1
187	Penis and other male genital organs	1	1	0
(188,189)	(Urinary organs)	142	96	46
188	Bladder	68	41	27
189	Kidney and other and unspecified urinary organs	74	55	19
190-199	Other and unspecified sites	420	266	154
190	Eye	6	6	0
191	Brain	84	70	14
192	Other and unspecified parts of nervous system	1	1	0
193	Thyroid gland	12	10	2
194	Other endocrine glands and related structures	6	4	2
195	Other and ill-defined sites	33	21	12
199	Site unspecified	278	154	124
200-208	Lymphatic and hematopoietic tissue	378	271	107
200	Lymphosarcoma and reticulosarcoma	43	35	8
201	Hodgkin's disease	24	16	8
202	Other lymphoid and histiocytic tissue	59	47	12
203	Multiple myeloma and immunoproliferative neoplasms	64	40	24
(204-208)	(Leukemia)	188	133	55
204	Lymphatic	61	43	18
205	Myeloid	71	55	16
206	Monocytic	5	3	2
207	Other specified	7	4	3
208	Unspecified cell type	44	28	16
10-229	Benign neoplasms	19	14	5
211	Benign neoplasm of other parts of digestive system	2	2	0
212	Benign neoplasm of respiratory and intrathoracic organs	2	0	2
225	Benign neoplasm of brain and other parts of nervous system	10	9	1
226	Benign neoplasm of thyroid gland	1	0	1
227	Benign neoplasm of other endocrine glands and related structures	2	2	0
228	Hemangioma and lymphangioma, any site	1	1	0
229	Benign neoplasm of other and unspecified sites	1	0	1
30-234	Carcinoma in situ	0	0	0
35-239	Neoplasms of uncertain behavior and unspecified nature	46	37	9
235-238	Uncertain behavior	18	13	5
235	Digestive and respiratory systems	3	3	0
237	Endocrine glands and nervous system	3	1	2
238	Other and unspecified sites and tissues	12	9	3
239	Unspecified nature	28	24	4

Table 10 - Page 4
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total	White	Non-whit
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	543	247	29
240-246	Diseases of thyroid gland	9	5	
240	Simple and unspecified goiter	1	0	
242	Thyrotoxicosis with or without goiter	3	2	
244	Acquired hypothyroidism	5	3	
250-259	Diseases of other endocrine glands	406	179	22
250	Diabetes mellitus	398	173	22
251	Other disorders of pancreatic internal secretion	2	1	
252	Disorders of parathyroid gland	4	3	
255	Disorders of adrenal glands	1	1	
259	Other endocrine disorders	1	1	
260-269	Nutritional deficiencies	33	18	1
261	Nutritional marasmus	6	2	
262	Other severe protein-calorie malnutrition	5	2	
263	Other and unspecified protein-calorie malnutrition	22	14	
270-279	Other metabolic disorders and immunity disorders	95	45	5
271	Disorders of carbohydrate transport and metabolism	1	1	
272	Disorders of lipid metabolism	1	1	
273	Disorders of plasma protein metabolism	3	2	
274	Gout	3	0	
275	Disorders of mineral metabolism	4	3	
276	Disorders of fluid, electrolyte, and acid-base balance	49	21	2
277	Other and unspecified disorders of metabolism	10	6	
278	Obesity and other hyperalimentation	24	11	1
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	74	42	3
280-285	Anemias	42	20	2
281	Other deficiency	3	2	
282	Hereditary hemolytic	13	4	
283	Acquired hemolytic	2	1	
284	Aplastic	13	8	
285	Other and unspecified	11	5	
286	Coagulation defects	5	3	
287	Purpura and other hemorrhagic conditions	9	7	
288	Diseases of white blood cells	4	2	
289	Other diseases of blood and blood-forming organs	14	10	
290-319	MENTAL DISORDERS	127	74	5
290-299	Psychoses	16	10	
290	Senile and presenile organic psychotic conditions	6	4	
291	Alcoholic psychoses	5	5	
295	Schizophrenic psychoses	2	0	

Table 10 - Page 5
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total	White	Non-white
298	Other nonorganic psychoses	3	1	2
300-316	Neurotic disorders, personality disorders, and other nonpsychotic mental disorders	107	62	45
303	Alcohol dependence syndrome	43	21	22
304	Drug dependence	1	1	0
305	Nondependent abuse of drugs	8	6	2
306	Physiological malfunction arising from mental factors	2	1	1
307	Special symptoms or syndromes not elsewhere classified	1	1	0
310	Specific nonpsychotic mental disorders following organic brain damage	52	32	20
317-319	Mental retardation	4	2	2
318	Other specified	3	2	1
319	Unspecified	1	0	1
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	191	114	77
320-326	Inflammatory diseases of central nervous system	27	14	13
320	Bacterial meningitis	10	6	4
322	Meningitis of unspecified cause	7	4	3
323	Encephalitis, myelitis, and encephalomyelitis	7	2	5
324	Intracranial and intraspinal abscess	3	2	1
330-337	Hereditary and degenerative diseases of the central nervous system	68	53	15
330	Cerebral degenerations usually manifest in childhood	1	1	0
331	Other cerebral degenerations	15	8	7
332	Parkinson's disease	20	17	3
333	Other extrapyramidal disease and abnormal movement disorders	3	3	0
334	Spinocerebellar disease	1	1	0
335	Anterior horn cell disease	23	20	3
336	Other diseases of spinal cord	5	3	2
340-349	Other disorders of the central nervous system	79	37	42
340	Multiple sclerosis	6	4	2
341	Other demyelinating diseases of central nervous system	2	2	0
342	Hemiplegia	2	0	2
343	Infantile cerebral palsy	8	4	4
344	Other paralytic syndromes	14	4	10
345	Epilepsy	28	13	15
348	Other conditions of brain	18	9	9
349	Other and unspecified disorders of the nervous system	1	1	0
350-359	Disorders of peripheral nervous system	15	9	6
352	Disorders of other cranial nerves	1	1	0
356	Hereditary and idiopathic peripheral neuropathy	1	0	1

International Classification Number*	Cause*	Total	White	Non-white
357	Inflammatory and toxic neuropathy	4	2	2
358	Myoneural disorders	1	1	0
359	Muscular dystrophies and other myopathies	8	5	3
360-379	Disorders of the eye and adnexa	0	0	0
380-389	Diseases of the ear and mastoid process	2	1	1
381-383	Otitis media and mastoiditis	2	1	1
382	Suppurative and unspecified otitis media	2	1	1
390-459	DISEASES OF THE CIRCULATORY SYSTEM	10,871	7,135	3,736
390-392	Active rheumatic fever	0	0	0
393-398	Chronic rheumatic heart disease	39	19	20
394	Diseases of mitral valve	16	10	6
395	Diseases of aortic valve	3	0	3
396	Diseases of mitral and aortic valves	5	2	3
397	Diseases of other endocardial structures	1	0	1
398	Other rheumatic heart disease	14	7	7
401-405	Hypertensive disease	510	212	298
401,403	Hypertension with or without renal disease	120	48	72
401	Essential hypertension	34	11	23
403	Hypertensive renal disease	86	37	49
402,404	Hypertensive heart disease with or without renal disease	390	164	226
402	Hypertensive heart disease	331	140	191
404	Hypertensive heart and renal disease	59	24	35
410-414	Ischemic heart disease	5,474	3,933	1,541
410	Acute myocardial infarction	3,657	2,637	1,020
411	Other acute and subacute forms of ischemic heart disease	45	33	12
412	Old myocardial infarction	6	3	3
413	Angina pectoris	4	3	1
414	Other forms of chronic ischemic heart disease	1,762	1,257	505
415-417	Diseases of pulmonary circulation	165	95	70
415	Acute pulmonary heart disease	156	90	66
416	Chronic pulmonary heart disease	9	5	4
420-429	Other forms of heart disease	1,801	1,123	678
421	Acute and subacute endocarditis	6	5	1
422	Acute myocarditis	1	0	1
423	Other diseases of pericardium	6	3	3
424	Other diseases of endocardium	39	22	17
425	Cardiomyopathy	69	35	34
426	Conduction disorders	4	4	0
427	Cardiac dysrhythmias	415	264	151
428	Heart failure	406	225	181
429	Ill-defined heart diseases	855	565	290
430-438	Cerebrovascular diseases	2,342	1,373	969
430	Subarachnoid hemorrhage	62	48	14
431	Intracerebral hemorrhage	274	141	133
432	Other and unspecified intracranial hemorrhage	5	3	2
433	Occlusion and stenosis of precerebral arteries	36	24	12
434	Occlusion of cerebral arteries	417	265	152

International Classification Number*	Cause*	Total	White	Non-white
435	Transient cerebral ischemia	2	2	0
436	Acute but ill-defined cerebrovascular disease	1,303	724	579
437	Other and ill-defined cerebrovascular disease	151	100	51
438	Late effects of cerebrovascular disease	92	66	26
440-448	Diseases of arteries, arterioles, and capillaries	472	332	140
440	Atherosclerosis	268	179	89
441-448	Other diseases of arteries, arterioles, and capillaries	204	153	51
441	Aortic aneurysm	140	104	36
442	Other aneurysm	11	10	1
443	Other peripheral vascular disease	10	3	7
444	Arterial embolism and thrombosis	22	20	2
446	Polyarteritis nodosa and allied conditions	6	4	2
447	Other disorders of arteries and arterioles	14	11	3
448	Diseases of capillaries	1	1	0
451-459	Diseases of veins and lymphatics, and other diseases of circulatory system	68	48	20
451-453	Venous thrombosis and embolism	32	21	11
451	Phlebitis and thrombophlebitis	22	11	11
453	Other venous embolism and thrombosis	10	10	0
454-459	Other diseases of the circulatory system	36	27	9
454	Varicose veins of lower extremities	3	2	1
456	Varicose veins of other sites	7	6	1
458	Hypotension	12	7	5
459	Other disorders of circulatory system	14	12	2
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,021	765	256
460-466	Acute respiratory infections	20	10	10
460	Acute nasopharyngitis (common cold)	2	0	2
465	Acute upper respiratory infection of multiple or unspecified sites	12	6	6
466	Acute bronchitis and bronchiolitis	6	4	2
470-478	Other diseases of upper respiratory tract	3	1	2
473	Chronic sinusitis	2	0	2
478	Other diseases of upper respiratory tract	1	1	0
480-487	Pneumonia and influenza	407	279	128
480-486	Pneumonia	394	274	120
480	Viral	6	3	3
481	Pneumococcal	29	16	13
482	Other bacterial	22	17	5
485	Broncho, organism unspecified	68	48	20
486	Organism unspecified	269	190	79
487	Influenza	13	5	8
490-496	Chronic obstructive pulmonary disease and allied conditions	457	383	74
490,491	Chronic and unqualified bronchitis	32	27	5
490	Unqualified	6	4	2
491	Chronic	26	23	3
492	Emphysema	124	111	13
493	Asthma	24	12	12
494	Bronchiectasis	9	8	1

Table 10 - Page 8
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total	White	Non-white
496	Chronic airways obstruction, not elsewhere classified	268	225	43
500-508	Pneumoconioses and other lung diseases due to external agents	43	30	13
501	Asbestosis	1	1	0
502	Pneumoconiosis due to other silica or silicates	1	1	0
506	Respiratory conditions due to chemical fumes and vapors	1	1	0
507	Pneumonitis due to solids and liquids	40	27	13
510-519	Other diseases of respiratory system	91	62	29
510	Empyema	1	1	0
511	Pleurisy	5	4	1
513	Abscess of lung and mediastinum	6	4	2
514	Pulmonary congestion and hypostasis	14	4	10
515	Postinflammatory pulmonary fibrosis	16	13	3
518	Other diseases of lung	40	32	8
519	Other diseases of respiratory system	9	4	5
520-579	DISEASES OF THE DIGESTIVE SYSTEM	663	456	207
520-529	Diseases of oral cavity, salivary glands, and jaws	2	1	1
527	Diseases of salivary glands	1	1	0
528	Diseases of the oral soft tissues, excluding gingiva and tongue	1	0	1
530-537	Diseases of esophagus, stomach, and duodenum	59	41	18
530	Diseases of esophagus	10	7	3
531-533	Peptic ulcer	35	26	9
531	Gastric ulcer	9	6	3
532	Duodenal ulcer	11	10	1
533	Peptic ulcer, site unspecified	15	10	5
535	Gastritis and duodenitis	6	2	4
536	Disorders of function of stomach	4	2	2
537	Other disorders of stomach and duodenum	4	4	0
540-543	Appendicitis	14	6	8
540	Acute appendicitis	11	5	6
541	Appendicitis, unqualified	3	1	2
550-553	Hernia of abdominal cavity	19	9	10
550	Inguinal	4	1	3
552	Other, of abdominal cavity with obstruction, without mention of gangrene	9	5	4
553	Other, of abdominal cavity without mention of obstruction or gangrene	6	3	3
555-558	Noninfective enteritis and colitis	80	49	31
555	Regional enteritis	3	1	2
556	Idiopathic proctocolitis	2	1	1
557	Vascular insufficiency of intestine	51	40	11
558	Other noninfective gastroenteritis and colitis	24	7	17
560-569	Other diseases of intestine and peritoneum	87	54	33
560	Intestinal obstruction without mention of hernia	46	24	22

Table 10 - Page 9
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total	White	Non-white
562	Diverticula of intestine	21	16	5
564	Functional digestive disorders, not elsewhere classified	2	2	0
566	Abscess of anal and rectal regions	2	1	1
567	Peritonitis	4	2	2
568	Other disorders of peritoneum	1	1	0
569	Other disorders of intestine	11	8	3
570-579	Other diseases of digestive system	402	296	106
570	Acute and subacute necrosis of liver	3	2	1
571	Chronic liver disease and cirrhosis	200	163	37
572	Liver abscess and sequelae of chronic liver disease	36	16	20
573	Other disorders of liver	18	11	7
574,575	Cholelithiasis and other disorders of gallbladder	33	22	11
574	Cholelithiasis	15	12	3
575	Other disorders of gallbladder	18	10	8
576	Other disorders of biliary tract	8	8	0
577	Diseases of pancreas	44	35	9
578	Gastrointestinal hemorrhage	59	38	21
579	Intestinal malabsorption	1	1	0
580-629	DISEASES OF THE GENITOURINARY SYSTEM	396	221	175
580-589	Nephritis, nephrotic syndrome, and nephrosis	203	106	97
580	Acute glomerulonephritis	1	1	0
581	Nephrotic syndrome	2	1	1
582	Chronic glomerulonephritis	35	13	22
583	Nephritis and nephropathy, unqualified	9	4	5
584-587	Renal failure and renal sclerosis	155	87	68
584	Acute	20	11	9
585	Chronic	32	15	17
586	Unspecified	102	61	41
587	Renal sclerosis, unspecified	1	0	1
589	Small kidney of unknown cause	1	0	1
590-599	Other diseases of urinary system	176	106	70
590	Infections of kidney	55	44	11
592,594	Calculus of urinary system	6	3	3
592	Of kidney and ureter	5	2	3
594	Of lower urinary tract	1	1	0
593	Other disorders of kidney and ureter	27	13	14
596	Other disorders of bladder	6	2	4
598	Urethral stricture	3	1	2
599	Other disorders of urethra and urinary tract	79	43	36
600-608	Diseases of male genital organs	11	8	3
600	Hyperplasia of prostate	10	8	2
601	Inflammatory diseases of prostate	1	0	1
610,611	Disorders of breast	1	0	1
611	Other disorders of breast	1	0	1

Table 10 - Page 10
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total	White	Non-white
614-616	Inflammatory disease of female pelvic organs	2	0	2
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	2	0	2
617-629	Other disorders of female genital tract	3	1	2
619	Fistulae involving female genital tract	1	1	0
621	Disorders of uterus, not elsewhere classified	1	0	1
623	Noninflammatory disorders of vagina	1	0	1
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	10	3	7
630-639	Pregnancy with abortive outcome	0	0	0
640-648	Complications mainly related to pregnancy	1	0	1
642	Hypertension complicating pregnancy, childbirth, and the puerperium	1	0	1
650-659	Normal delivery, and other indications for care in pregnancy, labor, and delivery	1	1	0
650	Normal delivery	1	1	0
660-669	Complications occurring mainly in the course of labor and delivery	3	1	2
668	Of the administration of anesthetic or other sedation	1	1	0
669	Other, not elsewhere classified	2	0	2
670-676	Complications of the puerperium	5	1	4
671	Venous complications in pregnancy and the puerperium	1	0	1
673	Obstetrical pulmonary embolism	3	1	2
674	Other and unspecified complications of the puerperium	1	0	1
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	40	16	24
680-686	Infections of skin and subcutaneous tissue	7	3	4
682	Other cellulitis and abscess	6	3	3
686	Other local infections of skin and subcutaneous tissue	1	0	1
690-698	Other inflammatory conditions of skin and subcutaneous tissue	5	1	4
693	Dermatitis due to substances taken internally	1	1	0
695	Erythematous conditions	4	0	4
700-709	Other diseases of skin and subcutaneous tissue	28	12	16
707	Chronic ulcer of skin	27	11	16
709	Other disorders of skin and subcutaneous tissue	1	1	0
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	67	41	26
710-719	Arthropathies and related disorders	49	29	20
710	Diffuse diseases of connective tissue	30	16	14
711-716	Arthropathy, rheumatoid arthritis, and osteoarthrosis	18	13	5
711	Arthropathy associated with infections	1	1	0
714	Rheumatoid arthritis and other inflammatory polyarthropathies	8	8	0

able 10 - Page 11
eaths - Mississippi - 1979

nternational lassification umber*	Cause*	Total	White	Non-white
715	Osteoarthrosis and allied disorders	5	2	3
716	Other and unspecified arthropathies	4	2	2
718	Other derangement of joint	1	0	1
20-724	Dorsopathies	4	3	1
720	Ankylosing spondylitis and other inflammatory spondylopathies	1	0	1
721	Spondylosis and allied disorders	2	2	0
724	Other and unspecified disorders of back	1	1	0
25-729	Rheumatism, excluding the back	7	4	3
728	Disorders of muscle, ligament, and fascia	2	2	0
729	Other disorders of soft tissues	5	2	3
30-739	Osteopathies, chondropathies, and acquired musculoskeletal deformities	7	5	2
730	Osteomyelitis, periostitis, and other infections involving bone	3	2	1
736	Other acquired deformities of limbs	1	0	1
737	Curvature of spine	3	3	0
40-759	CONGENITAL ANOMALIES	187	106	81
740-742	Nervous system	25	14	11
740	Anencephalus and similar anomalies	4	2	2
741	Spina bifida	6	3	3
742	Other congenital anomalies of nervous system	15	9	6
743,744	Eye, ear, face, and neck	0	0	0
745-747	Circulatory system	89	54	35
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	20	13	7
746	Heart	52	29	23
747	Other congenital anomalies of circulatory system	17	12	5
748	Respiratory system	14	8	6
749-751	Digestive system	6	3	3
749	Cleft palate and cleft lip	2	0	2
750	Other congenital anomalies of upper alimentary tract	1	1	0
751	Other congenital anomalies of digestive system	3	2	1
752,753	Genitourinary system	12	9	3
753	Urinary system	12	9	3
754-756	Musculoskeletal system	19	10	9
754	Certain congenital musculoskeletal deformities	1	1	0
756	Other congenital musculoskeletal anomalies	18	9	9
758	Chromosomal anomalies	10	3	7
759	Other and unspecified congenital anomalies	12	5	7
60-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	381	130	251
760	Maternal conditions unrelated to present pregnancy	2	1	1

Table 10 - Page 12
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total	White	Non-white
761-763	Complications of pregnancy, labor, and delivery	26	9	17
761	Maternal complications of pregnancy	7	1	6
762	Complications of placenta, cord, and membranes	17	7	10
763	Other complications of labor and delivery	2	1	1
765,766	Disorders relating to gestation	81	13	68
765	Short gestation and unspecified low birthweight	81	13	68
767	Birth trauma	10	3	7
768-770	Respiratory conditions of fetus and newborn	169	66	103
768	Intrauterine hypoxia and birth asphyxia	20	10	10
769	Respiratory distress syndrome	78	27	51
770	Other respiratory conditions of fetus and newborn	71	29	42
771	Infections specific to the perinatal period	32	16	16
772	Fetal and neonatal hemorrhage	18	10	8
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	0	1
776	Hematological disorders of fetus and newborn	6	0	6
777	Perinatal disorders of digestive system	8	4	4
779	Other and ill-defined conditions originating in the perinatal period	28	8	20
780-799	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	1,661	697	964
780-789	Symptoms	18	10	8
780	General	1	0	1
782	Involving skin and other integumentary tissue	1	1	0
785	Involving cardiovascular system	5	5	0
786	Involving respiratory system and other chest symptoms	8	3	5
788	Involving urinary system	1	0	1
789	Other involving abdomen and pelvis	2	1	1
790-796	Nonspecific abnormal findings	0	0	0
797-799	Ill-defined and unknown causes of morbidity and mortality	1,643	687	956
797	Senility without mention of psychosis	39	8	31
798	Sudden death, cause unknown	90	27	63
799	Other ill-defined and unknown causes	1,514	652	862
800-999	EXTERNAL CAUSES OF INJURY AND POISONING	2,271	1,325	946
800-929	Accidents	1,649	1,003	646
800-807	Railway	6	3	3
802	Involving derailment without antecedent collision	1	0	1
805	Hit by rolling stock	5	3	2
810-825	Motor vehicle	783	524	259
(810-819)	(Traffic)	770	518	252
810	Involving collision with train	18	12	6
812	Involving collision with another motor vehicle	247	181	66
813	Involving collision with other vehicle	12	5	7

Table 10 - Page 13
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total	White	Non-white
814	Involving collision with pedestrian	94	43	51
815	Other involving collision on the highway	46	34	12
816	Due to loss of control, without collision on the highway	171	120	51
818	Other noncollision	19	16	3
819	Of unspecified nature	163	107	56
(820-825)	(Nontraffic)	13	6	7
821	Involving other off-road motor vehicle	1	1	0
822	Involving collision of other motor vehicle with moving object	5	1	4
823	Involving collision of other motor vehicle with stationary object	1	1	0
825	Of other and unspecified nature	6	3	3
826-829	Other road vehicle	1	1	0
826	Pedal cycle	1	1	0
830-838	Water transport	39	27	12
830	Accident to watercraft causing submersion	8	5	3
832	Other submersion or drowning in water transport	26	17	9
837	Explosion, fire, or burning in watercraft	3	3	0
838	Other and unspecified	2	2	0
840-845	Air and space transport	17	17	0
841	Accident to powered aircraft, other and unspecified	17	17	0
846-848	Vehicle accidents not elsewhere classifiable	0	0	0
850-869	Poisoning	53	32	21
(850-858)	(By drugs, medicaments, and biologicals)	22	17	5
850	Analgesics, antipyretics, antirheumatics	3	3	0
851	Barbiturates	1	1	0
853	Tranquillizers	2	1	1
854	Other psychotropic agents	3	3	0
855	Other drugs acting on central and autonomic nervous systems	1	1	0
858	Other drugs	12	8	4
(860-869)	(By other solid and liquid substances, gases, and vapors)	31	15	16
860	Alcohol, not elsewhere classified	7	5	2
862	Petroleum products, other solvents and their vapors, not elsewhere classified	2	0	2
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	1	0	1
866	Other and unspecified solid and liquid substances	1	1	0
867	Gas distributed by pipeline	2	2	0
868	Other utility gas and other carbon monoxide	17	7	10
869	Other gases and vapors	1	0	1
870-876	Misadventures to patients during surgical and medical care	2	0	2

Table 10 - Page 14
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total	White	Non-white
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	1	0	1
874	Mechanical failure of instrument or apparatus during procedure	1	0	1
878,879	Surgical and medical procedures as the cause of abnormal reaction of patient or later comlication, without mention of misadventures at the time of procedure	22	13	9
878	Surgical operation or other surgical procedure	15	8	7
879	Other procedures	7	5	2
880-888	Falls	128	93	35
880	On or from stairs or steps	1	1	0
881	On or from ladders or scaffolding	3	2	1
882	From or out of building or other structure	8	6	2
883	Into hole or other opening in surface	1	1	0
884	Other from one level to another	8	4	4
887	Fracture, cause unspecified	76	55	21
888	Other and unspecified fall	31	24	7
890-899	Caused by fires and flames	161	47	114
890	Conflagration in private dwelling	134	36	98
891	Conflagration in other and unspecified building or structure	1	1	0
892	Conflagration not in building or structure	2	2	0
893	Ignition of clothing	4	1	3
894	Ignition of highly inflammable material	4	1	3
895	Controlled fire in private dwelling	6	1	5
898	Other specified fire and flames	3	3	0
899	Unspecified fire	7	2	5
900-909	Due to natural and environmental factors	25	8	17
900	Excessive heat	3	2	1
901	Excessive cold	13	3	10
904	Hunger, thirst, exposure, and neglect	2	0	2
906	Other injury caused by animals	2	2	0
907	Lightning	2	1	1
908	Cataclysmic storms and floods resulting from storms	3	0	3
910-915	Accidents caused by submersion, suffocation, and foreign bodies	202	103	99
910	Drowning and submersion	114	50	64
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	44	28	16
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	26	15	11
913	Mechanical suffocation	17	10	7
915	Foreign body accidentally entering other orifice	1	0	1
916-929	Other accidents	210	135	75
916	Struck by falling object	28	18	10
917	Striking against or struck by objects or persons	5	4	1

nternational lassification umber*	Cause*	Total	White	Non-white
919	Caused by machinery	40	26	14
920	Caused by cutting and piercing instruments or objects	3	1	2
921	Caused by explosion of pressure vessel	1	1	0
922	Caused by firearm missile	63	37	26
923	Caused by explosive material	7	3	4
924	Caused by hot substance or object, caustic or corrosive material, and steam	1	1	0
925	Caused by electric current	23	19	4
927	Overexertion and strenuous movements	1	0	1
928	Other and unspecified environmental and accidental causes	33	22	11
929	Late effects of accidental injury	5	3	2
930-949	Drugs, medicaments, and biological substances causing adverse effects in therapeutic use	0	0	0
950-959	Suicide and self-inflicted injury	235	196	39
950-952	By poisoning	18	15	3
950	By solid or liquid substances	13	10	3
952	By other gases and vapors	5	5	0
953	By hanging, strangulation, and suffocation	15	12	3
954	By submersion (drowning)	2	2	0
955	By firearms and explosives	197	164	33
957	By jumping from high place	3	3	0
960-978	Homicide and injury purposely inflicted by other persons; legal intervention	350	107	243
960-969	Homicide and injury purposely inflicted by other persons	347	106	241
960	Fight, brawl, rape	2	0	2
963	Assault by hanging and strangulation	8	5	3
964	Assault by submersion (drowning)	1	0	1
965	Assault by firearms and explosives	254	72	182
966	Assault by cutting and piercing instrument	51	13	38
967	Child battering and other maltreatment	1	1	0
968	Assault by other and unspecified means	29	14	15
969	Late effects of injury purposely inflicted by other person	1	1	0
970-978	Legal intervention	3	1	2
970	Injury by firearms	3	1	2
80-989	Injury undetermined whether accidentally or purposely inflicted	37	19	18
980	Poisoning by solid or liquid substances	2	2	0
984	Submersion (drowning)	1	1	0
985	Injury by firearms and explosives	18	11	7
986	Injury by cutting and piercing instruments	1	0	1
988	Injury by other and unspecified means	14	4	10
989	Late effects of injury undetermined whether accidentally or purposely inflicted	1	1	0
90-999	Injury resulting from operations of war	0	0	0

Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE, ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1979

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
001-999	ALL CAUSES	22,932	9.5	W	14,348	M	8,114	164	47	26	32	282	231	317	670	1,506	4,838	1
						F	6,234	116	28	12	20	89	86	137	350	703	4,692	1
				NW	8,584	M	4,726	304	44	29	31	224	229	237	360	642	2,621	5
						F	3,858	225	38	23	15	76	92	119	258	456	2,555	1
001-139	Infectious and parasitic diseases	207	8.6	W	115	M	68	7	5	0	0	5	0	2	7	9	33	0
						F	47	4	3	0	0	0	1	1	4	5	29	0
				NW	92	M	41	1	1	0	1	2	6	4	4	7	15	0
						F	51	10	1	1	1	4	2	3	4	7	18	0
010-018	Tuberculosis	43	1.8	W	21	M	13	0	0	0	0	0	0	1	4	1	7	0
						F	8	0	0	0	0	0	0	0	1	1	6	0
				NW	22	M	14	0	0	0	0	0	2	1	2	5	4	0
						F	8	0	0	0	0	1	1	1	0	1	4	0
070	Viral hepatitis	14	0.6	W	11	M	8	1	0	0	0	1	0	1	3	1	1	0
						F	3	0	0	0	0	0	0	0	0	1	2	0
				NW	3	M	1	0	0	0	0	0	1	0	0	0	0	0
						F	2	0	0	0	0	0	0	0	1	1	0	0
140-208	Malignant neoplasms	4,157	172.8	W	2,810	M	1,583	0	5	5	0	11	15	45	142	381	979	0
						F	1,227	0	2	1	4	8	24	47	135	256	750	0
				NW	1,347	M	785	0	0	1	0	6	6	18	76	162	515	1
						F	562	0	3	2	0	7	11	23	66	105	345	0
210-239	Benign neoplasms and neoplasms of undetermined nature	65	2.7	W	51	M	25	0	0	0	0	0	1	0	4	3	17	0
						F	26	0	0	0	0	1	0	1	1	2	21	0
				NW	14	M	4	0	0	0	0	0	0	2	0	2	0	0
						F	10	0	0	1	0	0	0	1	2	0	6	0

able 11 - Page 3
eaths - Mississippi - 1979

nterational lassification umber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
20-389	Diseases of the nervous system and sense organs	191	7.9	W	114	M	64	3	4	0	1	7	3	6	4	14	22	0
						F	50	3	4	0	0	3	1	1	4	8	26	0
				NW	77	M	49	7	2	1	0	3	4	3	4	4	21	0
						F	28	5	2	1	1	1	1	1	1	5	10	0
20-322	Meningitis	17	0.7	W	10	M	5	2	1	0	0	0	0	0	0	1	1	0
						F	5	2	2	0	0	1	0	0	0	0	0	0
				NW	7	M	2	1	0	0	0	1	0	0	0	0	0	0
						F	5	2	1	0	0	0	0	0	0	1	1	0
45	Epilepsy	28	1.2	W	13	M	5	0	0	0	0	2	2	1	0	0	0	0
						F	8	0	1	0	0	2	0	1	2	0	2	0
				NW	15	M	11	0	0	0	0	0	3	1	4	1	2	0
						F	4	0	1	0	0	0	1	0	1	1	0	0
90-459	Diseases of the circulatory system	10,871	451.8	W	7,135	M	3,778	3	2	2	0	9	27	71	282	693	2,689	0
						F	3,357	2	1	2	3	6	7	26	106	270	2,934	0
				NW	3,736	M	1,845	10	1	1	3	14	19	64	118	255	1,357	3
						F	1,891	5	3	2	1	4	27	41	101	211	1,495	1
90-398, 402, 04-429	Heart diseases	7,869	327.0	W	5,334	M	2,987	3	2	1	0	7	20	60	255	581	2,058	0
						F	2,347	2	1	2	3	1	6	18	81	197	2,036	0
				NW	2,535	M	1,263	9	1	0	1	11	14	42	74	188	921	2
						F	1,272	5	3	1	0	4	18	33	74	160	973	1
01, 403	Hypertension	120	5.0	W	48	M	18	0	0	0	0	0	0	0	0	1	17	0
						F	30	0	0	0	0	0	0	0	1	1	28	0
				NW	72	M	35	0	0	0	0	0	1	1	6	4	23	0
						F	37	0	0	0	0	0	1	0	2	2	32	0
30-438	Cerebrovascular diseases	2,342	97.3	W	1,373	M	576	0	0	1	0	1	7	9	14	75	469	0
						F	797	0	0	0	0	4	0	7	19	58	709	0
				NW	969	M	465	1	0	1	1	3	4	21	33	52	348	1
						F	504	0	0	1	1	0	6	7	21	42	426	0

ble 11 – Page 4
aths - Mississippi - 1979

ter- tional assifi- tion mber*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age: Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65 and Over	Unknown
0	Atherosclerosis	268	11.1	W	179	M	69	0	0	0	0	0	0	0	1	3	65	0
						F	110	0	0	0	0	0	0	0	1	2	107	0
				NW	89	M	43	0	0	0	0	0	0	0	0	1	42	0
						F	46	0	0	0	0	0	0	0	1	4	41	0
0-519	Diseases of the respiratory system	1,021	42.4	W	765	M	502	5	2	1	0	2	3	8	12	87	382	0
						F	263	4	1	0	1	1	0	3	6	28	219	0
				NW	256	M	178	18	6	1	0	2	3	7	11	29	101	0
						F	78	11	2	0	0	5	2	1	5	3	49	0
0-486	Pneumonia	394	16.4	W	274	M	152	3	0	1	0	1	2	5	3	25	112	0
						F	122	3	0	0	0	1	0	0	2	5	111	0
				NW	120	M	76	8	6	0	0	0	0	3	6	11	42	0
						F	44	7	2	0	0	3	1	0	1	1	29	0
7	Influenza	13	0.5	W	5	M	1	0	0	0	0	0	0	0	0	0	1	0
						F	4	0	0	0	1	0	0	0	0	0	3	0
				NW	8	M	3	1	0	0	0	0	0	0	0	0	2	0
						F	5	1	0	0	0	0	0	0	0	0	4	0
2	Emphysema	124	5.2	W	111	M	93	0	0	0	0	0	0	0	2	20	71	0
						F	18	0	0	0	0	0	0	1	0	6	11	0
				NW	13	M	12	0	0	0	0	0	0	0	0	2	10	0
						F	1	0	0	0	0	0	0	0	0	0	1	0
0,491, 3-496	Other chronic obstructive pulmonary diseases and allied conditions	333	13.8	W	272	M	199	0	0	0	0	0	0	2	7	30	160	0
						F	73	0	0	0	0	0	0	1	3	13	56	0
				NW	61	M	51	0	0	0	0	2	0	0	2	13	34	0
						F	10	0	0	0	0	1	1	0	1	1	6	0
0-579	Diseases of the digestive system	663	27.6	W	456	M	244	2	0	0	0	2	8	19	40	71	102	0
						F	212	2	1	0	0	0	3	9	25	25	147	0
				NW	207	M	102	4	0	0	0	3	9	10	16	19	41	0
						F	105	7	3	3	1	0	4	3	9	16	59	0

Table 11 - Page 5
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
531-533	Ulcer of stomach and duodenum	35	1.4	W	26	M	16	0	0	0	0	0	1	0	0	3	12	0
						F	10	0	0	0	0	0	0	0	0	0	10	0
				NW	9	M	5	1	0	0	0	0	1	0	1	0	2	0
						F	4	0	0	0	0	0	0	0	1	2	1	0
571	Chronic liver disease and cirrhosis	200	8.3	W	163	M	106	0	0	0	0	0	4	11	29	40	22	0
						F	57	0	0	0	0	0	0	3	18	10	26	0
				NW	37	M	22	0	0	0	0	0	2	7	7	5	1	0
						F	15	0	0	0	0	0	1	2	2	3	7	0
580-629	Diseases of the genitourinary system	396	16.4	W	221	M	101	0	0	0	1	4	3	1	2	11	79	0
						F	120	0	0	0	0	0	0	2	7	6	105	0
				NW	175	M	106	0	0	0	0	2	1	1	7	14	80	1
						F	69	0	0	0	0	0	2	2	6	6	53	0
580-589	Nephritis, nephrotic syndrome, and nephrosis	203	8.4	W	106	M	52	0	0	0	1	3	3	1	1	6	37	0
						F	54	0	0	0	0	0	0	0	5	4	45	0
				NW	97	M	57	0	0	0	0	2	1	1	3	6	43	1
						F	40	0	0	0	0	0	2	1	4	3	30	0
590	Infections of kidney	55	2.3	W	44	M	14	0	0	0	0	1	0	0	0	2	11	0
						F	30	0	0	0	0	0	0	0	1	2	27	0
				NW	11	M	4	0	0	0	0	0	0	0	0	0	4	0
						F	7	0	0	0	0	0	0	0	2	0	5	0
630-676	Complications of pregnancy, childbirth, and the puerperium	10	21.8	W	3	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	3	0	0	0	0	0	3	0	0	0	0	0
				NW	7	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	7	0	0	0	0	5	2	0	0	0	0	0
680-709	Diseases of the skin and subcutaneous tissue	40	1.7	W	16	M	5	0	0	0	0	0	0	0	1	0	4	0
						F	11	0	0	0	0	0	0	0	0	1	10	0
				NW	24	M	7	0	0	0	0	0	0	0	0	0	7	0
						F	17	0	0	0	0	1	1	1	1	1	12	0

able 11 - Page 6
eaths - Mississippi - 1979

nter- ational lassifi- ation umber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
10-739	Diseases of the musculoskeletal system and connective tissue	67	2.8	W	41	M	14	0	0	0	0	0	1	1	1	3	8	0
						F	27	0	0	0	0	0	3	3	2	6	13	0
				NW	26	M	7	0	0	0	0	1	0	0	2	0	4	0
						F	19	0	0	0	0	2	2	2	2	0	11	0
40-759	Congenital anomalies	187	7.8	W	106	M	59	43	3	1	1	2	1	1	4	0	3	0
						F	47	29	3	1	1	1	2	0	4	5	1	0
				NW	81	M	48	38	3	0	2	2	1	0	1	1	0	0
						F	33	28	1	2	0	0	0	0	1	1	0	0
60-779	Certain conditions originating in the perinatal period	381	8.3	W	130	M	76	76	0	0	0	0	0	0	0	0	0	0
						F	54	54	0	0	0	0	0	0	0	0	0	0
				NW	251	M	151	151	0	0	0	0	0	0	0	0	0	0
						F	100	100	0	0	0	0	0	0	0	0	0	0
80-799	Symptoms, signs, and ill-defined conditions	1,661	69.0	W	697	M	430	18	1	0	0	2	6	18	43	98	244	0
						F	267	14	2	0	0	1	4	8	19	30	188	1
				NW	964	M	527	59	2	0	0	6	16	20	43	65	316	0
						F	437	41	2	0	1	5	4	7	26	52	299	0
00-999	All external causes	2,271	94.4	W	1,325	M	992	4	25	17	29	235	156	134	119	102	170	1
						F	333	1	9	8	10	67	34	33	28	39	104	0
				NW	946	M	715	11	27	23	24	178	156	93	62	61	80	0
						F	231	13	21	11	9	41	30	20	19	13	54	0
10-825	Motor vehicle accidents	783	32.5	W	524	M	390	0	7	7	14	135	58	50	41	32	46	0
						F	134	0	2	7	8	42	17	11	8	19	20	0
				NW	259	M	202	0	7	7	8	57	44	32	14	14	19	0
						F	57	1	4	4	1	16	9	4	6	4	8	0
00-807, 26-949	All other accidents and adverse effects	866	36.0	W	479	M	356	4	17	10	14	58	54	44	45	29	80	1
						F	123	1	7	1	2	10	8	6	9	10	69	0
				NW	387	M	276	10	20	16	16	58	33	24	20	29	50	0
						F	111	12	17	7	7	7	7	2	7	6	39	0

Table 11 - Page 7
Deaths - Mississippi - 1979

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
950-959	Suicide	235	9.8	W	196	M	144	0	0	0	1	22	20	21	18	29	33	0
						F	52	0	0	0	0	10	2	13	9	8	10	0
				NW	39	M	28	0	0	0	0	6	11	5	1	1	4	0
						F	11	0	0	0	0	3	3	4	0	0	1	0
960-978	Homicide and legal intervention	350	14.5	W	107	M	88	0	1	0	0	17	23	16	14	9	8	0
						F	19	0	0	0	0	5	6	2	0	1	5	0
				NW	243	M	193	0	0	0	0	52	67	30	26	14	4	0
						F	50	0	0	0	1	15	11	9	5	3	6	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-676) are per 100,000 live births and deaths from certain conditions originating in the perinatal period (classification numbers 760-779) are per 1,000 live births.

TABLE 12A

INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1979

	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	809	280	529	514	191	323	295	89	206
Adams	12	2	10	6	1	5	6	1	5
Alcorn	9	7	2	7	6	1	2	1	1
Amite	3	0	3	2	0	2	1	0	1
Attala	2	1	1	2	1	1	0	0	0
Benton	0	0	0	0	0	0	0	0	0
Bolivar	38	5	33	27	3	24	11	2	9
Calhoun	6	4	2	4	3	1	2	1	1
Carroll	4	0	4	3	0	3	1	0	1
Chickasaw	2	2	0	1	1	0	1	1	0
Choctaw	0	0	0	0	0	0	0	0	0
Claiborne	8	0	8	5	0	5	3	0	3
Clarke	6	3	3	5	3	2	1	0	1
Clay	9	2	7	5	1	4	4	1	3
Coahoma	17	2	15	10	1	9	7	1	6
Copiah	7	0	7	3	0	3	4	0	4
Covington	9	2	7	7	2	5	2	0	2
DeSoto	13	6	7	9	5	4	4	1	3
Forrest	22	11	11	16	9	7	6	2	4
Franklin	5	3	2	1	1	0	4	2	2
George	5	4	1	3	3	0	2	1	1
Greene	2	2	0	0	0	0	2	2	0
Grenada	6	1	5	5	1	4	1	0	1
Hancock	2	2	0	1	1	0	1	1	0
Harrison	29	19	10	17	15	2	12	4	8
Hinds	54	6	48	33	4	29	21	2	19
Holmes	13	1	12	7	1	6	6	0	6
Humphreys	13	0	13	6	0	6	7	0	7
Issaquena	1	0	1	1	0	1	0	0	0
Itawamba	2	2	0	2	2	0	0	0	0
Jackson	26	12	14	17	8	9	9	4	5
Jasper	4	2	2	1	0	1	3	2	1
Jefferson	3	0	3	3	0	3	0	0	0
Jeff Davis	2	0	2	2	0	2	0	0	0
Jones	15	5	10	10	2	8	5	3	2
Kemper	2	1	1	0	0	0	2	1	1
Lafayette	8	5	3	5	4	1	3	1	2
Lamar	2	2	0	1	1	0	1	1	0
Lauderdale	26	14	12	18	9	9	8	5	3
Lawrence	2	2	0	1	1	0	1	1	0
Leake	3	1	2	2	1	1	1	0	1
Lee	25	12	13	12	6	6	13	6	7
Leflore	27	5	22	22	4	18	5	1	4

Table 12A - Page 2
Infant, Neonatal, and Postneonatal Deaths - Mississippi - 1979

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	3	2	1	1	0	1	2	2	0
Lowndes	29	13	16	19	10	9	10	3	7
Madison	17	2	15	14	2	12	3	0	3
Marion	5	2	3	4	2	2	1	0	1
Marshall	7	3	4	3	1	2	4	2	2
Monroe	15	11	4	8	6	2	7	5	2
Montgomery	4	2	2	1	1	0	3	1	2
Neshoba	8	3	5	6	3	3	2	0	2
Newton	3	2	1	2	1	1	1	1	0
Noxubee	10	1	9	6	0	6	4	1	3
Oktibbeha	12	2	10	7	1	6	5	1	4
Panola	14	0	14	5	0	5	9	0	9
Pearl River	7	7	0	2	2	0	5	5	0
Perry	2	2	0	2	2	0	0	0	0
Pike	16	2	14	12	2	10	4	0	4
Pontotoc	5	4	1	3	3	0	2	1	1
Prentiss	4	4	0	4	4	0	0	0	0
Quitman	7	0	7	4	0	4	3	0	3
Rankin	16	9	7	10	6	4	6	3	3
Scott	7	2	5	6	2	4	1	0	1
Sharkey	6	1	5	4	1	3	2	0	2
Simpson	6	4	2	5	4	1	1	0	1
Smith	10	2	8	4	1	3	6	1	5
Stone	1	1	0	1	1	0	0	0	0
Sunflower	21	2	19	15	2	13	6	0	6
Tallahatchie	12	3	9	9	2	7	3	1	2
Tate	5	0	5	4	0	4	1	0	1
Tippah	10	8	2	7	5	2	3	3	0
Tishomingo	2	2	0	2	2	0	0	0	0
Tunica	11	2	9	5	1	4	6	1	5
Union	7	4	3	4	2	2	3	2	1
Walthall	4	0	4	3	0	3	1	0	1
Warren	17	6	11	9	4	5	8	2	6
Washington	26	8	18	18	7	11	8	1	7
Wayne	4	3	1	2	1	1	2	2	0
Webster	3	3	0	3	3	0	0	0	0
Wilkinson	3	0	3	2	0	2	1	0	1
Winston	5	3	2	2	2	0	3	1	2
Yalobusha	8	3	5	7	3	4	1	0	1
Yazoo	13	4	9	7	2	5	6	2	4

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

able 11- Page 2
eaths - Mississippi - 1979

nternational lassification umber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
40-279	Endocrine, nutritional, and metabolic diseases and immunity disorders	543	22.6	W	247	M	102	2	0	0	0	1	6	6	7	15	65	0
						F	145	3	2	0	1	1	2	3	8	17	108	0
				NW	296	M	110	5	0	1	1	2	0	6	12	17	66	0
						F	186	5	0	0	1	0	3	11	12	31	123	0
50	Diabetes mellitus	398	16.5	W	173	M	70	0	0	0	0	1	3	3	3	11	49	0
						F	103	0	0	0	0	0	2	1	4	15	81	0
				NW	225	M	75	0	0	0	0	1	0	3	10	12	49	0
						F	150	0	0	0	1	0	1	9	8	26	105	0
60-269	Nutritional deficiencies	33	1.4	W	18	M	8	0	0	0	0	0	0	0	0	1	7	0
						F	10	0	0	0	0	0	0	1	0	0	9	0
				NW	15	M	11	2	0	1	0	0	0	0	0	2	6	0
						F	4	2	0	0	0	0	0	0	0	0	2	0
80-289	Diseases of blood and blood-forming organs	74	3.1	W	42	M	23	1	0	0	0	1	0	2	0	5	14	0
						F	19	0	0	0	0	0	2	0	0	0	17	0
				NW	32	M	15	0	2	0	0	2	0	4	2	1	4	0
						F	17	0	0	0	0	1	0	0	2	3	11	0
80-285	Anemias	42	1.7	W	20	M	9	1	0	0	0	0	0	1	0	0	7	0
						F	11	0	0	0	0	0	0	0	0	0	11	0
				NW	22	M	11	0	2	0	0	2	0	3	0	1	3	0
						F	11	0	0	0	0	1	0	0	1	2	7	0
90-319	Mental disorders	127	5.3	W	74	M	48	0	0	0	0	1	1	3	2	14	27	0
						F	26	0	0	0	0	0	0	0	1	5	20	0
				NW	53	M	36	0	0	1	0	1	8	5	2	5	14	0
						F	17	0	0	0	0	0	1	3	1	2	10	0
03	Alcoholism	43	1.8	W	21	M	18	0	0	0	0	0	1	2	1	7	7	0
						F	3	0	0	0	0	0	0	0	0	3	0	0
				NW	22	M	16	0	0	0	0	0	7	4	2	2	1	0

TABLE 12B

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1975-1979 (5-YEAR AVERAGE)

	Infant**			Neonatal**			Postneonatal**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	19.8	13.2	26.7	13.3	9.6	17.3	6.4	3.6	9.4
Adams	19.2	10.4	25.0	12.0	6.0	16.0	7.2	4.5	9.0
Alcorn	12.9	11.3	21.2	8.2	8.2	7.9	4.7	3.1	13.2
Amite	18.0	4.3	27.9	11.7	2.2	18.6	6.3	2.2	9.3
Attala	14.9	10.0	19.3	9.5	7.2	11.6	5.4	2.9	7.7
Benton	7.9	9.5	6.3	7.9	9.5	6.3	-	-	-
Bolivar	28.5	17.6	31.9	19.5	13.0	21.6	8.9	4.6	10.3
Calhoun	21.8	18.8	26.5	14.8	15.9	13.2	7.0	2.9	13.2
Carroll	28.5	6.8	45.6	18.0	6.8	26.8	10.5	-	18.8
Chickasaw	18.7	8.3	28.9	14.0	3.6	24.3	4.7	4.7	4.6
Choctaw	10.6	9.1	12.6	6.6	4.5	9.5	4.0	4.5	3.2
Claiborne	34.0	18.3	37.6	23.0	18.3	24.0	11.1	-	13.6
Clarke	18.4	10.6	26.8	12.9	9.2	16.9	5.4	1.3	9.8
Clay	20.5	15.0	23.8	15.5	13.6	16.6	5.0	1.4	7.1
Coahoma	27.0	12.8	31.2	18.4	10.6	20.7	8.6	2.1	10.5
Copiah	23.3	9.6	32.0	13.1	6.4	17.3	10.2	3.2	14.6
Covington	26.4	14.6	36.6	14.9	8.7	20.2	11.5	5.8	16.4
DeSoto	15.0	11.4	25.8	10.4	9.1	14.3	4.6	2.3	11.4
Forrest	24.0	16.4	36.5	17.7	12.5	26.1	6.3	3.9	10.4
Franklin	26.4	28.9	24.1	14.0	19.3	9.0	12.4	9.6	15.1
George	14.2	14.3	14.0	7.4	8.7	-	6.8	5.6	14.0
Greene	24.2	23.2	26.6	17.6	15.5	22.8	6.6	7.7	3.8
Grenada	19.3	11.6	26.4	15.5	10.4	20.1	3.9	1.2	6.3
Hancock	6.9	5.2	16.9	3.8	3.0	8.4	3.2	2.2	8.4
Harrison	14.8	11.9	22.9	9.7	7.8	15.2	5.0	4.1	7.7
Hinds	14.1	8.5	18.2	9.8	6.9	11.9	4.3	1.6	6.3
Holmes	23.0	15.6	24.6	13.5	13.4	13.5	9.5	2.2	11.1
Humphreys	35.8	12.5	42.0	23.4	12.5	26.3	12.4	-	15.6
Issaquena	29.1	32.2	27.8	29.1	32.2	27.8	-	-	-
Itawamba	15.2	14.9	18.0	11.2	14.4	9.0	4.0	3.5	9.0
Jackson	16.0	13.0	24.3	10.9	8.6	17.2	5.1	4.4	7.1
Jasper	24.0	15.8	28.5	16.6	12.3	19.0	7.4	3.5	9.5
Jefferson	17.2	-	19.3	13.1	-	14.8	4.0	-	4.5
Jeff Davis	18.9	13.0	21.4	11.0	10.4	11.3	7.9	2.6	10.1
Jones	18.5	12.5	29.3	12.2	7.4	21.1	6.2	5.1	8.2
Kemper	22.4	7.7	29.0	10.6	-	15.3	11.8	7.7	13.6
Lafayette	19.2	14.4	25.2	12.1	8.1	17.2	7.1	6.3	8.0
Lamar	7.8	7.3	10.6	4.5	5.3	-	3.4	2.0	10.6
Lauderdale	22.4	16.6	29.5	16.3	11.7	21.9	6.1	4.9	7.6
Lawrence	16.1	11.4	21.6	11.6	9.8	13.8	4.5	1.6	7.9
Leake	18.1	13.4	22.0	11.4	11.9	11.0	6.7	1.5	11.0
Lee	21.2	17.2	29.7	14.0	12.6	16.8	7.2	4.5	12.9
Leflore	31.5	20.5	36.3	21.6	15.2	24.4	9.9	5.3	11.9

Table 12B - Page 2
Deaths - Mississippi - 1979

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	17.8	10.1	28.2	14.1	7.9	22.4	3.7	2.2	5.8
Lowndes	19.6	14.8	25.8	14.2	11.7	17.5	5.4	3.1	8.3
Madison	17.0	6.3	22.0	11.7	5.5	14.6	5.3	0.8	7.5
Marion	19.1	11.0	30.8	12.1	8.7	17.1	7.0	2.4	13.7
Marshall	21.7	20.2	22.6	11.4	10.1	12.2	10.3	10.1	10.4
Monroe	24.2	22.7	26.4	15.8	15.1	16.8	8.4	7.6	9.6
Montgomery	21.1	21.6	20.9	13.2	17.2	10.4	7.9	4.3	10.4
Neshoba	18.8	11.7	27.6	11.4	9.0	14.3	7.4	2.7	13.2
Newton	23.5	20.4	27.4	16.1	15.8	16.4	7.4	4.5	10.9
Noxubee	33.4	17.4	38.8	20.4	14.5	22.3	13.1	2.9	16.5
Oktibbeha	22.7	14.0	31.0	14.8	8.5	20.7	7.9	5.4	10.3
Panola	26.9	12.0	34.9	16.1	8.0	20.4	10.8	4.0	14.5
Pearl River	16.1	15.5	18.2	10.4	9.7	12.7	5.8	5.8	5.4
Perry	23.0	20.6	28.0	17.0	16.2	18.6	6.0	4.4	9.3
Pike	19.8	10.9	26.6	13.1	8.0	17.0	6.7	2.9	9.6
Pontotoc	16.6	14.6	24.6	12.3	10.9	17.6	4.3	3.6	7.0
Prentiss	21.4	18.5	35.3	14.1	14.8	10.6	7.4	3.7	24.7
Quitman	35.2	11.7	44.0	20.5	7.0	25.6	14.7	4.7	18.5
Rankin	13.3	12.6	15.6	8.9	8.8	9.0	4.4	3.8	6.6
Scott	16.7	10.8	23.2	14.3	8.1	21.1	2.4	2.7	2.0
Sharkey	13.7	7.3	15.8	8.2	7.3	8.5	5.5	-	7.3
Simpson	12.5	12.7	12.2	9.0	12.7	4.4	3.5	-	7.8
Smith	26.5	16.2	44.4	12.8	12.1	14.0	13.7	4.0	30.4
Stone	16.2	14.3	19.9	9.4	10.2	8.0	6.7	4.1	12.0
Sunflower	30.3	11.3	36.0	22.8	11.3	26.2	7.5	-	9.8
Tallahatchie	34.3	16.8	40.2	21.4	12.6	24.4	12.9	4.2	15.8
Tate	19.0	15.3	22.0	10.9	8.9	12.6	8.1	6.4	9.4
Tippah	24.5	18.6	44.4	18.4	13.2	35.5	6.1	5.3	8.9
Tishomingo	8.9	9.4	-	6.2	6.6	-	2.7	2.8	-
Tunica	32.2	26.4	33.2	18.5	15.9	19.0	13.7	10.6	14.2
Union	16.6	11.9	32.7	11.4	8.9	20.1	5.2	3.0	12.6
Walthall	19.9	11.1	26.5	14.3	9.2	18.2	5.6	1.8	8.4
Warren	22.3	15.8	29.2	17.7	12.9	22.7	4.7	2.9	6.5
Washington	19.3	12.0	22.9	13.0	9.7	14.6	6.3	2.2	8.3
Wayne	17.0	12.3	22.3	12.9	7.8	18.6	4.1	4.4	3.7
Webster	21.7	16.6	31.1	15.7	14.8	17.3	6.0	1.8	13.8
Wilkinson	17.4	13.2	19.1	12.5	8.8	13.9	5.0	4.4	5.2
Winston	17.9	15.4	20.0	14.2	14.0	14.4	3.7	1.4	5.6
Yalobusha	23.4	18.2	28.2	17.6	16.2	18.8	5.8	2.0	9.4
Yazoo	25.1	15.4	30.5	15.9	9.2	19.6	9.2	6.2	11.0

* Deaths per 1,000 live births.

** Infant - age less than one year; neonatal - age less than 28 days; postneonatal - age 28 days to one year.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE, ALSO MORTALITY RATES FOR SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1979

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
ALL CAUSES	809	17.6	W	280	191	98	63	10	11	9	89
			NW	529	323	179	98	20	17	9	206
Meningococcal infection (036)	2	##	W	2	0	0	0	0	0	0	2
			NW	0	0	0	0	0	0	0	0
Septicemia (038)	12	0.3	W	5	0	0	0	0	0	0	5
			NW	7	0	0	0	0	0	0	7
Other infectious and parasitic diseases (001-035, 037, 039-139)	8	0.2	W	4	0	0	0	0	0	0	4
			NW	4	0	0	0	0	0	0	4
Meningitis (320-322)	7	0.2	W	4	1	0	1	0	0	0	3
			NW	3	1	0	1	0	0	0	2
Acute upper respiratory infections (460-465)	6	0.1	W	1	0	0	0	0	0	0	1
			NW	5	0	0	0	0	0	0	5
Bronchitis and bronchiolitis (466, 490, 491)	3	0.1	W	1	1	0	0	0	1	0	0
			NW	2	1	0	0	1	0	0	1
Pneumonia and influenza (480-487)	23	0.5	W	6	1	0	0	0	1	0	5
			NW	17	5	2	1	0	2	0	12
Hernia and intestinal obstruction (550-553, 560)	4	0.1	W	2	2	1	0	0	1	0	0
			NW	2	0	0	0	0	0	0	2
Congenital anomalies (740-759)	138	3.0	W	72	52	27	15	2	3	5	20
			NW	66	42	18	17	5	0	2	24
Maternal conditions unrelated to pregnancy (760)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Maternal complications of pregnancy (761)	7	0.2	W	1	1	1	0	0	0	0	0
			NW	6	6	5	1	0	0	0	0
Complications of placenta, cord, and membranes (762)	17	0.4	W	7	7	6	1	0	0	0	0
			NW	10	9	5	4	0	0	0	1
Other complications of labor and delivery (763)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Disorders relating to short gestation and unspecified low birthweight (765)	81	1.8	W	13	13	13	0	0	0	0	0
			NW	68	66	60	5	1	0	0	2

Table 13 - Page 2
Infant Deaths - Mississippi - 1979

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Birth trauma (767)	10	0.2	W	3	3	0	2	1	0	0	0
			NW	7	7	3	4	0	0	0	0
Intrauterine hypoxia and birth asphyxia (768)	20	0.4	W	10	9	3	5	1	0	0	1
			NW	10	10	4	5	0	1	0	0
Respiratory distress syndrome (769)	78	1.7	W	27	26	9	15	0	2	0	1
			NW	51	51	32	18	0	1	0	0
Infections specific to the perinatal period (771)	32	0.7	W	16	16	5	8	2	0	1	0
			NW	16	16	2	11	0	3	0	0
Neonatal hemorrhage (772)	18	0.4	W	10	10	2	6	1	0	1	0
			NW	8	8	3	4	1	0	0	0
Hemorrhagic disease of newborn (776.0)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	1	0	0
Sudden infant death syndrome (798.0)	79	1.7	W	24	1	0	0	1	0	0	23
			NW	55	6	0	3	1	1	1	49
All other symptoms, signs, and ill-defined conditions (780-797, 798.1-799)	53	1.2	W	8	3	0	1	0	1	1	5
			NW	45	5	2	1	1	1	0	40
Accidents (800-949)	28	0.6	W	5	0	0	0	0	0	0	5
			NW	23	8	1	2	4	1	0	15
All other causes	178	3.9	W	57	43	29	9	2	2	1	14
			NW	121	79	40	21	6	6	6	42

* Deaths of children under 1 year of age.

** Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Deaths per 1,000 live births.

## Less than 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT, MISSISSIPPI, 1979

County	Total	Motor Vehicle	Water Trans- port	Poison- ing	Falls	Fires and Flames	Drowning and Sub- mersion	Fire- arms	All Other
STATE	1,655	801	38	53	124	159	112	64	304
Adams	15	8	0	0	2	1	0	0	4
Alcorn	17	13	0	0	1	0	1	1	1
Amite	5	0	0	0	0	0	4	0	1
Attala	10	7	0	1	0	0	0	2	0
Benton	0	0	0	0	0	0	0	0	0
Bolivar	30	6	1	0	3	7	3	2	8
Calhoun	8	5	0	0	0	0	0	0	3
Carroll	6	2	0	0	0	2	2	0	0
Chickasaw	15	8	1	0	1	1	1	0	3
Choctaw	3	1	0	0	1	0	0	1	0
Claiborne	15	9	0	0	1	1	2	0	2
Clarke	6	3	0	0	0	0	1	0	2
Clay	9	5	0	0	0	3	0	0	1
Coahoma	19	7	1	2	2	1	1	0	5
Copiah	8	4	0	1	1	0	1	0	1
Covington	5	3	0	0	0	2	0	0	0
DeSoto	17	11	1	0	0	1	2	1	1
Forrest	52	28	0	1	4	4	4	3	8
Franklin	16	10	0	0	0	1	1	0	4
George	6	4	0	0	0	0	0	1	1
Greene	2	1	0	0	0	0	0	1	0
Grenada	18	9	0	2	0	1	1	2	3
Hancock	28	10	4	0	2	3	4	4	1
Harrison	115	37	5	12	17	4	14	1	25
Hinds	211	109	0	5	23	15	5	11	43
Holmes	18	7	0	1	2	2	2	1	3
Humphreys	11	2	0	1	0	3	0	0	5
Issaquena	3	3	0	0	0	0	0	0	0
Itawamba	12	8	0	0	0	0	2	0	2
Jackson	66	42	2	0	6	1	1	2	12
Jasper	8	3	0	0	0	2	0	1	2
Jefferson	13	5	0	2	0	2	0	0	4
Jeff Davis	7	6	0	0	0	0	0	0	1
Jones	29	13	1	0	4	2	1	1	7
Kemper	5	3	0	0	0	0	2	0	0
Lafayette	21	10	0	0	2	6	2	0	1
Lamar	9	6	0	0	0	0	2	1	0
Lauderdale	55	24	1	3	8	5	1	3	10
Lawrence	7	3	0	0	1	0	0	1	2
Leake	12	10	0	0	0	0	0	1	1
Lee	59	31	0	1	5	8	1	1	12
Leflore	28	17	1	1	1	0	2	0	6

Table 14 - Page 2
Accidental Deaths - Mississippi - 1979

County	Total	Motor Vehicle	Water Trans-port	Poison-ing	Falls	Fires and Flames	Drowning and Sub-mersion	Fire-arms	All Other
Lincoln	23	12	0	0	2	2	1	0	6
Lowndes	36	18	0	3	1	3	1	3	7
Madison	29	11	3	0	0	11	1	0	3
Marion	17	9	1	1	0	1	4	0	1
Marshall	18	8	0	0	2	4	0	0	4
Monroe	18	8	0	1	1	1	2	3	2
Montgomery	7	2	0	0	2	0	0	1	2
Neshoba	16	9	2	0	1	0	1	0	3
Newton	8	2	0	0	0	1	0	0	5
Noxubee	6	2	0	0	1	0	1	0	2
Oktibbeha	16	7	0	1	0	1	3	1	3
Panola	19	11	1	2	0	1	1	0	3
Pearl River	17	5	1	1	1	0	5	1	3
Perry	3	2	0	0	0	0	1	0	0
Pike	21	17	0	0	0	4	0	0	0
Pontotoc	9	7	0	0	0	0	0	0	2
Prentiss	12	9	1	0	0	0	1	0	1
Quitman	10	6	0	0	0	1	1	0	2
Rankin	31	10	1	0	1	7	2	2	8
Scott	15	8	1	0	0	2	1	0	3
Sharkey	8	8	0	0	0	0	0	0	0
Simpson	13	8	0	0	0	1	4	0	0
Smith	10	3	0	0	1	2	2	0	2
Stone	10	6	0	0	0	1	2	0	1
Sunflower	15	5	1	0	2	1	0	2	4
Tallahatchie	20	6	0	1	1	9	0	0	3
Tate	15	5	0	2	2	0	1	0	5
Tippah	12	4	0	1	1	0	0	2	4
Tishomingo	20	9	5	1	0	3	2	0	0
Tunica	5	5	0	0	0	0	0	0	0
Union	9	8	0	0	0	0	0	0	1
Walthall	5	3	0	0	0	0	1	1	0
Warren	50	21	3	0	7	8	1	0	10
Washington	65	22	0	1	9	10	7	4	12
Wayne	16	10	0	3	0	0	0	1	2
Webster	7	3	0	0	1	1	0	0	2
Wilkinson	5	2	0	2	0	0	0	0	1
Winston	20	9	0	0	1	1	1	1	7
Yalobusha	5	1	0	0	0	2	0	0	2
Yazoo	15	7	0	0	0	3	2	0	3

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE, ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE, ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE, MISSISSIPPI, 1979

	Licensure Data			Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	27,279	19,843	7,436	27,279	19,843	7,436	24,893	17,888	7,005
Adams	448	290	158	464	297	167	409	257	152
Alcorn	429	382	47	442	395	47	315	279	36
Amite	117	70	47	131	82	49	115	70	45
Attala	188	128	60	195	136	59	195	138	57
Benton	60	28	32	76	40	36	64	34	30
Bolivar	399	215	184	398	208	190	383	204	179
Calhoun	141	114	27	156	125	31	157	122	35
Carroll	50	28	22	73	45	28	57	38	19
Chickasaw	225	144	81	205	131	74	188	117	71
Choctaw	110	74	36	95	66	29	99	67	32
Claiborne	102	42	60	102	43	59	88	31	57
Clarke	148	104	44	166	127	39	152	108	44
Clay	211	136	75	217	140	77	209	134	75
Coahoma	370	186	184	362	183	179	341	160	181
Copiah	243	137	106	272	159	113	237	125	112
Covington	142	100	42	148	105	43	145	104	41
DeSoto	793	627	166	769	599	170	411	357	54
Forrest	1,008	811	197	916	728	188	883	707	176
Franklin	71	42	29	78	49	29	64	35	29
George	291	277	14	279	264	15	203	191	12
Greene	98	85	13	106	95	11	84	70	14
Grenada	230	156	74	206	134	72	205	142	63
Hancock	297	278	19	311	293	18	231	213	18
Harrison	2,333	2,025	308	2,320	2,014	306	1,926	1,666	260
Hinds	2,983	1,963	1,020	2,723	1,791	932	2,879	1,901	978
Holmes	178	58	120	198	77	121	160	44	116
Humphreys	118	49	69	129	54	75	112	46	66
Issaquena	12	9	3	7	2	5	13	8	5
Itawamba	187	177	10	195	186	9	183	174	9
Jackson	1,324	1,126	198	1,345	1,156	189	1,211	1,047	164
Jasper	133	80	53	154	82	72	141	78	63
Jefferson	80	23	57	77	20	57	73	18	55
Jeff Davis	95	51	44	120	74	46	97	49	48
Jones	705	559	146	716	567	149	694	551	143
Kemper	56	26	30	73	40	33	52	21	31
Lafayette	267	184	83	251	168	83	243	161	82
Lamar	186	168	18	237	215	22	238	217	21
Lauderdale	828	619	209	794	583	211	781	579	202
Lawrence	110	85	25	124	100	24	123	99	24
Leake	184	124	60	190	127	63	154	101	53
Lee	694	564	130	660	529	131	682	549	133
Leflore	387	222	165	368	214	154	390	223	167

Table 15 - Page 2
Marriages - Mississippi - 1979

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	324	233	91	314	228	86	291	209	82
Lowndes	536	407	129	553	414	139	476	356	120
Madison	300	156	144	335	173	162	289	143	146
Marion	333	250	83	316	233	83	297	226	71
Marshall	311	186	125	305	182	123	230	136	94
Monroe	303	220	83	345	252	93	297	218	79
Montgomery	109	65	44	121	78	43	110	62	48
Neshoba	231	172	59	231	170	61	238	174	64
Newton	159	115	44	190	142	48	174	123	51
Noxubee	115	45	70	108	39	69	111	39	72
Oktibbeha	276	186	90	264	181	83	255	170	85
Panola	233	146	87	236	147	89	223	140	83
Pearl River	431	383	48	418	370	48	385	341	44
Perry	140	122	18	138	115	23	128	107	21
Pike	384	255	129	386	246	140	353	229	124
Pontotoc	214	185	29	219	196	23	205	180	25
Prentiss	232	207	25	222	196	26	221	196	25
Quitman	98	46	52	111	54	57	104	49	55
Rankin	643	545	98	642	552	90	670	583	87
Scott	317	211	106	308	205	103	314	206	108
Sharkey	67	38	29	69	40	29	62	35	27
Simpson	264	205	59	281	211	70	252	190	62
Smith	114	90	24	153	125	28	134	107	27
Stone	149	114	35	146	112	34	130	96	34
Sunflower	271	130	141	278	131	147	269	129	140
Tallahatchie	153	80	73	157	84	73	139	66	73
Tate	208	140	68	204	145	59	169	109	60
Tippah	192	164	28	202	173	29	170	144	26
Tishomingo	278	271	7	276	269	7	147	143	4
Tunica	79	35	44	64	27	37	48	18	30
Union	230	206	24	231	211	20	244	221	23
Walthall	128	74	54	121	69	52	106	58	48
Warren	607	453	154	619	459	160	573	419	154
Washington	751	441	310	778	460	318	702	402	300
Wayne	221	154	67	212	147	65	206	148	58
Webster	103	85	18	111	90	21	111	87	24
Wilkinson	151	89	62	149	83	66	86	30	56
Winston	183	117	66	182	112	70	173	114	59
Yalobusha	122	93	29	137	111	26	132	93	39
Yazoo	288	163	125	291	162	129	282	157	125
Unknown county				8	6	2			
Out of state	*	*	*	*	*	*	2,365	1,942	423
Unknown state							21	13	8

* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE, MISSISSIPPI, 1979

County	Total	White	Non-white	County	Total	White	Non-white
STATE	13,628	10,402	3,226				
Adams	217	129	88	Lincoln	131	96	35
Alcorn	138	133	5	Lowndes	316	258	58
Amite	47	34	13	Madison	200	104	96
Attala	66	46	20	Marion	185	144	41
Benton	35	30	5	Marshall	162	111	51
Bolivar	205	126	79	Monroe	173	129	44
Calhoun	48	37	11	Montgomery	44	36	8
Carroll	3	2	1	Neshoba	126	92	34
Chickasaw	76	55	21	Newton	71	59	12
Choctaw	40	32	8	Noxubee	37	18	19
Claiborne	37	19	18	Oktibbeha	130	100	30
Clarke	59	40	19	Panola	145	94	51
Clay	64	29	35	Pearl River	279	253	26
Coahoma	151	83	68	Perry	58	47	11
Copiah	96	60	36	Pike	205	137	68
Covington	67	51	16	Pontotoc	133	115	18
DeSoto	382	364	18	Prentiss	118	108	10
Forrest	592	467	125	Quitman	24	15	9
Franklin	22	15	7	Rankin	415	379	36
George	67	63	4	Scott	132	90	42
Greene	20	16	4	Sharkey	32	17	15
Grenada	102	65	37	Simpson	95	59	36
Hancock	148	140	8	Smith	54	45	9
Harrison	1,034	888	146	Stone	53	44	9
Hinds	1,577	1,098	479	Sunflower	89	45	44
Holmes	74	35	39	Tallahatchie	65	39	26
Humphreys	37	18	19	Tate	114	98	16
Issaquena	1	0	1	Tippah	102	95	7
Itawamba	110	103	7	Tishomingo	53	49	4
Jackson	870	737	133	Tunica	29	14	15
Jasper	66	32	34	Union	106	97	9
Jefferson	29	10	19	Walthall	62	44	18
Jeff Davis	71	45	26	Warren	353	257	96
Jones	407	352	55	Washington	417	263	154
Kemper	36	19	17	Wayne	124	96	28
Lafayette	126	83	43	Webster	49	45	4
Lamar	122	113	9	Wilkinson	30	9	21
Lauderdale	513	397	116	Winston	111	83	28
Lawrence	73	58	15	Yalobusha	53	41	12
Leake	76	57	19	Yazoo	105	64	41
Lee	378	319	59				
Leflore	166	113	53				

NOTE:

Table 17 extends from page 205 through page 225 with identical data for each county as well as for the state.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Adams County			Alcorn County			Amite County			Attala County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	1	1	0	0	0	0	1	0	1
Malignant neoplasms (140-208)	95	44	51	63	55	8	22	19	3	37	26	11
Diabetes mellitus (250)	9	2	7	0	0	0	2	0	2	10	4	6
Diseases of heart (390-398, 402, 404, 410-429)	148	67	81	120	107	13	32	22	10	99	66	33
Hypertension (401, 403)	3	1	2	0	0	0	0	0	0	1	1	0
Cerebrovascular diseases (430-438)	35	14	21	21	18	3	7	5	2	25	19	6
Atherosclerosis (440)	10	8	2	4	4	0	1	1	0	4	3	1
Pneumonia and influenza (480-487)	4	4	0	8	5	3	0	0	0	8	6	2
Emphysema and other chronic obstructive pulmonary diseases (490-496)	8	4	4	6	6	0	4	3	1	3	3	0
Chronic liver disease and cirrhosis (571)	3	3	0	8	7	1	1	1	0	3	3	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	1	3	9	9	0	0	0	0	2	2	0
Infections of kidney (590)	1	0	1	0	0	0	1	0	1	1	1	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	5	2	3	5	5	0	0	0	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	5	0	5	2	1	1	3	0	3	2	1	1
Accidents (800-949)	17	9	8	23	19	4	7	4	3	14	7	7
Motor vehicle accidents# (810-825)	9	6	3	15	11	4	5	4	1	8	4	4
Suicide (950-959)	3	2	1	7	6	1	0	0	0	1	1	0
Homicide and legal intervention (960-978)	5	2	3	2	2	0	0	0	0	3	0	3
Symptoms, signs, and ill-defined conditions# (780-799)	18	2	16	2	2	0	36	18	18	15	6	9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Benton County			Bolivar County			Calhoun County			Carroll County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	2	1	1	0	0	0	0	0	0
Malignant neoplasms (140-208)	14	13	1	77	35	42	42	37	5	16	10	6
Diabetes mellitus (250)	1	0	1	4	2	2	4	3	1	2	0	2
Diseases of heart (390-398, 402, 404, 410-429)	20	15	5	159	54	105	36	31	5	27	11	16
Hypertension (401, 403)	1	1	0	2	0	2	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	3	2	1	53	15	38	23	18	5	12	6	6
Atherosclerosis (440)	1	0	1	15	7	8	1	1	0	0	0	0
Pneumonia and influenza (480-487)	0	0	0	8	3	5	1	1	0	1	0	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	0	1	6	3	3	8	8	0	0	0	0
Chronic liver disease and cirrhosis (571)	1	1	0	4	3	1	0	0	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	5	2	3	2	2	0	4	2	2
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	1	0	1	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	6	2	4	0	0	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	0	0	0	22	1	21	4	3	1	2	0	2
Accidents (800-949)	6	6	0	29	7	22	11	7	4	6	2	4
Motor vehicle accidents# (810-825)	4	4	0	9	2	7	5	3	2	2	1	1
Suicide (950-959)	0	0	0	4	3	1	3	3	0	0	0	0
Homicide and legal intervention (960-978)	2	0	2	8	0	8	4	1	3	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	5	3	2	50	6	44	8	6	2	6	2	4

---

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Chickasaw County			Choctaw County			Claiborne County			Clarke County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	1	0	1
Malignant neoplasms (140-208)	36	30	6	18	15	3	14	6	8	29	19	10
Diabetes mellitus (250)	3	2	1	2	1	1	3	2	1	2	1	1
Diseases of heart (390-398, 402, 404, 410-429)	74	56	18	37	33	4	53	19	34	69	47	22
Hypertension (401, 403)	1	0	1	0	0	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	21	15	6	8	5	3	17	6	11	17	8	9
Atherosclerosis (440)	1	0	1	0	0	0	0	0	0	2	2	0
Pneumonia and influenza (480-487)	6	5	1	1	0	1	4	0	4	6	4	2
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	5	2	4	3	1	0	0	0	2	2	0
Chronic liver disease and cirrhosis (571)	1	1	0	0	0	0	1	1	0	1	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	1	0	1	2	2	0	4	1	3
Infections of kidney (590)	3	1	2	0	0	0	0	0	0	2	2	0
Maternal causes (630-676)	1	0	1	0	0	0	0	0	0	1	0	1
Congenital anomalies (740-759)	1	1	0	0	0	0	1	0	1	1	1	0
Certain conditions originating in the perinatal period (760-779)	0	0	0	0	0	0	2	0	2	3	1	2
Accidents (800-949)	26	16	10	7	6	1	11	4	7	8	4	4
Motor vehicle accidents# (810-825)	13	9	4	3	2	1	6	3	3	2	0	2
Suicide (950-959)	1	1	0	3	3	0	0	0	0	0	0	0
Homicide and legal intervention (960-978)	3	0	3	1	0	1	3	2	1	1	0	1
Symptoms, signs, and ill-defined conditions# (780-799)	3	0	3	2	2	0	3	0	3	7	4	3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Clay County			Coahoma County			Copiah County			Covington County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	1	1	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	27	14	13	67	23	44	41	21	20	29	22	7
Diabetes mellitus (250)	1	1	0	9	2	7	3	2	1	2	1	1
Diseases of heart (390-398, 402, 404, 410-429)	94	40	54	112	44	68	90	57	33	53	37	16
Hypertension (401, 403)	1	0	1	4	1	3	1	1	0	1	1	0
Cerebrovascular diseases (430-438)	19	12	7	51	15	36	28	13	15	20	13	7
Atherosclerosis (440)	0	0	0	3	1	2	4	1	3	0	0	0
Pneumonia and influenza (480-487)	3	1	2	5	3	2	2	1	1	3	2	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	3	0	6	6	0	4	4	0	9	8	1
Chronic liver disease and cirrhosis (571)	1	0	1	2	2	0	0	0	0	2	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	8	1	7	1	1	0	1	1	0
Infections of kidney (590)	0	0	0	2	1	1	2	2	0	0	0	0
Maternal causes (630-676)	1	1	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0	3	0	3	2	0	2
Certain conditions originating in the perinatal period (760-779)	4	0	4	8	1	7	2	0	2	5	2	3
Accidents (800-949)	9	6	3	18	10	8	12	7	5	15	8	7
Motor vehicle accidents# (810-825)	3	3	0	9	4	5	5	1	4	6	5	1
Suicide (950-959)	2	2	0	1	1	0	5	4	1	2	1	1
Homicide and legal intervention (960-978)	4	1	3	4	1	3	8	2	6	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	6	2	4	78	8	70	40	13	27	24	14	10

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	DeSoto County			Forrest County			Franklin County			George County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	57	46	11	114	83	31	18	8	10	26	21	5
Diabetes mellitus (250)	4	2	2	16	7	9	1	1	0	5	5	0
Diseases of heart (390-398, 402, 404, 410-429)	70	58	12	202	154	48	40	28	12	55	50	5
Hypertension (401, 403)	0	0	0	5	2	3	3	0	3	1	1	0
Cerebrovascular diseases (430-438)	27	16	11	59	39	20	14	6	8	11	9	2
Atherosclerosis (440)	1	1	0	4	3	1	3	1	2	1	1	0
Pneumonia and influenza (480-487)	7	6	1	14	11	3	1	1	0	0	0	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	17	17	0	3	2	1	2	2	0
Chronic liver disease and cirrhosis (571)	1	1	0	7	6	1	1	1	0	2	2	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	3	0	3	1	1	0	0	0	0
Infections of kidney (590)	0	0	0	2	2	0	0	0	0	6	6	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	4	3	1	7	5	2	3	3	0	1	1	0
Certain conditions originating in the perinatal period (760-779)	4	3	1	9	4	5	1	1	0	1	1	0
Accidents (800-949)	31	21	10	33	23	10	17	11	6	8	6	2
Motor vehicle accidents# (810-825)	18	17	1	17	13	4	10	8	2	4	3	1
Suicide (950-959)	2	2	0	8	7	1	0	0	0	0	0	0
Homicide and legal intervention (960-978)	3	3	0	7	2	5	3	0	3	2	2	0
Symptoms, signs, and ill-defined conditions# (780-799)	58	24	34	60	28	32	0	0	0	2	1	1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Greene County			Grenada County			Hancock County			Harrison County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	2	0	2
Malignant neoplasms (140-208)	23	20	3	38	25	13	45	39	6	259	218	41
Diabetes mellitus (250)	1	0	1	3	1	2	5	3	2	12	10	2
Diseases of heart (390-398, 402, 404, 410-429)	43	30	13	73	45	28	99	85	14	472	400	72
Hypertension (401, 403)	3	2	1	1	0	1	0	0	0	4	1	3
Cerebrovascular diseases (430-438)	7	5	2	42	21	21	17	12	5	92	70	22
Atherosclerosis (440)	2	2	0	1	0	1	1	1	0	7	7	0
Pneumonia and influenza (480-487)	1	1	0	5	2	3	4	4	0	23	19	4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	5	5	0	8	7	1	36	33	3
Chronic liver disease and cirrhosis (571)	1	1	0	1	1	0	7	7	0	23	20	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	3	3	0	0	0	0	9	7	2
Infections of kidney (590)	1	1	0	0	0	0	1	0	1	2	2	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	1	1	0	2	2	0	9	7	2
Certain conditions originating in the perinatal period (760-779)	0	0	0	4	0	4	0	0	0	12	11	1
Accidents (800-949)	5	4	1	13	11	2	29	29	0	92	72	20
Motor vehicle accidents# (810-825)	3	2	1	6	5	1	13	13	0	29	21	8
Suicide (950-959)	0	0	0	0	0	0	2	2	0	20	20	0
Homicide and legal intervention (960-978)	0	0	0	8	4	4	2	2	0	19	12	7
Symptoms, signs, and ill-defined conditions# (780-799)	1	1	0	13	5	8	1	1	0	4	2	2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Hinds County			Holmes County			Humphreys County			Issaquena County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	5	2	3	1	1	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	351	197	154	44	16	28	35	12	23	5	0	5
Diabetes mellitus (250)	31	12	19	10	1	9	3	0	3	0	0	0
Diseases of heart (390-398, 402, 404, 410-429)	626	390	236	94	28	66	58	24	34	6	3	3
Hypertension (401, 403)	6	2	4	1	0	1	1	0	1	0	0	0
Cerebrovascular diseases (430-438)	192	107	85	30	8	22	22	6	16	2	0	2
Atherosclerosis (440)	16	12	4	4	1	3	14	3	11	0	0	0
Pneumonia and influenza (480-487)	39	24	15	6	1	5	2	2	0	0	0	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	34	29	5	6	3	3	3	2	1	0	0	0
Chronic liver disease and cirrhosis (571)	15	10	5	1	0	1	0	0	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	8	12	3	0	3	0	0	0	0	0	0
Infections of kidney (590)	4	4	0	1	1	0	0	0	0	0	0	0
Maternal causes (630-676)	1	0	1	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	15	2	13	2	0	2	1	0	1	0	0	0
Certain conditions originating in the perinatal period (760-779)	26	4	22	8	1	7	4	0	4	1	0	1
Accidents (800-949)	102	44	58	19	8	11	16	6	10	3	0	3
Motor vehicle accidents# (810-825)	53	21	32	9	5	4	6	3	3	3	0	3
Suicide (950-959)	26	21	5	3	2	1	2	1	1	1	1	0
Homicide and legal intervention (960-978)	59	11	48	3	0	3	1	0	1	1	0	1
Symptoms, signs, and ill-defined conditions# (780-799)	80	30	50	8	2	6	5	0	5	7	0	7

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1979

ause and International lassification Number*	Itawamba County			Jackson County			Jasper County			Jefferson County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
uberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
alignant neoplasms (140-208)	36	32	4	166	135	31	27	15	12	17	3	14
iabetes mellitus (250)	4	3	1	10	8	2	4	0	4	4	0	4
iseases of heart (390-398, 402, 404, 410-429)	78	77	1	222	181	41	50	34	16	38	14	24
ypertension (401, 403)	0	0	0	4	3	1	0	0	0	0	0	0
erebrovascular diseases (430-438)	30	28	2	41	37	4	17	11	6	5	1	4
therosclerosis (440)	2	2	0	5	4	1	2	2	0	0	0	0
neumonia and influenza (480-487)	1	1	0	8	6	2	2	2	0	0	0	0
mphysema and other chronic obstructive pulmonary diseases (490-496)	3	3	0	14	13	1	6	4	2	1	1	0
hronic liver disease and cirrhosis (571)	3	3	0	10	8	2	0	0	0	1	0	1
ephritis, nephrotic syndrome, and nephrosis (580-589)	3	3	0	3	3	0	1	0	1	1	0	1
nfections of kidney (590)	0	0	0	1	1	0	0	0	0	0	0	0
aternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
ongenital anomalies (740-759)	1	1	0	7	4	3	1	1	0	1	0	1
ertain conditions originating in the perinatal period (760-779)	0	0	0	10	5	5	2	1	1	3	0	3
ccidents (800-949)	15	14	1	72	61	11	14	7	7	15	4	11
Motor vehicle accidents# (810-825)	9	9	0	40	37	3	7	5	2	7	0	7
uicide (950-959)	1	1	0	10	9	1	1	1	0	2	2	0
omicide and legal intervention (960-978)	1	1	0	11	6	5	1	0	1	1	0	1
ymptoms, signs, and ill-defined conditions# (780-799)	0	0	0	50	42	8	12	2	10	5	1	4

Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1979

ause and International lassification Number*	Jeff Davis County			Jones County			Kemper County			Lafayette County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
uberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
alignant neoplasms (140-208)	24	11	13	111	89	22	15	10	5	35	27	8
iabetes mellitus (250)	1	0	1	13	10	3	2	1	1	6	3	3
iseases of heart (390-398, 402, 404, 410-429)	63	28	35	220	182	38	33	18	15	79	53	26
ypertension (401, 403)	0	0	0	6	4	2	0	0	0	0	0	0
erebrovascular diseases (430-438)	7	2	5	61	45	16	7	3	4	29	18	11
therosclerosis (440)	1	1	0	7	7	0	0	0	0	1	1	0
neumonia and influenza (480-487)	1	1	0	12	10	2	1	1	0	0	0	0
mphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	7	7	0	3	2	1	4	3	1
hronic liver disease and cirrhosis (571)	0	0	0	7	7	0	1	1	0	3	3	0
ephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	5	4	1	1	1	0	2	1	1
nfections of kidney (590)	1	1	0	1	0	1	0	0	0	0	0	0
aternal causes (630-676)	0	0	0	1	1	0	0	0	0	0	0	0
ongenital anomalies (740-759)	3	1	2	7	5	2	1	1	0	2	2	0
ertain conditions originating in the perinatal period (760-779)	1	0	1	8	1	7	0	0	0	4	3	1
ccidents (800-949)	11	2	9	25	16	9	8	2	6	20	11	9
Motor vehicle accidents# (810-825)	9	2	7	10	8	2	4	1	3	8	6	2
uicide (950-959)	1	1	0	12	12	0	0	0	0	2	1	1
omicide and legal intervention (960-978)	2	0	2	5	2	3	3	0	3	4	1	3
ymptoms, signs, and ill-defined conditions# (780-799)	4	4	0	78	43	35	15	6	9	30	14	16

Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1979

se and International ssification Number*	Lamar County			Lauderdale County			Lawrence County			Leake County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
erculosis (010-018)	0	0	0	3	1	2	0	0	0	0	0	0
ignant neoplasms (140-208)	27	25	2	139	91	48	23	16	7	30	22	8
betes mellitus (250)	0	0	0	10	7	3	0	0	0	5	1	4
eases of heart (390-398, 02, 404, 410-429)	48	44	4	181	142	39	42	29	13	80	62	18
ertension (401, 403)	0	0	0	6	4	2	1	1	0	1	0	1
ebrovascular diseases (430-38)	13	11	2	82	53	29	17	11	6	19	11	8
erosclerosis (440)	2	2	0	11	7	4	1	1	0	2	0	2
umonia and influenza (480-87)	3	2	1	14	13	1	2	1	1	5	4	1
hysema and other chronic ostructive pulmonary iseases (490-496)	1	1	0	16	14	2	3	2	1	2	1	1
onic liver disease and irrhosis (571)	0	0	0	8	6	2	1	0	1	1	1	0
hritis, nephrotic syndrome, nd nephrosis (580-589)	1	1	0	5	4	1	2	1	1	2	0	2
ections of kidney (590)	0	0	0	3	3	0	2	2	0	0	0	0
ernal causes (630-676)	0	0	0	0	0	0	1	0	1	0	0	0
genital anomalies (740-759)	2	2	0	6	4	2	0	0	0	0	0	0
tain conditions originating n the perinatal period 760-779)	1	1	0	14	6	8	1	1	0	1	1	0
idents (800-949)	7	6	1	45	31	14	10	8	2	18	9	9
otor vehicle accidents# (810-825)	3	2	1	18	12	6	3	2	1	13	6	7
cide (950-959)	2	2	0	10	9	1	0	0	0	4	2	2
icide and legal inter- ention (960-978)	1	0	1	10	3	7	2	1	1	6	2	4
ptoms, signs, and ill-efined conditions# (780-799)	18	13	5	161	93	68	0	0	0	4	1	3

auses and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of eath.

ot to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1979

ause and International lassification Number*	Lee County			Leflore County			Lincoln County			Lowndes County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
uberculosis (010-018)	1	0	1	0	0	0	0	0	0	1	0	1
alignant neoplasms (140-208)	84	70	14	89	47	42	47	36	11	87	51	36
iabetes mellitus (250)	8	3	5	7	2	5	5	3	2	7	3	4
iseases of heart (390-398, 402, 404, 410-429)	207	167	40	197	77	120	144	107	37	130	86	44
ypertension (401, 403)	0	0	0	4	2	2	0	0	0	2	2	0
erebrovascular diseases (430-438)	45	32	13	63	29	34	27	15	12	41	22	19
therosclerosis (440)	9	8	1	4	3	1	1	1	0	2	2	0
neumonia and influenza (480-487)	12	10	2	6	2	4	7	5	2	2	0	2
mphysema and other chronic obstructive pulmonary diseases (490-496)	12	12	0	4	3	1	6	5	1	7	6	1
hronic liver disease and cirrhosis (571)	8	7	1	3	3	0	4	4	0	4	2	2
ephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	2	0	2	0	0	0	4	1	3
nfections of kidney (590)	0	0	0	2	1	1	2	2	0	0	0	0
aternal causes (630-676)	1	1	0	0	0	0	0	0	0	0	0	0
ongenital anomalies (740-759)	5	3	2	5	0	5	0	0	0	8	5	3
ertain conditions originating in the perinatal period (760-779)	11	5	6	16	3	13	0	0	0	12	6	6
ccidents (800-949)	38	26	12	27	11	16	22	15	7	29	18	11
Motor vehicle accidents# (810-825)	17	14	3	15	9	6	12	10	2	11	9	2
uicide (950-959)	8	8	0	2	2	0	1	1	0	3	3	0
omicide and legal intervention (960-978)	4	3	1	9	2	7	4	1	3	8	1	7
ymptoms, signs, and ill-defined conditions# (780-799)	4	2	2	10	1	9	25	11	14	32	13	19

Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Madison County			Marion County			Marshall County			Monroe County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	3	1	2	1	1	0	0	0	0
Malignant neoplasms (140-208)	71	38	33	50	33	17	36	25	11	59	47	12
Diabetes mellitus (250)	6	2	4	3	3	0	4	1	3	7	3	4
Diseases of heart (390-398, 402, 404, 410-429)	88	41	47	75	54	21	66	35	31	139	110	29
Hypertension (401, 403)	7	0	7	0	0	0	2	1	1	6	2	4
Cerebrovascular diseases (430-438)	36	14	22	28	18	10	34	16	18	39	26	13
Atherosclerosis (440)	5	3	2	9	5	4	1	0	1	5	4	1
Pneumonia and influenza (480-487)	6	5	1	7	4	3	5	0	5	6	5	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	1	4	6	3	3	2	2	0	4	2	2
Chronic liver disease and cirrhosis (571)	3	2	1	2	2	0	0	0	0	1	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	0	3	3	2	1	0	0	0	1	1	0
Infections of kidney (590)	0	0	0	0	0	0	1	0	1	0	0	0
Maternal causes (630-676)	1	0	1	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	2	0	2	1	0	1	5	5	0
Certain conditions originating in the perinatal period (760-779)	11	2	9	1	1	0	2	1	1	6	4	2
Accidents (800-949)	26	6	20	20	13	7	25	16	9	25	18	7
Motor vehicle accidents# (810-825)	9	4	5	9	7	2	15	11	4	11	9	2
Suicide (950-959)	5	4	1	0	0	0	1	1	0	0	0	0
Homicide and legal intervention (960-978)	9	1	8	3	2	1	5	2	3	3	0	3
Symptoms, signs, and ill-defined conditions# (780-799)	37	11	26	23	7	16	36	12	24	17	9	8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MONTGOMERY, NESHOBA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Montgomery County			Neshoba County			Newton County			Noxubee County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	1	0	1
Malignant neoplasms (140-208)	28	18	10	42	33	9	34	28	6	12	8	4
Diabetes mellitus (250)	0	0	0	3	0	3	7	2	5	4	1	3
Diseases of heart (390-398, 402, 404, 410-429)	61	41	20	65	55	10	74	57	17	32	11	21
Hypertension (401, 403)	1	0	1	0	0	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	19	8	11	25	21	4	12	8	4	7	2	5
Atherosclerosis (440)	1	1	0	2	2	0	1	0	1	3	0	3
Pneumonia and influenza (480-487)	2	1	1	5	4	1	2	1	1	1	1	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	8	7	1	0	0	0	0	0	0
Chronic liver disease and cirrhosis (571)	0	0	0	0	0	0	3	3	0	4	0	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	4	1	3	0	0	0	3	1	2
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	2	2	0	2	2	0	2	1	1
Certain conditions originating in the perinatal period (760-779)	1	1	0	3	2	1	1	0	1	5	0	5
Accidents (800-949)	9	4	5	19	10	9	14	6	8	7	0	7
Motor vehicle accidents# (810-825)	3	1	2	8	6	2	6	2	4	3	0	3
Suicide (950-959)	2	2	0	3	2	1	0	0	0	0	0	0
Homicide and legal intervention (960-978)	1	0	1	3	1	2	5	3	2	4	0	4
Symptoms, signs, and ill-defined conditions# (780-799)	6	3	3	23	19	4	25	15	10	14	0	14

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Oktibbeha County			Panola County			Pearl River County			Perry County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	49	34	15	55	29	26	54	48	6	10	8	2
Diabetes mellitus (250)	2	2	0	7	3	4	1	1	0	2	2	0
Diseases of heart (390-398, 402, 404, 410-429)	87	42	45	107	61	46	113	95	18	28	23	5
Hypertension (401, 403)	2	1	1	2	1	1	0	0	0	1	1	0
Cerebrovascular diseases (430-438)	21	15	6	31	19	12	18	16	2	3	2	1
Atherosclerosis (440)	5	3	2	1	0	1	3	1	2	0	0	0
Pneumonia and influenza (480-487)	4	2	2	2	1	1	6	6	0	2	1	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	6	3	3	3	3	0	3	3	0
Chronic liver disease and cirrhosis (571)	0	0	0	5	3	2	3	3	0	2	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	2	1	1	2	2	0	0	0	0
Infections of kidney (590)	0	0	0	0	0	0	3	2	1	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	5	2	3	2	0	2	5	5	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	5	1	4	3	0	3	0	0	0	2	2	0
Accidents (800-949)	18	8	10	13	6	7	26	19	7	11	8	3
Motor vehicle accidents# (810-825)	10	3	7	4	2	2	9	6	3	6	5	1
Suicide (950-959)	4	2	2	5	3	2	4	4	0	0	0	0
Homicide and legal intervention (960-978)	2	1	1	1	1	0	2	2	0	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	4	0	4	26	6	20	9	7	2	7	2	5

* Causes and numbers are from the *Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death*.

# Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Pike County			Pontotoc County			Prentiss County			Quitman County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	2	2	0	2	0	2
Malignant neoplasms (140-208)	83	60	23	44	40	4	43	39	4	16	10	6
Diabetes mellitus (250)	6	2	4	3	2	1	5	2	3	2	0	2
Diseases of heart (390-398, 402, 404, 410-429)	140	94	46	77	70	7	69	64	5	46	24	22
Hypertension (401, 403)	1	1	0	0	0	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	56	32	24	14	12	2	26	26	0	30	9	21
Atherosclerosis (440)	8	5	3	5	4	1	6	6	0	0	0	0
Pneumonia and influenza (480-487)	11	9	2	2	2	0	5	5	0	2	1	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	9	6	3	2	2	0	6	6	0	1	1	0
Chronic liver disease and cirrhosis (571)	3	3	0	0	0	0	1	1	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	5	4	1	3	3	0	3	0	3
Infections of kidney (590)	1	1	0	0	0	0	1	1	0	1	1	0
Maternal causes (630-676)	1	0	1	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	3	0	3	1	1	0	0	0	0	1	0	1
Certain conditions originating in the perinatal period (760-779)	11	1	10	3	3	0	4	4	0	3	0	3
Accidents (800-949)	27	22	5	13	13	0	14	14	0	10	6	4
Motor vehicle accidents# (810-825)	18	16	2	11	11	0	12	12	0	5	5	0
Suicide (950-959)	3	3	0	1	1	0	3	3	0	1	1	0
Homicide and legal intervention (960-978)	7	0	7	1	0	1	3	2	1	3	0	3
Symptoms, signs, and ill-defined conditions# (780-799)	22	5	17	4	1	3	25	20	5	3	1	2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Rankin County			Scott County			Sharkey County			Simpson County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	5	4	1	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	82	62	20	43	31	12	11	5	6	33	23	10
Diabetes mellitus (250)	13	7	6	5	3	2	2	2	0	3	0	3
Diseases of heart (390-398, 402, 404, 410-429)	137	107	30	84	49	35	24	11	13	90	73	17
Hypertension (401, 403)	1	1	0	0	0	0	1	0	1	1	0	1
Cerebrovascular diseases (430-438)	34	25	9	31	19	12	9	1	8	24	14	10
Atherosclerosis (440)	14	10	4	7	5	2	0	0	0	1	0	1
Pneumonia and influenza (480-487)	18	13	5	2	2	0	3	1	2	3	3	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	16	14	2	3	2	1	1	0	1	3	3	0
Chronic liver disease and cirrhosis (571)	2	1	1	1	1	0	0	0	0	2	2	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	2	4	1	1	0	2	1	1	3	1	2
Infections of kidney (590)	1	0	1	0	0	0	0	0	0	1	1	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	6	5	1	2	1	1	1	0	1	1	1	0
Certain conditions originating in the perinatal period (760-779)	7	3	4	4	1	3	4	1	3	4	3	1
Accidents (800-949)	44	32	12	16	13	3	7	5	2	24	17	7
Motor vehicle accidents# (810-825)	17	12	5	10	10	0	5	3	2	16	12	4
Suicide (950-959)	9	6	3	2	1	1	0	0	0	4	4	0
Homicide and legal intervention (960-978)	7	5	2	7	2	5	0	0	0	1	1	0
Symptoms, signs, and ill-defined conditions# (780-799)	40	23	17	26	9	17	5	0	5	16	8	8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Smith County			Stone County			Sunflower County			Tallahatchie County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	1	0	1	0	0	0
Malignant neoplasms (140-208)	26	24	2	19	11	8	65	30	35	34	17	17
Diabetes mellitus (250)	3	1	2	0	0	0	12	1	11	5	2	3
Diseases of heart (390-398, 402, 404, 410-429)	46	44	2	38	31	7	113	61	52	84	44	40
Hypertension (401, 403)	0	0	0	0	0	0	4	0	4	1	1	0
Cerebrovascular diseases (430-438)	12	11	1	6	4	2	51	24	27	21	12	9
Atherosclerosis (440)	1	1	0	0	0	0	1	0	1	0	0	0
Pneumonia and influenza (480-487)	1	0	1	3	2	1	3	2	1	3	1	2
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	1	1	0	3	1	2	2	2	0
Chronic liver disease and cirrhosis (571)	1	1	0	0	0	0	0	0	0	1	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	0	0	0	5	2	3	1	0	1
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	2	0	1	1	0	7	3	4	0	0	0
Certain conditions originating in the perinatal period (760-779)	3	0	3	0	0	0	10	1	9	8	2	6
Accidents (800-949)	16	10	6	6	6	0	19	10	9	20	6	14
Motor vehicle accidents# (810-825)	7	5	2	3	3	0	6	3	3	5	3	2
Suicide (950-959)	2	2	0	2	2	0	2	0	2	3	3	0
Homicide and legal intervention (960-978)	2	2	0	0	0	0	7	1	6	3	0	3
Symptoms, signs, and ill-defined conditions# (780-799)	13	9	4	5	4	1	18	2	16	25	4	21

* Causes and numbers are from the _Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death_.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Tate County			Tippah County			Tishomingo County			Tunica County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	1	1	0	0	0	0	1	0	1
Malignant neoplasms (140-208)	41	28	13	33	29	4	40	39	1	16	4	12
Diabetes mellitus (250)	4	3	1	3	2	1	1	1	0	1	0	1
Diseases of heart (390-398, 402, 404, 410-429)	51	34	17	84	69	15	68	66	2	45	15	30
Hypertension (401, 403)	0	0	0	0	0	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	19	11	8	24	21	3	14	14	0	11	2	9
Atherosclerosis (440)	1	1	0	3	1	2	2	2	0	1	1	0
Pneumonia and influenza (480-487)	5	3	2	7	7	0	4	4	0	9	1	8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	6	6	0	4	4	0	1	1	0
Chronic liver disease and cirrhosis (571)	0	0	0	1	1	0	0	0	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	1	2	2	0	0	0	0	1	1	0
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	0	0	0	0	0	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	3	0	3	8	6	2	2	2	0	4	1	3
Accidents (800-949)	13	9	4	15	12	3	15	15	0	5	4	[illegible]
Motor vehicle accidents# (810-825)	2	2	0	8	7	1	8	8	0	3	2	1
Suicide (950-959)	3	1	2	1	1	0	1	1	0	0	0	0
Homicide and legal intervention (960-978)	1	0	1	1	1	0	2	2	0	3	0	3
Symptoms, signs, and ill-defined conditions# (780-799)	19	11	8	3	3	0	3	3	0	4	0	4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Union County			Walthall County			Warren County			Washington County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	2	2	0	2	0	2
Malignant neoplasms (140-208)	31	28	3	18	14	4	96	48	48	126	59	67
Diabetes mellitus (250)	3	1	2	4	2	2	7	2	5	19	5	14
Diseases of heart (390-398, 402, 404, 410-429)	84	74	10	46	34	12	171	97	74	209	98	111
Hypertension (401, 403)	3	3	0	0	0	0	3	0	3	12	0	12
Cerebrovascular diseases (430-438)	24	21	3	13	10	3	58	28	30	96	29	67
Atherosclerosis (440)	4	4	0	2	2	0	4	3	1	9	5	4
Pneumonia and influenza (480-487)	3	3	0	1	0	1	9	7	2	8	2	6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	7	4	3	14	12	2	15	10	5
Chronic liver disease and cirrhosis (571)	2	1	1	2	2	0	8	8	0	7	5	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	2	2	0	4	3	1	10	5	5
Infections of kidney (590)	1	1	0	0	0	0	1	1	0	1	1	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	2	0	1	0	1	2	1	1	4	2	2
Certain conditions originating in the perinatal period (760-779)	3	1	2	2	0	2	9	5	4	14	6	8
Accidents (800-949)	11	7	4	7	5	2	48	25	23	56	23	33
Motor vehicle accidents# (810-825)	9	5	4	4	2	2	19	12	7	22	10	12
Suicide (950-959)	4	3	1	0	0	0	1	1	0	6	3	3
Homicide and legal intervention (960-978)	2	2	0	2	0	2	7	3	4	7	2	5
Symptoms, signs, and ill-defined conditions# (780-799)	20	17	3	17	11	6	4	1	3	68	12	56

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1979

Cause and International Classification Number*	Wayne County			Webster County			Wilkinson County			Winston County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	1	1	0
Malignant neoplasms (140-208)	19	14	5	17	14	3	12	5	7	26	16	10
Diabetes mellitus (250)	3	1	2	2	2	0	5	0	5	4	1	3
Diseases of heart (390-398, 402, 404, 410-429)	85	63	22	32	25	7	45	17	28	70	53	17
Hypertension (401, 403)	4	4	0	1	0	1	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	20	16	4	16	11	5	10	1	9	20	15	5
Atherosclerosis (440)	1	0	1	2	2	0	2	1	1	3	3	0
Pneumonia and influenza (480-487)	3	3	0	4	4	0	1	0	1	2	1	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	3	0	3	3	0	2	1	1	3	3	0
Chronic liver disease and cirrhosis (571)	1	1	0	1	1	0	1	1	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	0	0	0	0	0	0	2	0	2
Infections of kidney (590)	1	1	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	1	1	0	0	0	0	1	1	0
Certain conditions originating in the perinatal period (760-779)	1	1	0	1	1	0	2	0	2	2	2	0
Accidents (800-949)	18	7	11	11	8	3	7	1	6	21	7	14
Motor vehicle accidents# (810-825)	11	4	7	5	4	1	3	0	3	9	5	4
Suicide (950-959)	2	1	1	0	0	0	2	2	0	1	0	1
Homicide and legal intervention (960-978)	1	0	1	2	1	1	4	0	4	3	0	3
Symptoms, signs, and ill-defined conditions# (780-799)	7	5	2	2	2	0	3	1	2	11	7	4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND STATE OF MISSISSIPPI, 1979

Cause and International Classification Number*	Yalobusha County			Yazoo County			State of Mississippi		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	43	21	22
Malignant neoplasms (140-208)	34	27	7	50	30	20	4,157	2,810	1,347
Diabetes mellitus (250)	0	0	0	3	2	1	398	173	225
Diseases of heart (390-398, 402, 404, 410-429)	41	31	10	82	59	23	7,869	5,334	2,535
Hypertension (401, 403)	1	1	0	2	1	1	120	48	72
Cerebrovascular diseases (430-438)	25	14	11	26	14	12	2,342	1,373	969
Atherosclerosis (440)	0	0	0	5	3	2	268	179	89
Pneumonia and influenza (480-487)	4	3	1	5	5	0	407	279	128
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	3	0	4	2	2	457	383	74
Chronic liver disease and cirrhosis (571)	0	0	0	2	0	2	200	163	37
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	1	1	5	0	5	203	106	97
Infections of kidney (590)	0	0	0	1	1	0	55	44	11
Maternal causes (630-676)	0	0	0	0	0	0	10	3	7
Congenital anomalies (740-759)	0	0	0	1	0	1	187	106	81
Certain conditions originating in the perinatal period (760-779)	4	2	2	7	2	5	381	130	251
Accidents (800-949)	10	7	3	20	7	13	1,649	1,003	646
Motor vehicle accidents# (810-825)	2	1	1	9	6	3	783	524	259
Suicide (950-959)	0	0	0	3	2	1	235	196	39
Homicide and legal intervention (960-978)	3	0	3	5	0	5	350	107	243
Symptoms, signs, and ill-defined conditions# (780-799)	8	5	3	73	14	59	1,661	697	964

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TIME SERIES TABLES

TABLE 18
LIVE BIRTHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1979, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1979)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

Table 18 - Page 2
Live Births - Mississippi - 1913-1979

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	Not Available	
1973	44,638	23,119	21,519	19.3	Not Available	
1974	44,032	23,023	21,009	18.9	Not Available	
1975	43,336	22,559	20,777	18.5	Not Available	
1976	42,983	22,605	20,378	18.2	Not Available	
1977	45,532	23,369	22,163	19.1	Not Available	
1978	44,373	22,632	21,741	18.5	Not Available	
1979	45,919	23,487	22,432	19.1	Not Available	

* Births per 1,000 population.

TABLE 19
DEATHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1979, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1979)

	Number			Rate*		
Year	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

Table 19 - Page 2
Deaths - Mississippi - 1913-1979

	Number			Rate*		
Year	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	Not Available	
1973	24,007	14,461	9,546	10.4	Not Available	
1974	23,153	14,268	8,885	9.9	Not Available	
1975	22,768	13,790	8,978	9.7	Not Available	
1976	23,124	14,307	8,817	9.8	Not Available	
1977	23,022	14,318	8,704	9.6	Not Available	
1978	23,363	14,631	8,732	9.7	Not Available	
1979	22,932	14,348	8,584	9.5	Not Available	

* Deaths per 1,000 population.

TABLE 20
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1979, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1979)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

Table 20 - Page 2
Maternal Deaths - Mississippi - 1913-1979

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 21
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1917-1979, (OCCURRENCE DATA 1917-1943, RESIDENCE DATA 1944-1979)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,489	974	1,515	44.0	38.0	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

Table 21 - Page 2
Infant Deaths - Mississippi - 1917-1979

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6

* Deaths of children under one year of age.

** Deaths per 1,000 live births.

# Not available.

TABLE 22
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1979,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1979)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

Table 22 - Page 2
Neonatal Deaths - Mississippi - 1924-1979

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 23
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1979
(OCCURRENCE DATA 1924-1943, RESIDENCE DATA 1944-1979)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,053	313	740	18.6	12.2	23.9
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

Table 23 - Page 2
Postneonatal Deaths - Mississippi - 1924-1979

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 24
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA, MISSISSIPPI, 1926-1979

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

Table 24 - Page 2
Marriages and Divorces - Mississippi - 1926-1979

	Marriages			Divorces		
Year	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.

VITAL STATISTICS

MISSISSIPPI

1980

****

MISSISSIPPI STATE DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH STATISTICS
DAVID LOHRISCH, PH.D., DIRECTOR

P. O. BOX 1700
JACKSON, MISSISSIPPI 39205

TELEPHONE NUMBER 601-354-6607

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin 1
Definitions of Live Birth and Fetal Death 1
Occurrence and Residence Allocation 1
Population 2
Rates 2
Classification of Cause of Death 2

SUMMARY TABLES, 1980

POPULATION

Table P1. Census Population and Percentage Distribution, by Age, Race, and Sex 5
Table P2. Census Population, Change since Previous Census, and Components of Change, by Year and Race 6

LIVE BIRTHS

Table A1. Live Births and Percentage Distribution, by Type of Facility, Attendant, and Race 7
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1980 8
Table A3. Live Births and Average per Day, by Month 8
Table A4. Fertility Rates, by Year and Race, Mississippi and the United States, 1950, 1960, 1970, 1980 9
Table A5. Live Births, Percentage Distribution, and Fertility Rates, by Age of Mother and Race 9
Table A6. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race 10
Table A7. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race 11
Table A8. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race 12
Table A9. Median Number of Months between Last Delivery to Mothers Who Had Had Previous Pregnancies and Live Birth in 1980, by Race and Outcome of Last Delivery 13
Table A10. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race 13
Table A11. Live Births and Percentage Distribution, by Maturity and Race .. 14
Table A12. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race 14

FETAL DEATHS

Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race 15
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race 16
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race 16
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1978-1980 17

DEATHS

Table C1. Deaths and Average per Day, by Month 18
Table C2. Deaths and Percentage Distribution, and Rates, by Age and Race 18

UMMARY TABLES, 1980

DEATHS (Continued)

Table C3. Deaths, by Age, Race, and Sex, and Male/Female Ratios by Age and Race 19
Table C4. Death Rates, by Age, Race, and Sex 19
Table C5. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race 20
Table C6. Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause 21
Table C7. Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race 22
Table C8. Deaths from Major Chronic Respiratory Diseases, 1955, 1960, 1965, 1970, 1975, 1980 22
Table C9. Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race 23
Table C10. Deaths from Selected Types of Accidents, by Sex, also by Age 24
Table C11. Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1980 25
Table C12. Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race 26
Table C13. Deaths and Mortality Rates for Six Leading Causes of Infant Deaths, by Cause and Race 26

MARRIAGES

Table D1. Marriages and Average per Day, by Month 27
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race 27
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race 28
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race 28
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race 29
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride 30

DIVORCES

Table E1. Divorces and Rates by Race, Census Years, 1940-1980 31
Table E2. Divorces and Percentage Distribution, by Cause and Race 31
Table E3. Divorces and Percentage Distribution, by Number of Minor Children and Race 32
Table E4. Divorces and Percentage Distribution, by Number of Years Married and Race 32

AJOR TABLES, 1980

POPULATION

Table 1. Census Population and Percent Change since 1970, by Place (Counties, Towns of 10,000 or More) and Race, Mississippi, as of April 1, 1980 35

Page

MAJOR TABLES, 1980

LIVE BIRTHS
Table 2. Live Births, by Place of Occurrence and Race, also Live Births and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1980 38
Table 3. Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1980 41
Table 4. Fertility Rates, by County of Residence 44
Table 5A. Total Live Births, by County of Residence and Age of Mother, Mississippi, 1980 45
Table 5B. White Live Births, by County of Residence and Age of Mother, Mississippi, 1980 47
Table 5C. Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1980 49
Table 6. Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1980 51
Table 7A. Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1980 53
Table 7B. White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1980 55
Table 7C. Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1980 57
Table 8. Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1980 59
Table 9. Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1980 61

FETAL DEATHS
Table 10. Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1980 6

DEATHS
Table 11. Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1980 6
Table 12. Deaths, by Cause and Race, Mississippi Residents, 1980 68
Table 13. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1980 8
Table 14A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1980 90
Table 14B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1976-1980 (5-Year Average)... 9
Table 15. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1980 9
Table 16. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1980 9

MARRIAGES
Table 17. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1980 9

Page

JOR TABLES, 1980

IVORCES

Table 18. Divorces, by County of Occurrence and Race, also Total Rates, Mississippi, 1980 100

EATHS (COUNTY AND STATE SUMMARIES)

Table 19. Deaths and Rates for Selected Causes Used for Ranking Leading Causes, by Race, Residents
  The Counties (in alphabetical order) 103
  The State 144

E SERIES TABLES

Table 20. Live Births and Rates, by Year and Race, Mississippi, 1913-1980, (Occurrence Data 1913-1943, Residence Data 1944-1980) 147
Table 21. Deaths and Rates, by Year and Race, Mississippi, 1913-1980, (Occurrence Data 1913-1943, Residence Data 1944-1980) 149
Table 22. Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1980, (Occurrence Data 1913-1943, Residence Data 1944-1980) 151
Table 23. Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1980, (Occurrence Data 1917-1943, Residence Data 1944-1980) 153
Table 24. Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1980, (Occurrence Data 1924-1944, Residence Data 1945-1980) 155
Table 25. Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1980, (Occurrence Data 1924-1943, Residence Data 1944-1980) 157
Table 26. Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1980 159

VITAL STATISTICS
MISSISSIPPI, 1980

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1980; the second part contains major statistical tables for 1980. Time series tables numbered 20 through 26 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definition adopted by the Mississippi State Board of Health for use in Mississippi are those formulated by the World Health Organization and are recommended by the National Center for Health Statistics. They are as follows:

> Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.
>
> Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by he usual residence of the mother. For deaths it was determined by the usual residence f the decedent except that deaths of inmates of institutions were reallocated to the ocation of the institution regardless of length of stay.

Marriages were classified according to place of issuance of marriage license, lace of occurrence of marriage, and place of residence of bride. However, the figures n brides who were Mississippi residents are incomplete since there is no exchange among he states of transcripts of marriage records for nonresidents and the out-of-state arriages of Mississippi brides could not be included. Divorces were classified only ccording to place where the decree was granted, as there is no information regarding lace of residence on the record.

opulation

Figures from the U.S. Census of April 1, 1980, were used in this bulletin, and everal types of rates and special compilations were prepared which can be done only hen detailed population data of the type which comes from the decennial census are vailable. Population figures for the age groups under 1 and 1-4 were estimated, since he Census Bureau only published state data for the age group under 5.

ates

Population-based rates for the state included those for live births, total deaths, nd deaths from specific causes, except maternal and certain conditions originating in the erinatal period. Figures on live births were used as the base for calculating fetal eath ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal eaths, and deaths from certain conditions originating in the perinatal period, as the irth counts represent the groups at risk more accurately than do general population igures.

lassification of Cause of Death

Causes of death were assigned according to the Ninth Revision International tatistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision as first used in 1979, and is not markedly different from the Eighth Revision. However, he periodic changes in the classification system which have occurred through the years ave resulted in an unavoidable lack of comparability for some causes, and caution hould be used in analyzing long-term trends.

SUMMARY TABLES, 1980

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

POPULATION

Table P1. Census population and percentage distribution, by age, race, and sex Mississippi, 1980

ge	Number					Percent				
		White		Nonwhite			White		Nonwhite	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
otal	2,520,638	788,620	826,570	425,258	480,190	100.0	100.0	100.0	100.0	100.0
nder 1	46,210	12,615	11,968	10,973	10,654	1.8	1.6	1.4	2.6	2.2
-4	169,069	47,167	44,205	38,944	38,753	6.7	6.0	5.3	9.2	8.1
-9	219,048	62,296	58,927	49,136	48,689	8.7	7.9	7.1	11.6	10.1
0-14	226,276	65,232	61,180	50,320	49,544	9.0	8.3	7.4	11.8	10.3
5-19	258,878	76,414	72,455	54,576	55,433	10.3	9.7	8.8	12.8	11.5
0-24	233,505	73,557	70,536	41,931	47,481	9.3	9.3	8.5	9.9	9.9
5-29	197,129	64,158	63,959	32,206	36,806	7.8	8.1	7.7	7.6	7.7
0-34	172,410	60,664	60,600	23,468	27,678	6.8	7.7	7.3	5.5	5.8
5-39	138,089	49,774	50,933	16,837	20,545	5.5	6.3	6.2	4.0	4.3
0-44	122,416	44,254	44,721	14,401	19,040	4.8	5.6	5.4	3.4	4.0
5-49	113,662	40,813	42,475	12,752	17,622	4.5	5.2	5.1	3.0	3.7
0-54	118,157	41,599	44,449	13,282	18,827	4.7	5.3	5.4	3.1	3.9
5-59	112,768	38,917	43,685	12,631	17,535	4.5	4.9	5.3	3.0	3.6
0-64	103,664	33,794	39,651	13,180	17,039	4.1	4.3	4.8	3.1	3.5
5-69	99,536	29,519	37,863	13,927	18,227	3.9	3.7	4.6	3.3	3.8
0-74	80,413	22,585	31,650	11,625	14,553	3.2	2.9	3.8	2.7	3.0
5-79	55,281	13,800	22,739	7,926	10,816	2.2	1.7	2.8	1.9	2.2
0-84	30,618	7,014	13,849	4,007	5,748	1.2	0.9	1.7	0.9	1.2
5 and over	23,509	4,448	10,725	3,136	5,200	0.9	0.6	1.3	0.7	1.1
nder 15	660,603	187,310	176,280	149,373	147,640	26.2	23.8	21.3	35.1	30.7
5-64	1,570,678	523,944	533,464	235,264	278,006	62.3	66.4	64.5	55.3	57.9
5 and over	289,357	77,366	116,826	40,621	54,544	11.5	9.8	14.1	9.6	11.4
edian age	27.7	29.4	32.5	21.0	23.9					

Table P2. Census population, change since previous census, and components of change, by year and race Mississippi, 1920-1980

		Change Since Previous Census			
		Total		Components of Change	
Race and Census Date	Population	Number	Percent	Natural Increase*	Net Migration**
TOTAL					
January 1, 1920	1,790,618	-6,496	-0.4	#	#
April 1, 1930	2,009,821	219,203	12.2	241,899	-22,696
April 1, 1940	2,183,796	173,975	8.6	263,396	-89,421
April 1, 1950	2,178,914	-4,882	-0.2	390,044	-394,926
April 1, 1960	2,178,141	-773	##	422,444	-423,217
April 1, 1970	2,216,912	38,771	1.8	299,057	-260,286
April 1, 1980	2,520,638	303,726	13.7	220,909	82,817
1920 and 1980		730,020	40.8	1,837,749	-1,107,729
1940 and 1980		336,842	15.4	1,332,454	-995,612
WHITE					
January 1, 1920	853,962	67,851	8.6	#	#
April 1, 1930	998,077	144,115	16.9	146,889	-2,774
April 1, 1940	1,106,327	108,250	10.8	131,026	-22,776
April 1, 1950	1,188,632	82,305	7.4	180,208	-97,903
April 1, 1960	1,257,546	68,914	5.8	177,075	-108,161
April 1, 1970	1,393,283	135,737	10.8	125,455	10,282
April 1, 1980	1,615,190	221,907	15.9	92,574	129,333
1920 and 1980		761,228	89.1	853,227	-91,999
1940 and 1980		508,863	46.0	575,312	-66,449
NONWHITE					
January 1, 1920	936,656	-74,347	-7.4	#	#
April 1, 1930	1,011,744	75,088	8.0	95,010	-19,922
April 1, 1940	1,077,469	65,725	6.5	132,370	-66,645
April 1, 1950	990,282	-87,187	-8.1	209,836	-297,023
April 1, 1960	920,595	-69,687	-7.0	245,369	-315,056
April 1, 1970	823,629	-96,966	-10.5	173,602	-270,568
April 1, 1980	905,448	81,819	9.9	128,335	-46,516
1920 and 1980		-31,208	-3.3	984,522	-1,015,730
1940 and 1980		-172,021	-16.0	757,142	-929,163

* Excess of births over deaths. Occurrence data 1920-1943 and residence data 1944-1980. Births January-March, 1930, not available separately, but estimated.

** Difference between population change and natural increase.

# Data not available.

## Less than 0.06 percent.

Table A2. Percentage of live births in hospitals or clinics, by year and race, 1940, 1950, 1960, 1970-1980

Year	Total	White	Non-white	Year	Total	White	Non-white
1940	14.1	27.1	3.9	1970*	90.0	99.7	79.7
				1971*	92.2	99.6	84.2
1950	46.1	83.3	18.9	1972*	95.2	99.8	90.4
				1973*	96.4	99.7	92.8
1960	73.2	99.0	51.3	1974*	97.4	99.7	94.8
				1975*	97.9	99.6	96.0
				1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
				1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9
				1980*	99.4	99.7	99.1

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing inpatient care were included.

Table A3. Live births and average per day, by month Mississippi, 1980

Month	Births	Average per Day	Month	Births	Average per Day
Total	47,821	131			
January	4,025	130	July	4,408	142
February	3,582	124	August	4,445	143
March	3,777	122	September	4,475	149
April	3,425	114	October	4,192	135
May	3,599	116	November	3,992	133
June	3,773	126	December	4,128	133

Table A4. Fertility rates*, by year and race,
Mississippi and the United States, 1950, 1960, 1970, 1980

Year	Mississippi			United States		
	Total	White	Non-white	Total	White	Non-white
1950	134.3	101.7	175.2	106.2	102.3	137.3
1960	142.4	107.9	195.6	118.0	113.2	153.6
1970	107.4	85.5	147.9	87.9	84.1	115.4
1980	83.9	68.0	111.8	69.2**	Not available	

* Live births per 1,000 females 15-44 years of age.

** Provisional figure.

Table A5. Live births, percentage distribution, and fertility rates,
by age of mother and race
Mississippi, 1980

Age of Mother	Number			Percent			Fertility Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non whit
Total	47,821	24,687	23,134	100.0	100.0	100.0	83.9	68.0	111.
10-14	378	40	338	0.8	0.2	1.5	3.4	0.6	6.
15-19	10,693	4,075	6,618	22.4	16.5	28.6	83.6	56.2	119.
20-24	17,033	9,039	7,994	35.6	36.6	34.6	144.3	128.1	168.
25-29	12,275	7,446	4,829	25.7	30.2	20.9	121.8	116.4	131.
30-34	5,460	3,197	2,263	11.4	13.0	9.8	61.8	52.8	81.
35-39	1,614	777	837	3.4	3.1	3.6	22.6	15.2	40.
40-44	337	105	232	0.7	0.4	1.0	5.3	2.3	12.
45-49	25	5	20	**	**	0.1	0.4	0.1	1.
Unknown	6	3	3	**	**	**			

* For total group-live births per 1,000 females 15-44 years of age; for specific age groups-live births per 1,000 females in specified group.

** Less than 0.06 percent.

Table A6. Live births and percentage distribution, by years of school completed by father and mother and race Mississippi, 1980

Years of School Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
FATHER									
Median years completed*	12.6	12.7	12.3						
Total legitimate births	34,407	23,221	11,186	100.0	100.0	100.0			
0-6 years	826	376	450	2.4	1.6	4.1	2.4	1.6	4.1
7-9 years	3,775	2,314	1,461	11.1	10.0	13.4	13.5	11.6	17.5
10, 11 years	5,316	2,995	2,321	15.6	12.9	21.2	29.1	24.6	38.7
12 years	12,186	8,120	4,066	35.8	35.1	37.2	64.9	59.7	75.9
1-3 years college	6,212	4,634	1,578	18.2	20.0	14.4	83.1	79.7	90.4
4 or more years college	5,747	4,696	1,051	16.9	20.3	9.6	100.0	100.0	100.0
Unknown	345	86	259						
MOTHER									
Median years completed*	12.4	12.6	12.1						
Total births	47,821	24,687	23,134	100.0	100.0	100.0			
0-6 years	748	238	510	1.6	1.0	2.2	1.6	1.0	2.2
7-9 years	6,685	2,720	3,965	14.0	11.0	17.2	15.6	12.0	19.4
10, 11 years	10,032	3,718	6,314	21.0	15.1	27.4	36.6	27.1	46.7
12 years	17,290	9,547	7,743	36.2	38.7	33.5	72.8	65.8	80.3
1-3 years college	7,884	4,785	3,099	16.5	19.4	13.4	89.3	85.2	93.7
4 or more years college	5,103	3,652	1,451	10.7	14.8	6.3	100.0	100.0	100.0
Unknown	79	27	52						

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A7. Illegitimate live births, percent of total live births in specified group, by age of mother and race Mississippi, 1980

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	13,414	1,466	11,948	28.0	5.9	51.6
10-14	356	21	335	94.2	52.5	99.1
15-19	6,156	750	5,406	57.6	18.4	81.7
20-24	4,349	460	3,889	25.5	5.1	48.6
25-29	1,624	158	1,466	13.2	2.1	30.4
30-34	642	58	584	11.8	1.8	25.8
35-39	213	16	197	13.2	2.0	23.5
40-44	69	3	66	20.5	2.8	28.4
45-49	5	0	5	20.0	-	25.0
Unknown	0	0	0			

Table A1. Live births and percentage distribution, by type of facility, attendant, and race Mississippi, 1980

Type of Facility and Race	Number						Percent					
	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown
Total	47,821	45,559	2,013	150	87	12	100.0	95.3	4.2	0.3	0.2	*
Hospital	47,533	45,494	2,006	0	30	3	99.4	95.1	4.2	-	0.1	*
Home, etc.	277	62	7	150	50	8	0.6	0.1	*	0.3	0.1	*
Enroute to hospital	9	2	0	0	6	1	*	*	-	-	*	*
Unknown place	2	1	0	0	1	0	*	*	-	-	*	-
White	24,687	24,324	290	46	24	3	100.0	98.5	1.2	0.2	0.1	*
Hospital	24,605	24,312	289	0	2	2	99.7	98.5	1.2	-	*	*
Home, etc.	81	11	1	46	22	1	0.3	*	*	0.2	0.1	*
Enroute to hospital	0	0	0	0	0	0	-	-	-	-	-	-
Unknown place	1	1	0	0	0	0	*	*	-	-	-	-
Nonwhite	23,134	21,235	1,723	104	63	9	100.0	91.8	7.4	0.4	0.3	*
Hospital	22,928	21,182	1,717	0	28	1	99.1	91.6	7.4	-	0.1	*
Home, etc.	196	51	6	104	28	7	0.8	0.2	*	0.4	0.1	*
Enroute to hospital	9	2	0	0	6	1	*	*	-	-	*	*
Unknown place	1	0	0	0	1	0	*	-	-	-	*	-

* Less than 0.06 percent.

Table A8. Live births, percentage distribution, fertility rates, and median age of mother, by total-birth order and race Mississippi, 1980

Total-Birth Order*	Number			Percent			Fertility Rate**			Median Age of Mother		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	47,821	24,687	23,134	100.0	100.0	100.0	83.9	68.0	111.8	23.7	24.6	22.7
First	17,259	9,782	7,477	36.1	39.6	32.3	30.3	26.9	36.1	20.6	21.8	19.0
Second	13,869	7,904	5,965	29.0	32.0	25.8	24.3	21.8	28.8	23.8	24.8	22.1
Third	8,209	4,170	4,039	17.2	16.9	17.4	14.4	11.5	19.5	25.7	26.9	24.3
Fourth	4,082	1,659	2,423	8.5	6.7	10.5	7.2	4.6	11.7	27.1	28.9	25.9
Fifth	1,858	595	1,263	3.9	2.4	5.4	3.2	1.6	6.1	28.3	30.2	27.4
Sixth	939	262	677	2.0	1.1	2.9	1.6	0.7	3.3	29.8	31.9	29.2
Seventh	521	108	413	1.1	0.4	1.8	0.9	0.3	2.0	31.9	33.0	31.5
Eighth	347	48	299	0.7	0.2	1.3	0.6	0.1	1.4	32.8	34.8	32.6
Ninth	211	19	192	0.4	0.1	0.8	0.4	#	0.9	34.6	36.0	34.5
Tenth & over	349	33	316	0.7	0.1	1.4	0.6	0.1	1.5	37.5	36.5	37.6
Unknown	177	107	70	0.4	0.4	0.3	0.3	0.3	0.3			

* Includes all live births plus all fetal deaths regardless of length of gestation.

** Live births per 1,000 females 15-44 years of age.

# Less than 0.06.

Table A9. Median number of months between last delivery to mothers who had had previous pregnancies and live births in 1980, by race and outcome of last delivery

Race	Total*	Outcome of Last Delivery	
		Live Birth	Fetal Death
Total	33.5	35.7	21.0
White	36.0	39.1	20.6
Nonwhite	31.0	32.4	21.6

* Excludes those with outcome of last delivery unknown.

Table A10. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race Mississippi, 1980

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	47,821	24,687	23,134	100.0	100.0	100.0
No prenatal care	387	127	260	0.8	0.5	1.1
Some prenatal care	47,320	24,526	22,794	99.0	99.3	98.5
First trimester	35,610	20,994	14,616	74.5	85.0	63.2
Second trimester	9,940	2,997	6,943	20.8	12.1	30.0
Third trimester	1,645	490	1,155	3.4	2.0	5.0
Unknown month	125	45	80	0.3	0.2	0.3
Unknown whether any prenatal care	114	34	80	0.2	0.1	0.3

Table A11. Live births and percentage distribution, by maturity and race
Mississippi, 1980

Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	47,821	24,687	23,134	100.0	100.0	100.0
Immature only**	1,847	679	1,168	3.9	2.8	5.0
Premature only**	3,945	1,304	2,641	8.2	5.3	11.4
Both immature and premature	2,344	770	1,574	4.9	3.1	6.8
Total immature	4,191	1,449	2,742	8.8	5.9	11.8
Total premature	6,289	2,074	4,215	13.2	8.4	18.2
Total immature and/or premature	8,136	2,753	5,383	17.0	11.2	23.3
Neither immature nor premature**	39,685	21,934	17,751	83.0	88.8	76.7

* Immature - birthweight 5½ pounds (2,500 grams) or less; premature - gestation less than 37 weeks (calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of birth).

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A12. Congenital malformations reported on live birth certificates, by system or organs affected and race
Mississippi, 1980

System or Organs Affected and International Classification Number*	Total	White	Non-white
Total malformations reported	366	214	152
Musculoskeletal system (754-756)	145	49	96
Digestive system (749-751)	64	52	12
Nervous system (740-743)	41	32	9
Genital organs (752)	37	26	11
Circulatory system (746, 747)	15	9	6
All others	64	46	18

* From the Ninth Revision International Statistical Classifica-

FETAL DEATHS

Table B1. Reportable* fetal deaths and percentage distribution, by place of delivery, attendant, and race Mississippi, 1980

Place of Delivery and Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	707	247	460	100.0	100.0	100.0
Hospital	688	240	448	97.3	97.2	97.4
Physician	666	234	432	94.2	94.7	93.9
Certified nurse midwife	12	2	10	1.7	0.8	2.2
Other	5	2	3	0.7	0.8	0.6
Unknown	5	2	3	0.7	0.8	0.6
Other named place	18	6	12	2.5	2.4	2.6
Physician	5	3	2	0.7	1.2	0.4
"Granny" midwife	5	0	5	0.7	-	1.1
Other	4	2	2	0.6	0.8	0.4
Unknown	4	1	3	0.6	0.4	0.6
Enroute to hospital or BOA	1	1	0	0.1	0.4	-
Unknown	1	1	0	0.1	0.4	-

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B2. Reportable* fetal deaths and fetal death ratios, by age of mother and race Mississippi, 1980

Age of Mother	Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white
Total	707	247	460	14.8	10.0	19.9
10-14	13	1	12	34.4	#	35.5
15-19	173	50	123	16.2	12.3	18.6
20-24	225	87	138	13.2	9.6	17.3
25-29	148	62	86	12.0	8.3	17.8
30-34	86	29	57	15.8	9.1	25.2
35-39	40	10	30	24.8	12.9	35.8
40-44	19	7	12	56.4	66.7	51.7
45-49	2	1	1	#	#	#
Unknown	1	0	1	#	-	#

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births to mothers in specified group.

# Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and reportable* fetal deaths, by whether mother received prenatal care and race Mississippi, 1980

Prenatal Care	Live Births			Reportable* Fetal Deaths		
	Total	White	Non-white	Total	White	Non-white
Total	100.0	100.0	100.0	100.0	100.0	100.0
No care	0.8	0.5	1.1	5.8	6.1	5.6
Some care	98.7	99.2	98.2	83.6	85.8	82.4
Unknown whether any care	0.5	0.3	0.7	10.6	8.1	12.0

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B4. Reportable* fetal deaths and fetal death ratios, by completed weeks of gestation and race, 1978-1980

Completed Weeks of Gestation**	Total			White			Nonwhite		
	1978	1979	1980	1978	1979	1980	1978	1979	1980
REPORTABLE* FETAL DEATHS									
Total	678	665	707	216	209	247	462	456	460
Under 20	37	29	25	10	5	9	27	24	16
20 and over	587	602	624	193	195	221	394	407	403
20-22	75	84	77	18	31	21	57	53	56
23-27	116	119	140	33	30	50	83	89	90
28-36	206	197	192	69	55	57	137	142	135
37 and over	190	202	215	73	79	93	117	123	122
Unknown	54	34	58	13	9	17	41	25	41
FETAL DEATH RATIOS#									
Total	15.3	14.5	14.8	9.5	8.9	10.0	21.2	20.3	19.9
Under 20	0.8	0.6	0.5	0.4	0.2	0.4	1.2	1.1	0.7
20 and over	13.2	13.1	13.0	8.5	8.3	9.0	18.1	18.1	17.4
20-22	1.7	1.8	1.6	0.8	1.3	0.8	2.6	2.4	2.4
23-27	2.6	2.6	2.9	1.4	1.3	2.0	3.8	4.0	3.9
28-36	4.6	4.3	4.0	3.0	2.3	2.3	6.3	6.3	5.8
37 and over	4.3	4.4	4.5	3.2	3.4	3.8	5.4	5.5	5.3
Unknown	1.2	0.7	1.2	0.6	0.4	0.7	1.9	1.1	1.8

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of delivery.

# Reportable fetal deaths per 1,000 live births.

DEATHS

Table C1. Deaths and average per day, by month Mississippi, 1980

Month	Deaths	Average per Day	Month	Deaths	Average Per Day
Total	23,576	64			
January	2,024	65	July	2,153	69
February	2,035	70	August	1,862	60
March	2,076	67	September	1,762	59
April	1,893	63	October	1,917	62
May	1,915	62	November	1,951	65
June	1,850	62	December	2,138	69

Table C2. Deaths, percentage distribution, and rates, by age and race Mississippi, 1980

	Number			Percent			Rate*		
Age	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	23,576	14,531	9,045	100.0	100.0	100.0	9.4	9.0	10.0
Under 1	812	272	540	3.4	1.9	6.0	17.6	11.1	25.0
1-4	141	60	81	0.6	0.4	0.9	0.8	0.6	1.0
5-9	95	41	54	0.4	0.3	0.6	0.4	0.3	0.6
10-14	99	49	50	0.4	0.3	0.6	0.4	0.4	0.5
15-24	686	384	302	2.9	2.6	3.3	1.4	1.3	1.5
25-34	663	319	344	2.8	2.2	3.8	1.8	1.3	2.9
35-44	807	437	370	3.4	3.0	4.1	3.1	2.3	5.2
45-54	1,642	1,005	637	7.0	6.9	7.0	7.1	5.9	10.2
55-64	3,293	2,138	1,155	14.0	14.7	12.8	15.2	13.7	19.1
65-74	5,706	3,605	2,101	24.2	24.8	23.2	31.7	29.6	36.0
75-84	5,775	3,752	2,023	24.5	25.8	22.4	67.2	65.4	71.0
85 and over	3,842	2,467	1,375	16.3	17.0	15.2	163.4	162.6	164.9
Unknown	15	2	13	0.1	**	0.1			

* Deaths per 1,000 population in specified group.

** Less than 0.06 percent.

Table C3. Deaths by age, race, and sex, and male/female ratios by age and race Mississippi, 1980

Age	Total			White			Nonwhite		
	Male	Female	Males per Female	Male	Female	Males per Female	Male	Female	Males per Female
Total	13,136	10,440	1.26	8,133	6,398	1.27	5,003	4,042	1.24
Under 1	481	331	1.45	171	101	1.69	310	230	1.35
1-4	75	66	1.14	27	33	0.82	48	33	1.45
5-9	58	37	1.57	24	17	1.41	34	20	1.70
10-14	68	31	2.19	30	19	1.58	38	12	3.17
15-24	522	164	3.18	289	95	3.04	233	69	3.38
25-34	462	201	2.30	225	94	2.39	237	107	2.21
35-44	520	287	1.81	287	150	1.91	233	137	1.70
45-54	1,052	590	1.78	680	325	2.09	372	265	1.40
55-64	2,169	1,124	1.93	1,468	670	2.19	701	454	1.54
65-74	3,430	2,276	1.51	2,245	1,360	1.65	1,185	916	1.29
75-84	2,833	2,942	0.96	1,805	1,947	0.93	1,028	995	1.03
85 and over	1,458	2,384	0.61	880	1,587	0.55	578	797	0.72
Unknown	8	7		2	0		6	7	
Median age	68.4	75.4		68.8	76.7		67.5	72.5	

Table C4. Death rates*, by age, race, and sex Mississippi, 1980

Age	Total		White		Nonwhite	
	Male	Female	Male	Female	Male	Female
Total	10.8	8.0	10.3	7.7	11.8	8.4
Under 1	20.4	14.6	13.6	8.4	28.2	21.6
1-4	0.9	0.8	0.6	0.7	1.2	0.8
5-9	0.5	0.3	0.4	0.3	0.7	0.4
10-14	0.6	0.3	0.4	0.3	0.8	0.2
15-24	2.1	0.7	1.9	0.7	2.4	0.7
25-34	2.6	1.1	1.8	0.8	4.2	1.6
35-44	4.2	2.1	3.0	1.6	7.4	3.5
45-54	9.7	4.8	8.2	3.7	14.3	7.3
55-64	22.0	9.5	20.2	8.0	27.2	13.1
65-74	44.2	22.2	43.1	19.6	46.4	27.9
75-84	86.5	55.4	86.7	53.2	86.1	60.1
85 and over	192.2	149.7	197.8	148.0	184.3	153.3

* Deaths per 1,000 population in specified group.

able C5. Deaths and percent of total deaths from ten leading causes, by cause and race
Mississippi, 1980

Cause and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of ten leading causes	19,070	12,100	6,970	80.9	83.3	77.0
1. Heart diseases (390-398, 402, 404-429)	8,220	5,493	2,727	34.9	37.8	30.1
2. Malignant neoplasms (140-208)	4,383	2,895	1,488	18.6	19.9	16.4
3. Cerebrovascular diseases (430-438)	2,323	1,366	957	9.8	9.4	10.6
4. Accidents (800-949)	1,711	985	726	7.2	6.8	8.0
5. Emphysema and other chronic obstructive pulmonary diseases (490-496)	495	400	95	2.1	2.8	1.0
6. Pneumonia and influenza (480-487)	482	345	137	2.0	2.4	1.5
7. Diabetes mellitus (250)	409	198	211	1.7	1.4	2.3
8. Certain conditions originating in the perinatal period (760-779)	392	121	271	1.7	0.8	3.0
9. Homicide and legal intervention (960-978)	359	112	247	1.5	0.8	2.7
10. Atherosclerosis (440)	296	185	111	1.2	1.3	1.2

Table C6. Deaths and percent of total deaths, and rates for five leading caus
by age and cause
Mississippi, 1980

Age	Cause and International Classification Number	Number	Percent	Rat
1-4	All causes	141	100.0	0
	1. Accidents (800-949)	74	52.5	43
	2. Congenital anomalies (740-759)	16	11.3	9
	3. Malignant neoplasms (140-208)	4	2.8	2
	3. Heart diseases (390-398, 402, 404-429)	4	2.8	2
	5. Homicide and legal intervention (960-978)	3	2.1	1
5-14	All causes	194	100.0	0
	1. Accidents (800-949)	113	58.2	25
	2. Malignant neoplasms (140-208)	22	11.3	4
	3. Congenital anomalies (740-759)	7	3.6	1
	4. Anemias (280-285)	4	2.1	0
	4. Pneumonia and influenza (480-487)	4	2.1	0
15-24	All causes	686	100.0	1
	1. Accidents (800-949)	390	56.8	79
	2. Homicide and legal intervention (960-978)	89	13.0	18
	3. Suicide (950-959)	55	8.0	11
	4. Malignant neoplasms (140-208)	36	5.2	7
	5. Heart diseases (390-398, 402, 404-429)	26	3.8	5
25-44	All causes	1,470	100.0	2
	1. Accidents (800-949)	401	27.3	63
	2. Heart diseases (390-398, 402, 404-429)	213	14.5	33
	3. Malignant neoplasms (140-208)	209	14.2	33
	4. Homicide and legal intervention (960-978)	174	11.8	27
	5. Suicide (950-959)	77	5.2	12
45-64	All causes	4,935	100.0	11
	1. Heart diseases (390-398, 402, 404-429)	1,676	34.0	373
	2. Malignant neoplasms (140-208)	1,390	28.2	310
	3. Cerebrovascular diseases (430-438)	308	6.2	68
	4. Accidents (800-949)	293	5.9	65
	5. Chronic liver disease and cirrhosis (571)	116	2.4	25
65 and over	All causes	15,323	100.0	53
	1. Heart diseases (390-398, 402, 404-429)	6,267	40.9	2,165
	2. Malignant neoplasms (140-208)	2,718	17.7	939
	3. Cerebrovascular diseases (430-438)	1,939	12.6	670
	4. Accidents (800-949)	398	2.6	137
	5. Pneumonia and influenza (480-487)	385	2.5	133

* Deaths from all causes per 1,000 population in specified group and deaths from specifi
causes per 100,000 population in specified group.

Table C7. Deaths and rates from malignant neoplasms, by primary site, sex, and race Mississippi, 1980

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Rate*			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	1,659	869	1,236	619	210.4	204.3	149.5	128.9
1. Respiratory and intrathoracic organs (160-165)	672	257	203	70	85.2	60.4	24.6	14.6
2. Digestive organs and peritoneum (150-159)	367	256	352	163	46.5	60.2	42.6	33.9
3. Genital organs (179-187)	134	136	118	111	17.0	32.0	14.3	23.1
4. Lymphatic and hematopoietic tissue (200-208)	152	67	127	52	19.3	15.8	15.4	10.8
5. Breast (174, 175)	0	1	215	92	-	0.2	26.0	19.2
6. Urinary organs (188, 189)	75	22	26	24	9.5	5.2	3.1	5.0
7. Brain (191)	36	9	39	9	4.6	2.1	4.7	1.9
8. Lip, oral cavity, and pharynx (140-149)	33	20	14	6	4.2	4.7	1.7	1.2
9. Skin (172, 173)	43	5	21	2	5.4	1.2	2.5	0.4
10. Bone and connective tissue (170, 171)	11	6	12	8	1.4	1.4	1.4	1.7
- Other and unspecified sites (190, 192-199)	136	90	109	82	17.2	21.2	13.2	17.1

* Deaths per 100,000 population in specified group.

Table C8. Deaths from major chronic respiratory diseases, Mississippi, 1955, 1960, 1965, 1970, 1975, 1980

Cause and International Classification Number	1955	1960	1965	1970	1975	1980
Tuberculosis of respiratory system (010-012)	189	135	71	35	26	26
Malignant neoplasms of respiratory system (160-165)	258	347	502	691	950	1,202
Malignant neoplasms of trachea, bronchus, and lung (162)	229	317	456	658	898	1,151
Chronic and unqualified bronchitis (490, 491)	23	30	51	45	38	15
Emphysema (492)	25	89	170	200	181	130
Asthma (493)	56	74	55	22	15	45
(Adjusted figures*)	(31)	(52)	(38)			

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revisions of the cause-of-death classification system in 1958 and 1968.

Table C9. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race Mississippi, 1980

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of five leading causes	1,210	740	470	70.7	75.1	64.7
1. Motor vehicle (810-825)	743	489	254	43.4	49.6	35.0
2. Fires and flames (890-899)	152	50	102	8.9	5.1	14.0
3. Drowning and submersion (except in transport accidents) (910)	121	59	62	7.1	6.0	8.5
4. Falls (880-888)	106	82	24	6.2	8.3	3.3
5. Caused by firearm missile (922)	88	60	28	5.1	6.1	3.8

Table C10. Deaths from selected types of accidents, by sex, also by age Mississippi residents, 1980

ype of Accident and nternational Classification Number	Total	Sex		Age								
		Male	Female	Under 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & Over	Un-known
LL ACCIDENTS	1,711	1,195	516	40	74	113	390	242	159	293	398	2
otor vehicle (810-825)	743	546	197	6	31	43	243	141	79	122	78	0
ater transport (830-838)	27	27	0	0	0	0	11	5	3	7	1	0
Submersion, drowning (830, 832)	24	24	0	0	0	0	9	4	3	7	1	0
Other (831, 833-838)	3	3	0	0	0	0	2	1	0	0	0	0
ir and space transport (840-845)	11	11	0	0	0	0	1	4	2	4	0	0
oisoning (850-869)	47	27	20	2	0	1	10	14	6	5	9	0
By drugs, medicaments, and biologicals (850-858)	27	12	15	1	0	1	5	4	4	5	7	0
By other solid and liquid substances, gases, and vapors (860-869)	20	15	5	1	0	0	5	10	2	0	2	0
alls (880-888)	106	57	49	2	0	2	4	5	5	18	70	0
ires and flames (890-899)	152	86	66	4	22	15	12	13	8	19	59	0
rowning and submersion (except in transport accidents) (910)	121	103	18	0	11	27	49	10	7	10	7	0
nhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (911, 912)	72	46	26	16	1	0	6	2	8	12	27	0
echanical suffocation (including in bed or cradle) (913)	9	8	1	2	0	4	1	2	0	0	0	0
truck by, striking against, and caught in or between objects (916-918)	33	32	1	0	0	1	7	8	4	8	5	0
aused by machinery (919)	37	37	0	0	1	2	7	3	9	13	2	0
aused by firearm missile (922)	88	74	14	0	3	12	17	20	3	24	9	0
aused by electric current (925)	13	11	2	2	0	1	6	1	2	1	0	0

Table C11. Motor vehicle accident deaths occurring in Mississippi and rates, also motor vehicle accident deaths of Mississippi residents and rates, by year, 1950, 1955, 1960, 1965, 1970-1980

	Occurrence Data		Residence Data	
Year	Number	Rate*	Number	Rate*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5

* Deaths in Mississippi per 100,000,000 miles of vehicle travel; deaths of residents per 100,000 population.

** Not available.

Table C12. Infant deaths, percentage distribution, and mortality rates by age and race
Mississippi, 1980

Age	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total under 1 year	812	272	540	100.0	100.0	100.0	17.0	11.0	23.3
Neonatal (under 28 days)	523	189	334	64.4	69.5	61.8	10.9	7.6	14.4
Hebdomadal (under 7 days)	429	151	278	52.8	55.5	51.5	9.0	6.1	12.0
Under 1 day	282	94	188	34.7	34.6	34.8	5.9	3.8	8.1
1-6 days	147	57	90	18.1	21.0	16.7	3.1	2.3	3.9
7-27 days	94	38	56	11.6	14.0	10.4	2.0	1.5	2.4
Postneonatal (28 days to 1 year)	289	83	206	35.6	30.5	38.1	6.0	3.4	8.9

* Deaths per 1,000 live births.

Table C13. Deaths and mortality rates for six leading causes of infant deaths, by cause and race
Mississippi, 1980

Cause and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
All causes	812	272	540	17.0	11.0	23.3
1. Congenital anomalies (740-759)	132	75	57	2.8	3.0	2.5
2. Respiratory distress syndrome (769)	94	37	57	2.0	1.5	2.5
3. Sudden infant death syndrome (798.0)	73	18	55	1.5	0.7	2.4
4. Disorders relating to short gestation and unspecified low birthweight (765)	66	17	49	1.4	0.7	2.1
5. Accidents (800-949)	40	14	26	0.8	0.6	1.1
6. Infections specific to the perinatal period (771)	32	11	21	0.7	0.4	0.9
6. Intrauterine hypoxia and birth asphyxia (768)	32	11	21	0.7	0.4	0.9

* Deaths per 1,000 live births.

MARRIAGES

Table D1. Marriages and average per day, by month
Mississippi, 1980

Month	Marriages	Average per Day	Month	Marriages	Average per Day
Total	27,908	76			
January	1,689	54	July	2,486	80
February	1,962	68	August	3,055	98
March	2,174	70	September	1,925	64
April	2,103	70	October	1,911	62
May	2,730	88	November	2,165	72
June	3,166	106	December	2,542	82

Table D2. Brides and grooms and percentage distribution, by age and race
Mississippi, 1980

	Number						Percent					
	Bride			Groom			Bride			Groom		
Age	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	27,908	20,620	7,288	27,908	20,608	7,300	100.0	100.0	100.0	100.0	100.0	100.0
Under 20	8,208	6,438	1,770	3,482	2,867	615	29.4	31.2	24.3	12.5	13.9	8.4
13	8	7	1	0	0	0	*	*	*	-	-	-
14	58	52	6	1	1	0	0.2	0.2	0.1	*	*	-
15	506	432	74	9	9	0	1.8	2.1	1.0	*	*	-
16	975	779	196	105	96	9	3.5	3.8	2.7	0.4	0.5	0.1
17	1,751	1,431	320	469	413	56	6.3	6.9	4.4	1.7	2.0	0.8
18	2,553	1,986	567	1,158	969	189	9.1	9.6	7.8	4.1	4.7	2.6
19	2,357	1,751	606	1,740	1,379	361	8.4	8.5	8.3	6.2	6.7	4.9
20-24	9,103	6,432	2,671	10,286	7,335	2,951	32.6	31.2	36.6	36.8	35.6	40.4
25-34	6,275	4,493	1,782	8,235	5,983	2,252	22.5	21.8	24.4	29.5	29.0	30.8
35-44	2,223	1,720	503	2,865	2,240	625	8.0	8.3	6.9	10.3	10.9	8.6
45-54	1,128	846	282	1,492	1,163	329	4.0	4.1	3.9	5.3	5.6	4.5
55-64	616	435	181	853	587	266	2.2	2.1	2.5	3.0	2.8	3.6
65-74	306	223	83	532	330	202	1.1	1.1	1.1	1.9	1.6	2.8
75 & over	47	31	16	160	102	58	0.2	0.2	0.2	0.6	0.5	0.8
Unknown	2	2	0	3	1	2	*	*	-	*	*	*

* Less than 0.06 percent.

Table D3. Median age of bride and groom, for all marriages and first marriages, by race Mississippi, 1980

All and First Marriages	Bride			Groom		
	Total	White	Non-white	Total	White	Non-white
All marriages	22.8	22.6	23.2	25.1	25.1	25.2
First marriages	20.5	19.9	22.0	22.7	22.4	23.5

Table D4. Brides and grooms and percentage distribution, by marriage order and race Mississippi, 1980

Marriage Order	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	27,908	20,620	7,288	27,908	20,608	7,300	100.0	100.0	100.0	100.0	100.0	100.0
First	17,197	11,750	5,447	16,902	11,670	5,232	61.6	57.0	74.7	60.6	56.6	71.7
Remarriage	10,675	8,841	1,834	10,977	8,916	2,061	38.2	42.9	25.2	39.3	43.3	28.2
Second	7,796	6,256	1,540	7,996	6,303	1,693	27.9	30.3	21.1	28.6	30.6	23.2
Over two	2,856	2,565	291	2,958	2,595	363	10.2	12.4	4.0	10.6	12.6	5.0
Third	2,175	1,927	248	2,336	2,034	302	7.8	9.3	3.4	8.4	9.9	4.1
Fourth	545	505	40	495	449	46	2.0	2.4	0.5	1.8	2.2	0.6
Fifth	101	99	2	83	72	11	0.4	0.5	#	0.3	0.3	0.2
Sixth	25	24	1	28	26	2	0.1	0.1	#	0.1	0.1	#
Seventh	5	5	0	13	11	2	#	#	-	#	#	#
Eighth	3	3	0	2	2	0	#	#	-	#	#	-
Ninth	0	0	0	0	0	0	-	-	-	-	-	-
Tenth	1	1	0	1	1	0	#	#	-	#	#	-
Eleventh	0	0	0	0	0	0	-	-	-	-	-	-
Twelfth	1	1	0	0	0	0	#	#	-	-	-	-
Unknown*	23	20	3	23	18	5	0.1	0.1	#	0.1	0.1	0.1
Unknown**	36	29	7	29	22	7	0.1	0.1	0.1	0.1	0.1	0.1

* Previously married but number of previous marriages unknown.

** Unknown whether previously married.

Less than 0.06 percent.

Table D5. Brides and grooms and percentage distribution by previous marital status and race Mississippi, 1980

Previous Marital Status	Bride			Groom		
	Total	White	Nonwhite	Total	White	Nonwhite
NUMBER						
Total	27,908	20,620	7,288	27,908	20,608	7,300
Not previously married	17,197	11,750	5,447	16,902	11,670	5,232
Remarriages	10,675	8,841	1,834	10,977	8,916	2,061
Widowed	1,460	1,095	365	1,062	737	325
Divorced*	9,149	7,695	1,454	9,888	8,164	1,724
Unknown**	66	51	15	27	15	12
Unknown#	36	29	7	29	22	7
PERCENT						
Total	100.0	100.0	100.0	100.0	100.0	100.0
Not previously married	61.6	57.0	74.7	60.6	56.6	71.7
Remarriages	38.2	42.9	25.2	39.3	43.3	28.2
Widowed	5.2	5.3	5.0	3.8	3.6	4.4
Divorced*	32.8	37.3	20.0	35.4	39.6	23.6
Unknown**	0.2	0.2	0.2	0.1	0.1	0.2
Unknown#	0.1	0.1	0.1	0.1	0.1	0.1

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

# Unknown whether any previous marriage.

Table D6. Marriages and percentage distribution, by residence of bride and groom and race of bride Mississippi, 1980

Residence of Groom	Race and Residence of Bride											
	Total				White				Nonwhite			
	Total	Mississippi	Other	Unknown	Total	Mississippi	Other	Unknown	Total	Mississippi	Other	Unknown
NUMBER												
Total	27,908	25,594	2,300	14	20,620	18,723	1,887	10	7,288	6,871	413	4
Mississippi	24,722	24,147	564	11	18,054	17,581	464	9	6,668	6,566	100	2
Other	3,181	1,444	1,735	2	2,563	1,140	1,422	1	618	304	313	1
Unknown	5	3	1	1	3	2	1	0	2	1	0	1
PERCENT												
Total	100.0	91.7	8.2	*	100.0	90.8	9.2	*	100.0	94.3	5.7	*
Mississippi	88.6	86.5	2.0	*	87.6	85.3	2.2	*	91.5	90.1	1.4	*
Other	11.4	5.2	6.2	*	12.4	5.5	6.9	*	8.5	4.2	4.3	*
Unknown	*	*	*	*	*	*	*	-	*	*	-	*

* Less than 0.06 percent.

DIVORCES

Table E1. Divorces and rates by race, census years, 1940-1980

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1940	3,251	2,295	956	6.8	9.3	4.2
1950	6,065	3,711	2,354	11.8	12.5	10.9
1960	5,260	3,553	1,707	11.0	11.4	10.1
1970	8,211	6,227	1,984	16.6	17.6	14.0
1980	13,846	10,760	3,086	24.5	26.0	20.5

* Divorces per 1,000 married women 14 years of age and over for census years 1940-1970. Divorces per 1,000 married women 15 years and over for the census year 1980.

Table E2. Divorces and percentage distribution, by cause and race*
Mississippi, 1980

Cause	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	13,846	10,760	3,086	100.0	100.0	100.0
Irreconcilable differences	6,336	5,573	763	45.8	51.8	24.7
Cruel and inhuman treatment	5,875	4,460	1,415	42.4	41.4	45.8
Desertion	1,216	435	781	8.8	4.0	25.3
Adultery	218	147	71	1.6	1.4	2.3
Drunkenness	103	74	29	0.7	0.7	0.9
Penitentiary	41	24	17	0.3	0.2	0.6
Annulment	26	23	3	0.2	0.2	0.1
Bigamy	10	6	4	0.1	**	0.1
Miscellaneous and other	7	6	1	**	**	**
Unknown	14	12	2	0.1	0.1	0.1

* Divorces of mixed-race couples are included in figures for nonwhites.

** Less than 0.06 percent.

Table E3. Divorces and percentage distribution, by number of minor children and race*
Mississippi, 1980

Number of Minor Children	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total divorces	13,846	10,760	3,086	100.0	100.0	100.0
None	6,072	4,977	1,095	43.8	46.2	35.5
One	3,633	2,792	841	26.2	25.9	27.2
Two	2,547	1,936	611	18.4	18.0	19.8
Three or more	1,467	972	495	10.6	9.0	16.0
Unknown	127	83	44	0.9	0.8	1.4

* Divorces of mixed-race couples are included in figures for nonwhites.

Table E4. Divorces and percentage distribution, by number of years married and race*
Mississippi, 1980

Number of Years Married	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total divorces	13,846	10,760	3,086	100.0	100.0	100.0
Under five	6,301	5,326	975	45.5	49.5	31.6
Under one	1,146	1,038	108	8.3	9.6	3.5
One	1,430	1,253	177	10.3	11.6	5.7
Two	1,396	1,177	219	10.1	10.9	7.1
Three	1,234	993	241	8.9	9.2	7.8
Four	1,095	865	230	7.9	8.0	7.4
Five - nine	3,518	2,558	960	25.4	23.8	31.1
Ten - nineteen	2,647	1,967	680	19.1	18.3	22.0
Twenty and over	1,322	864	458	9.5	8.0	14.8
Unknown	58	45	13	0.4	0.4	0.4

* Divorces of mixed-race couples are included in figures for nonwhites.

MAJOR TABLES

1980

TABLE 1
CENSUS POPULATION AND PERCENT CHANGE SINCE 1970, BY PLACE (COUNTIES, TOWNS OF 10,000 OR MORE) AND RACE, MISSISSIPPI, AS OF APRIL 1, 1980

	Population			Percent Change since 1970		
County	Total	White	Non-white	Total	White	Non-white
STATE	2,520,638	1,615,190	905,448	13.7	15.9	9.9
Adams	38,035	19,531	18,504	2.0	0.8	3.2
Alcorn	33,036	29,460	3,576	21.5	23.0	10.8
Amite	13,369	6,996	6,373	-2.9	2.7	-8.3
Attala	19,865	12,052	7,813	1.5	3.6	-1.6
Benton	8,153	5,054	3,099	8.6	16.2	-1.8
Bolivar	45,965	16,986	28,979	-7.0	-9.4	-5.5
Calhoun	15,664	11,650	4,014	7.1	7.8	5.2
Carroll	9,776	5,332	4,444	4.0	15.5	-7.1
Chickasaw	17,853	11,383	6,470	6.2	5.2	8.1
Choctaw	8,996	6,447	2,549	6.6	6.2	7.5
Claiborne	12,279	3,074	9,205	21.7	21.2	21.9
Clarke	16,945	11,004	5,941	12.6	14.2	9.6
Clay	21,082	10,470	10,612	11.9	10.0	13.8
Coahoma	36,918	13,074	23,844	-8.7	-8.1	-9.0
Copiah	26,503	13,642	12,861	7.1	10.9	3.3
Covington	15,927	10,410	5,517	13.7	10.4	20.6
DeSoto	53,930	44,203	9,727	50.3	90.2	-23.1
Forrest	66,018	47,719	18,299	14.1	9.6	27.7
Franklin	8,208	5,143	3,065	2.4	5.0	-1.6
George	15,297	13,808	1,489	22.8	25.4	2.5
Greene	9,827	7,836	1,991	15.0	17.6	5.7
Grenada	21,043	12,203	8,840	6.0	9.4	1.6
Hancock	24,537	21,892	2,645	41.1	47.0	6.1
Harrison	157,665	124,036	33,629	17.2	11.7	43.0
Hinds	250,998	136,265	114,733	16.8	4.3	36.0
Holmes	22,970	6,577	16,393	-0.6	-10.4	3.9
Humphreys	13,931	4,718	9,213	-4.6	-7.3	-3.1
Issaquena	2,513	1,107	1,406	-8.2	7.2	-17.5
Itawamba	20,518	19,196	1,322	21.8	20.9	37.0
Jackson	118,015	94,710	23,305	34.1	28.8	61.5
Jasper	17,265	8,761	8,504	7.9	2.3	14.4
Jefferson	9,181	1,645	7,536	1.2	-28.4	7.7
Jeff Davis	13,846	6,401	7,445	7.0	-0.5	14.5
Jones	61,912	47,315	14,597	9.8	11.6	4.6
Kemper	10,148	4,557	5,591	-0.8	1.5	-2.7
Lafayette	31,030	22,541	8,489	28.3	30.2	23.6
Lamar	23,821	21,125	2,696	56.6	60.2	33.3
Lauderdale	77,285	52,373	24,912	15.2	13.4	19.2
Lawrence	12,518	8,632	3,886	12.4	14.3	8.4
Leake	18,790	11,454	7,336	10.0	9.6	10.6
Lee	57,061	45,227	11,834	23.6	23.7	23.6
Leflore	41,525	16,724	24,801	-1.4	-4.7	1.0

Table 1 - Page 2
Census Population - Mississippi - April 1, 1980

County	Population			Percent Change since 1970		
	Total	White	Non-white	Total	White	Non-white
Lincoln	30,174	21,076	9,098	15.2	16.2	12.9
Lowndes	57,304	37,158	20,146	15.3	11.5	23.1
Madison	41,613	18,249	23,364	39.9	63.7	25.7
Marion	25,708	17,968	7,740	12.4	14.2	8.5
Marshall	29,296	13,647	15,649	21.9	50.0	4.8
Monroe	36,404	25,544	10,860	6.9	8.0	4.5
Montgomery	13,366	7,883	5,483	3.5	10.7	-5.4
Neshoba	23,789	17,074	6,715	14.4	13.1	17.6
Newton	19,944	13,998	5,946	5.1	4.8	5.6
Noxubee	13,212	4,653	8,559	-7.5	-3.9	-9.4
Oktibbeha	36,018	23,138	12,880	25.3	24.6	26.5
Panola	28,164	14,312	13,852	5.0	9.6	0.6
Pearl River	33,795	28,622	5,173	21.6	26.2	1.2
Perry	9,864	7,712	2,152	8.8	15.6	-10.0
Pike	36,173	20,406	15,767	13.9	14.0	13.8
Pontotoc	20,918	17,618	3,300	20.5	23.6	6.1
Prentiss	24,025	21,383	2,642	19.3	20.3	12.1
Quitman	12,636	5,530	7,106	-20.5	-17.3	-22.8
Rankin	69,427	56,282	13,145	58.0	78.5	6.0
Scott	24,556	15,850	8,706	14.9	11.2	22.4
Sharkey	7,964	2,700	5,264	-10.9	-13.6	-9.4
Simpson	23,441	16,198	7,243	17.5	18.4	15.5
Smith	15,077	11,864	3,213	11.2	11.8	8.8
Stone	9,716	7,463	2,253	19.9	20.0	19.8
Sunflower	34,844	13,052	21,792	-5.9	-4.2	-7.0
Tallahatchie	17,157	7,252	9,905	-11.3	-5.3	-15.2
Tate	20,119	12,339	7,780	8.5	26.2	-11.2
Tippah	18,739	15,743	2,996	18.2	18.7	15.6
Tishomingo	18,434	17,676	758	23.4	23.9	12.8
Tunica	9,652	2,566	7,086	-18.6	-20.4	-17.9
Union	21,741	18,701	3,040	13.8	15.8	3.0
Walthall	13,761	8,095	5,666	10.1	9.3	11.2
Warren	51,627	31,878	19,749	14.8	20.4	6.7
Washington	72,344	31,619	40,725	2.5	-0.6	5.0
Wayne	19,135	12,695	6,440	14.9	13.7	17.5
Webster	10,300	8,265	2,035	2.5	6.1	-9.9
Wilkinson	10,021	3,292	6,729	-9.7	-8.2	-10.4
Winston	19,474	11,661	7,813	5.8	5.4	6.4
Yalobusha	13,139	8,098	5,041	10.3	14.5	4.1
Yazoo	27,349	13,197	14,152	0.2	4.0	-3.2

Table 1 - Page 3
Census Population - Mississippi - April 1, 1980

	Population			Percent Change since 1970		
Town*	Total	White	Non-white	Total	White	Non-white
Biloxi	49,311	38,739	10,572	1.7	-6.7	51.5
Brookhaven	10,800	6,421	4,379	0.9	-3.4	8.1
Canton	11,116	3,823	7,293	5.8	-16.0	22.5
Clarksdale	21,137	7,984	13,153	-2.5	-18.9	11.2
Cleveland	14,524	8,674	5,850	9.0	4.7	16.0
Clinton	14,660	13,506	1,154	102.3	105.1	74.3
Columbus	27,383	15,070	12,313	6.2	-5.9	26.0
Corinth	13,839	11,332	2,507	19.5	21.4	11.7
Greenville	40,613	16,181	24,432	2.4	-14.1	17.4
Greenwood	20,115	9.510	10,605	-10.2	-14.5	-6.0
Grenada	12,651	7,059	5,582	27.1	26.0	28.5
Gulfport	39,676	29,329	10,347	-2.7	-11.5	35.3
Hattiesburg	40,829	26,295	14,534	6.7	-3.1	30.4
Jackson	202,895	106,285	96,610	31.8	14.7	57.6
Laurel	21,897	13,191	8,706	-9.3	-13.2	-2.7
McComb	12,331	7,807	4,524	3.0	-2.0	13.2
Meridian	46,577	28,916	17,661	3.3	-3.2	16.2
Moss Point	18,998	6,518	12,480	-1.7	40.4	48.7
Natchez	22,015	10,514	11,501	11.7	8.0	15.3
Ocean Springs	14,504	13,254	1,250	51.4	51.1	54.9
Pascagoula	29,318	24,005	5,313	7.5	1.4	47.5
Pearl	20,778	18,307	2,471	115.9	90.7	10,195.8
Picayune	10,361	6,961	3,400	-1.0	0.4	-3.8
Southaven	16,071	15,917	154	79.9	78.5	862.5
Starkville	15,169	11,019	4,150	33.4	30.0	43.6
Tupelo	23,905	19,447	4,458	16.8	15.2	23.9
Vicksburg	25,434	11,956	13,478	-0.2	-6.8	6.5
Yazoo City	12,426	6,325	6,101	15.1	46.7	-5.9

* Towns of 10,000 population or more.

TABLE 2
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE, ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE), MISSISSIPPI, 1980

	Occurrence Data			Residence Data					
	Number			Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	47,400	24,559	22,841	47,821	24,687	23,134	19.0	15.3	25.5
Adams	1,494	716	778	760	312	448	20.0	16.0	24.2
Alcorn	227	196	31	472	402	70	14.3	13.6	19.6
Amite	2	1	1	225	102	123	16.8	14.6	19.3
Attala	213	153	60	320	171	149	16.1	14.2	19.1
Benton	0	0	0	128	60	68	15.7	11.9	21.9
Bolivar	1,969	358	1,611	1,145	269	876	24.9	15.8	30.2
Calhoun	1	0	1	239	147	92	15.2	12.6	22.9
Carroll	6	0	6	154	63	91	15.8	11.8	20.5
Chickasaw	95	29	66	359	170	189	20.1	14.9	29.2
Choctaw	117	22	95	174	85	89	19.3	13.2	34.9
Claiborne	106	5	101	250	42	208	20.4	13.7	22.6
Clarke	42	14	28	287	165	122	16.9	15.0	20.5
Clay	409	102	307	437	155	282	20.7	14.8	26.6
Coahoma	1,160	330	830	856	199	657	23.2	15.2	27.6
Copiah	233	102	131	485	173	312	18.3	12.7	24.2
Covington	126	55	71	300	139	161	18.8	13.4	29.2
DeSoto	1	0	1	798	596	202	14.8	13.5	20.8
Forrest	2,565	1,777	788	1,136	716	420	17.2	15.0	23.0
Franklin	27	5	22	168	79	89	20.5	15.4	29.0
George	226	173	53	306	256	50	20.0	18.5	33.6
Greene	61	39	22	198	143	55	20.1	18.2	27.6
Grenada	624	317	307	393	189	204	18.7	15.5	23.1
Hancock	161	134	27	404	338	66	16.5	15.4	25.0
Harrison	3,420	2,557	863	3,027	2,238	789	19.2	18.0	23.5
Hinds	7,138	2,387	4,751	4,896	1,895	3,001	19.5	13.9	26.2
Holmes	374	35	339	535	78	457	23.3	11.8	27.9
Humphreys	249	10	239	313	57	256	22.5	12.1	27.8
Issaquena	0	0	0	53	18	35	21.1	16.3	24.9
Itawamba	42	38	4	312	275	37	15.2	14.3	28.0
Jackson	2,095	1,526	569	2,199	1,602	597	18.6	16.9	25.6
Jasper	3	1	2	343	124	219	19.9	14.2	25.8
Jefferson	39	1	38	216	24	192	23.5	14.6	25.5
Jeff Davis	104	24	80	263	94	169	19.0	14.7	22.7
Jones	1,698	877	821	1,099	733	366	17.8	15.5	25.1
Kemper	25	8	17	191	84	107	18.8	18.4	19.1
Lafayette	521	333	188	410	232	178	13.2	10.3	21.0
Lamar	33	29	4	405	356	49	17.0	16.8	18.2
Lauderdale	2,494	1,481	1,013	1,468	811	657	19.0	15.5	26.4
Lawrence	31	9	22	243	139	104	19.4	16.1	26.8
Leake	101	61	40	358	175	183	19.0	15.3	24.9
Lee	2,070	1,506	564	1,089	756	333	19.1	16.7	28.1
Leflore	1,288	450	838	926	306	620	22.3	18.3	25.0

Table 2 - Page 2
Live Births - Mississippi - 1980

	Occurrence Data			Residence Data					
	Number			Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	427	268	159	550	315	235	18.2	14.9	25.8
Lowndes	1,040	699	341	1,189	639	550	20.7	17.2	27.3
Madison	14	2	12	838	340	498	20.1	18.6	21.3
Marion	7	7	0	475	290	185	18.5	16.1	23.9
Marshall	6	1	5	618	211	407	21.1	15.5	26.0
Monroe	1,452	1,075	377	624	380	244	17.1	14.9	22.5
Montgomery	242	58	184	238	103	135	17.8	13.1	24.6
Neshoba	236	95	141	433	244	189	18.2	14.3	28.1
Newton	127	57	70	324	164	160	16.2	11.7	26.9
Noxubee	293	21	272	295	61	234	22.3	13.1	27.3
Oktibbeha	749	305	444	612	269	343	17.0	11.6	26.6
Panola	518	127	391	594	221	373	21.1	15.4	26.9
Pearl River	497	397	100	617	498	119	18.2	17.4	23.0
Perry	84	66	18	202	142	60	20.5	18.4	27.9
Pike	1,167	639	528	678	292	386	18.7	14.3	24.5
Pontotoc	11	9	2	284	237	47	13.6	13.4	14.2
Prentiss	181	170	11	340	289	51	14.2	13.5	19.3
Quitman	93	17	76	270	70	200	21.4	12.6	28.1
Rankin	2,181	1,792	389	1,202	940	262	17.3	16.7	19.9
Scott	94	65	29	444	249	195	18.1	15.7	22.4
Sharkey	53	4	49	195	39	156	24.5	14.4	29.6
Simpson	131	76	55	443	245	198	18.9	15.1	27.3
Smith	37	20	17	241	146	95	16.0	12.3	29.6
Stone	1	0	1	179	106	73	18.4	14.2	32.4
Sunflower	380	96	284	835	172	663	24.0	13.2	30.4
Tallahatchie	249	46	203	388	96	292	22.6	13.2	29.5
Tate	156	54	102	361	168	193	17.9	13.6	24.8
Tippah	295	164	131	321	247	74	17.1	15.7	24.7
Tishomingo	111	107	4	275	263	12	14.9	14.9	15.8
Tunica	28	4	24	215	47	168	22.3	18.3	23.7
Union	513	377	136	349	269	80	16.0	14.4	26.3
Walthall	232	100	132	283	122	161	20.6	15.1	28.4
Warren	1,516	631	885	979	497	482	19.0	15.6	24.4
Washington	1,394	578	816	1,687	503	1,184	23.3	15.9	29.1
Wayne	284	123	161	356	207	149	18.6	16.3	23.1
Webster	194	109	85	154	100	54	15.0	12.1	26.5
Wilkinson	207	73	134	203	53	150	20.2	16.1	22.3
Winston	236	103	133	366	141	225	18.8	12.1	28.8
Yalobusha	176	77	99	237	124	113	18.0	15.3	22.4
Yazoo	198	86	112	587	220	367	21.5	16.7	25.9
Out of state	2,374	1,669	705	1,953	1,541	412			

Table 2 - Page 3
Live Births - Mississippi - 1980

	Residence Data					
	Number			Rate*		
Town**	Total	White	Non-white	Total	White	Non-white
Biloxi	1,043	793	250	21.2	20.5	23.6
Brookhaven	227	103	124	21.0	16.0	28.3
Canton	317	69	248	28.5	18.0	34.0
Clarksdale	535	142	393	25.3	17.8	29.9
Cleveland	314	122	192	21.6	14.1	32.8
Clinton	216	165	51	14.7	12.2	44.2
Columbus	521	215	306	19.0	14.3	24.8
Corinth	163	110	53	11.8	9.7	21.1
Greenville	964	228	736	23.7	14.1	30.1
Greenwood	479	156	323	23.8	16.4	30.4
Grenada	217	87	130	17.2	12.3	23.3
Gulfport	761	468	293	19.2	16.0	28.3
Hattiesburg	686	334	352	16.8	12.7	24.2
Jackson	4,010	1,478	2,532	19.8	13.9	26.2
Laurel	424	197	227	19.4	14.9	26.1
McComb	237	104	133	19.2	13.3	29.4
Meridian	884	403	481	19.0	13.9	27.2
Moss Point	404	102	302	21.3	15.6	24.2
Natchez	455	162	293	20.7	15.4	25.5
Ocean Springs	312	283	29	21.5	21.4	23.2
Pascagoula	633	481	152	21.6	20.0	28.6
Pearl	335	305	30	16.1	16.7	12.1
Picayune	196	113	83	18.9	16.2	24.4
Southaven	188	181	7	11.7	11.4	45.4
Starkville	310	175	135	20.4	15.9	32.5
Tupelo	450	308	142	18.8	15.8	31.8
Vicksburg	538	199	339	21.2	16.6	25.2
Yazoo City	276	80	196	22.2	12.6	32.1

* Live births per 1,000 population.

** Towns of 10,000 population or more.

TABLE 3
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT, ALSO BY COUNTY OF RESIDENCE AND SEX, MISSISSIPPI, 1980

		White				Nonwhite				Sex	
County	Total	Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
STATE	47,821	24,687	24,605	12	70	23,134	22,928	53	153	24,563	23,258
Adams	760	312	311	0	1	448	446	0	2	389	371
Alcorn	472	402	401	1	0	70	70	0	0	246	226
Amite	225	102	101	0	1	123	122	0	1	120	105
Attala	320	171	171	0	0	149	137	0	12	163	157
Benton	128	60	60	0	0	68	68	0	0	66	62
Bolivar	1,145	269	268	0	1	876	869	3	4	581	564
Calhoun	239	147	147	0	0	92	91	0	1	113	126
Carroll	154	63	63	0	0	91	85	1	5	88	66
Chickasaw	359	170	170	0	0	189	186	2	1	175	184
Choctaw	174	85	85	0	0	89	88	0	1	84	90
Claiborne	250	42	42	0	0	208	207	0	1	129	121
Clarke	287	165	165	0	0	122	122	0	0	142	145
Clay	437	155	155	0	0	282	281	0	1	215	222
Coahoma	856	199	199	0	0	657	656	0	1	451	405
Copiah	485	173	173	0	0	312	309	3	0	266	219
Covington	300	139	139	0	0	161	160	0	1	144	156
DeSoto	798	596	596	0	0	202	201	1	0	393	405
Forrest	1,136	716	712	0	4	420	419	1	0	564	572
Franklin	168	79	78	0	1	89	86	0	3	86	82
George	306	256	256	0	0	50	50	0	0	169	137
Greene	198	143	143	0	0	55	54	1	0	103	95
Grenada	393	189	189	0	0	204	203	0	1	206	187
Hancock	404	338	337	0	1	66	66	0	0	207	197
Harrison	3,027	2,238	2,230	4	4	789	781	1	7	1,539	1,488

Table 3 - Page 2
Live Births - Mississippi- 1980

County	Total	White				Nonwhite				Sex	
		Total	Hosp., or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Hinds	4,896	1,895	1,891	1	3	3,001	2,983	10	8	2,472	2,424
Holmes	535	78	78	0	0	457	456	1	0	283	252
Humphreys	313	57	57	0	0	256	254	1	1	160	153
Issaquena	53	18	18	0	0	35	35	0	0	19	34
Itawamba	312	275	274	1	0	37	37	0	0	168	144
Jackson	2,199	1,602	1,595	1	6	597	593	0	4	1,132	1,067
Jasper	343	124	123	0	1	219	217	0	2	181	162
Jefferson	216	24	24	0	0	192	192	0	0	112	104
Jeff Davis	263	94	94	0	0	169	168	0	1	134	129
Jones	1,099	733	725	0	8	366	366	0	0	585	514
Kemper	191	84	84	0	0	107	107	0	0	91	100
Lafayette	410	232	230	0	2	178	172	1	5	217	193
Lamar	405	356	353	0	3	49	49	0	0	216	189
Lauderdale	1,468	811	809	0	2	657	657	0	0	779	689
Lawrence	243	139	139	0	0	104	104	0	0	124	119
Leake	358	175	175	0	0	183	176	0	7	188	170
Lee	1,089	756	755	1	0	333	332	1	0	563	526
Leflore	926	306	306	0	0	620	613	1	6	475	451
Lincoln	550	315	314	0	1	235	235	0	0	291	259
Lowndes	1,189	639	638	0	1	550	545	0	5	609	580
Madison	838	340	339	0	1	498	494	0	4	431	407
Marion	475	290	286	0	4	185	185	0	0	252	223
Marshall	618	211	210	0	1	407	405	1	1	328	290
Monroe	624	380	378	1	1	244	242	1	1	337	287
Montgomery	238	103	103	0	0	135	135	0	0	124	114
Neshoba	433	244	243	0	1	189	187	2	0	220	213
Newton	324	164	164	0	0	160	160	0	0	171	153
Noxubee	295	61	61	0	0	234	233	0	1	147	148
Oktibbeha	612	269	269	0	0	343	342	1	0	308	304
Panola	594	221	221	0	0	373	359	6	8	287	307

Table 3 - Page 3
Live Births - Mississippi - 1980

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	617	498	497	0	1	119	118	0	1	314	303
Perry	202	142	142	0	0	60	60	0	0	91	111
Pike	678	292	286	0	6	386	368	0	18	352	326
Pontotoc	284	237	237	0	0	47	47	0	0	154	130
Prentiss	340	289	289	0	0	51	51	0	0	185	155
Quitman	270	70	70	0	0	200	200	0	0	144	126
Rankin	1,202	940	939	0	1	262	261	1	0	593	609
Scott	444	249	249	0	0	195	194	1	0	239	205
Sharkey	195	39	39	0	0	156	154	0	2	99	96
Simpson	443	245	245	0	0	198	195	3	0	226	217
Smith	241	146	146	0	0	95	94	0	1	122	119
Stone	179	106	106	0	0	73	71	0	2	84	95
Sunflower	835	172	172	0	0	663	659	3	1	432	403
Tallahatchie	388	96	96	0	0	292	287	1	4	190	198
Tate	361	168	168	0	0	193	189	1	3	200	161
Tippah	321	247	247	0	0	74	74	0	0	160	161
Tishomingo	275	263	260	0	3	12	12	0	0	142	133
Tunica	215	47	47	0	0	168	167	1	0	114	101
Union	349	269	268	1	0	80	80	0	0	171	178
Walthall	283	122	112	0	10	161	149	1	11	150	133
Warren	979	497	496	0	1	482	482	0	0	497	482
Washington	1,687	503	502	1	0	1,184	1,178	0	6	875	812
Wayne	356	207	207	0	0	149	149	0	0	196	160
Webster	154	100	100	0	0	54	53	1	0	78	76
Wilkinson	203	53	53	0	0	150	149	1	0	108	95
Winston	366	141	141	0	0	225	225	0	0	192	174
Yalobusha	237	124	124	0	0	113	113	0	0	119	118
Yazoo	587	220	220	0	0	367	359	0	8	293	294

NOTE: "Hosp. or Clinic" includes delivery by physician, CNM, or any other named person. "Other" includes delivery by any person other than a physician, at any place other than a hospital or clinic.

*** REVISED ***

TABLE 4

FERTILITY RATES*, BY COUNTY OF RESIDENCE, AND RACE, MISSISSIPPI, 1980

(Population figures by age-race-sex became available after publication.)

County	Total	White	Non-white	County	Total	White	Non-white
STATE	83.9	68.0	111.8				
Adams	87.1	70.8	103.8	Lincoln	87.5	72.7	120.1
Alcorn	64.5	61.8	85.8	Lowndes	81.4	66.3	110.5
Amite	85.5	76.7	94.5	Madison	85.5	76.1	93.4
Attala	85.3	77.6	96.4	Marion	89.8	77.7	118.6
Benton	78.5	62.4	101.5	Marshall	93.0	70.7	111.2
Bolivar	111.7	69.3	137.6	Monroe	80.4	70.5	103.0
Calhoun	75.5	64.7	103.2	Montgomery	91.1	68.8	121.0
Carroll	75.8	59.1	94.3	Neshoba	89.1	72.6	126.2
Chickasaw	94.7	72.4	131.2	Newton	80.9	60.2	124.9
Choctaw	93.8	66.0	156.7	Noxubee	111.1	71.1	130.1
Claiborne	81.4	75.5	82.7	Oktibbeha	62.1	41.4	102.0
Clarke	81.5	71.7	99.8	Panola	103.0	75.8	130.8
Clay	93.0	68.7	115.4	Pearl River	81.5	78.1	99.4
Coahoma	108.8	70.7	130.0	Perry	91.8	81.3	131.9
Copiah	86.2	62.9	108.6	Pike	89.4	71.0	111.3
Covington	88.6	64.4	131.4	Pontotoc	65.0	65.2	63.8
DeSoto	60.2	53.2	97.6	Prentiss	65.8	63.7	80.8
Forrest	67.4	58.7	90.1	Quitman	108.5	63.5	144.3
Franklin	102.0	80.8	133.0	Rankin	70.1	66.4	88.0
George	91.9	85.3	152.4	Scott	85.4	74.4	105.1
Greene	96.0	87.4	129.1	Sharkey	118.3	74.7	138.5
Grenada	85.2	72.5	101.7	Simpson	89.8	73.2	125.0
Hancock	80.2	75.6	116.6	Smith	77.1	60.7	132.1
Harrison	81.6	77.3	97.2	Stone	82.3	64.0	140.6
Hinds	76.2	56.2	98.2	Sunflower	120.7	67.5	151.7
Holmes	113.8	59.5	134.8	Tallahatchie	111.5	67.9	141.3
Humphreys	110.1	61.0	134.2	Tate	75.7	57.6	104.3
Issaquena	93.6	72.0	110.8	Tippah	82.2	75.2	118.8
Itawamba	71.0	67.0	127.6	Tishomingo	70.9	70.8	75.5
Jackson	77.5	70.6	104.7	Tunica	110.7	93.8	116.6
Jasper	97.0	73.2	118.9	Union	78.2	70.0	129.2
Jefferson	108.5	89.6	111.4	Walthall	103.8	78.6	137.0
Jeff Davis	93.4	74.5	108.7	Warren	83.0	67.2	109.4
Jones	80.6	70.6	112.1	Washington	106.8	72.1	134.2
Kemper	96.0	96.3	95.8	Wayne	83.6	73.4	103.7
Lafayette	51.4	39.3	85.7	Webster	75.4	61.9	126.8
Lamar	71.8	70.8	80.1	Wilkinson	95.5	81.9	101.4
Lauderdale	85.6	70.2	117.6	Winston	93.3	62.0	136.4
Lawrence	88.9	74.2	121.2	Yalobusha	91.1	80.8	105.8
Leake	96.0	79.4	120.1	Yazoo	106.0	83.4	126.5
Lee	81.4	71.7	117.2				
Leflore	99.1	88.0	105.7				

* Live births per 1,000 female population 15-44 years of age.

TABLE 5A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	47,821	378	10,693	17,033	12,275	5,460	1,614	337	25	6
Adams	760	5	164	262	200	92	29	8	0	0
Alcorn	472	2	86	173	123	67	17	4	0	0
Amite	225	3	50	80	54	25	11	1	1	0
Attala	320	1	73	112	71	47	9	6	1	0
Benton	128	0	46	49	21	9	3	0	0	0
Bolivar	1,145	22	342	373	230	133	39	6	0	0
Calhoun	239	0	68	91	52	22	6	0	0	0
Carroll	154	0	39	49	37	18	8	3	0	0
Chickasaw	359	2	85	121	93	43	10	5	0	0
Choctaw	174	5	32	62	40	25	8	2	0	0
Claiborne	250	2	62	101	47	23	11	4	0	0
Clarke	287	2	65	101	62	45	9	3	0	0
Clay	437	2	86	155	130	49	10	4	1	0
Coahoma	856	6	280	304	177	60	27	1	1	0
Copiah	485	3	115	178	117	55	12	5	0	0
Covington	300	6	68	99	76	35	13	3	0	0
DeSoto	798	7	136	295	221	113	22	4	0	0
Forrest	1,136	6	216	438	312	117	41	5	0	1
Franklin	168	1	36	67	44	15	5	0	0	0
George	306	2	77	122	62	32	8	3	0	0
Greene	198	1	52	81	36	17	7	4	0	0
Grenada	393	7	104	128	103	38	11	1	1	0
Hancock	404	1	90	152	89	52	20	0	0	0
Harrison	3,027	17	628	1,200	826	269	80	7	0	0
Hinds	4,896	31	911	1,610	1,471	672	170	29	2	0
Holmes	535	5	149	190	110	43	29	8	1	0
Humphreys	313	2	90	116	65	27	10	3	0	0
Issaquena	53	0	15	14	18	2	2	2	0	0
Itawamba	312	0	66	113	79	37	13	4	0	0
Jackson	2,199	9	462	794	598	248	75	12	1	0
Jasper	343	4	73	115	93	35	17	6	0	0
Jefferson	216	3	55	82	48	20	3	5	0	0
Jeff Davis	263	5	63	102	55	29	8	1	0	0
Jones	1,099	9	236	386	299	139	23	7	0	0
Kemper	191	0	42	72	48	17	9	2	1	0
Lafayette	410	0	73	140	131	55	9	2	0	0
Lamar	405	1	72	134	126	53	17	1	1	0
Lauderdale	1,468	16	295	520	404	171	50	12	0	0
Lawrence	243	2	42	106	60	26	6	1	0	0
Leake	358	2	84	124	90	36	17	4	1	0
Lee	1,089	6	212	410	285	133	33	7	1	2
Leflore	926	11	256	339	198	91	26	5	0	0

Table 5A - Page 2
Total Live Births - Mississippi - 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	550	5	121	196	135	78	12	3	0	0
Lowndes	1,189	9	251	422	322	141	32	11	1	0
Madison	838	10	187	257	253	98	22	10	1	0
Marion	475	2	109	195	101	47	19	2	0	0
Marshall	618	4	155	229	136	70	15	8	1	0
Monroe	624	1	144	209	169	78	18	5	0	0
Montgomery	238	3	62	78	64	22	6	2	1	0
Neshoba	433	2	93	151	105	62	19	1	0	0
Newton	324	4	66	128	71	39	12	4	0	0
Noxubee	295	2	83	97	63	33	13	4	0	0
Oktibbeha	612	7	120	218	169	72	25	1	0	0
Panola	594	4	161	202	127	67	28	4	1	0
Pearl River	617	3	133	229	150	78	20	4	0	0
Perry	202	0	45	77	53	23	4	0	0	0
Pike	678	3	150	233	185	75	28	2	2	0
Pontotoc	284	1	47	102	86	34	12	2	0	0
Prentiss	340	3	71	133	83	40	7	3	0	0
Quitman	270	7	62	105	51	27	14	4	0	0
Rankin	1,202	8	200	399	370	185	34	5	0	1
Scott	444	5	101	162	105	56	12	2	0	1
Sharkey	195	1	67	62	45	12	4	4	0	0
Simpson	443	2	101	170	110	42	16	2	0	0
Smith	241	0	48	92	64	28	6	3	0	0
Stone	179	2	34	59	42	32	7	3	0	0
Sunflower	835	9	230	276	192	81	37	9	1	0
Tallahatchie	388	9	139	117	73	34	13	3	0	0
Tate	361	2	75	137	97	35	13	1	1	0
Tippah	321	1	69	116	89	31	11	4	0	0
Tishomingo	275	1	52	91	82	34	13	2	0	0
Tunica	215	3	66	78	48	13	5	1	1	0
Union	349	1	81	120	92	38	14	2	1	0
Walthall	283	3	61	109	54	33	19	4	0	0
Warren	979	7	181	348	285	121	32	5	0	0
Washington	1,687	24	452	590	385	161	61	13	0	1
Wayne	356	3	81	139	78	36	16	2	1	0
Webster	154	1	33	66	33	14	6	1	0	0
Wilkinson	203	5	53	63	54	19	7	2	0	0
Winston	366	3	88	124	89	44	14	4	0	0
Yalobusha	237	3	58	86	47	30	11	2	0	0
Yazoo	587	6	167	208	117	62	24	3	0	0

TABLE 5B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	24,687	40	4,075	9,039	7,446	3,197	777	105	5	3
Adams	312	0	48	106	102	44	11	1	0	0
Alcorn	402	1	70	141	111	61	15	3	0	0
Amite	102	1	12	42	30	15	2	0	0	0
Attala	171	0	25	72	40	28	4	2	0	0
Benton	60	0	18	22	11	6	3	0	0	0
Bolivar	269	1	39	95	81	41	10	2	0	0
Calhoun	147	0	34	54	37	19	3	0	0	0
Carroll	63	0	8	22	15	13	4	1	0	0
Chickasaw	170	0	28	58	55	21	6	2	0	0
Choctaw	85	0	10	33	25	13	4	0	0	0
Claiborne	42	0	4	21	12	3	2	0	0	0
Clarke	165	0	32	61	40	28	4	0	0	0
Clay	155	0	21	60	46	23	4	0	1	0
Coahoma	199	0	35	74	64	23	3	0	0	0
Copiah	173	0	25	70	51	20	5	2	0	0
Covington	139	2	25	52	40	16	2	2	0	0
DeSoto	596	0	75	230	185	91	13	2	0	0
Forrest	716	1	101	278	215	92	25	3	0	1
Franklin	79	1	15	31	23	8	1	0	0	0
George	256	0	58	111	54	27	6	0	0	0
Greene	143	0	35	59	28	13	6	2	0	0
Grenada	189	0	34	67	58	24	4	1	1	0
Hancock	338	1	66	133	83	37	18	0	0	0
Harrison	2,238	5	433	903	632	205	55	5	0	0
Hinds	1,895	2	176	566	743	320	77	11	0	0
Holmes	78	0	15	22	24	12	4	1	0	0
Humphreys	57	0	9	21	19	7	1	0	0	0
Issaquena	18	0	4	4	9	0	0	1	0	0
Itawamba	275	0	61	106	70	28	7	3	0	0
Jackson	1,602	1	314	592	445	184	59	6	1	0
Jasper	124	0	14	43	45	13	7	2	0	0
Jefferson	24	0	4	10	5	5	0	0	0	0
Jeff Davis	94	0	16	41	22	11	4	0	0	0
Jones	733	1	121	271	215	106	17	2	0	0
Kemper	84	0	12	32	24	7	8	1	0	0
Lafayette	232	0	26	76	83	41	5	1	0	0
Lamar	356	1	59	120	113	47	14	1	1	0
Lauderdale	811	2	114	314	256	97	25	3	0	0
Lawrence	139	1	23	63	38	12	2	0	0	0
Leake	175	0	40	61	46	21	7	0	0	0
Lee	756	2	128	275	221	101	24	3	0	2
Leflore	306	0	40	117	101	38	9	1	0	0

Table 5B - Page 2
White Live Births - Mississippi - 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	315	0	57	117	85	46	9	1	0	0
Lowndes	639	1	91	231	222	81	11	2	0	0
Madison	340	0	40	94	149	47	7	3	0	0
Marion	290	0	65	124	59	28	13	1	0	0
Marshall	211	0	42	90	51	25	1	2	0	0
Monroe	380	0	86	127	108	49	9	1	0	0
Montgomery	103	0	14	35	37	12	3	2	0	0
Neshoba	244	1	42	84	66	42	9	0	0	0
Newton	164	0	20	70	45	23	5	1	0	0
Noxubee	61	0	13	11	21	14	2	0	0	0
Oktibbeha	269	1	26	100	94	36	11	1	0	0
Panola	221	1	50	78	61	22	8	1	0	0
Pearl River	498	0	94	187	132	67	16	2	0	0
Perry	142	0	30	57	36	18	1	0	0	0
Pike	292	0	51	96	92	41	11	1	0	0
Pontotoc	237	1	41	80	74	29	11	1	0	0
Prentiss	289	2	56	114	72	36	7	2	0	0
Quitman	70	2	7	32	19	5	3	2	0	0
Rankin	940	3	143	294	315	157	26	2	0	0
Scott	249	2	45	90	73	31	7	1	0	0
Sharkey	39	0	4	17	14	3	1	0	0	0
Simpson	245	0	55	89	67	27	6	1	0	0
Smith	146	0	25	60	43	13	4	1	0	0
Stone	106	0	20	39	25	19	3	0	0	0
Sunflower	172	0	23	65	48	31	5	0	0	0
Tallahatchie	96	0	16	33	33	12	2	0	0	0
Tate	168	0	22	72	50	20	4	0	0	0
Tippah	247	0	46	92	74	27	6	2	0	0
Tishomingo	263	1	49	88	79	32	12	2	0	0
Tunica	47	1	6	17	19	4	0	0	0	0
Union	269	0	56	96	71	33	12	1	0	0
Walthall	122	0	24	51	26	13	5	3	0	0
Warren	497	0	57	174	179	69	16	2	0	0
Washington	503	1	79	188	164	56	14	1	0	0
Wayne	207	0	35	86	56	21	8	0	1	0
Webster	100	0	16	41	25	13	4	1	0	0
Wilkinson	53	0	14	12	19	6	2	0	0	0
Winston	141	0	24	51	41	19	5	1	0	0
Yalobusha	124	0	27	48	25	16	8	0	0	0
Yazoo	220	0	37	80	60	33	10	0	0	0

TABLE 5C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	23,134	338	6,618	7,994	4,829	2,263	837	232	20	3
Adams	448	5	116	156	98	48	18	7	0	0
Alcorn	70	1	16	32	12	6	2	1	0	0
Amite	123	2	38	38	24	10	9	1	1	0
Attala	149	1	48	40	31	19	5	4	1	0
Benton	68	0	28	27	10	3	0	0	0	0
Bolivar	876	21	303	278	149	92	29	4	0	0
Calhoun	92	0	34	37	15	3	3	0	0	0
Carroll	91	0	31	27	22	5	4	2	0	0
Chickasaw	189	2	57	63	38	22	4	3	0	0
Choctaw	89	5	22	29	15	12	4	2	0	0
Claiborne	208	2	58	80	35	20	9	4	0	0
Clarke	122	2	33	40	22	17	5	3	0	0
Clay	282	2	65	95	84	26	6	4	0	0
Coahoma	657	6	245	230	113	37	24	1	1	0
Copiah	312	3	90	108	66	35	7	3	0	0
Covington	161	4	43	47	36	19	11	1	0	0
DeSoto	202	7	61	65	36	22	9	2	0	0
Forrest	420	5	115	160	97	25	16	2	0	0
Franklin	89	0	21	36	21	7	4	0	0	0
George	50	2	19	11	8	5	2	3	0	0
Greene	55	1	17	22	8	4	1	2	0	0
Grenada	204	7	70	61	45	14	7	0	0	0
Hancock	66	0	24	19	6	15	2	0	0	0
Harrison	789	12	195	297	194	64	25	2	0	0
Hinds	3,001	29	735	1,044	728	352	93	18	2	0
Holmes	457	5	134	168	86	31	25	7	1	0
Humphreys	256	2	81	95	46	20	9	3	0	0
Issaquena	35	0	11	10	9	2	2	1	0	0
Itawamba	37	0	5	7	9	9	6	1	0	0
Jackson	597	8	148	202	153	64	16	6	0	0
Jasper	219	4	59	72	48	22	10	4	0	0
Jefferson	192	3	51	72	43	15	3	5	0	0
Jeff Davis	169	5	47	61	33	18	4	1	0	0
Jones	366	8	115	115	84	33	6	5	0	0
Kemper	107	0	30	40	24	10	1	1	1	0
Lafayette	178	0	47	64	48	14	4	1	0	0
Lamar	49	0	13	14	13	6	3	0	0	0
Lauderdale	657	14	181	206	148	74	25	9	0	0
Lawrence	104	1	19	43	22	14	4	1	0	0
Leake	183	2	44	63	44	15	10	4	1	0
Lee	333	4	84	135	64	32	9	4	1	0
Leflore	620	11	216	222	97	53	17	4	0	0

Table 5C - Page 2
Nonwhite Live Births - Mississippi - 1980

County	Total	Age of Mother Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	235	5	64	79	50	32	3	2	0	0
Lowndes	550	8	160	191	100	60	21	9	1	0
Madison	498	10	147	163	104	51	15	7	1	0
Marion	185	2	44	71	42	19	6	1	0	0
Marshall	407	4	113	139	85	45	14	6	1	0
Monroe	244	1	58	82	61	29	9	4	0	0
Montgomery	135	3	48	43	27	10	3	0	1	0
Neshoba	189	1	51	67	39	20	10	1	0	0
Newton	160	4	46	58	26	16	7	3	0	0
Noxubee	234	2	70	86	42	19	11	4	0	0
Oktibbeha	343	6	94	118	75	36	14	0	0	0
Panola	373	3	111	124	66	45	20	3	1	0
Pearl River	119	3	39	42	18	11	4	2	0	0
Perry	60	0	15	20	17	5	3	0	0	0
Pike	386	3	99	137	93	34	17	1	2	0
Pontotoc	47	0	6	22	12	5	1	1	0	0
Prentiss	51	1	15	19	11	4	0	1	0	0
Quitman	200	5	55	73	32	22	11	2	0	0
Rankin	262	5	57	105	55	28	8	3	0	1
Scott	195	3	56	72	32	25	5	1	0	1
Sharkey	156	1	63	45	31	9	3	4	0	0
Simpson	198	2	46	81	43	15	10	1	0	0
Smith	95	0	23	32	21	15	2	2	0	0
Stone	73	2	14	20	17	13	4	3	0	0
Sunflower	663	9	207	211	144	50	32	9	1	0
Tallahatchie	292	9	123	84	40	22	11	3	0	0
Tate	193	2	53	65	47	15	9	1	1	0
Tippah	74	1	23	24	15	4	5	2	0	0
Tishomingo	12	0	3	3	3	2	1	0	0	0
Tunica	168	2	60	61	29	9	5	1	1	0
Union	80	1	25	24	21	5	2	1	1	0
Walthall	161	3	37	58	28	20	14	1	0	0
Warren	482	7	124	174	106	52	16	3	0	0
Washington	1,184	23	373	402	221	105	47	12	0	1
Wayne	149	3	46	53	22	15	8	2	0	0
Webster	54	1	17	25	8	1	2	0	0	0
Wilkinson	150	5	39	51	35	13	5	2	0	0
Winston	225	3	64	73	48	25	9	3	0	0
Yalobusha	113	3	31	38	22	14	3	2	0	0
Yazoo	367	6	130	128	57	29	14	3	0	0

TABLE 6
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1980

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
STATE	13,414	1,466	11,948	28.0	5.9	51.6
Adams	263	17	246	34.6	5.4	54.9
Alcorn	56	26	30	11.9	6.5	42.8
Amite	53	3	50	23.6	2.9	40.6
Attala	71	3	68	22.2	1.8	45.6
Benton	32	4	28	25.0	6.7	41.2
Bolivar	585	16	569	51.1	5.9	65.0
Calhoun	47	5	42	19.7	3.4	45.6
Carroll	44	6	38	28.6	9.5	41.8
Chickasaw	87	8	79	24.2	4.7	41.8
Choctaw	48	3	45	27.6	3.5	50.6
Claiborne	115	1	114	46.0	2.4	54.8
Clarke	65	9	56	22.6	5.4	45.9
Clay	116	12	104	26.5	7.7	36.9
Coahoma	426	14	412	49.8	7.0	62.7
Copiah	145	5	140	29.9	2.9	44.9
Covington	72	8	64	24.0	5.8	39.8
DeSoto	149	36	113	18.7	6.0	55.9
Forrest	245	42	203	21.6	5.9	48.3
Franklin	49	2	47	29.2	2.5	52.8
George	42	12	30	13.7	4.7	60.0
Greene	38	9	29	19.2	6.3	52.7
Grenada	127	12	115	32.3	6.3	56.4
Hancock	68	33	35	16.8	9.8	53.0
Harrison	560	199	361	18.5	8.9	45.8
Hinds	1,638	106	1,532	33.4	5.6	51.0
Holmes	249	0	249	46.5	-	54.5
Humphreys	155	2	153	49.5	3.5	59.8
Issaquena	25	0	25	47.2	-	71.4
Itawamba	27	18	9	8.6	6.5	24.3
Jackson	407	136	271	18.5	8.5	45.4
Jasper	76	5	71	22.2	4.0	32.4
Jefferson	108	1	107	50.0	4.2	55.7
Jeff Davis	87	5	82	33.1	5.3	48.5
Jones	226	46	180	20.6	6.3	49.2
Kemper	39	2	37	20.4	2.4	34.6
Lafayette	83	10	73	20.2	4.3	41.0
Lamar	33	12	21	8.1	3.4	42.8
Lauderdale	367	38	329	25.0	4.7	50.1
Lawrence	51	6	45	21.0	4.3	43.3
Leake	69	3	66	19.3	1.7	36.1
Lee	202	60	142	18.5	7.9	42.6
Leflore	398	16	382	43.0	5.2	61.6

Table 6 - Page 2
Illegitimate Live Births - Mississippi - 1980

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	119	12	107	21.6	3.8	45.5
Lowndes	337	44	293	28.3	6.9	53.3
Madison	323	22	301	38.5	6.5	60.4
Marion	92	17	75	19.4	5.9	40.5
Marshall	229	16	213	37.0	7.6	52.3
Monroe	135	27	108	21.6	7.1	44.3
Montgomery	65	4	61	27.3	3.9	45.2
Neshoba	88	3	85	20.3	1.2	45.0
Newton	81	5	76	25.0	3.0	47.5
Noxubee	119	3	116	40.3	4.9	49.6
Oktibbeha	194	6	188	31.7	2.2	54.8
Panola	203	12	191	34.2	5.4	51.2
Pearl River	87	24	63	14.1	4.8	52.9
Perry	40	9	31	19.8	6.3	51.7
Pike	197	13	184	29.0	4.4	47.7
Pontotoc	37	17	20	13.0	7.2	42.6
Prentiss	41	17	24	12.0	5.9	47.0
Quitman	121	8	113	44.8	11.4	56.5
Rankin	143	39	104	11.9	4.1	39.7
Scott	95	13	82	21.4	5.2	42.0
Sharkey	112	3	109	57.4	7.7	69.9
Simpson	102	14	88	23.0	5.7	44.4
Smith	45	10	35	18.7	6.8	36.8
Stone	32	2	30	17.9	1.9	41.1
Sunflower	386	9	377	46.2	5.2	56.9
Tallahatchie	198	8	190	51.0	8.3	65.1
Tate	114	8	106	31.6	4.8	54.9
Tippah	38	13	25	11.8	5.3	33.8
Tishomingo	18	13	5	6.5	4.9	41.7
Tunica	119	2	117	55.3	4.2	69.6
Union	48	18	30	13.8	6.7	37 5
Walthall	73	7	66	25.8	5.7	41.0
Warren	280	25	255	28.6	5.0	52.9
Washington	777	38	739	46.0	7.6	62.4
Wayne	81	8	73	22.8	3.9	49.0
Webster	28	2	26	18.2	2.0	48.1
Wilkinson	77	2	75	37.9	3.8	50.0
Winston	113	4	109	30.9	2.8	48.4
Yalobusha	62	7	55	26.2	5.6	48.7
Yazoo	222	11	211	37.8	5.0	57.5

TABLE 7A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	13,414	356	6,156	4,349	1,624	642	213	69	5	0
Adams	263	5	105	84	44	20	5	0	0	0
Alcorn	56	2	29	16	5	3	0	1	0	0
Amite	53	3	25	17	3	3	1	1	0	0
Attala	71	1	40	19	4	5	1	1	0	0
Benton	32	0	20	8	3	1	0	0	0	0
Bolivar	585	21	290	179	54	30	9	2	0	0
Calhoun	47	0	33	9	4	1	0	0	0	0
Carroll	44	0	26	11	6	0	0	1	0	0
Chickasaw	87	2	46	21	11	6	1	0	0	0
Choctaw	48	5	18	14	5	6	0	0	0	0
Claiborne	115	1	48	41	16	6	1	2	0	0
Clarke	65	2	29	17	7	8	1	1	0	0
Clay	116	2	48	37	22	6	1	0	0	0
Coahoma	426	6	218	140	45	10	7	0	0	0
Copiah	145	3	68	50	17	6	0	1	0	0
Covington	72	6	37	17	7	2	3	0	0	0
DeSoto	149	7	63	48	11	16	4	0	0	0
Forrest	245	6	114	83	32	7	3	0	0	0
Franklin	49	0	20	22	4	0	3	0	0	0
George	42	2	24	9	3	1	0	3	0	0
Greene	38	1	22	8	7	0	0	0	0	0
Grenada	127	7	59	38	19	4	0	0	0	0
Hancock	68	0	39	21	5	1	2	0	0	0
Harrison	560	14	253	194	67	24	7	1	0	0
Hinds	1,638	30	685	568	246	78	26	5	0	0
Holmes	249	5	103	88	34	10	5	3	1	0
Humphreys	155	2	66	55	18	10	4	0	0	0
Issaquena	25	0	11	8	2	2	1	1	0	0
Itawamba	27	0	11	8	3	4	1	0	0	0
Jackson	407	9	195	140	47	13	2	1	0	0
Jasper	76	4	41	23	5	1	1	1	0	0
Jefferson	108	3	45	39	13	3	1	4	0	0
Jeff Davis	87	5	39	32	10	1	0	0	0	0
Jones	226	9	101	65	32	14	2	3	0	0
Kemper	39	0	22	12	3	1	1	0	0	0
Lafayette	83	0	36	30	11	5	1	0	0	0
Lamar	33	0	14	8	8	3	0	0	0	0
Lauderdale	367	16	169	104	50	24	4	0	0	0
Lawrence	51	1	19	15	12	3	1	0	0	0
Leake	69	2	35	22	8	1	1	0	0	0
Lee	202	4	86	75	25	9	3	0	0	0
Leflore	398	10	198	127	42	15	5	1	0	0

Table 7A - Page 2
Total Illegitimate Live Births - Mississippi - 1980

County	Total	Age of Mother Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	119	5	56	38	15	4	1	0	0	0
Lowndes	337	8	175	91	39	13	10	1	0	0
Madison	323	10	145	107	43	14	2	2	0	0
Marion	92	2	38	41	4	3	4	0	0	0
Marshall	229	4	104	75	33	9	3	1	0	0
Monroe	135	1	56	44	21	8	4	1	0	0
Montgomery	65	3	36	15	7	2	2	0	0	0
Neshoba	88	2	34	33	10	8	1	0	0	0
Newton	81	4	30	25	10	8	3	1	0	0
Noxubee	119	2	57	39	12	7	2	0	0	0
Oktibbeha	194	5	83	61	21	18	6	0	0	0
Panola	203	4	104	62	14	9	8	2	0	0
Pearl River	87	3	45	23	11	3	0	2	0	0
Perry	40	0	16	13	7	2	2	0	0	0
Pike	197	3	83	63	28	13	4	1	2	0
Pontotoc	37	1	11	13	7	3	1	1	0	0
Prentiss	41	1	16	12	5	6	1	0	0	0
Quitman	121	6	47	49	13	3	2	1	0	0
Rankin	143	7	61	55	15	3	2	0	0	0
Scott	95	3	44	31	8	7	1	1	0	0
Sharkey	112	1	54	35	17	2	2	1	0	0
Simpson	102	2	38	36	15	9	2	0	0	0
Smith	45	0	24	11	6	3	0	1	0	0
Stone	32	2	13	6	5	3	2	1	0	0
Sunflower	386	9	189	118	46	15	7	2	0	0
Tallahatchie	198	9	110	49	15	12	2	1	0	0
Tate	114	2	51	36	17	5	1	1	1	0
Tippah	38	1	19	13	5	0	0	0	0	0
Tishomingo	18	1	9	7	1	0	0	0	0	0
Tunica	119	3	57	41	11	5	0	1	1	0
Union	48	1	24	13	7	2	0	1	0	0
Walthall	73	3	34	20	7	2	7	0	0	0
Warren	280	7	119	98	37	16	0	3	0	0
Washington	777	24	350	274	80	31	11	7	0	0
Wayne	81	3	40	25	7	3	3	0	0	0
Webster	28	1	12	10	4	0	1	0	0	0
Wilkinson	77	5	31	23	11	5	2	0	0	0
Winston	113	3	53	36	11	7	2	1	0	0
Yalobusha	62	3	31	17	5	2	3	1	0	0
Yazoo	222	6	107	69	24	14	1	1	0	0

TABLE 7B
WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	1,466	21	750	460	158	58	16	3	0	0
Adams	17	0	9	4	4	0	0	0	0	0
Alcorn	26	1	14	6	4	1	0	0	0	0
Amite	3	1	0	2	0	0	0	0	0	0
Attala	3	0	2	1	0	0	0	0	0	0
Benton	4	0	4	0	0	0	0	0	0	0
Bolivar	16	0	8	7	0	0	1	0	0	0
Calhoun	5	0	5	0	0	0	0	0	0	0
Carroll	6	0	3	3	0	0	0	0	0	0
Chickasaw	8	0	5	1	1	1	0	0	0	0
Choctaw	3	0	1	1	1	0	0	0	0	0
Claiborne	1	0	0	0	1	0	0	0	0	0
Clarke	9	0	8	1	0	0	0	0	0	0
Clay	12	0	5	4	1	2	0	0	0	0
Coahoma	14	0	5	7	2	0	0	0	0	0
Copiah	5	0	4	1	0	0	0	0	0	0
Covington	8	2	5	1	0	0	0	0	0	0
DeSoto	36	0	16	12	3	5	0	0	0	0
Forrest	42	1	19	15	6	1	0	0	0	0
Franklin	2	0	2	0	0	0	0	0	0	0
George	12	0	9	3	0	0	0	0	0	0
Greene	9	0	5	2	2	0	0	0	0	0
Grenada	12	0	6	5	1	0	0	0	0	0
Hancock	33	0	18	11	2	0	2	0	0	0
Harrison	199	2	96	59	27	11	3	1	0	0
Hinds	106	1	53	37	11	1	2	1	0	0
Holmes	0	0	0	0	0	0	0	0	0	0
Humphreys	2	0	1	1	0	0	0	0	0	0
Issaquena	0	0	0	0	0	0	0	0	0	0
Itawamba	18	0	9	6	2	1	0	0	0	0
Jackson	136	1	75	42	17	1	0	0	0	0
Jasper	5	0	4	1	0	0	0	0	0	0
Jefferson	1	0	1	0	0	0	0	0	0	0
Jeff Davis	5	0	4	1	0	0	0	0	0	0
Jones	46	1	19	13	6	5	1	1	0	0
Kemper	2	0	2	0	0	0	0	0	0	0
Lafayette	10	0	5	4	0	1	0	0	0	0
Lamar	12	0	3	4	4	1	0	0	0	0
Lauderdale	38	2	14	10	8	4	0	0	0	0
Lawrence	6	0	3	1	2	0	0	0	0	0
Leake	3	0	3	0	0	0	0	0	0	0
Lee	60	0	27	22	9	2	0	0	0	0
Leflore	16	0	9	6	1	0	0	0	0	0

Table 7B - Page 2
White Illegitimate Live Births - Mississippi - 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-45	45-49	Un-known
Lincoln	12	0	7	4	1	0	0	0	0	0
Lowndes	44	0	26	9	6	1	2	0	0	0
Madison	22	0	14	7	1	0	0	0	0	0
Marion	17	0	8	7	1	0	1	0	0	0
Marshall	16	0	9	5	1	1	0	0	0	0
Monroe	27	0	15	8	3	1	0	0	0	0
Montgomery	4	0	1	3	0	0	0	0	0	0
Neshoba	3	1	2	0	0	0	0	0	0	0
Newton	5	0	2	2	0	0	1	0	0	0
Noxubee	3	0	3	0	0	0	0	0	0	0
Oktibbeha	6	0	3	3	0	0	0	0	0	0
Panola	12	1	9	2	0	0	0	0	0	0
Pearl River	24	0	14	9	1	0	0	0	0	0
Perry	9	0	5	3	0	1	0	0	0	0
Pike	13	0	8	5	0	0	0	0	0	0
Pontotoc	17	1	7	3	4	1	1	0	0	0
Prentiss	17	0	6	4	3	3	1	0	0	0
Quitman	8	1	3	4	0	0	0	0	0	0
Rankin	39	2	22	13	1	1	0	0	0	0
Scott	13	0	4	8	1	0	0	0	0	0
Sharkey	3	0	2	1	0	0	0	0	0	0
Simpson	14	0	7	3	1	3	0	0	0	0
Smith	10	0	6	2	2	0	0	0	0	0
Stone	2	0	2	0	0	0	0	0	0	0
Sunflower	9	0	3	3	1	2	0	0	0	0
Tallahatchie	8	0	2	3	0	3	0	0	0	0
Tate	8	0	4	4	0	0	0	0	0	0
Tippah	13	0	7	4	2	0	0	0	0	0
Tishomingo	13	1	6	5	1	0	0	0	0	0
Tunica	2	1	0	1	0	0	0	0	0	0
Union	18	0	8	6	2	2	0	0	0	0
Walthall	7	0	5	0	2	0	0	0	0	0
Warren	25	0	12	10	2	1	0	0	0	0
Washington	38	1	21	12	4	0	0	0	0	0
Wayne	8	0	4	4	0	0	0	0	0	0
Webster	2	0	0	0	2	0	0	0	0	0
Wilkinson	2	0	1	0	1	0	0	0	0	0
Winston	4	0	2	2	0	0	0	0	0	0
Yalobusha	7	0	3	3	0	0	1	0	0	0
Yazoo	11	0	6	4	0	1	0	0	0	0

TABLE 7C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	11,948	335	5,406	3,889	1,466	584	197	66	5	0
Adams	246	5	96	80	40	20	5	0	0	0
Alcorn	30	1	15	10	1	2	0	1	0	0
Amite	50	2	25	15	3	3	1	1	0	0
Attala	68	1	38	18	4	5	1	1	0	0
Benton	28	0	16	8	3	1	0	0	0	0
Bolivar	569	21	282	172	54	30	8	2	0	0
Calhoun	42	0	28	9	4	1	0	0	0	0
Carroll	38	0	23	8	6	0	0	1	0	0
Chickasaw	79	2	41	20	10	5	1	0	0	0
Choctaw	45	5	17	13	4	6	0	0	0	0
Claiborne	114	1	48	41	15	6	1	2	0	0
Clarke	56	2	21	16	7	8	1	1	0	0
Clay	104	2	43	33	21	4	1	0	0	0
Coahoma	412	6	213	133	43	10	7	0	0	0
Copiah	140	3	64	49	17	6	0	1	0	0
Covington	64	4	32	16	7	2	3	0	0	0
DeSoto	113	7	47	36	8	11	4	0	0	0
Forrest	203	5	95	68	26	6	3	0	0	0
Franklin	47	0	18	22	4	0	3	0	0	0
George	30	2	15	6	3	1	0	3	0	0
Greene	29	1	17	6	5	0	0	0	0	0
Grenada	115	7	53	33	18	4	0	0	0	0
Hancock	35	0	21	10	3	1	0	0	0	0
Harrison	361	12	157	135	40	13	4	0	0	0
Hinds	1,532	29	632	531	235	77	24	4	0	0
Holmes	249	5	103	88	34	10	5	3	1	0
Humphreys	153	2	65	54	18	10	4	0	0	0
Issaquena	25	0	11	8	2	2	1	1	0	0
Itawamba	9	0	2	2	1	3	1	0	0	0
Jackson	271	8	120	98	30	12	2	1	0	0
Jasper	71	4	37	22	5	1	1	1	0	0
Jefferson	107	3	44	39	13	3	1	4	0	0
Jeff Davis	82	5	35	31	10	1	0	0	0	0
Jones	180	8	82	52	26	9	1	2	0	0
Kemper	37	0	20	12	3	1	1	0	0	0
Lafayette	73	0	31	26	11	4	1	0	0	0
Lamar	21	0	11	4	4	2	0	0	0	0
Lauderdale	329	14	155	94	42	20	4	0	0	0
Lawrence	45	1	16	14	10	3	1	0	0	0
Leake	66	2	32	22	8	1	1	0	0	0
Lee	142	4	59	53	16	7	3	0	0	0
Leflore	382	10	189	121	41	15	5	1	0	0

Table 7C - Page 2
Nonwhite Illegitimate Live Births - Mississippi - 1980

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	107	5	49	34	14	4	1	0	0	0
Lowndes	293	8	149	82	33	12	8	1	0	0
Madison	301	10	131	100	42	14	2	2	0	0
Marion	75	2	30	34	3	3	3	0	0	0
Marshall	213	4	95	70	32	8	3	1	0	0
Monroe	108	1	41	36	18	7	4	1	0	0
Montgomery	61	3	35	12	7	2	2	0	0	0
Neshoba	85	1	32	33	10	8	1	0	0	0
Newton	76	4	28	23	10	8	2	1	0	0
Noxubee	116	2	54	39	12	7	2	0	0	0
Oktibbeha	188	5	80	58	21	18	6	0	0	0
Panola	191	3	95	60	14	9	8	2	0	0
Pearl River	63	3	31	14	10	3	0	2	0	0
Perry	31	0	11	10	7	1	2	0	0	0
Pike	184	3	75	58	28	13	4	1	2	0
Pontotoc	20	0	4	10	3	2	0	1	0	0
Prentiss	24	1	10	8	2	3	0	0	0	0
Quitman	113	5	44	45	13	3	2	1	0	0
Rankin	104	5	39	42	14	2	2	0	0	0
Scott	82	3	40	23	7	7	1	1	0	0
Sharkey	109	1	52	34	17	2	2	1	0	0
Simpson	88	2	31	33	14	6	2	0	0	0
Smith	35	0	18	9	4	3	0	1	0	0
Stone	30	2	11	6	5	3	2	1	0	0
Sunflower	377	9	186	115	45	13	7	2	0	0
Tallahatchie	190	9	108	46	15	9	2	1	0	0
Tate	106	2	47	32	17	5	1	1	1	0
Tippah	25	1	12	9	3	0	0	0	0	0
Tishomingo	5	0	3	2	0	0	0	0	0	0
Tunica	117	2	57	40	11	5	0	1	1	0
Union	30	1	16	7	5	0	0	1	0	0
Walthall	66	3	29	20	5	2	7	0	0	0
Warren	255	7	107	88	35	15	0	3	0	0
Washington	739	23	329	262	76	31	11	7	0	0
Wayne	73	3	36	21	7	3	3	0	0	0
Webster	26	1	12	10	2	0	1	0	0	0
Wilkinson	75	5	30	23	10	5	2	0	0	0
Winston	109	3	51	34	11	7	2	1	0	0
Yalobusha	55	3	28	14	5	2	2	1	0	0
Yazoo	211	6	101	65	24	13	1	1	0	0

TABLE 8
IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1980

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
STATE	4,191	1,449	2,742	8.8	5.9	11.8
Adams	79	20	59	10.4	6.4	13.2
Alcorn	32	22	10	6.8	5.5	14.3
Amite	17	3	14	7.6	2.9	11.4
Attala	25	8	17	7.8	4.7	11.4
Benton	11	5	6	8.6	8.3	8.8
Bolivar	116	16	100	10.1	5.9	11.4
Calhoun	27	11	16	11.3	7.5	17.4
Carroll	8	1	7	5.2	1.6	7.7
Chickasaw	36	12	24	10.0	7.0	12.7
Choctaw	18	5	13	10.3	5.9	14.6
Claiborne	20	2	18	8.0	4.8	8.6
Clarke	23	11	12	8.0	6.7	9.8
Clay	26	3	23	5.9	1.9	8.2
Coahoma	86	14	72	10.0	7.0	11.0
Copiah	53	5	48	10.9	2.9	15.4
Covington	27	11	16	9.0	7.9	9.9
DeSoto	55	32	23	6.9	5.4	11.4
Forrest	82	32	50	7.2	4.5	11.9
Franklin	15	3	12	8.9	3.8	13.5
George	13	11	2	4.2	4.3	4.0
Greene	9	6	3	4.5	4.2	5.4
Grenada	42	15	27	10.7	7.9	13.2
Hancock	34	28	6	8.4	8.3	9.1
Harrison	224	129	95	7.4	5.8	12.0
Hinds	488	105	383	10.0	5.5	12.8
Holmes	41	4	37	7.7	5.1	8.1
Humphreys	27	2	25	8.6	3.5	9.8
Issaquena	5	1	4	9.4	5.6	11.4
Itawamba	26	22	4	8.3	8.0	10.8
Jackson	166	104	62	7.5	6.5	10.4
Jasper	27	4	23	7.9	3.2	10.5
Jefferson	21	0	21	9.7	-	10.9
Jeff Davis	24	3	21	9.1	3.2	12.4
Jones	102	52	50	9.3	7.1	13.7
Kemper	12	4	8	6.3	4.8	7.5
Lafayette	24	5	19	5.8	2.2	10.7
Lamar	21	18	3	5.2	5.0	6.1
Lauderdale	123	42	81	8.4	5.2	12.3
Lawrence	13	6	7	5.3	4.3	6.7
Leake	40	18	22	11.2	10.3	12.0
Lee	91	50	41	8.4	6.6	12.3
Leflore	94	17	77	10.2	5.6	12.4

Table 8 - Page 2
Immature Live Births - Mississippi - 1980

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	51	24	27	9.3	7.6	11.5
Lowndes	109	34	75	9.2	5.3	13.6
Madison	80	20	60	9.5	5.9	12.0
Marion	39	15	24	8.2	5.2	13.0
Marshall	67	10	57	10.8	4.7	14.0
Monroe	52	22	30	8.3	5.8	12.3
Montgomery	19	5	14	8.0	4.8	10.4
Neshoba	30	6	24	6.9	2.4	12.7
Newton	22	10	12	6.8	6.1	7.5
Noxubee	32	2	30	10.8	3.3	12.8
Oktibbeha	57	11	46	9.3	4.1	13.4
Panola	64	15	49	10.8	6.8	13.1
Pearl River	55	39	16	8.9	7.8	13.4
Perry	12	6	6	5.9	4.2	10.0
Pike	70	21	49	10.3	7.2	12.7
Pontotoc	21	16	5	7.4	6.8	10.6
Prentiss	26	20	6	7.6	6.9	11.8
Quitman	21	2	19	7.8	2.8	9.5
Rankin	89	52	37	7.4	5.5	14.1
Scott	36	12	24	8.1	4.8	12.3
Sharkey	18	2	16	9.2	5.1	10.2
Simpson	38	17	21	8.6	6.9	10.6
Smith	20	11	9	8.3	7.5	9.5
Stone	5	2	3	2.8	1.9	4.1
Sunflower	88	10	78	10.5	5.8	11.8
Tallahatchie	52	8	44	13.4	8.3	15.1
Tate	29	12	17	8.0	7.1	8.8
Tippah	31	19	12	9.6	7.7	16.2
Tishomingo	21	20	1	7.6	7.6	8.3
Tunica	32	6	26	14.9	12.8	15.5
Union	28	21	7	8.0	7.8	8.8
Walthall	19	5	14	6.7	4.1	8.7
Warren	81	30	51	8.3	6.0	10.6
Washington	167	41	126	9.9	8.2	10.6
Wayne	29	10	19	8.1	4.8	12.8
Webster	19	4	15	12.3	4.0	27.8
Wilkinson	23	2	21	11.3	3.8	14.0
Winston	33	2	31	9.0	1.4	13.8
Yalobusha	24	12	12	10.1	9.7	10.6
Yazoo	59	11	48	10.0	5.0	13.1

* Birthweight 2,500 grams or less.

TABLE 9
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1980

County	Number			Percent		
	Total	White	Non-White	Total	White	Non-white
STATE	6,289	2,074	4,215	13.2	8.4	18.2
Adams	98	18	80	12.9	5.8	17.8
Alcorn	39	25	14	8.3	6.2	20.0
Amite	25	5	20	11.1	4.9	16.3
Attala	38	11	27	11.9	6.4	18.1
Benton	11	6	5	8.6	10.0	7.4
Bolivar	198	27	171	17.3	10.0	19.5
Calhoun	28	12	16	11.7	8.2	17.4
Carroll	26	5	21	16.9	7.9	23.1
Chickasaw	37	9	28	10.3	5.3	14.8
Choctaw	21	5	16	12.1	5.9	18.0
Claiborne	31	2	29	12.4	4.8	13.9
Clarke	31	14	17	10.8	8.5	13.9
Clay	49	9	40	11.2	5.8	14.2
Coahoma	147	16	131	17.2	8.0	19.9
Copiah	65	9	56	13.4	5.2	17.9
Covington	51	15	36	17.0	10.8	22.4
DeSoto	73	42	31	9.1	7.0	15.3
Forrest	133	55	78	11.7	7.7	18.6
Franklin	25	10	15	14.9	12.6	16.8
George	30	21	9	9.8	8.2	18.0
Greene	20	15	5	10.1	10.5	9.1
Grenada	62	20	42	15.8	10.6	20.6
Hancock	55	42	13	13.6	12.4	19.7
Harrison	368	214	154	12.2	9.6	19.5
Hinds	694	151	543	14.2	8.0	18.1
Holmes	101	3	98	18.9	3.8	21.4
Humphreys	54	2	52	17.2	3.5	20.3
Issaquena	8	1	7	15.1	5.6	20.0
Itawamba	25	20	5	8.0	7.3	13.5
Jackson	233	135	98	10.6	8.4	16.4
Jasper	46	8	38	13.4	6.4	17.4
Jefferson	40	2	38	18.5	8.3	19.8
Jeff Davis	36	7	29	13.7	7.4	17.2
Jones	133	67	66	12.1	9.1	18.0
Kemper	23	5	18	12.0	6.0	16.8
Lafayette	40	13	27	9.8	5.6	15.2
Lamar	41	33	8	10.1	9.3	16.3
Lauderdale	167	69	98	11.4	8.5	14.9
Lawrence	32	13	19	13.2	9.4	18.3
Leake	51	22	29	14.2	12.6	15.8
Lee	94	52	42	8.6	6.9	12.6
Leflore	164	28	136	17.7	9.2	21.9

Table 9 - Page 2
Premature Live Births - Mississippi - 1980

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	78	34	44	14.2	10.8	18.7
Lowndes	170	56	114	14.3	8.8	20.7
Madison	110	34	76	13.1	10.0	15.3
Marion	52	22	30	10.9	7.6	16.2
Marshall	83	20	63	13.4	9.5	15.5
Monroe	73	27	46	11.7	7.1	18.8
Montgomery	37	9	28	15.5	8.7	20.7
Neshoba	47	18	29	10.8	7.4	15.3
Newton	36	16	20	11.1	9.8	12.5
Noxubee	48	4	44	16.3	6.6	18.8
Oktibbeha	75	17	58	12.2	6.3	16.9
Panola	82	16	66	13.8	7.2	17.7
Pearl River	82	57	25	13.3	11.4	21.0
Perry	20	8	12	9.9	5.6	20.0
Pike	147	40	107	21.7	13.7	27.7
Pontotoc	27	20	7	9.5	8.4	14.9
Prentiss	29	21	8	8.5	7.3	15.7
Quitman	47	4	43	17.4	5.7	21.5
Rankin	131	77	54	10.9	8.2	20.6
Scott	46	18	28	10.4	7.2	14.4
Sharkey	41	4	37	21.0	10.2	23.7
Simpson	59	18	41	13.3	7.3	20.7
Smith	31	16	15	12.9	11.0	15.8
Stone	22	10	12	12.3	9.4	16.4
Sunflower	147	18	129	17.6	10.5	19.4
Tallahatchie	74	11	63	19.1	11.4	21.6
Tate	51	14	37	14.1	8.3	19.2
Tippah	25	18	7	7.8	7.3	9.4
Tishomingo	21	18	3	7.6	6.8	25.0
Tunica	42	6	36	19.5	12.8	21.4
Union	37	21	16	10.6	7.8	20.0
Walthall	44	11	33	15.5	9.0	20.5
Warren	120	42	78	12.2	8.4	16.2
Washington	278	51	227	16.5	10.1	19.2
Wayne	42	14	28	11.8	6.8	18.8
Webster	20	10	10	13.0	10.0	18.5
Wilkinson	19	2	17	9.4	3.8	11.3
Winston	50	7	43	13.7	5.0	19.1
Yalobusha	30	12	18	12.6	9.7	15.9
Yazoo	73	15	58	12.4	6.8	15.8

* Gestation less than 37 weeks.

TABLE 10
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE, ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1980

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	700	243	457	707	247	460	14.8	10.0	19.9
Adams	22	8	14	15	2	13	19.7	6.4	29.0
Alcorn	3	3	0	6	5	1	12.7	12.4	14.3
Amite	2	0	2	3	1	2	13.3	9.8	16.3
Attala	1	0	1	5	2	3	15.6	11.7	20.1
Benton	0	0	0	2	1	1	15.6	16.7	14.7
Bolivar	34	4	30	23	4	19	20.1	14.9	21.7
Calhoun	0	0	0	3	2	1	12.6	13.6	10.9
Carroll	0	0	0	3	0	3	19.5	-	33.0
Chickasaw	1	0	1	4	0	4	11.1	-	21.2
Choctaw	2	0	2	3	1	2	17.2	11.8	22.5
Claiborne	1	0	1	2	0	2	8.0	-	9.6
Clarke	1	0	1	5	3	2	17.4	18.2	16.4
Clay	4	0	4	5	0	5	11.4	-	17.7
Coahoma	22	7	15	19	7	12	22.2	35.2	18.3
Copiah	4	0	4	6	0	6	12.4	-	19.2
Covington	2	0	2	10	4	6	33.3	28.8	37.3
DeSoto	0	0	0	7	5	2	8.8	8.4	9.9
Forrest	40	24	16	20	12	8	17.6	16.8	19.0
Franklin	1	0	1	0	0	0	-	-	-
George	4	2	2	6	5	1	19.6	19.5	20.0
Greene	2	1	1	5	1	4	25.2	7.0	72.7
Grenada	7	2	5	2	0	2	5.1	-	9.8
Hancock	2	2	0	1	1	0	2.5	3.0	-
Harrison	30	17	13	31	17	14	10.2	7.6	17.7
Hinds	141	33	108	89	24	65	18.2	12.7	21.6
Holmes	1	0	1	9	1	8	16.8	12.8	17.5
Humphreys	2	0	2	5	0	5	16.0	-	19.5
Issaquena	0	0	0	0	0	0	-	-	-
Itawamba	0	0	0	3	3	0	9.6	10.9	-
Jackson	25	11	14	26	13	13	11.8	8.1	21.8
Jasper	0	0	0	3	1	2	8.7	8.1	9.1
Jefferson	0	0	0	3	1	2	13.9	41.7	10.4
Jeff Davis	0	0	0	3	1	2	11.4	10.6	11.8
Jones	29	8	21	15	7	8	13.6	9.5	21.8
Kemper	0	0	0	3	1	2	15.7	11.9	18.7
Lafayette	6	3	3	4	1	3	9.8	4.3	16.8
Lamar	0	0	0	4	1	3	9.9	2.8	61.2
Lauderdale	28	18	10	17	8	9	11.6	9.9	13.7
Lawrence	1	0	1	9	2	7	37.0	14.4	67.3
Leake	1	1	0	6	1	5	16.8	5.7	27.3
Lee	28	18	10	14	7	7	12.8	9.2	21.0
Leflore	18	3	15	10	1	9	10.8	3.3	14.5

Table 10 - Page 2
Fetal Deaths - Mississippi - 1980

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	6	3	3	6	4	2	10.9	12.7	8.5
Lowndes	10	4	6	13	0	13	10.9	–	23.6
Madison	2	0	2	13	4	9	15.5	11.8	18.1
Marion	0	0	0	7	3	4	14.7	10.3	21.6
Marshall	0	0	0	5	0	5	8.1	–	12.3
Monroe	24	13	11	10	4	6	16.0	10.5	24.6
Montgomery	6	0	6	4	1	3	16.8	9.7	22.2
Neshoba	2	0	2	4	2	2	9.2	8.2	10.6
Newton	1	1	0	5	3	2	15.4	18.3	12.5
Noxubee	6	0	6	7	1	6	23.7	16.4	25.6
Oktibbeha	16	3	13	14	5	9	22.9	18.6	26.2
Panola	8	2	6	11	3	8	18.5	13.6	21.4
Pearl River	11	7	4	12	8	4	19.4	16.1	33.6
Perry	3	0	3	5	3	2	24.8	21.1	33.3
Pike	13	3	10	13	2	11	19.2	6.8	28.5
Pontotoc	0	0	0	6	4	2	21.1	16.9	42.6
Prentiss	0	0	0	4	4	0	11.8	13.8	–
Quitman	0	0	0	2	0	2	7.4	–	10.0
Rankin	31	16	15	9	6	3	7.5	6.4	11.4
Scott	4	1	3	11	5	6	24.8	20.1	30.8
Sharkey	0	0	0	1	0	1	5.1	–	6.4
Simpson	3	0	3	3	1	2	6.8	4.1	10.1
Smith	0	0	0	7	0	7	29.0	–	73.7
Stone	1	0	1	4	2	2	22.3	18.9	27.4
Sunflower	4	0	4	14	1	13	16.8	5.8	19.6
Tallahatchie	2	2	0	6	3	3	15.5	31.2	10.3
Tate	2	0	2	4	2	2	11.1	11.9	10.4
Tippah	10	7	3	5	4	1	15.6	16.2	13.5
Tishomingo	2	1	1	5	5	0	18.2	19.0	–
Tunica	0	0	0	2	0	2	9.3	–	11.9
Union	7	3	4	7	6	1	20.0	22.3	12.5
Walthall	2	1	1	1	1	0	3.5	8.2	–
Warren	18	4	14	17	5	12	17.4	10.1	24.9
Washington	19	5	14	28	4	24	16.6	8.0	20.3
Wayne	3	0	3	3	0	3	8.4	–	20.1
Webster	4	0	4	6	1	5	39.0	10.0	92.6
Wilkinson	6	1	5	6	0	6	29.6	–	40.0
Winston	5	1	4	6	1	5	16.4	7.1	22.2
Yalobusha	0	0	0	4	3	1	16.9	24.2	8.8
Yazoo	4	0	4	8	0	8	13.6	–	21.8
Out of state	38	27	11	31	23	8			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births.

TABLE 11
DEATHS, BY PLACE OF OCCURRENCE AND RACE, ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE), MISSISSIPPI, 1980

	Occurrence Data			Residence Data					
	Number			Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	23,095	14,191	8,904	23,576	14,531	9,045	9.4	9.0	10.0
Adams	494	234	260	422	185	237	11.1	9.5	12.8
Alcorn	233	207	26	288	249	39	8.7	8.4	10.9
Amite	41	16	25	139	69	70	10.4	9.9	11.0
Attala	211	134	77	257	153	104	12.9	12.7	13.3
Benton	21	13	8	77	52	25	9.4	10.3	8.1
Bolivar	523	180	343	545	205	340	11.8	12.1	11.7
Calhoun	98	70	28	151	110	41	9.6	9.4	10.2
Carroll	22	12	10	76	43	33	7.8	8.1	7.4
Chickasaw	149	105	44	179	124	55	10.0	10.9	8.5
Choctaw	71	43	28	91	65	26	10.1	10.1	10.2
Claiborne	103	28	75	132	33	99	10.8	10.7	10.8
Clarke	123	84	39	164	108	56	9.7	9.8	9.4
Clay	154	79	75	183	95	88	8.7	9.1	8.3
Coahoma	446	170	276	431	149	282	11.7	11.4	11.8
Copiah	165	80	85	262	123	139	9.9	9.0	10.8
Covington	98	66	32	160	110	50	10.0	10.6	9.1
DeSoto	154	99	55	365	261	104	6.8	5.9	10.7
Forrest	881	659	222	636	453	183	9.6	9.5	10.0
Franklin	104	57	47	110	60	50	13.4	11.7	16.3
George	93	78	15	123	107	16	8.0	7.7	10.7
Greene	52	46	6	79	67	12	8.0	8.6	6.0
Grenada	230	132	98	231	129	102	11.0	10.6	11.5
Hancock	171	147	24	248	221	27	10.1	10.1	10.2
Harrison	1,456	1,155	301	1,185	928	257	7.5	7.5	7.6
Hinds	3,614	2,069	1,545	2,090	1,228	862	8.3	9.0	7.5
Holmes	214	55	159	264	78	186	11.5	11.8	11.3
Humphreys	155	42	113	180	60	120	12.9	12.7	13.0
Issaquena	12	4	8	17	5	12	6.8	4.5	8.5
Itawamba	111	98	13	188	174	14	9.2	9.1	10.6
Jackson	591	475	116	660	540	120	5.6	5.7	5.1
Jasper	106	55	51	178	92	86	10.3	10.5	10.1
Jefferson	56	6	50	84	16	68	9.1	9.7	9.0
Jeff Davis	106	53	53	144	68	76	10.4	10.6	10.2
Jones	596	420	176	605	453	152	9.8	9.6	10.4
Kemper	64	35	29	110	55	55	10.8	12.1	9.8
Lafayette	208	137	71	212	140	72	6.8	6.2	8.5
Lamar	87	66	21	154	133	21	6.5	6.3	7.8
Lauderdale	986	678	308	784	527	257	10.1	10.1	10.3
Lawrence	87	55	32	121	86	35	9.7	10.0	9.0
Leake	155	105	50	201	141	60	10.7	12.3	8.2
Lee	866	691	175	523	409	114	9.2	9.0	9.6
Leflore	513	208	305	466	185	281	11.2	11.1	11.3

Table 11 - Page 2
Deaths - Mississippi - 1980

	Occurrence Data			Residence Data					
	Number			Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	243	176	67	288	197	91	9.5	9.3	10.0
Lowndes	522	326	196	444	261	183	7.7	7.0	9.1
Madison	233	95	138	338	135	203	8.1	7.4	8.7
Marion	217	150	67	289	198	91	11.2	11.0	11.8
Marshall	171	80	91	250	111	139	8.5	8.1	8.9
Monroe	382	265	117	418	291	127	11.5	11.4	11.7
Montgomery	155	89	66	163	104	59	12.2	13.2	10.8
Neshoba	147	98	49	231	165	66	9.7	9.7	9.8
Newton	147	92	55	188	121	67	9.4	8.6	11.3
Noxubee	97	29	68	119	36	83	9.0	7.7	9.7
Oktibbeha	230	128	102	222	119	103	6.2	5.1	8.0
Panola	259	127	132	343	179	164	12.2	12.5	11.8
Pearl River	220	184	36	299	248	51	8.8	8.7	9.8
Perry	59	48	11	102	78	24	10.3	10.1	11.2
Pike	480	278	202	468	272	196	12.9	13.3	12.4
Pontotoc	121	103	18	189	164	25	9.0	9.3	7.6
Prentiss	139	126	13	202	183	19	8.4	8.6	7.2
Quitman	97	38	59	171	80	91	13.5	14.5	12.8
Rankin	382	261	121	512	362	150	7.4	6.4	11.4
Scott	193	125	68	252	157	95	10.3	9.9	10.9
Sharkey	47	17	30	75	33	42	9.4	12.2	8.0
Simpson	193	141	52	237	163	74	10.1	10.1	10.2
Smith	53	44	9	117	104	13	7.8	8.8	4.0
Stone	71	57	14	87	67	20	9.0	9.0	8.9
Sunflower	310	110	200	361	128	233	10.4	9.8	10.7
Tallahatchie	155	73	82	226	100	126	13.2	13.8	12.7
Tate	139	86	53	193	115	78	9.6	9.3	10.0
Tippah	181	157	24	190	166	24	10.1	10.5	8.0
Tishomingo	121	119	2	168	166	2	9.1	9.4	2.6
Tunica	101	28	73	130	45	85	13.5	17.5	12.0
Union	223	191	32	235	204	31	10.8	10.9	10.2
Walthall	108	62	46	136	82	54	9.9	10.1	9.5
Warren	525	262	263	477	235	242	9.2	7.4	12.2
Washington	791	315	476	789	316	473	10.9	10.0	11.6
Wayne	155	106	49	161	109	52	8.4	8.6	8.1
Webster	97	79	18	121	97	24	11.7	11.7	11.8
Wilkinson	166	63	103	146	43	103	14.6	13.1	15.3
Winston	171	110	61	224	140	84	11.5	12.0	10.8
Yalobusha	99	72	27	144	102	42	11.0	12.6	8.3
Yazoo	275	135	140	356	166	190	13.0	12.6	13.4
Out of state	1,365	1,014	351	884	674	210			

Table 11 - Page 3
Deaths - Mississippi - 1980

Town**	Residence Data					
	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
Biloxi	310	246	64	6.3	6.4	6.0
Brookhaven	148	92	56	13.7	14.3	12.8
Canton	151	51	100	13.6	13.3	13.7
Clarksdale	274	105	169	13.0	13.2	12.8
Cleveland	157	86	71	10.8	9.9	12.1
Clinton	109	80	29	7.4	5.9	25.1
Columbus	281	153	128	10.3	10.2	10.4
Corinth	140	117	23	10.1	10.3	9.2
Greenville	554	236	318	13.6	14.6	13.0
Greenwood	278	121	157	13.8	12.7	14.8
Grenada	152	82	70	12.0	11.6	12.5
Gulfport	478	343	135	12.0	11.7	13.0
Hattiesburg	431	286	145	10.6	10.9	10.0
Jackson	1,706	1,028	678	8.4	9.7	7.0
Laurel	278	175	103	12.7	13.3	11.8
McComb	218	144	74	17.7	18.4	16.4
Meridian	549	351	198	11.8	12.1	11.2
Moss Point	104	47	57	5.5	7.2	4.6
Natchez	307	126	181	13.9	12.0	15.7
Ocean Springs	115	104	11	7.9	7.8	8.8
Pascagoula	208	173	35	7.1	7.2	6.6
Pearl	71	68	3	3.4	3.7	1.2
Picayune	112	74	38	10.8	10.6	11.2
Southaven	59	56	3	3.7	3.5	19.5
Starkville	117	74	43	7.7	6.7	10.4
Tupelo	258	205	53	10.8	10.5	11.9
Vicksburg	312	143	169	12.3	12.0	12.5
Yazoo City	211	92	119	17.0	14.5	19.5

* Deaths per 1,000 population.

** Towns of 10,000 population or more.

TABLE 12
DEATHS, BY CAUSE AND RACE, MISSISSIPPI RESIDENTS, 1980

International Classification Number*	Cause*	Total	White	Non-white
001-999	ALL CAUSES	23,576	14,531	9,045
001-139	INFECTIOUS AND PARASITIC DISEASES	194	100	94
001-009	Intestinal infectious diseases	3	1	2
002,003	Typhoid and paratyphoid fevers, and other salmonella infections	1	0	1
003	Other salmonella infections	1	0	1
004,006	Shigellosis and amebiasis	1	0	1
004	Shigellosis	1	0	1
008,009	Other and ill-defined intestinal infections	1	1	0
009	Ill-defined intestinal infections	1	1	0
010-018	Tuberculosis	30	15	15
010-012	Respiratory	26	12	14
011	Pulmonary	26	12	14
013-018	Other forms	4	3	1
018	Miliary	4	3	1
020-027	Zoonotic bacterial diseases	1	0	1
027	Other	1	0	1
030-041	Other bacterial diseases	115	62	53
031	Other diseases due to mycobacteria	3	3	0
036	Meningococcal infection	2	1	1
038	Septicemia	109	57	52
041	Bacterial infection of unspecified site	1	1	0
045-049	Poliomyelitis and other non-arthropod-borne diseases of central nervous system	1	1	0
049	Other non-arthropod-borne diseases	1	1	0
050-057	Viral diseases accompanied by exanthem	4	2	2
052	Chickenpox	1	0	1
054	Herpes simplex	2	2	0
057	Other viral exanthemata	1	0	1
060-066	Arthropod-borne viral diseases	0	0	0
070-079	Other diseases due to viruses and Chlamydiae	11	5	6
070	Viral hepatitis	7	4	3
078	Other diseases due to viruses and Chlamydiae	1	1	0
079	Viral infection in conditions classified elsewhere and of unspecified site	3	0	3
080-088	Rickettsioses and other arthropod-borne diseases	1	0	1
082	Tick-borne rickettsioses	1	0	1
090-099	Syphilis and other venereal diseases	3	0	3
090-097	Syphilis and its sequelae	3	0	3
093	Cardiovascular	2	0	2
094	Neurosyphilis	1	0	1
100-104	Other spirochetal diseases	0	0	0
110-118	Mycoses	14	8	6
112	Candidiasis	2	1	1
115	Histoplasmosis	1	1	0
116	Blastomycotic infection	6	4	2
117	Other mycoses	5	2	3

International Classification Number*	Cause*	Total	White	Non-white
120-129	Helminthiases	0	0	0
130-139	Other infectious and parasitic diseases	11	6	5
135	Sarcoidosis	2	1	1
136	Other and unspecified infectious and parasitic diseases	5	3	2
137	Late effects of tuberculosis	3	1	2
138	Late effects of acute poliomyelitis	1	1	0
140-239	NEOPLASMS	4,433	2,928	1,505
140-208	Malignant neoplasms	4,383	2,895	1,488
140-149	Lip, oral cavity, and pharynx	73	47	26
140	Lip	1	0	1
141	Tongue	8	5	3
142	Major salivary glands	6	5	1
143	Gum	2	1	1
144	Floor of mouth	6	6	0
145	Other and unspecified parts of mouth	13	8	5
146	Oropharynx	5	5	0
147	Nasopharynx	5	4	1
148	Hypopharynx	6	3	3
149	Other and ill-defined sites	21	10	11
150-159	Digestive organs and peritoneum	1,138	719	419
150	Esophagus	76	30	46
151	Stomach	161	76	85
152	Small intestine, including duodenum	12	9	3
153	Colon	417	287	130
154	Rectum, rectosigmoid junction, and anus	65	41	24
155	Liver and intrahepatic bile ducts	68	40	28
156	Gallbladder and extrahepatic bile ducts	39	30	9
157	Pancreas	283	194	89
158	Retroperitoneum and peritoneum	10	9	1
159	Other and ill-defined sites	7	3	4
160-165	Respiratory and intrathoracic organs	1,202	875	327
160	Nasal cavities, middle ear, and accessory sinuses	3	2	1
161	Larynx	40	31	9
162	Trachea, bronchus, and lung	1,151	835	316
163	Pleura	2	2	0
164	Thymus, heart, and mediastinum	5	4	1
165	Other and ill-defined sites	1	1	0
170-175	Bone, connective tissue, skin, and breast	416	302	114
170	Bone and articular cartilage	14	11	3
171	Connective and other soft tissue	23	12	11
172	Melanoma of skin	50	48	2
173	Skin, other	21	16	5
174	Female breast	307	215	92
175	Male breast	1	0	1
179-189	Genitourinary organs	646	353	293
(179-187)	(Genital organs)	499	252	247
179	Uterus, part unspecified	41	18	23
180	Cervix uteri	67	19	48

Table 12 - Page 3
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
181	Placenta	2	1	1
182	Body of uterus	29	15	14
183	Ovary and other uterine adnexa	84	62	22
184	Other and unspecified female genital organs	6	3	3
185	Prostate	261	129	132
187	Penis and other male genital organs	9	5	4
(188,189)	(Urinary organs)	147	101	46
188	Bladder	76	49	27
189	Kidney and other and unspecified urinary organs	71	52	19
190-199	Other and unspecified sites	510	320	190
190	Eye	2	2	0
191	Brain	93	75	18
192	Other and unspecified parts of nervous system	4	4	0
193	Thyroid gland	13	10	3
194	Other endocrine glands and related structures	11	9	2
195	Other and ill-defined sites	40	21	19
199	Site unspecified	347	199	148
200-208	Lymphatic and hematopoietic tissue	398	279	119
200	Lymphosarcoma and reticulosarcoma	53	43	10
201	Hodgkin's disease	17	14	3
202	Other lymphoid and histiocytic tissue	62	47	15
203	Multiple myeloma and immunoproliferative neoplasms	69	40	29
(204-208)	(Leukemia)	197	135	62
204	Lymphatic	56	41	15
205	Myeloid	82	59	23
206	Monocytic	3	2	1
207	Other specified	3	3	0
208	Unspecified cell type	53	30	23
210-229	Benign neoplasms	19	12	7
211	Benign neoplasm of other parts of digestive system	2	1	1
215	Other benign neoplasm of connective and other soft tissue	1	0	1
218	Uterine leiomyoma	1	1	0
223	Benign neoplasm of kidney and other urinary organs	1	1	0
225	Benign neoplasm of brain and other parts of nervous system	13	8	5
227	Benign neoplasm of other endocrine glands and related structures	1	1	0
230-234	Carcinoma in situ	0	0	0
235-239	Neoplasms of uncertain behavior and unspecified nature	31	21	10
235-238	Uncertain behavior	8	5	3
235	Digestive and respiratory systems	4	3	1
237	Endocrine glands and nervous system	2	1	1
238	Other and unspecified sites and tissues	2	1	1
239	Unspecified nature	23	16	7
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	542	265	277

Table 12 - Page 4
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
240-246	Diseases of thyroid gland	7	4	3
242	Thyrotoxicosis with or without goiter	3	2	1
244	Acquired hypothyroidism	2	2	0
245	Thyroiditis	1	0	1
246	Other disorders of thyroid	1	0	1
250-259	Diseases of other endocrine glands	419	203	216
250	Diabetes mellitus	409	198	211
251	Other disorders of pancreatic internal secretion	3	1	2
253	Disorders of the pituitary gland and its hypothalamic control	2	0	2
255	Disorders of adrenal glands	3	2	1
259	Other endocrine disorders	2	2	0
260-269	Nutritional deficiencies	24	11	13
261	Nutritional marasmus	4	1	3
263	Other and unspecified protein-calorie malnutrition	20	10	10
270-279	Other metabolic disorders and immunity disorders	92	47	45
270	Disorders of amino-acid transport and metabolism	1	1	0
272	Disorders of lipid metabolism	1	1	0
273	Disorders of plasma protein metabolism	4	2	2
274	Gout	1	0	1
275	Disorders of mineral metabolism	2	2	0
276	Disorders of fluid, electrolyte, and acid-base balance	48	20	28
277	Other and unspecified disorders of metabolism	18	13	5
278	Obesity and other hyperalimentation	15	7	8
279	Disorders involving the immune mechanism	2	1	1
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	70	39	31
280-285	Anemias	46	18	28
280	Iron deficiency	2	1	1
281	Other deficiency	2	1	1
282	Hereditary hemolytic	17	1	16
284	Aplastic	13	10	3
285	Other and unspecified	12	5	7
286	Coagulation defects	7	5	2
287	Purpura and other hemorrhagic conditions	7	6	1
288	Diseases of white blood cells	1	1	0
289	Other diseases of blood and blood-forming organs	9	9	0
290-319	MENTAL DISORDERS	138	83	55
290-299	Psychoses	30	15	15
290	Senile and presenile organic psychotic conditions	12	8	4
291	Alcoholic psychoses	11	4	7
294	Other organic psychotic conditions (chronic)	1	1	0
295	Schizophrenic psychoses	2	1	1
296	Affective psychoses	2	0	2
298	Other nonorganic psychoses	2	1	1
300-316	Neurotic disorders, personality disorders, and other nonpsychotic mental disorders	102	66	36
300	Neurotic disorders	1	1	0

Table 12 - Page 5
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
303	Alcohol dependence syndrome	41	26	15
305	Nondependent abuse of drugs	10	4	6
310	Specific nonpsychotic mental disorders following organic brain damage	50	35	15
317-319	Mental retardation	6	2	4
318	Other specified	4	2	2
319	Unspecified	2	0	2
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	239	136	103
320-326	Inflammatory diseases of central nervous system	37	15	22
320	Bacterial meningitis	18	10	8
322	Meningitis of unspecified cause	9	2	7
323	Encephalitis, myelitis, and encephalomyelitis	4	1	3
324	Intracranial and intraspinal abscess	3	0	3
325	Phlebitis and thrombophlebitis of intracranial venous sinuses	1	0	1
326	Late effects of intracranial abscess or pyogenic infection	2	2	0
330-337	Hereditary and degenerative diseases of the central nervous system	88	63	25
330	Cerebral degenerations usually manifest in childhood	1	0	1
331	Other cerebral degenerations	29	19	10
332	Parkinson's disease	25	21	4
333	Other extrapyramidal disease and abnormal movement disorders	6	4	2
334	Spinocerebellar disease	2	2	0
335	Anterior horn cell disease	23	15	8
336	Other diseases of spinal cord	2	2	0
340-349	Other disorders of the central nervous system	99	49	50
340	Multiple sclerosis	16	14	2
342	Hemiplegia	4	1	3
343	Infantile cerebral palsy	10	3	7
344	Other paralytic syndromes	8	5	3
345	Epilepsy	30	10	20
348	Other conditions of brain	28	14	14
349	Other and unspecified disorders of the nervous system	3	2	1
350-359	Disorders of peripheral nervous system	13	8	5
356	Hereditary and idiopathic peripheral neuropathy	1	1	0
357	Inflammatory and toxic neuropathy	2	2	0
358	Myoneural disorders	3	1	2
359	Muscular dystrophies and other myopathies	7	4	3
360-379	Disorders of the eye and adnexa	1	0	1
369	Blindness and low vision	1	0	1
380-389	Diseases of the ear and mastoid process	1	1	0
381-383	Otitis media and mastoiditis	1	1	0
382	Suppurative and unspecified otitis media	1	1	0

Table 12 - Page 6
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
390-459	DISEASES OF THE CIRCULATORY SYSTEM	11,218	7,259	3,959
390-392	Active rheumatic fever	1	0	1
390	Rheumatic fever without mention of heart involvement	1	0	1
393-398	Chronic rheumatic heart disease	28	20	8
394	Diseases of mitral valve	8	7	1
395	Diseases of aortic valve	2	2	0
396	Diseases of mitral and aortic valves	4	4	0
397	Diseases of other endocardial structures	3	1	2
398	Other rheumatic heart disease	11	6	5
401-405	Hypertensive disease	538	226	312
401,403	Hypertension with or without renal disease	119	42	77
401	Essential hypertension	41	10	31
403	Hypertensive renal disease	78	32	46
402,404	Hypertensive heart disease with or without renal disease	419	184	235
402	Hypertensive heart disease	350	155	195
404	Hypertensive heart and renal disease	69	29	40
410-414	Ischemic heart disease	5,438	3,882	1,556
410	Acute myocardial infarction	3,555	2,524	1,031
411	Other acute and subacute forms of ischemic heart disease	54	31	23
412	Old myocardial infarction	13	9	4
413	Angina pectoris	7	6	1
414	Other forms of chronic ischemic heart disease	1,809	1,312	497
415-417	Diseases of pulmonary circulation	199	107	92
415	Acute pulmonary heart disease	184	98	86
416	Chronic pulmonary heart disease	15	9	6
420-429	Other forms of heart disease	2,135	1,300	835
420	Acute pericarditis	1	0	1
421	Acute and subacute endocarditis	9	4	5
422	Acute myocarditis	1	1	0
423	Other diseases of pericardium	4	1	3
424	Other diseases of endocardium	39	28	11
425	Cardiomyopathy	71	35	36
426	Conduction disorders	10	8	2
427	Cardiac dysrhythmias	555	309	246
428	Heart failure	527	314	213
429	Ill-defined heart diseases	918	600	318
430-438	Cerebrovascular diseases	2,323	1,366	957
430	Subarachnoid hemorrhage	71	44	27
431	Intracerebral hemorrhage	217	117	100
432	Other and unspecified intracranial hemorrhage	13	4	9
433	Occlusion and stenosis of precerebral arteries	22	15	7
434	Occlusion of cerebral arteries	387	248	139
435	Transient cerebral ischemia	2	1	1
436	Acute but ill-defined cerebrovascular disease	1,380	760	620
437	Other and ill-defined cerebrovascular disease	159	125	34
438	Late effects of cerebrovascular disease	72	52	20
440-448	Diseases of arteries, arterioles, and capillaries	501	328	173
440	Atherosclerosis	296	185	111

Table 12 - Page 7
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
441-448	Other diseases of arteries, arterioles, and capillaries	205	143	62
441	Aortic aneurysm	134	99	35
442	Other aneurysm	12	9	3
443	Other peripheral vascular disease	17	8	9
444	Arterial embolism and thrombosis	21	12	9
446	Polyarteritis nodosa and allied conditions	10	6	4
447	Other disorders of arteries and arterioles	10	8	2
448	Diseases of capillaries	1	1	0
451-459	Diseases of veins and lymphatics, and other diseases of circulatory system	55	30	25
451-453	Venous thrombosis and embolism	16	10	6
451	Phlebitis and thrombophlebitis	12	6	6
453	Other venous embolism and thrombosis	4	4	0
454-459	Other diseases of the circulatory system	39	20	19
454	Varicose veins of lower extremities	4	1	3
455	Hemorrhoids	1	1	0
456	Varicose veins of other sites	7	4	3
458	Hypotension	10	3	7
459	Other disorders of circulatory system	17	11	6
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,178	882	296
460-466	Acute respiratory infections	20	8	12
464	Acute laryngitis and tracheitis	3	0	3
465	Acute upper respiratory infection of multiple or unspecified sites	9	2	7
466	Acute bronchitis and bronchiolitis	8	6	2
470-478	Other diseases of upper respiratory tract	4	3	1
473	Chronic sinusitis	1	1	0
474	Chronic disease of tonsils and adenoids	1	1	0
478	Other diseases of upper respiratory tract	2	1	1
480-487	Pneumonia and influenza	482	345	137
480-486	Pneumonia	464	335	129
480	Viral	6	4	2
481	Pneumococcal	10	7	3
482	Other bacterial	21	13	8
485	Broncho, organism unspecified	65	47	18
486	Organism unspecified	362	264	98
487	Influenza	18	10	8
490-496	Chronic obstructive pulmonary disease and allied conditions	495	400	95
490,491	Chronic and unqualified bronchitis	15	11	4
490	Unqualified	3	1	2
491	Chronic	12	10	2
492	Emphysema	130	108	22
493	Asthma	45	19	26
494	Bronchiectasis	9	7	2
496	Chronic airways obstruction, not elsewhere classified	296	255	41
500-508	Pneumoconioses and other lung diseases due to external agents	41	29	12
501	Asbestosis	2	2	0

Table 12 - Page 8
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
502	Pneumoconiosis due to other silica or silicates	2	0	2
506	Respiratory conditions due to chemical fumes and vapors	1	1	0
507	Pneumonitis due to solids and liquids	36	26	10
510-519	Other diseases of respiratory system	136	97	39
510	Empyema	1	1	0
511	Pleurisy	6	4	2
512	Pneumothorax	4	3	1
513	Abscess of lung and mediastinum	8	4	4
514	Pulmonary congestion and hypostasis	15	9	6
515	Postinflammatory pulmonary fibrosis	38	31	7
516	Other alveolar and parietoalveolar pneumopathy	5	5	0
518	Other diseases of lung	49	34	15
519	Other diseases of respiratory system	10	6	4
520-579	DISEASES OF THE DIGESTIVE SYSTEM	678	465	213
520-529	Diseases of oral cavity, salivary glands, and jaws	0	0	0
530-537	Diseases of esophagus, stomach, and duodenum	79	55	24
530	Diseases of esophagus	7	7	0
531-533	Peptic ulcer	59	40	19
531	Gastric ulcer	18	13	5
532	Duodenal ulcer	23	15	8
533	Peptic ulcer, site unspecified	18	12	6
535	Gastritis and duodenitis	5	2	3
536	Disorders of function of stomach	3	3	0
537	Other disorders of stomach and duodenum	5	3	2
540-543	Appendicitis	11	9	2
540	Acute appendicitis	10	8	2
541	Appendicitis, unqualified	1	1	0
550-553	Hernia of abdominal cavity	12	7	5
550	Inguinal	1	1	0
551	Other, of abdominal cavity, with gangrene	1	0	1
552	Other, of abdominal cavity with obstruction, without mention of gangrene	3	2	1
553	Other, of abdominal cavity without mention of obstruction or gangrene	7	4	3
555-558	Noninfective enteritis and colitis	62	39	23
555	Regional enteritis	1	1	0
556	Idiopathic proctocolitis	2	2	0
557	Vascular insufficiency of intestine	35	27	8
558	Other noninfective gastroenteritis and colitis	24	9	15
560-569	Other diseases of intestine and peritoneum	132	82	50
560	Intestinal obstruction without mention of hernia	40	28	12
562	Diverticula of intestine	44	30	14
565	Anal fissure and fistula	2	1	1
566	Abscess of anal and rectal regions	7	0	7
567	Peritonitis	14	8	6
568	Other disorders of peritoneum	3	1	2
569	Other disorders of intestine	22	14	8

Table 12 - Page 9
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
570-579	Other diseases of digestive system	382	273	109
570	Acute and subacute necrosis of liver	4	2	2
571	Chronic liver disease and cirrhosis	196	148	48
572	Liver abscess and sequelae of chronic liver disease	29	19	10
573	Other disorders of liver	17	10	7
574,575	Cholelithiasis and other disorders of gallbladder	42	26	16
574	Cholelithiasis	17	12	5
575	Other disorders of gallbladder	25	14	11
576	Other disorders of biliary tract	9	7	2
577	Diseases of pancreas	37	25	12
578	Gastrointestinal hemorrhage	46	34	12
579	Intestinal malabsorption	2	2	0
580-629	DISEASES OF THE GENITOURINARY SYSTEM	414	214	200
580-589	Nephritis, nephrotic syndrome, and nephrosis	240	113	127
580	Acute glomerulonephritis	3	2	1
581	Nephrotic syndrome	2	1	1
582	Chronic glomerulonephritis	32	14	18
583	Nephritis and nephropathy, unqualified	3	2	1
584-587	Renal failure and renal sclerosis	200	94	106
584	Acute	32	22	10
585	Chronic	52	18	34
586	Unspecified	115	53	62
587	Renal sclerosis, unspecified	1	1	0
590-599	Other diseases of urinary system	159	94	65
590	Infections of kidney	49	30	19
591	Hydronephrosis	1	0	1
592,594	Calculus of urinary system	7	5	2
592	Of kidney and ureter	7	5	2
593	Other disorders of kidney and ureter	13	6	7
595	Cystitis	1	0	1
596	Other disorders of bladder	1	1	0
598	Urethral stricture	1	0	1
599	Other disorders of urethra and urinary tract	86	52	34
600-608	Diseases of male genital organs	11	6	5
600	Hyperplasia of prostate	9	5	4
601	Inflammatory diseases of prostate	1	1	0
608	Other disorders of male genital organs	1	0	1
610,611	Disorders of breast	0	0	0
614-616	Inflammatory disease of female pelvic organs	3	1	2
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	3	1	2
617-629	Other disorders of female genital tract	1	0	1
620	Noninflammatory disorders of ovary, fallopian tube, and broad ligament	1	0	1
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	2	1	1

International Classification Number*	Cause*	Total	White	Non-white
630-639	Pregnancy with abortive outcome	0	0	0
640-648	Complications mainly related to pregnancy	1	0	1
641	Antepartum hemorrhage, abruptio placenta, and placenta previa	1	0	1
650-659	Normal delivery, and other indications for care in pregnancy, labor, and delivery	0	0	0
660-669	Complications occurring mainly in the course of labor and delivery	0	0	0
670-676	Complications of the puerperium	1	1	0
670	Major puerperal infection	1	1	0
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	44	23	21
680-686	Infections of skin and subcutaneous tissue	13	9	4
682	Other cellulitis and abscess	6	5	1
686	Other local infections of skin and subcutaneous tissue	7	4	3
690-698	Other inflammatory conditions of skin and subcutaneous tissue	8	2	6
694	Bullous dermatoses	3	0	3
695	Erythematous conditions	5	2	3
700-709	Other diseases of skin and subcutaneous tissue	23	12	11
707	Chronic ulcer of skin	22	11	11
709	Other disorders of skin and subcutaneous tissue	1	1	0
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	70	48	22
710-719	Arthropathies and related disorders	56	36	20
710	Diffuse diseases of connective tissue	30	19	11
711-716	Arthropathy, rheumatoid arthritis, and osteoarthrosis	26	17	9
711	Arthropathy associated with infections	2	0	2
714	Rheumatoid arthritis and other inflammatory polyarthropathies	19	13	6
715	Osteoarthrosis and allied disorders	2	1	1
716	Other and unspecified arthropathies	3	3	0
720-724	Dorsopathies	0	0	0
725-729	Rheumatism, excluding the back	2	2	0
728	Disorders of muscle, ligament, and fascia	2	2	0
730-739	Osteopathies, chondropathies, and acquired musculoskeletal deformities	12	10	2
730	Osteomyelitis, periostitis, and other infections involving bone	2	2	0
733	Other disorders of bone and cartilage	5	5	0
737	Curvature of spine	5	3	2
740-759	CONGENITAL ANOMALIES	186	107	79
740-742	Nervous system	41	29	12
740	Anencephalus and similar anomalies	14	13	1
741	Spina bifida	5	5	0
742	Other congenital anomalies of nervous system	22	11	11

Table 12 - Page 11
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
743,744	Eye, ear, face, and neck	0	0	0
745-747	Circulatory system	74	40	34
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	19	12	7
746	Heart	37	17	20
747	Other congenital anomalies of circulatory system	18	11	7
748	Respiratory system	8	3	5
749-751	Digestive system	9	2	7
749	Cleft palate and cleft lip	2	0	2
751	Other congenital anomalies of digestive system	7	2	5
752,753	Genitourinary system	8	7	1
753	Urinary system	8	7	1
754-756	Musculoskeletal system	11	5	6
755	Other congenital anomalies of limbs	1	1	0
756	Other congenital musculoskeletal anomalies	10	4	6
757	Congenital anomalies of the integument	2	1	1
758	Chromosomal anomalies	13	8	5
759	Other and unspecified congenital anomalies	20	12	8
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	392	121	271
760	Maternal conditions unrelated to present pregnancy	2	0	2
761-763	Complications of pregnancy, labor, and delivery	43	9	34
761	Maternal complications of pregnancy	24	4	20
762	Complications of placenta, cord, and membranes	17	4	13
763	Other complications of labor and delivery	2	1	1
764	Slow fetal growth and fetal malnutrition	1	0	1
765,766	Disorders relating to gestation	66	17	49
765	Short gestation and unspecified low birthweight	66	17	49
767	Birth trauma	11	5	6
768-770	Respiratory conditions of fetus and newborn	175	61	114
768	Intrauterine hypoxia and birth asphyxia	32	11	21
769	Respiratory distress syndrome	94	37	57
770	Other respiratory conditions of fetus and newborn	49	13	36
771	Infections specific to the perinatal period	32	11	21
772	Fetal and neonatal hemorrhage	13	5	8
773	Hemolytic disease of fetus or newborn, due to isoimmunization	2	1	1
774	Other perinatal jaundice	3	0	3
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	0	1
776	Hematological disorders of fetus and newborn	2	2	0
777	Perinatal disorders of digestive system	9	1	8
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	1	0
779	Other and ill-defined conditions originating in the perinatal period	31	8	23

Table 12 - Page 12
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
780-799	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	1,448	560	888
780-789	Symptoms	8	4	4
780	General	3	2	1
785	Involving cardiovascular system	2	2	0
786	Involving respiratory system and other chest symptoms	3	0	3
790-796	Nonspecific abnormal findings	0	0	0
797-799	Ill-defined and unknown causes of morbidity and mortality	1,440	556	884
797	Senility without mention of psychosis	53	15	38
798	Sudden death, cause unknown	90	29	61
799	Other ill-defined and unknown causes	1,297	512	785
800-999	EXTERNAL CAUSES OF INJURY AND POISONING	2,330	1,300	1,030
800-949	Accidents and adverse effects	1,711	985	726
800-807	Railway	8	5	3
804	Fall in, on, or from railway train	1	0	1
805	Hit by rolling stock	7	5	2
810-825	Motor vehicle	743	489	254
(810-819)	(Traffic)	720	472	248
810	Involving collision with train	15	11	4
812	Involving collision with another motor vehicle	245	170	75
813	Involving collision with other vehicle	12	6	6
814	Involving collision with pedestrian	81	39	42
815	Other involving collision on the highway	76	48	28
816	Due to loss of control, without collision on the highway	164	115	49
818	Other noncollision	10	5	5
819	Of unspecified nature	117	78	39
(820-825)	(Nontraffic)	23	17	6
822	Involving collision of other motor vehicle with moving object	11	9	2
823	Involving collision of other motor vehicle with stationary object	1	1	0
825	Of other and unspecified nature	11	7	4
826-829	Other road vehicle	4	3	1
826	Pedal cycle	1	0	1
828	Involving animal being ridden	3	3	0
830-838	Water transport	27	22	5
830	Accident to watercraft causing submersion	7	5	2
832	Other submersion or drowning in water transport	17	14	3
837	Explosion, fire, or burning in watercraft	1	1	0
838	Other and unspecified	2	2	0
840-845	Air and space transport	11	11	0
841	Accident to powered aircraft, other and unspecified	10	10	0
844	Other specified	1	1	0
846-848	Vehicle accidents not elsewhere classifiable	0	0	0
850-869	Poisoning	47	32	15

Table 12 - Page 13
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total	White	Non-white
(850-858)	(By drugs, medicaments, and biologicals)	27	21	6
850	Analgesics, antipyretics, antirheumatics	2	0	2
853	Tranquillizers	2	2	0
854	Other psychotropic agents	3	2	1
855	Other drugs acting on central and autonomic nervous systems	1	1	0
858	Other drugs	19	16	3
(860-869)	(By other solid and liquid substances, gas, and vapors)	20	11	9
860	Alcohol, not elsewhere classified	2	1	1
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	3	0	3
866	Other and unspecified solid and liquid substances	2	2	0
867	Gas distributed by pipeline	1	0	1
868	Other utility gas and other carbon monoxide	9	6	3
869	Other gases and vapors	3	2	1
870-876	Misadventures to patients during surgical and medical care	3	2	1
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	2	2	0
876	Other and unspecified	1	0	1
878,879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure	16	12	4
878	Surgical operation or other surgical procedure	10	8	2
879	Other procedures	6	4	2
880-888	Falls	106	82	24
880	On or from stairs or steps	3	3	0
881	On or from ladders or scaffolding	2	2	0
882	From or out of building or other structure	6	4	2
883	Into hole or other opening in surface	1	1	0
884	Other from one level to another	5	3	2
885	On same level from slipping, tripping, or stumbling	2	1	1
887	Fracture, cause unspecified	55	44	11
888	Other and unspecified fall	32	24	8
890-899	Caused by fires and flames	152	50	102
890	Conflagration in private dwelling	124	42	82
891	Conflagration in other and unspecified building or structure	3	1	2
892	Conflagration not in building or structure	2	2	0
893	Ignition of clothing	9	2	7
894	Ignition of highly inflammable material	1	1	0
895	Controlled fire in private dwelling	3	0	3
897	Controlled fire not in building or structure	1	0	1
898	Other specified fire and flames	2	1	1
899	Unspecified fire	7	1	6
900-909	Due to natural and environmental factors	163	28	135
900	Excessive heat	135	17	118
901	Excessive cold	13	3	10

International Classification Number*	Cause*	Total	White	Non-white
904	Hunger, thirst, exposure, and neglect	11	4	7
907	Lightning	2	2	0
908	Cataclysmic storms and floods resulting from storms	1	1	0
909	Cataclysmic earth surface movements and eruptions	1	1	0
910-915	Accidents caused by submersion, suffocation, and foreign bodies	203	100	103
910	Drowning and submersion	121	59	62
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	42	21	21
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	30	16	14
913	Mechanical suffocation	9	4	5
915	Foreign body accidentally entering other orifice	1	0	1
916-929	Other accidents	224	148	76
916	Struck by falling object	25	15	10
917	Striking against or struck by objects or persons	8	6	2
919	Caused by machinery	37	29	8
920	Caused by cutting and piercing instruments or objects	3	2	1
921	Caused by explosion of pressure vessel	1	0	1
922	Caused by firearm missile	88	60	28
923	Caused by explosive material	9	4	5
924	Caused by hot substance or object, caustic or corrosive material, and steam	2	1	1
925	Caused by electric current	13	6	7
928	Other and unspecified environmental and accidental causes	27	19	8
929	Late effects of accidental injury	11	6	5
930-949	Drugs, medicaments, and biological substances causing adverse effects in therapeutic use	4	1	3
947	Other and unspecified drugs and medicaments	4	1	3
950-959	Suicide and self-inflicted injury	231	188	43
950-952	By poisoning	16	13	3
950	By solid or liquid substances	9	6	3
952	By other gases and vapors	7	7	0
953	By hanging, strangulation, and suffocation	13	11	2
954	By submersion (drowning)	3	2	1
955	By firearms and explosives	192	159	33
956	By cutting and piercing instruments	1	1	0
957	By jumping from high place	2	1	1
958	By other and unspecified means	4	1	3
960-978	Homicide and injury purposely inflicted by other persons; legal intervention	359	112	247
960-969	Homicide and injury purposely inflicted by other persons	359	112	247
960	Fight, brawl, rape	1	0	1

nternational lassification umber*	Cause*	Total	White	Non-white
963	Assault by hanging and strangulation	6	4	2
964	Assault by submersion (drowning)	1	1	0
965	Assault by firearms and explosives	271	83	188
966	Assault by cutting and piercing instrument	43	9	34
967	Child battering and other maltreatment	2	0	2
968	Assault by other and unspecified means	35	15	20
80-989	Injury undetermined whether accidentally or purposely inflicted	29	15	14
980	Poisoning by solid or liquid substances	2	2	0
984	Submersion (drowning)	3	2	1
985	Injury by firearms and explosives	18	7	11
988	Injury by other and unspecified means	5	3	2
989	Late effects of injury undetermined whether accidentally or purposely inflicted	1	1	0
90-999	Injury resulting from operations of war	0	0	0

Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 13

DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE, ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1980

nter- ational lassifi- ation umber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
01-999	ALL CAUSES	23,576	9.4	W	14,531	M	8,133	171	27	24	30	289	225	287	680	1,468	4,930	2
						F	6,398	101	33	17	19	95	94	150	325	670	4,894	0
				NW	9,045	M	5,003	310	48	34	38	233	237	233	372	701	2,791	6
						F	4,042	230	33	20	12	69	107	137	265	454	2,708	7
01-139	Infectious and parasitic diseases	194	7.7	W	100	M	62	3	1	0	1	1	1	3	5	10	37	0
						F	38	0	0	0	0	1	2	2	1	3	29	0
				NW	94	M	49	7	1	1	3	2	2	0	9	5	19	0
						F	45	5	3	0	0	2	0	1	3	4	27	0
10-018	Tuberculosis	30	1.2	W	15	M	11	0	0	0	0	0	0	0	2	4	5	0
						F	4	0	0	0	0	0	0	0	0	1	3	0
				NW	15	M	9	0	0	0	0	0	0	0	3	1	5	0
						F	6	0	0	0	0	1	0	0	2	1	2	0
70	Viral hepatitis	7	0.3	W	4	M	2	0	0	0	0	0	0	0	0	1	1	0
						F	2	0	0	0	0	0	0	0	0	0	2	0
				NW	3	M	2	1	0	0	0	0	1	0	0	0	0	0
						F	1	0	0	0	0	1	0	0	0	0	0	0
40-208	Malignant neoplasms	4,383	173.9	W	2,895	M	1,659	0	2	5	2	8	16	44	162	420	1,000	0
						F	1,236	1	1	2	4	9	18	53	132	239	777	0
				NW	1,488	M	869	0	0	3	2	12	8	23	78	178	563	2
						F	619	1	1	2	2	7	18	29	61	120	378	0
10-239	Benign neoplasms and neoplasms of undetermined nature	50	2.0	W	33	M	13	0	0	0	0	0	2	0	0	2	9	0
						F	20	0	0	0	0	0	0	2	0	5	13	0
				NW	17	M	4	0	0	0	0	0	1	0	0	0	3	0
						F	13	0	0	2	0	0	0	0	1	2	8	0

le 13 - Page 2
ths - Mississippi - 1980

er- ional assifi- ion nber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
0-279	Endocrine, nutritional, and metabolic diseases and immunity disorders	542	21.5	W	265	M	126	4	1	2	0	3	1	4	13	19	79	0
						F	139	1	0	1	3	4	3	5	5	14	103	0
				NW	277	M	100	0	0	0	0	0	4	11	2	24	59	0
						F	177	2	0	0	0	1	0	9	16	19	130	0
0	Diabetes mellitus	409	16.2	W	198	M	93	0	0	0	0	0	0	3	8	16	66	0
						F	105	0	0	0	1	0	2	5	2	9	86	0
				NW	211	M	65	0	0	0	0	0	2	7	0	16	40	0
						F	146	0	0	0	0	0	0	6	11	19	110	0
0-269	Nutritional deficiencies	24	1.0	W	11	M	6	0	0	0	0	0	0	0	1	0	5	0
						F	5	0	0	0	0	0	0	0	0	0	5	0
				NW	13	M	7	0	0	0	0	0	0	0	1	1	5	0
						F	6	1	0	0	0	0	0	0	0	0	5	0
0-289	Diseases of blood and blood-forming organs	70	2.8	W	39	M	18	0	0	0	0	0	0	2	1	3	12	0
						F	21	0	0	0	0	3	0	1	1	0	16	0
				NW	31	M	13	0	1	1	1	1	1	1	0	2	5	0
						F	18	0	1	2	0	1	4	1	1	1	7	0
0-285	Anemias	46	1.8	W	18	M	8	0	0	0	0	0	0	1	0	1	6	0
						F	10	0	0	0	0	0	0	0	1	0	9	0
				NW	28	M	12	0	1	1	1	1	1	1	0	2	4	0
						F	16	0	1	2	0	0	4	1	1	0	7	0
0-319	Mental disorders	138	5.5	W	83	M	52	0	0	0	0	1	0	5	8	12	26	0
						F	31	0	1	0	0	0	0	0	1	1	28	0
				NW	55	M	29	0	0	0	0	1	5	3	7	1	12	0
						F	26	0	0	0	0	1	1	2	3	2	17	0
3	Alcoholism	41	1.6	W	26	M	21	0	0	0	0	1	0	4	3	8	5	0
						F	5	0	0	0	0	0	0	0	1	1	3	0
				NW	15	M	10	0	0	0	0	1	1	1	3	1	3	0
						F	5	0	0	0	0	0	0	2	2	0	1	0

le 13 - Page 3
ths - Mississippi - 1980

er- ional ssifi- ion ber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
-389	Diseases of the nervous system and sense organs	239	9.5	W	136	M	77	4	1	0	1	6	5	2	5	15	38	0
						F	59	1	4	1	2	1	4	4	4	11	27	0
				NW	103	M	54	2	7	6	1	0	7	5	5	7	14	0
						F	49	8	2	1	3	3	4	5	7	2	14	0
-322	Meningitis	27	1.1	W	12	M	8	4	0	0	0	2	0	0	0	1	1	0
						F	4	1	0	0	0	0	0	1	1	1	0	0
				NW	15	M	7	1	2	0	0	0	1	0	0	2	1	0
						F	8	5	0	0	0	0	0	0	0	0	3	0
	Epilepsy	30	1.2	W	10	M	6	0	0	0	0	1	0	0	1	3	1	0
						F	4	0	0	0	0	0	1	1	0	1	1	0
				NW	20	M	13	0	0	2	1	0	3	2	1	1	3	0
						F	7	0	0	0	2	1	1	2	1	0	0	0
-459	Diseases of the circulatory system	11,218	445.0	W	7,259	M	3,780	7	2	0	1	6	16	90	281	672	2,704	1
						F	3,479	1	0	1	0	4	9	25	81	265	3,093	0
				NW	3,959	M	2,022	11	2	0	1	12	32	54	139	298	1,469	4
						F	1,937	10	1	0	0	13	28	42	104	216	1,518	5
-398, 02, -429	Heart diseases	8,220	326.1	W	5,493	M	3,000	6	1	0	1	5	11	78	252	594	2,051	1
						F	2,493	1	0	0	0	2	7	17	61	204	2,201	0
				NW	2,727	M	1,434	10	2	0	1	11	21	40	106	222	1,018	3
						F	1,293	9	1	0	0	8	16	23	74	163	997	2
,403	Hypertension	119	4.7	W	42	M	17	0	0	0	0	0	0	1	0	2	14	0
						F	25	0	0	0	0	0	0	0	0	0	25	0
				NW	77	M	35	0	0	0	0	0	2	1	3	4	25	0
						F	42	0	0	0	0	0	0	1	4	4	33	0
-438	Cerebrovascular diseases	2,323	92.2	W	1,366	M	579	0	1	0	0	1	2	9	24	51	491	0
						F	787	0	0	1	0	2	0	8	17	54	705	0
				NW	957	M	455	1	0	0	0	1	8	10	28	67	339	1
						F	502	0	0	0	0	4	10	15	21	46	404	2

able 13 - Page 4
eaths - Mississippi - 1980

nter-ational lassi-ication umber*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
40	Atherosclerosis	296	11.7	W	185	M	77	0	0	0	0	0	0	0	2	1	74	0
						F	108	0	0	0	0	0	0	0	0	3	105	0
				NW	111	M	51	0	0	0	0	0	0	0	1	2	48	0
						F	60	0	0	0	0	0	0	0	0	1	59	0
60-519	Diseases of the respiratory system	1,178	46.7	W	882	M	548	5	1	2	0	3	7	6	20	64	440	0
						F	334	5	2	0	0	3	3	7	11	31	272	0
				NW	296	M	197	27	1	1	2	4	4	7	13	27	111	0
						F	99	14	3	0	1	2	1	3	7	8	60	0
80-486	Pneumonia	464	18.4	W	335	M	174	2	1	1	0	0	4	4	3	11	148	0
						F	161	4	0	0	0	2	2	2	3	4	144	0
				NW	129	M	81	18	1	0	2	3	3	1	4	8	41	0
						F	48	6	0	0	1	0	0	2	2	2	35	0
87	Influenza	18	0.7	W	10	M	2	0	0	0	0	0	0	0	0	0	2	0
						F	8	0	0	0	0	0	0	0	0	0	8	0
				NW	8	M	5	1	0	0	0	0	0	0	0	0	4	0
						F	3	0	0	0	0	0	0	0	0	0	3	0
92	Emphysema	130	5.2	W	108	M	89	0	0	0	0	0	0	2	3	12	72	0
						F	19	0	0	0	0	0	0	0	0	5	14	0
				NW	22	M	20	0	0	0	0	0	0	1	2	5	12	0
						F	2	0	0	0	0	0	0	0	0	0	2	0
90,491, 93-496	Other chronic obstructive pulmonary diseases and allied conditions	365	14.5	W	292	M	207	0	0	0	0	1	0	0	9	29	168	0
						F	85	0	0	0	0	1	1	0	5	15	63	0
				NW	73	M	50	1	0	0	0	0	1	2	4	7	35	0
						F	23	1	1	0	0	1	1	1	3	6	9	0
20-579	Diseases of the digestive system	678	26.9	W	465	M	243	3	0	0	1	0	3	12	44	62	118	0
						F	222	1	0	0	0	0	1	8	25	34	153	0
				NW	213	M	114	12	0	1	0	1	3	8	19	29	41	0
						F	99	5	0	0	0	2	3	1	12	20	56	0

Table 13 - Page 5
Deaths - Mississippi - 1980

Inter-national Classifi-cation Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
531-533	Ulcer of stomach and duodenum	59	2.3	W	40	M	21	0	0	0	0	0	0	1	2	3	15	0
						F	19	0	0	0	0	0	0	1	0	1	17	0
				NW	19	M	12	0	0	0	0	0	0	1	3	4	4	0
						F	7	0	0	0	0	1	0	0	0	0	6	0
571	Chronic liver disease and cirrhosis	196	7.8	W	148	M	92	0	0	0	0	0	1	9	25	29	28	0
						F	56	0	0	0	0	0	0	4	16	17	19	0
				NW	48	M	31	1	0	0	0	0	0	5	8	11	6	0
						F	17	0	0	0	0	0	0	1	6	4	6	0
580-629	Diseases of the genitourinary system	414	16.4	W	214	M	111	2	0	0	0	0	1	0	6	12	90	0
						F	103	1	0	0	0	0	0	3	3	5	91	0
				NW	200	M	113	0	0	0	0	2	0	5	2	12	92	0
						F	87	1	0	0	0	0	1	5	6	8	66	0
580-589	Nephritis, nephrotic syndrome, and nephrosis	240	9.5	W	113	M	62	2	0	0	0	0	1	0	3	7	49	0
						F	51	1	0	0	0	0	0	2	1	4	43	0
				NW	127	M	69	0	0	0	0	2	0	5	1	8	53	0
						F	58	1	0	0	0	0	1	3	5	6	42	0
590	Infections of kidney	49	1.9	W	30	M	14	0	0	0	0	0	0	0	1	0	13	0
						F	16	0	0	0	0	0	0	1	1	0	14	0
				NW	19	M	8	0	0	0	0	0	0	0	0	0	8	0
						F	11	0	0	0	0	0	0	0	1	1	9	0
630-676	Complications of pregnancy, childbirth, and the puerperium	2	4.2	W	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	0	0	1	0	0	0	0
				NW	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	0	0	1	0	0	0	0
680-709	Diseases of the skin and subcutaneous tissue	44	1.7	W	23	M	10	0	0	0	0	0	0	0	0	1	9	0
						F	13	0	0	0	0	0	0	0	0	0	13	0
				NW	21	M	7	0	1	0	0	0	0	0	0	1	5	0
						F	14	0	0	0	0	0	0	0	0	0	14	0

nter-ational lassifi-ation umber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
10-739	Diseases of the musculoskeletal system and connective tissue	70	2.8	W	48	M	17	0	0	0	0	0	0	0	2	6	9	0
						F	31	0	0	0	0	2	0	1	5	3	20	0
				NW	22	M	5	0	0	0	0	1	0	0	0	0	4	0
						F	17	0	0	1	1	3	1	0	1	4	6	0
40-759	Congenital anomalies	186	7.4	W	107	M	55	43	1	1	0	1	1	0	1	2	5	0
						F	52	32	6	1	3	2	2	2	1	2	1	0
				NW	79	M	42	29	6	1	0	1	3	1	0	1	0	0
						F	37	28	3	0	1	2	2	0	1	0	0	0
60-779	Certain conditions originating in the perinatal period	393	8.2	W	122	M	75	75	0	0	0	0	0	0	0	0	0	0
						F	47	47	0	0	0	0	0	0	0	0	0	0
				NW	271	M	161	161	0	0	0	0	0	0	0	0	0	0
						F	110	110	0	0	0	0	0	0	0	0	0	0
80-799	Symptoms, signs, and ill-defined conditions	1,448	57.4	W	560	M	347	16	2	0	1	3	7	8	34	69	206	1
						F	213	7	1	0	0	0	4	5	13	26	157	0
				NW	888	M	485	46	3	1	0	7	12	23	33	58	302	0
						F	403	34	2	2	0	0	7	13	23	30	292	0
00-999	All external causes	2,330	92.4	W	1,300	M	941	10	16	14	23	257	165	111	98	99	148	0
						F	359	4	18	11	7	66	48	31	42	31	101	0
				NW	1,030	M	739	15	26	19	28	189	155	92	65	58	92	0
						F	291	12	17	10	4	32	37	25	19	18	115	2
10-825	Motor vehicle accidents	743	29.5	W	489	M	344	2	5	5	10	133	59	33	34	28	35	0
						F	145	3	11	4	2	40	25	13	12	8	27	0
				NW	254	M	202	0	9	8	7	59	47	28	22	11	11	0
						F	52	1	6	3	4	11	10	5	5	2	5	0
00-807, 26-949	All other accidents and adverse effects	968	38.4	W	496	M	360	8	11	9	13	72	48	41	38	42	78	0
						F	136	1	7	7	4	15	7	6	14	8	67	0
				NW	472	M	289	15	16	10	20	51	36	25	14	32	70	0
						F	183	10	9	7	0	9	10	8	10	13	105	2

Table 13 - Page 7
Deaths - Mississippi - 1980

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age: Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
950-959	Suicide	231	9.2	W	188	M	145	0	0	0	0	38	26	15	17	19	30	0
						F	43	0	0	0	0	4	12	5	8	8	6	0
				NW	43	M	36	0	0	0	0	11	14	2	4	4	1	0
						F	7	0	0	0	0	2	1	2	0	0	2	0
960-978	Homicide and legal intervention	359	14.2	W	112	M	81	0	0	0	0	10	30	20	9	9	3	0
						F	31	0	0	0	1	6	3	6	8	6	1	0
				NW	247	M	200	0	1	1	1	63	54	37	24	10	9	0
						F	47	1	2	0	0	10	15	9	4	3	3	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-676) are per 100,000 live births and deaths from certain conditions originating in the perinatal period (classification numbers 760-779) are per 1,000 live births.

TABLE 14A

INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1980

	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	812	272	540	523	189	334	289	83	206
Adams	10	1	9	9	1	8	1	0	1
Alcorn	9	7	2	6	5	1	3	2	1
Amite	5	0	5	4	0	4	1	0	1
Attala	6	0	6	4	0	4	2	0	2
Benton	1	0	1	0	0	0	1	0	1
Bolivar	23	5	18	16	4	12	7	1	6
Calhoun	8	2	6	4	1	3	4	1	3
Carroll	3	0	3	1	0	1	2	0	2
Chickasaw	6	2	4	3	1	2	3	1	2
Choctaw	2	1	1	1	0	1	1	1	0
Claiborne	6	0	6	6	0	6	0	0	0
Clarke	4	1	3	1	0	1	3	1	2
Clay	9	1	8	7	1	6	2	0	2
Coahoma	18	2	16	11	2	9	7	0	7
Copiah	8	1	7	5	0	5	3	1	2
Covington	6	1	5	6	1	5	0	0	0
DeSoto	10	8	2	6	5	1	4	3	1
Forrest	15	11	4	8	6	2	7	5	2
Franklin	4	2	2	3	2	1	1	0	1
George	3	2	1	2	1	1	1	1	0
Greene	1	1	0	0	0	0	1	1	0
Grenada	5	1	4	4	1	3	1	0	1
Hancock	4	4	0	4	4	0	0	0	0
Harrison	43	26	17	25	16	9	18	10	8
Hinds	84	16	68	55	13	42	29	3	26
Holmes	6	2	4	5	2	3	1	0	1
Humphreys	7	0	7	3	0	3	4	0	4
Issaquena	2	0	2	1	0	1	1	0	1
Itawamba	5	5	0	3	3	0	2	2	0
Jackson	30	19	11	25	16	9	5	3	2
Jasper	8	0	8	4	0	4	4	0	4
Jefferson	3	0	3	3	0	3	0	0	0
Jeff Davis	5	2	3	4	2	2	1	0	1
Jones	17	11	6	13	9	4	4	2	2
Kemper	3	1	2	1	0	1	2	1	1
Lafayette	2	0	2	0	0	0	2	0	2
Lamar	2	1	1	1	0	1	1	1	0
Lauderdale	13	4	9	10	3	7	3	1	2
Lawrence	1	0	1	1	0	1	0	0	0
Leake	6	1	5	3	0	3	3	1	2
Lee	15	8	7	11	5	6	4	3	1
Leflore	22	5	17	14	3	11	8	2	6

Table 14A - Page 2
Infant, Neonatal, and Postneonatal Deaths - Mississippi - 1980

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	7	2	5	4	2	2	3	0	3
Lowndes	24	6	18	15	4	11	9	2	7
Madison	16	2	14	5	0	5	11	2	9
Marion	8	6	2	4	3	1	4	3	1
Marshall	10	1	9	8	1	7	2	0	2
Monroe	13	7	6	9	6	3	4	1	3
Montgomery	4	2	2	3	1	2	1	1	0
Neshoba	3	1	2	2	0	2	1	1	0
Newton	3	1	2	2	0	2	1	1	0
Noxubee	5	0	5	2	0	2	3	0	3
Oktibbeha	15	4	11	11	3	8	4	1	3
Panola	15	3	12	10	2	8	5	1	4
Pearl River	12	6	6	9	4	5	3	2	1
Perry	5	4	1	4	3	1	1	1	0
Pike	14	6	8	10	5	5	4	1	3
Pontotoc	6	4	2	4	4	0	2	0	2
Prentiss	4	0	4	2	0	2	2	0	2
Quitman	7	0	7	4	0	4	3	0	3
Rankin	9	5	4	5	2	3	4	3	1
Scott	10	5	5	6	4	2	4	1	3
Sharkey	5	1	4	3	1	2	2	0	2
Simpson	6	3	3	5	3	2	1	0	1
Smith	3	2	1	2	1	1	1	1	0
Stone	1	1	0	0	0	0	1	1	0
Sunflower	23	1	22	19	1	18	4	0	4
Tallahatchie	9	0	9	5	0	5	4	0	4
Tate	9	5	4	2	2	0	7	3	4
Tippah	5	3	2	5	3	2	0	0	0
Tishomingo	3	3	0	1	1	0	2	2	0
Tunica	8	1	7	4	1	3	4	0	4
Union	5	4	1	4	3	1	1	1	0
Walthall	4	0	4	2	0	2	2	0	2
Warren	21	7	14	13	6	7	8	1	7
Washington	37	12	25	21	9	12	16	3	13
Wayne	7	2	5	4	2	2	3	0	3
Webster	3	0	3	1	0	1	2	0	2
Wilkinson	5	1	4	4	1	3	1	0	1
Winston	5	2	3	4	2	2	1	0	1
Yalobusha	4	1	3	3	1	2	1	0	1
Yazoo	19	4	15	9	1	8	10	3	7

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

TABLE 14B

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1976-1980 (5-YEAR AVERAGE)

	Infant**			Neonatal**			Postneonatal**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	18.6	12.3	25.4	12.4	8.9	16.1	6.2	3.4	9.3
Adams	17.3	7.2	24.1	11.4	4.4	16.2	5.8	2.9	7.8
Alcorn	12.6	12.0	16.0	8.8	9.0	8.0	3.8	3.0	8.0
Amite	16.8	2.1	27.6	11.5	-	20.0	5.3	2.1	7.7
Attala	15.3	5.4	24.7	10.0	5.4	14.3	5.3	-	10.4
Benton	7.8	6.3	9.2	6.2	6.3	6.1	1.6	-	3.0
Bolivar	27.3	17.2	30.3	17.9	11.8	19.7	9.4	5.5	10.6
Calhoun	22.6	14.3	35.7	12.2	10.0	15.6	10.4	4.3	20.1
Carroll	29.8	3.6	48.5	16.4	3.6	25.5	13.4	-	23.0
Chickasaw	17.1	8.2	25.5	12.0	3.5	19.9	5.1	4.7	5.5
Choctaw	10.2	9.2	11.7	5.1	2.3	8.7	5.1	6.9	2.9
Claiborne	29.0	13.2	32.7	20.7	13.2	22.5	8.3	-	10.2
Clarke	18.2	11.4	26.0	11.5	8.9	14.5	6.8	2.5	11.6
Clay	21.5	11.9	27.2	16.1	10.6	19.4	5.4	1.3	7.8
Coahoma	27.2	14.7	31.0	18.5	12.6	20.2	8.8	2.1	10.8
Copiah	20.4	7.3	28.5	11.2	4.2	15.6	9.2	3.1	13.0
Covington	24.2	11.6	35.2	17.5	10.1	23.9	6.7	1.4	11.3
DeSoto	13.6	11.8	19.0	9.7	9.2	11.4	3.9	2.6	7.6
Forrest	21.8	16.5	30.7	16.1	12.6	21.9	5.7	3.8	8.8
Franklin	26.0	27.1	24.9	14.4	18.1	11.1	11.5	9.0	13.8
George	13.4	12.6	17.7	7.4	7.9	4.4	6.0	4.7	13.3
Greene	19.1	20.8	15.0	12.8	11.9	15.0	6.4	8.9	-
Grenada	19.6	12.3	26.3	15.4	11.1	19.2	4.2	1.1	7.1
Hancock	7.1	6.3	11.7	4.1	4.2	3.9	3.0	2.1	7.8
Harrison	13.7	11.0	21.1	9.0	7.5	13.3	4.6	3.5	7.8
Hinds	14.1	8.0	18.3	9.4	6.3	11.5	4.7	1.7	6.8
Holmes	20.4	20.4	20.4	12.6	18.2	11.4	7.8	2.3	9.0
Humphreys	35.7	12.2	42.0	22.0	12.2	24.7	13.6	-	17.3
Issaquena	32.4	28.6	34.2	27.8	28.6	27.4	4.6	-	6.8
Itawamba	11.6	12.1	7.6	7.0	7.8	-	4.6	4.3	7.6
Jackson	15.3	12.2	23.9	11.0	8.7	17.3	4.3	3.5	6.6
Jasper	21.0	11.9	26.0	13.8	8.5	16.7	7.2	3.4	9.3
Jefferson	15.4	-	17.3	12.5	-	14.1	2.9	-	3.2
Jeff Davis	17.5	12.9	19.5	11.9	12.9	11.5	5.6	-	8.0
Jones	17.5	13.2	25.4	11.7	8.9	16.9	5.8	4.3	8.5
Kemper	21.0	6.8	28.6	10.5	-	16.1	10.5	6.8	12.5
Lafayette	15.0	13.4	17.0	7.5	8.0	6.8	7.5	5.4	10.2
Lamar	7.6	7.0	11.0	4.3	4.4	3.7	3.2	2.5	7.4
Lauderdale	18.5	12.8	25.4	13.6	8.8	19.3	5.0	4.0	6.1
Lawrence	15.2	9.5	22.4	10.7	7.9	14.3	4.5	1.6	8.2
Leake	17.5	11.2	22.8	11.0	8.4	13.2	6.5	2.8	9.6
Lee	18.5	14.9	26.1	12.3	10.8	15.6	6.2	4.1	10.6
Leflore	28.8	17.8	33.6	19.4	13.4	22.1	9.4	4.4	11.5

Table 14B - Page 2
Infant, Neonatal, and Postneonatal Mortality Rates - Mississippi - 1976-1980

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	14.7	8.5	23.0	10.2	6.4	15.3	4.5	2.1	7.7
Lowndes	19.9	14.2	26.9	13.8	10.8	17.4	6.1	3.4	9.5
Madison	16.4	5.1	22.3	9.7	3.6	12.8	6.7	1.4	9.4
Marion	17.1	12.0	24.7	9.9	7.5	13.5	7.2	4.5	11.2
Marshall	20.8	19.0	21.8	11.9	10.0	13.0	8.9	9.0	8.8
Monroe	19.9	18.0	22.4	12.6	12.4	12.8	7.3	5.6	9.6
Montgomery	19.1	16.6	20.8	11.3	10.4	11.9	7.8	6.2	8.9
Neshoba	16.1	8.9	24.7	10.2	7.1	14.0	5.8	1.8	10.8
Newton	21.9	19.8	24.4	15.0	14.0	16.3	6.9	5.8	8.1
Noxubee	30.3	14.7	35.5	18.8	11.7	21.1	11.6	2.9	14.4
Oktibbeha	24.9	14.7	33.7	16.6	9.3	22.9	8.3	5.4	10.8
Panola	26.0	11.8	33.7	15.2	7.8	19.3	10.7	3.9	14.4
Pearl River	16.3	14.9	21.6	10.4	8.8	16.2	5.9	6.0	5.4
Perry	23.6	21.5	28.3	18.7	18.6	18.9	4.9	2.9	9.4
Pike	19.5	11.9	25.4	13.3	9.8	16.0	6.2	2.1	9.4
Pontotoc	15.6	13.3	24.9	11.4	10.7	14.2	4.3	2.7	10.7
Prentiss	18.6	13.7	42.8	12.0	11.6	14.3	6.6	2.2	28.6
Quitman	29.2	7.4	37.3	17.3	4.9	21.8	12.0	2.4	15.5
Rankin	10.8	9.5	15.1	6.9	6.1	9.6	3.9	3.4	5.6
Scott	18.7	14.1	23.9	15.0	11.4	18.9	3.7	2.6	5.0
Sharkey	17.7	8.0	20.6	10.2	8.0	10.9	7.4	-	9.7
Simpson	11.4	11.5	11.2	9.4	11.5	6.7	2.0	-	4.5
Smith	26.6	16.3	44.2	12.0	10.8	14.0	14.6	5.4	30.2
Stone	14.1	12.0	18.0	7.7	8.0	7.2	6.4	4.0	10.8
Sunflower	29.5	11.3	34.8	23.7	11.3	27.2	5.8	-	7.6
Tallahatchie	30.5	10.6	37.2	19.8	6.3	24.3	10.7	4.2	12.9
Tate	21.3	20.4	22.1	10.4	10.2	10.5	10.9	10.2	11.6
Tippah	24.7	19.0	44.0	18.7	13.8	35.2	6.0	5.2	8.8
Tishomingo	10.1	10.7	-	6.8	7.1	-	3.4	3.6	-
Tunica	34.6	20.0	37.5	18.1	15.0	18.8	16.5	5.0	18.8
Union	14.8	12.5	22.4	10.8	8.8	17.4	4.0	3.7	5.0
Walthall	20.8	10.8	28.1	13.8	9.0	17.4	6.9	1.8	10.7
Warren	20.5	14.5	26.7	14.6	11.2	18.1	5.9	3.3	8.6
Washington	18.8	14.1	21.0	11.7	11.0	12.0	7.1	3.0	9.0
Wayne	17.1	10.5	25.0	12.0	7.4	17.5	5.1	3.2	7.5
Webster	24.1	16.7	37.7	15.7	14.9	17.1	8.4	1.8	20.5
Wilkinson	19.1	8.8	22.9	14.3	8.8	16.3	4.8	-	6.5
Winston	16.9	12.7	19.9	12.6	11.3	13.6	4.2	1.4	6.3
Yalobusha	24.4	17.2	31.4	18.8	15.3	22.2	5.6	1.9	9.2
Yazoo	24.8	15.9	29.8	14.4	8.0	18.0	10.4	8.0	11.8

* Deaths per 1,000 live births.

** Infant - age less than one year; neonatal - age less than 28 days; postneonatal - age 28 days to one year.

TABLE 15
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE, ALSO MORTALITY RATES FOR SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1980

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
ALL CAUSES	812	17.0	W	272	189	94	57	16	18	4	83
			NW	540	334	188	90	25	13	18	206
Meningococcal infection (036)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Septicemia (038)	10	0.2	W	2	0	0	0	0	0	0	2
			NW	8	0	0	0	0	0	0	8
Other infectious and parasitic diseases (001-035, 037, 039-139)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	0	0	0	0	0	0	4
Meningitis (320-322)	11	0.2	W	5	2	0	1	1	0	0	3
			NW	6	1	0	0	1	0	0	5
Acute upper respiratory infections (460-465)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	1	0	0	0	0	1	3
Bronchitis and bronchiolitis (446, 490, 491)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
Pneumonia and influenza (480-487)	31	0.6	W	6	0	0	0	0	0	0	6
			NW	25	6	1	2	1	2	0	19
Hernia and intestional obstruction (550-553, 560)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
Congenital anomalies (740-759)	132	2.8	W	75	57	27	19	4	5	2	18
			NW	57	44	20	16	7	0	1	13
Maternal conditions unrelated to pregnancy (760)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	2	0	0	0	0	0
Maternal complications of pregnancy (761)	24	0.5	W	4	4	4	0	0	0	0	0
			NW	20	20	20	0	0	0	0	0
Complications of placenta, cord, and membranes (762)	17	0.4	W	4	4	4	0	0	0	0	0
			NW	13	13	10	2	0	1	0	0
Other complications of labor and delivery (763)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
Disorders relating to short gestation and unspecified low birthweight (765)	66	1.4	W	17	17	17	0	0	0	0	0
			NW	49	46	45	1	0	0	0	3
Birth trauma (767)	11	0.2	W	5	5	0	3	1	1	0	0
			NW	6	6	0	4	0	1	1	0

Table 15 - Page 2
Infant Deaths - Mississippi - 1980

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Intrauterine hypoxia and birth asphyxia (768)	32	0.7	W	11	10	3	6	0	1	0	1
			NW	21	21	9	9	1	1	1	0
Respiratory distress syndrome (769)	94	2.0	W	37	35	16	17	2	0	0	2
			NW	57	54	27	22	3	0	2	3
Infections specific to the perinatal period (771)	32	0.7	W	11	11	4	3	0	4	0	0
			NW	21	21	7	8	3	2	1	0
Neonatal hemorrhage (772)	13	0.3	W	5	5	2	2	1	0	0	0
			NW	8	8	1	3	1	2	1	0
Hemorrhagic disease of newborn (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Sudden infant death syndrome (798.0)	73	1.5	W	18	2	0	0	1	0	1	16
			NW	55	7	1	2	1	0	3	48
All other symptoms, signs, and ill-defined conditions (780-797, 798.1-799)	30	0.6	W	5	0	0	0	0	0	0	5
			NW	25	4	0	0	3	0	1	21
Accidents (800-949)	40	0.8	W	14	2	0	0	1	0	1	12
			NW	26	1	0	0	0	1	0	25
All other causes	176	3.7	W	49	34	16	6	5	7	0	15
			NW	127	78	45	20	4	3	6	49

* Deaths of children under 1 year of age.

** Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Deaths per 1,000 live births.

## Less than 0.06.

TABLE 16
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT, MISSISSIPPI, 1980

unty	Total	Motor Vehicle	Water Trans-port	Poison-ing	Falls	Fires and Flames	Drowning and Sub-mersion	Fire-arms	All Other
ATE	1,738	796	23	47	107	145	123	90	407
ams	20	8	1	0	2	0	4	0	5
corn	19	8	0	0	1	5	0	1	4
ite	7	4	0	0	0	0	1	0	2
tala	10	4	0	0	0	3	1	0	2
nton	3	2	0	0	0	0	1	0	0
livar	34	13	0	0	4	5	0	4	8
lhoun	7	5	0	0	0	0	2	0	0
rroll	4	0	0	0	0	1	1	1	1
ickasaw	9	6	0	0	1	2	0	0	0
octaw	6	2	0	0	1	0	0	1	2
aiborne	9	6	0	0	0	0	0	2	1
arke	13	7	0	0	1	1	0	0	4
ay	17	9	0	0	0	0	1	1	6
ahoma	24	9	0	1	1	6	1	1	5
piah	17	6	0	0	0	2	2	3	4
vington	10	6	0	0	0	1	0	1	2
Soto	15	11	2	0	0	1	1	0	0
rrest	54	30	0	0	4	6	0	2	12
anklin	8	3	0	0	0	2	2	1	0
orge	9	2	0	0	1	1	1	1	3
eene	6	2	0	0	0	1	0	1	2
enada	20	5	0	0	0	1	3	0	11
ncock	18	14	0	0	0	0	1	0	3
rrison	100	45	3	10	5	8	8	2	19
nds	223	100	0	8	21	23	8	12	51
lmes	19	9	0	1	0	0	3	1	5
mphreys	17	7	0	0	1	0	0	0	9
saquena	5	0	1	0	0	0	4	0	0
awamba	12	5	0	0	0	3	0	0	4
ckson	52	33	2	1	2	1	8	0	5
sper	13	6	0	0	0	2	0	2	3
fferson	6	1	0	0	1	3	0	0	1
eff Davis	3	2	0	0	0	0	1	0	0
ones	38	22	1	3	3	1	3	0	5
mper	6	4	0	0	0	0	0	1	1
fayette	9	8	0	0	0	0	1	0	0
mar	7	3	0	0	0	0	1	2	1
uderdale	57	26	1	1	7	1	3	3	15
wrence	7	3	0	0	0	0	0	2	2
ake	4	4	0	0	0	0	0	0	0
e	62	34	0	1	7	2	2	4	12
flore	38	11	1	1	1	5	2	1	16

Table 16 - Page 2
Accidental Deaths - Mississippi - 1980

County	Total	Motor Vehicle	Water Transport	Poisoning	Falls	Fires and Flames	Drowning and Submersion	Firearms	All Other
Lincoln	16	10	0	0	1	1	1	1	2
Lowndes	68	33	0	0	5	2	3	4	21
Madison	34	10	4	0	1	3	9	2	5
Marion	27	16	1	0	1	4	2	1	2
Marshall	24	17	0	0	0	2	3	0	2
Monroe	37	10	0	2	3	1	5	2	14
Montgomery	14	7	0	0	1	0	2	0	4
Neshoba	7	4	0	1	0	1	0	1	0
Newton	12	6	0	0	0	0	0	1	5
Noxubee	9	3	0	0	1	0	1	0	4
Oktibbeha	18	7	0	0	1	2	1	1	6
Panola	15	4	0	0	2	0	1	1	7
Pearl River	15	7	0	2	1	0	0	2	3
Perry	5	3	0	0	0	0	2	0	0
Pike	22	11	0	3	1	0	2	2	3
Pontotoc	11	3	2	0	0	3	0	2	1
Prentiss	6	3	0	1	0	0	0	0	2
Quitman	12	3	1	0	0	2	3	0	3
Rankin	29	12	0	0	2	3	4	0	8
Scott	21	11	0	3	1	0	1	0	5
Sharkey	7	5	0	0	0	1	0	0	1
Simpson	15	7	0	0	0	0	1	0	7
Smith	8	6	0	0	0	0	0	0	2
Stone	3	1	0	0	0	0	0	1	1
Sunflower	16	8	0	0	0	3	1	0	4
Tallahatchie	12	3	0	1	1	3	1	1	2
Tate	10	6	0	0	0	0	2	0	2
Tippah	10	6	0	0	1	1	1	0	1
Tishomingo	16	9	0	0	0	0	2	2	3
Tunica	18	6	0	0	0	2	1	0	9
Union	8	4	0	0	2	0	0	0	2
Walthall	6	4	0	0	0	0	0	1	1
Warren	34	7	2	1	7	7	1	3	6
Washington	70	19	1	5	3	11	2	3	26
Wayne	17	6	0	0	2	0	0	3	6
Webster	10	7	0	0	0	1	0	2	0
Wilkinson	21	8	0	0	2	3	1	2	5
Winston	16	11	0	0	1	0	0	1	3
Yalobusha	5	0	0	0	1	0	3	0	1
Yazoo	17	8	0	1	2	2	1	1	2

TABLE 17
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE, ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE, ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE, MISSISSIPPI, 1980

	Licensure Data			Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	27,908	20,620	7,288	27,908	20,620	7,288	25,594	18,723	6,871
Adams	484	309	175	484	310	174	415	255	160
Alcorn	430	377	53	450	398	52	329	290	39
Amite	127	76	51	135	86	49	113	67	46
Attala	204	142	62	195	138	57	183	130	53
Benton	51	36	15	77	61	16	63	49	14
Bolivar	403	212	191	390	201	189	383	200	183
Calhoun	127	98	29	147	115	32	144	111	33
Carroll	68	41	27	80	53	27	67	40	27
Chickasaw	214	148	66	194	137	57	185	128	57
Choctaw	89	68	21	84	69	15	78	62	16
Claiborne	92	40	52	105	39	66	78	27	51
Clarke	146	88	58	168	104	64	155	91	64
Clay	203	117	86	208	112	96	202	112	90
Coahoma	336	176	160	338	175	163	317	159	158
Copiah	228	138	90	252	152	100	230	138	92
Covington	169	121	48	172	126	46	171	114	57
DeSoto	801	650	151	757	615	142	439	383	56
Forrest	1,026	820	206	924	732	192	908	727	181
Franklin	91	63	28	95	62	33	96	66	30
George	287	268	19	288	268	20	177	164	13
Greene	71	62	9	87	75	12	70	60	10
Grenada	196	136	60	188	125	63	191	132	59
Hancock	352	330	22	368	345	23	264	248	16
Harrison	2,445	2,151	294	2,434	2,142	292	1,973	1,721	252
Hinds	3,090	2,065	1,025	2,806	1,872	934	2,965	1,959	1,006
Holmes	178	67	111	179	72	107	184	66	118
Humphreys	118	57	61	124	62	62	102	47	55
Issaquena	12	8	4	27	15	12	13	8	5
Itawamba	185	179	6	191	185	6	186	179	7
Jackson	1,452	1,238	214	1,464	1,252	212	1,396	1,215	181
Jasper	126	70	56	150	81	69	124	65	59
Jefferson	65	15	50	61	14	47	66	16	50
Jeff Davis	153	85	68	156	88	68	148	80	68
Jones	730	594	136	734	604	130	734	591	143
Kemper	79	41	38	87	47	40	77	41	36
Lafayette	225	159	66	218	151	67	228	155	73
Lamar	208	185	23	246	218	28	246	220	26
Lauderdale	854	650	204	809	603	206	809	620	189
Lawrence	156	123	33	155	122	33	148	114	34
Leake	177	121	56	195	139	56	176	118	58
Lee	777	639	138	750	619	131	751	624	127
Leflore	372	220	152	378	219	159	378	225	153

Table 17 - Page 2
Marriages - Mississippi - 1980

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	279	194	85	279	197	82	265	185	80
Lowndes	591	451	140	584	445	139	555	432	123
Madison	296	149	147	371	191	180	321	170	151
Marion	382	286	96	374	285	89	332	251	81
Marshall	253	149	104	253	145	108	211	114	97
Monroe	350	271	79	377	290	87	344	259	85
Montgomery	127	80	47	134	86	48	131	84	47
Neshoba	251	193	58	261	202	59	252	192	60
Newton	162	121	41	185	142	43	169	125	44
Noxubee	103	48	55	103	47	56	94	35	59
Oktibbeha	279	194	85	246	163	83	256	174	82
Panola	283	195	88	283	187	96	258	171	87
Pearl River	383	340	43	378	332	46	328	290	38
Perry	117	99	18	123	101	22	112	92	20
Pike	379	264	115	401	271	130	356	248	108
Pontotoc	195	166	29	205	175	30	191	165	26
Prentiss	230	217	13	227	215	12	228	215	13
Quitman	119	63	56	126	76	50	130	73	57
Rankin	653	570	83	675	594	81	691	610	81
Scott	313	225	88	335	242	93	304	219	85
Sharkey	89	42	47	87	43	44	77	32	45
Simpson	297	226	71	301	228	73	271	206	65
Smith	99	87	12	146	123	23	129	115	14
Stone	144	125	19	125	108	17	112	92	20
Sunflower	224	105	119	248	119	129	226	113	113
Tallahatchie	153	83	70	160	93	67	142	78	64
Tate	235	156	79	245	168	77	217	149	68
Tippah	200	174	26	198	168	30	177	148	29
Tishomingo	304	289	15	298	284	14	178	172	6
Tunica	99	35	64	100	38	62	79	21	58
Union	223	202	21	220	203	17	212	192	20
Walthall	131	88	43	139	96	43	127	86	41
Warren	577	418	159	560	408	152	525	383	142
Washington	696	396	300	705	410	295	657	372	285
Wayne	242	176	66	214	160	54	212	156	56
Webster	102	90	12	106	92	14	96	86	10
Wilkinson	144	93	51	149	93	56	84	34	50
Winston	192	128	64	203	141	62	188	126	62
Yalobusha	136	100	36	133	97	36	123	90	33
Yazoo	279	149	130	289	152	137	272	151	121
Unknown county				12	7	5			
Out of state	*	*	*	*	*	*	2,300	1,887	413
Unknown state							14	10	4

* Information on Mississippi brides who obtained licenses and/or married in other states

TABLE 18
DIVORCES AND RATES, BY COUNTY OF OCCURRENCE AND RACE, MISSISSIPPI, 1980

County	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
STATE	13,846	10,760	3,086	24.5	26.0	20.5
Adams	203	114	89	25.0	22.4	29.4
Alcorn	203	189	14	24.0	24.2	21.1
Amite	56	42	14	18.1	22.0	11.8
Attala	96	65	31	20.3	19.7	21.9
Benton	46	40	6	23.5	28.4	10.9
Bolivar	168	100	68	20.0	23.8	16.2
Calhoun	38	30	8	9.7	9.4	11.0
Carroll	28	18	10	12.2	12.0	12.4
Chickasaw	99	77	22	23.8	25.7	18.9
Choctaw	33	26	7	15.5	15.5	15.4
Claiborne	37	15	22	17.4	18.4	16.7
Clarke	67	44	23	16.7	14.8	22.0
Clay	111	75	36	24.2	26.7	20.2
Coahoma	170	88	82	24.1	25.8	22.6
Copiah	119	80	39	21.0	22.8	18.1
Covington	59	48	11	15.8	17.3	11.2
DeSoto	412	396	16	31.6	34.7	9.9
Forrest	462	371	91	33.4	34.0	31.1
Franklin	34	23	11	17.6	16.2	21.4
George	72	66	6	19.1	18.7	24.2
Greene	26	25	1	11.0	12.4	2.8
Grenada	104	81	23	21.8	24.6	15.4
Hancock	142	133	9	24.4	24.9	19.3
Harrison	1,223	1,061	162	34.8	36.2	27.4
Hinds	1,444	995	449	27.1	29.2	23.4
Holmes	65	25	40	14.9	14.7	15.0
Humphreys	42	21	21	15.8	17.0	14.6
Issaquena	7	3	4	13.9	10.1	19.4
Itawamba	122	119	3	22.4	22.9	12.2
Jackson	923	812	111	33.3	34.2	27.9
Jasper	67	42	25	16.8	17.4	15.8
Jefferson	32	8	24	19.0	18.1	19.3
Jeff Davis	40	25	15	13.1	14.5	11.3
Jones	402	339	63	26.7	27.0	25.4
Kemper	35	16	19	15.4	12.7	18.8
Lafayette	138	93	45	22.9	20.0	32.6
Lamar	143	133	10	24.5	24.7	21.6
Lauderdale	476	392	84	27.2	29.6	19.9
Lawrence	60	44	16	20.1	19.0	24.1
Leake	83	62	21	17.9	19.3	14.8
Lee	379	330	49	26.8	27.5	22.7
Leflore	177	130	47	21.8	30.4	12.3

Table 18 - Page 2
Divorces - Mississippi - 1980

County	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
Lincoln	120	95	25	16.7	17.0	15.5
Lowndes	329	260	69	25.8	27.4	21.3
Madison	182	116	66	21.1	23.5	17.9
Marion	187	147	40	30.4	30.7	29.3
Marshall	146	114	32	23.8	31.4	12.8
Monroe	200	165	35	23.2	24.3	19.1
Montgomery	63	47	16	20.4	22.0	16.8
Neshoba	114	97	17	19.5	20.8	14.5
Newton	77	55	22	15.7	14.5	20.1
Noxubee	34	16	18	12.8	12.6	12.9
Oktibbeha	131	94	37	19.4	19.7	18.5
Panola	139	92	47	22.8	23.8	21.1
Pearl River	229	208	21	27.6	28.1	23.7
Perry	60	51	9	26.0	25.7	27.4
Pike	192	124	68	23.9	23.5	24.7
Pontotoc	121	108	13	22.6	22.9	20.8
Prentiss	128	119	9	21.3	21.3	20.6
Quitman	50	24	26	19.4	16.4	23.2
Rankin	428	388	40	25.0	26.3	16.8
Scott	144	103	41	24.5	24.4	24.9
Sharkey	25	14	11	16.8	19.1	14.7
Simpson	92	67	25	16.4	15.6	18.9
Smith	70	59	11	18.4	18.3	18.9
Stone	69	52	17	31.4	28.1	49.1
Sunflower	106	52	54	16.2	15.8	16.6
Tallahatchie	53	29	24	15.1	15.2	15.0
Tate	107	78	29	24.2	25.0	22.2
Tippah	105	95	10	22.4	23.1	17.6
Tishomingo	92	90	2	18.4	18.5	13.8
Tunica	34	13	21	19.5	19.8	19.3
Union	109	103	6	19.1	20.0	10.6
Walthall	51	39	12	15.8	17.7	11.7
Warren	338	238	100	29.7	29.2	30.9
Washington	424	267	157	29.2	32.6	24.7
Wayne	96	76	20	21.8	23.0	18.3
Webster	50	46	4	19.3	20.6	11.0
Wilkinson	17	9	8	8.4	10.7	6.8
Winston	93	71	22	20.2	22.0	16.0
Yalobusha	67	55	12	21.6	24.7	13.6
Yazoo	131	88	43	22.6	25.1	18.7

* Divorces per 1,000 married women 15 years of age and over.

NOTE:

Table 19 extends from page 103 through page 144 with identical data for each county as well as for the state.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ADAMS AND ALCORN COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Adams						Alcorn					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	84	34	50	220.8	174.1	270.2	44	39	5	133.2	132.4	139.8
Diabetes mellitus (250)	12	2	10	31.5	10.2	54.0	5	4	1	15.1	13.6	28.0
Diseases of heart (390-398, 402, 404, 410-429)	139	59	80	365.4	302.1	432.3	110	92	18	333.0	312.3	503.4
Hypertension (401, 403)	4	1	3	10.5	5.1	16.2	2	2	0	6.0	6.8	-
Cerebrovascular diseases (430-438)	49	23	26	128.8	117.8	140.5	22	20	2	66.6	67.9	55.9
Atherosclerosis (440)	5	4	1	13.1	20.5	5.4	3	3	0	9.1	10.2	-
Pneumonia and influenza (480-487)	9	7	2	23.7	35.8	10.8	8	8	0	24.2	27.2	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	10	9	1	26.3	46.1	5.4	12	11	1	36.3	37.3	28.0
Chronic liver disease and cirrhosis (571)	2	2	0	5.2	10.2	-	4	4	0	12.1	13.6	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	1	3	10.5	5.1	16.2	3	3	0	9.1	10.2	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	5.2	5.1	5.4	5	4	1	15.1	13.6	28.0
Certain conditions originating in the perinatal period (760-779)	6	0	6	7.9	-	13.4	3	3	0	6.4	7.5	-
Accidents (800-949)	22	15	7	57.8	76.8	37.8	25	20	5	75.7	67.9	139.8
Motor vehicle accidents# (810-825)	10	8	2	26.3	41.0	10.8	7	7	0	21.2	23.8	-
Suicide (950-959)	7	7	0	18.4	35.8	-	2	2	0	6.0	6.8	-
Homicide and legal intervention (960-978)	5	0	5	13.1	-	27.0	10	7	3	30.3	23.8	83.9
Symptoms, signs, and ill-defined conditions# (780-799)	15	2	13	39.4	10.2	70.2	4	4	0	12.1	13.6	-

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF AMITE AND ATTALA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Amite						Attala					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	19	8	11	142.1	114.4	172.6	41	29	12	206.4	240.6	153.6
Diabetes mellitus (250)	2	1	1	15.0	14.3	15.7	5	2	3	25.2	16.6	38.4
Diseases of heart (390-398, 402, 404, 410-429)	35	22	13	261.8	314.5	204.0	106	61	45	533.6	506.1	576.0
Hypertension (401, 403)	1	1	0	7.5	14.3	-	2	1	1	10.1	8.3	12.8
Cerebrovascular diseases (430-438)	10	3	7	74.8	42.9	109.8	29	16	13	146.0	132.8	166.4
Atherosclerosis (440)	2	1	1	15.0	14.3	15.7	10	9	1	50.3	74.7	12.8
Pneumonia and influenza (480-487)	2	2	0	15.0	28.6	-	11	8	3	55.4	66.4	38.4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	3	0	22.4	42.9	-	4	3	1	20.1	24.9	12.8
Chronic liver disease and cirrhosis (571)	1	0	1	7.5	-	15.7	2	2	0	10.1	16.6	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	4	2	2	20.1	16.6	25.6
Infections of kidney (590)	1	0	1	7.5	-	15.7	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	0	1	5.0	-	12.8
Certain conditions originating in the perinatal period (760-779)	3	0	3	13.3	-	24.4	3	0	3	9.4	-	20.1
Accidents (800-949)	17	8	9	127.2	114.4	141.2	12	5	7	60.4	41.5	89.6
Motor vehicle accidents# (810-825)	9	4	5	67.3	57.2	78.4	2	2	0	10.1	16.6	-
Suicide (950-959)	3	1	2	22.4	14.3	31.4	0	0	0	-	-	-
Homicide and legal intervention (960-978)	1	0	1	7.5	-	15.7	3	0	3	15.1	-	38.4
Symptoms, signs, and ill-defined conditions# (780-799)	25	8	17	187.0	114.4	266.8	4	2	2	20.1	16.6	25.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF BENTON AND BOLIVAR COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Benton						Bolivar					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	1	0	2.2	5.9	-
Malignant neoplasms (140-208)	17	11	6	208.5	217.6	193.6	86	41	45	187.1	241.4	155.3
Diabetes mellitus (250)	1	1	0	12.3	19.8	-	7	0	7	15.2	-	24.2
Diseases of heart (390-398, 402, 404, 410-429)	18	12	6	220.8	237.4	193.6	192	77	115	417.7	453.3	396.8
Hypertension (401, 403)	0	0	0	-	-	-	3	0	3	6.5	-	10.4
Cerebrovascular diseases (430-438)	6	5	1	73.6	98.9	32.3	56	27	29	121.8	159.0	100.1
Atherosclerosis (440)	0	0	0	-	-	-	20	8	12	43.5	47.1	41.4
Pneumonia and influenza (480-487)	3	2	1	36.8	39.6	32.3	5	3	2	10.9	17.7	6.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	49.1	79.1	-	11	4	7	23.9	23.5	24.2
Chronic liver disease and cirrhosis (571)	1	1	0	12.3	19.8	-	4	2	2	8.7	11.8	6.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	12.3	19.8	-	2	2	0	4.4	11.8	-
Infections of kidney (590)	1	1	0	12.3	19.8	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	3	1	2	6.5	5.9	6.9
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	13	4	9	11.4	14.9	10.3
Accidents (800-949)	5	2	3	61.3	39.6	96.8	37	13	24	80.5	76.5	82.8
Motor vehicle accidents# (810-825)	3	2	1	36.8	39.6	32.3	16	8	8	34.8	47.1	27.6
Suicide (950-959)	1	1	0	12.3	19.8	-	2	1	1	4.4	5.9	3.4
Homicide and legal intervention (960-978)	2	0	2	24.5	-	64.5	15	1	14	32.6	5.9	48.3
Symptoms, signs, and ill-defined conditions# (780-799)	11	6	5	134.9	118.7	161.3	52	7	45	113.1	41.2	155.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CALHOUN AND CARROLL COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Calhoun						Carroll					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	26	21	5	166.0	180.2	124.6	14	10	4	143.2	187.5	90.0
Diabetes mellitus (250)	2	1	1	12.8	8.6	24.9	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	54	44	10	344.7	377.7	249.1	19	8	11	194.4	150.0	247.5
Hypertension (401, 403)	2	0	2	12.8	-	49.8	4	1	3	40.9	18.8	67.5
Cerebrovascular diseases (430-438)	19	13	6	121.3	111.6	149.5	14	12	2	143.2	225.0	45.0
Atherosclerosis (440)	0	0	0	-	-	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	3	3	0	19.2	25.8	-	2	1	1	20.4	18.8	22.5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	19.2	17.2	24.9	1	1	0	10.2	18.8	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	1	0	1	10.2	-	22.5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	19.2	8.6	49.8	1	0	1	10.2	-	22.5
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	12.8	8.6	24.9	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	3	0	3	12.6	-	32.6	1	0	1	6.5	-	11.0
Accidents (800-949)	11	6	5	70.2	51.5	124.6	7	3	4	71.6	56.3	90.0
Motor vehicle accidents# (810-825)	7	4	3	44.7	34.3	74.7	0	0	0	-	-	-
Suicide (950-959)	2	1	1	12.8	8.6	24.9	2	2	0	20.4	37.5	-
Homicide and legal intervention (960-978)	2	0	2	12.8	-	49.8	1	1	0	10.2	18.8	-
Symptoms, signs, and ill-defined conditions# (780-799)	5	4	1	31.9	34.3	24.9	6	3	3	61.4	56.3	67.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CHICKASAW AND CHOCTAW COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Chickasaw						Choctaw					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	34	25	9	190.4	219.6	139.1	16	12	4	177.8	186.1	156.9
Diabetes mellitus (250)	3	2	1	16.8	17.6	15.4	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	83	59	24	464.9	518.3	370.9	43	35	8	478.0	542.9	313.8
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	12	10	2	67.2	87.8	30.9	6	4	2	66.7	62.0	78.5
Atherosclerosis (440)	0	0	0	-	-	-	1	0	1	11.1	-	39.2
Pneumonia and influenza (480-487)	2	2	0	11.2	17.6	-	0	0	0	-	-	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	28.0	43.9	-	3	2	1	33.3	31.0	39.2
Chronic liver disease and cirrhosis (571)	1	1	0	5.6	8.8	-	1	1	0	11.1	15.5	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	16.8	8.8	30.9	1	1	0	11.1	15.5	-
Infections of kidney (590)	1	1	0	5.6	8.8	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	5.6	-	15.4	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	3	1	2	8.4	5.9	10.6	1	0	1	5.7	-	11.2
Accidents (800-949)	10	6	4	56.0	52.7	61.8	7	4	3	77.8	62.0	117.7
Motor vehicle accidents# (810-825)	4	2	2	22.4	17.6	30.9	5	3	2	55.6	46.5	78.5
Suicide (950-959)	1	1	0	5.6	8.8	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	2	1	1	11.2	8.8	15.4	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	4	2	2	22.4	17.6	30.9	3	1	2	33.3	15.5	78.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAIBORNE AND CLARKE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Claiborne						Clarke					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	15	2	13	122.2	65.1	141.2	34	22	12	200.6	199.9	202.0
Diabetes mellitus (250)	4	0	4	32.6	-	43.4	3	2	1	17.7	18.2	16.8
Diseases of heart (390-398, 402, 404, 410-429)	62	19	43	504.9	618.1	467.1	73	52	21	430.8	472.6	353.5
Hypertension (401, 403)	1	0	1	8.1	-	10.9	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	8	1	7	65.2	32.5	76.0	13	7	6	76.7	63.6	101.0
Atherosclerosis (440)	4	0	4	32.6	-	43.4	1	1	0	5.9	9.1	-
Pneumonia and influenza (480-487)	0	0	0	-	-	-	7	6	1	41.3	54.5	16.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	1	1	16.3	32.5	10.9	2	1	1	11.8	9.1	16.8
Chronic liver disease and cirrhosis (571)	1	1	0	8.1	32.5	-	1	1	0	5.9	9.1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	8.1	-	10.9	1	0	1	5.9	-	16.8
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	16.3	-	21.7	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	3	0	3	12.0	-	14.4	1	0	1	3.5	-	8.2
Accidents (800-949)	9	5	4	73.3	162.6	43.4	14	9	5	82.6	81.8	84.2
Motor vehicle accidents# (810-825)	5	3	2	40.7	97.6	21.7	6	4	2	35.4	36.4	33.7
Suicide (950-959)	1	1	0	8.1	32.5	-	1	1	0	5.9	9.1	-
Homicide and legal intervention (960-978)	3	1	2	24.4	32.5	21.7	1	1	0	5.9	9.1	-
Symptoms, signs, and ill-defined conditions# (780-799)	8	1	7	65.2	32.5	76.0	5	1	4	29.5	9.1	67.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAY AND COAHOMA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Clay						Coahoma					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	0	1	2.7	-	4.2
Malignant neoplasms (140-208)	39	21	18	185.0	200.6	169.6	86	37	49	232.9	283.0	205.5
Diabetes mellitus (250)	5	2	3	23.7	19.1	28.3	4	2	2	10.8	15.3	8.4
Diseases of heart (390-398, 402, 404, 410-429)	74	39	35	351.0	372.5	329.8	122	56	66	330.5	428.3	276.8
Hypertension (401, 403)	1	0	1	4.7	-	9.4	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	15	6	9	71.2	57.3	84.8	47	16	31	127.3	122.4	130.0
Atherosclerosis (440)	3	1	2	14.2	9.6	18.8	3	2	1	8.1	15.3	4.2
Pneumonia and influenza (480-487)	4	3	1	19.0	28.6	9.4	4	1	3	10.8	7.6	12.6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	9.5	19.1	-	3	2	1	8.1	15.3	4.2
Chronic liver disease and cirrhosis (571)	1	1	0	4.7	9.6	-	7	4	3	19.0	30.6	12.6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	4.7	-	9.4	4	2	2	10.8	15.3	8.4
Infections of kidney (590)	0	0	0	-	-	-	2	1	1	5.4	7.6	4.2
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	4	2	2	10.8	15.3	8.4
Certain conditions originating in the perinatal period (760-779)	7	1	6	16.0	6.4	21.3	8	1	7	9.3	5.0	10.6
Accidents (800-949)	15	8	7	71.2	76.4	66.0	22	4	18	59.6	30.6	75.5
Motor vehicle accidents# (810-825)	7	3	4	33.2	28.6	37.7	5	2	3	13.5	15.3	12.6
Suicide (950-959)	1	1	0	4.7	9.6	-	7	4	3	19.0	30.6	12.6
Homicide and legal intervention (960-978)	0	0	0	-	-	-	4	1	3	10.8	7.6	12.6
Symptoms, signs, and ill-defined conditions# (780-799)	4	4	0	19.0	38.2	-	73	2	71	197.7	15.3	297.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF COPIAH AND COVINGTON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Copiah						Covington					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	3.8	7.3	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	39	22	17	147.2	161.3	132.2	30	24	6	188.4	230.5	108.8
Diabetes mellitus (250)	4	1	3	15.1	7.3	23.3	2	1	1	12.6	9.6	18.1
Diseases of heart (390-398, 402, 404, 410-429)	86	44	42	324.5	322.5	326.6	49	36	13	307.6	345.8	235.6
Hypertension (401, 403)	2	0	2	7.5	-	15.6	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	29	16	13	109.4	117.3	101.1	16	11	5	100.4	105.7	90.6
Atherosclerosis (440)	5	1	4	18.9	7.3	31.1	3	0	3	18.8	-	54.4
Pneumonia and influenza (480-487)	5	4	1	18.9	29.3	7.8	2	1	1	12.6	9.6	18.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	5	1	22.6	36.6	7.8	1	1	0	6.3	9.6	-
Chronic liver disease and cirrhosis (571)	3	1	2	11.3	7.3	15.6	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	1	4	18.9	7.3	31.1	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	6.3	9.6	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	3.8	-	7.8	1	0	1	6.3	-	18.1
Certain conditions originating in the perinatal period (760-779)	4	0	4	8.2	-	12.8	5	1	4	16.7	7.2	24.8
Accidents (800-949)	21	7	14	79.2	51.3	108.8	13	8	5	81.6	76.8	90.6
Motor vehicle accidents# (810-825)	8	2	6	30.2	14.7	46.6	6	5	1	37.7	48.0	18.1
Suicide (950-959)	2	2	0	7.5	14.7	-	1	1	0	6.3	9.6	-
Homicide and legal intervention (960-978)	4	1	3	15.1	7.3	23.3	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	20	6	14	75.5	44.0	108.8	20	13	7	125.6	124.9	126.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF DESOTO AND FORREST COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	DeSoto						Forrest					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	0	1	1.5	-	5.5
Malignant neoplasms (140-208)	78	62	16	144.6	140.3	164.5	136	90	46	206.0	188.6	251.4
Diabetes mellitus (250)	1	1	0	1.8	2.3	-	14	7	7	21.2	14.7	38.2
Diseases of heart (390-398, 402, 404, 410-429)	85	69	16	157.6	156.1	164.5	216	177	39	327.2	370.9	213.1
Hypertension (401, 403)	1	0	1	1.8	-	10.3	3	2	1	4.5	4.2	5.5
Cerebrovascular diseases (430-438)	30	24	6	55.6	54.3	61.7	51	37	14	77.2	77.5	76.5
Atherosclerosis (440)	2	2	0	3.7	4.5	-	9	8	1	13.6	16.8	5.5
Pneumonia and influenza (480-487)	6	6	0	11.1	13.6	-	10	10	0	15.1	21.0	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	12	12	0	22.2	27.1	-	13	12	1	19.7	25.1	5.5
Chronic liver disease and cirrhosis (571)	5	5	0	9.3	11.3	-	2	0	2	3.0	-	10.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	7.4	4.5	20.6	4	1	3	6.0	2.1	16.4
Infections of kidney (590)	0	0	0	-	-	-	2	0	2	3.0	-	10.9
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	3	3	0	5.6	6.8	-	3	2	1	4.5	4.2	5.5
Certain conditions originating in the perinatal period (760-779)	4	3	1	5.0	5.0	5.0	5	4	1	4.4	5.6	2.4
Accidents (800-949)	26	17	9	48.2	38.4	92.5	32	20	12	48.5	41.9	65.6
Motor vehicle accidents# (810-825)	17	12	5	31.5	27.1	51.4	15	11	4	22.7	23.0	21.8
Suicide (950-959)	3	2	1	5.6	4.5	10.3	10	8	2	15.1	16.8	10.9
Homicide and legal intervention (960-978)	6	2	4	11.1	4.5	41.1	5	3	2	7.6	6.3	10.9
Symptoms, signs, and ill-defined conditions# (780-799)	77	35	42	142.8	79.2	431.8	67	33	34	101.5	69.2	185.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF FRANKLIN AND GEORGE COUNTIES, MISSISSIPPI, 1980

	Franklin						George					
	Number			Rate**			Number			Rate**		
Cause and International Classification Number*	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	1	0	6.5	7.2	-
Malignant neoplasms (140-208)	9	8	1	109.6	155.6	32.6	26	25	1	170.0	181.0	67.2
Diabetes mellitus (250)	6	3	3	73.1	58.3	97.9	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	46	21	25	560.4	408.3	815.7	38	35	3	248.4	253.5	201.5
Hypertension (401, 403)	2	0	2	24.4	-	65.2	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	10	4	6	121.8	77.8	195.8	9	6	3	58.8	43.4	201.5
Atherosclerosis (440)	3	2	1	36.5	38.9	32.6	3	2	1	19.6	14.5	67.2
Pneumonia and influenza (480-487)	2	1	1	24.4	19.4	32.6	1	1	0	6.5	7.2	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	24.4	38.9	-	5	5	0	32.7	36.2	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	12.2	19.4	-	5	4	1	32.7	29.0	67.2
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	6.5	7.2	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	24.4	38.9	-	1	1	0	6.5	7.2	-
Certain conditions originating in the perinatal period (760-779)	1	0	1	6.0	-	11.2	1	0	1	3.3	-	20.0
Accidents (800-949)	9	5	4	109.6	97.2	130.5	13	12	1	85.0	86.9	67.2
Motor vehicle accidents# (810-825)	4	3	1	48.7	58.3	32.6	3	3	0	19.6	21.7	-
Suicide (950-959)	1	1	0	12.2	19.4	-	2	2	0	13.1	14.5	-
Homicide and legal intervention (960-978)	2	1	1	24.4	19.4	32.6	1	1	0	6.5	7.2	-
Symptoms, signs, and ill-defined conditions# (780-799)	3	2	1	36.5	38.9	32.6	2	1	1	13.1	7.2	67.2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF GREENE AND GRENADA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Greene						Grenada					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	11	7	4	111.9	89.3	200.9	51	32	19	242.4	262.2	214.9
Diabetes mellitus (250)	0	0	0	-	-	-	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	36	32	4	366.3	408.4	200.9	77	49	28	365.9	401.5	316.7
Hypertension (401, 403)	0	0	0	-	-	-	2	0	2	9.5	-	22.6
Cerebrovascular diseases (430-438)	7	7	0	71.2	89.3	-	43	26	17	204.3	213.1	192.3
Atherosclerosis (440)	2	2	0	20.4	25.5	-	2	2	0	9.5	16.4	-
Pneumonia and influenza (480-487)	2	2	0	20.4	25.5	-	4	2	2	19.0	16.4	22.6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	50.9	63.8	-	6	3	3	28.5	24.6	33.9
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	1	0	1	4.8	-	11.3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	3	2	1	30.5	25.5	50.2	1	1	0	4.8	8.2	-
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	3	0	3	7.6	-	14.7
Accidents (800-949)	5	5	0	50.9	63.8	-	19	4	15	90.3	32.8	169.7
Motor vehicle accidents# (810-825)	1	1	0	10.2	12.8	-	3	2	1	14.2	16.4	11.3
Suicide (950-959)	1	1	0	10.2	12.8	-	2	0	2	9.5	-	22.6
Homicide and legal intervention (960-978)	1	0	1	10.2	-	50.2	1	0	1	4.8	-	11.3
Symptoms, signs, and ill-defined conditions# (780-799)	3	2	1	30.5	25.5	50.2	7	1	6	33.3	8.2	67.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HANCOCK AND HARRISON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Hancock						Harrison					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
Malignant neoplasms (140-208)	61	51	10	248.6	233.0	378.1	248	205	43	157.3	165.3	127.9
Diabetes mellitus (250)	3	3	0	12.2	13.7	-	18	16	2	11.4	12.9	5.9
Diseases of heart (390-398, 402, 404, 410-429)	100	92	8	407.5	420.2	302.4	473	378	95	300.0	304.8	282.5
Hypertension (401, 403)	0	0	0	-	-	-	6	5	1	3.8	4.0	3.0
Cerebrovascular diseases (430-438)	10	9	1	40.8	41.1	37.8	87	62	25	55.2	50.0	74.3
Atherosclerosis (440)	7	6	1	28.5	27.4	37.8	7	7	0	4.4	5.6	-
Pneumonia and influenza (480-487)	5	4	1	20.4	18.3	37.8	21	17	4	13.3	13.7	11.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	6	1	28.5	27.4	37.8	24	19	5	15.2	15.3	14.9
Chronic liver disease and cirrhosis (571)	6	4	2	24.4	18.3	75.6	14	13	1	8.9	10.5	3.0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	8.2	9.1	-	7	3	4	4.4	2.4	11.9
Infections of kidney (590)	1	1	0	4.1	4.6	-	1	1	0	0.6	0.8	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	8.2	9.1	-	14	12	2	8.9	9.7	5.9
Certain conditions originating in the perinatal period (760-779)	2	2	0	5.0	5.9	-	20	11	9	6.6	4.9	11.4
Accidents (800-949)	16	16	0	65.2	73.1	-	90	67	23	57.1	54.0	68.4
Motor vehicle accidents# (810-825)	8	8	0	32.6	36.5	-	41	31	10	26.0	25.0	29.7
Suicide (950-959)	4	3	1	16.3	13.7	37.8	22	19	3	14.0	15.3	8.9
Homicide and legal intervention (960-978)	2	2	0	8.2	9.1	-	17	5	12	10.8	4.0	35.7
Symptoms, signs, and ill-defined conditions# (780-799)	0	0	0	-	-	-	6	4	2	3.8	3.2	5.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HINDS AND HOLMES COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Hinds						Holmes					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	2	1	1	0.8	0.7	0.9	0	0	0	-	-	-
Malignant neoplasms (140-208)	468	299	169	186.4	219.4	147.3	37	16	21	161.1	243.3	128.1
Diabetes mellitus (250)	35	18	17	13.9	13.2	14.8	9	0	9	39.2	-	54.9
Diseases of heart (390-398, 402, 404, 410-429)	683	429	254	272.1	314.8	221.4	109	31	78	474.5	471.3	475.8
Hypertension (401, 403)	6	2	4	2.4	1.5	3.5	8	2	6	34.8	30.4	36.6
Cerebrovascular diseases (430-438)	192	111	81	76.5	81.4	70.6	27	11	16	117.5	167.2	97.6
Atherosclerosis (440)	23	14	9	9.2	10.3	7.8	4	1	3	17.4	15.2	18.3
Pneumonia and influenza (480-487)	43	29	14	17.1	21.3	12.2	5	2	3	21.8	30.4	18.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	38	31	7	15.1	22.7	6.1	3	2	1	13.1	30.4	6.1
Chronic liver disease and cirrhosis (571)	20	16	4	8.0	11.7	3.5	2	2	0	8.7	30.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	8	10	7.2	5.9	8.7	1	0	1	4.4	-	6.1
Infections of kidney (590)	6	6	0	2.4	4.4	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	20	8	12	8.0	5.9	10.4	1	0	1	4.4	-	6.1
Certain conditions originating in the perinatal period (760-779)	40	7	33	8.2	3.7	11.0	3	1	2	5.6	12.8	4.4
Accidents (800-949)	127	76	51	50.6	55.8	44.4	17	4	13	74.0	60.8	79.3
Motor vehicle accidents# (810-825)	56	35	21	22.3	25.7	18.3	10	2	8	43.5	30.4	48.8
Suicide (950-959)	31	26	5	12.4	19.1	4.4	2	1	1	8.7	15.2	6.1
Homicide and legal intervention (960-978)	50	13	37	19.9	9.5	32.2	6	0	6	26.1	-	36.6
Symptoms, signs, and ill-defined conditions# (780-799)	79	22	57	31.5	16.1	49.7	9	1	8	39.2	15.2	48.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HUMPHREYS AND ISSAQUENA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Humphreys						Issaquena					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	0	1	39.8	-	71.1
Malignant neoplasms (140-208)	27	8	19	193.8	169.6	206.2	2	1	1	79.6	90.3	71.1
Diabetes mellitus (250)	2	0	2	14.4	-	21.7	1	0	1	39.8	-	71.1
Diseases of heart (390-398, 402, 404, 410-429)	62	30	32	445.0	635.9	347.3	4	2	2	159.2	180.7	142.2
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	20	5	15	143.6	106.0	162.8	0	0	0	-	-	-
Atherosclerosis (440)	15	2	13	107.7	42.4	141.1	0	0	0	-	-	-
Pneumonia and influenza (480-487)	1	1	0	7.2	21.2	-	1	1	0	39.8	90.3	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	2	2	28.7	42.4	21.7	0	0	0	-	-	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	14.4	-	21.7	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	7.2	-	10.8	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	0	2	6.4	-	7.8	1	0	1	18.9	-	28.6
Accidents (800-949)	16	6	10	114.8	127.2	108.5	2	0	2	79.6	-	142.2
Motor vehicle accidents# (810-825)	6	4	2	43.1	84.8	21.7	0	0	0	-	-	-
Suicide (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	2	1	1	14.4	21.2	10.8	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	13	1	12	93.3	21.2	130.2	4	1	3	159.2	90.3	213.4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ITAWAMBA AND JACKSON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Itawamba						Jackson					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	32	31	1	156.0	161.5	75.6	130	104	26	110.2	109.8	111.6
Diabetes mellitus (250)	4	4	0	19.5	20.8	-	7	5	2	5.9	5.3	8.6
Diseases of heart (390-398, 402, 404, 410-429)	64	59	5	311.9	307.4	378.2	207	175	32	175.4	184.8	137.3
Hypertension (401, 403)	0	0	0	-	-	-	1	1	0	0.8	1.0	-
Cerebrovascular diseases (430-438)	30	27	3	146.2	140.6	226.9	50	40	10	42.4	42.2	42.9
Atherosclerosis (440)	2	2	0	9.7	10.4	-	6	6	0	5.1	6.3	-
Pneumonia and influenza (480-487)	5	4	1	24.4	20.8	75.6	13	12	1	11.0	12.7	4.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	34.1	36.5	-	18	18	0	15.2	19.0	-
Chronic liver disease and cirrhosis (571)	2	2	0	9.7	10.4	-	13	10	3	11.0	10.6	12.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	9.7	10.4	-	5	5	0	4.2	5.3	-
Infections of kidney (590)	0	0	0	-	-	-	1	0	1	0.8	-	4.3
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	9.7	10.4	-	16	14	2	13.6	14.8	8.6
Certain conditions originating in the perinatal period (760-779)	2	2	0	6.4	7.3	-	14	5	9	6.4	3.1	15.1
Accidents (800-949)	21	18	3	102.3	93.8	226.9	45	34	11	38.1	35.9	47.2
Motor vehicle accidents# (810-825)	9	9	0	43.9	46.9	-	27	20	7	22.9	21.1	30.0
Suicide (950-959)	2	2	0	9.7	10.4	-	8	8	0	6.8	8.4	-
Homicide and legal intervention (960-978)	3	2	1	14.6	10.4	75.6	18	12	6	15.2	12.7	25.7
Symptoms, signs, and ill-defined conditions# (780-799)	1	1	0	4.9	5.2	-	42	34	8	35.6	35.9	34.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JASPER AND JEFFERSON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Jasper						Jefferson					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	40	21	19	231.7	239.7	223.4	17	6	11	185.2	364.7	146.0
Diabetes mellitus (250)	2	0	2	11.6	-	23.5	6	2	4	65.4	121.6	53.1
Diseases of heart (390-398, 402, 404, 410-429)	50	27	23	289.6	308.2	270.5	24	3	21	261.4	182.4	278.7
Hypertension (401, 403)	1	1	0	5.8	11.4	-	1	0	1	10.9	-	13.3
Cerebrovascular diseases (430-438)	22	13	9	127.4	148.4	105.8	3	1	2	32.7	60.8	26.5
Atherosclerosis (440)	1	1	0	5.8	11.4	-	1	0	1	10.9	-	13.3
Pneumonia and influenza (480-487)	4	2	2	23.2	22.8	23.5	1	0	1	10.9	-	13.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	11.6	22.8	-	1	0	1	10.9	-	13.3
Chronic liver disease and cirrhosis (571)	1	1	0	5.8	11.4	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	11.6	-	23.5	2	0	2	21.8	-	26.5
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	1	0	10.9	60.8	-
Certain conditions originating in the perinatal period (760-779)	4	0	4	11.7	-	18.3	2	0	2	9.2	-	10.4
Accidents (800-949)	20	11	9	115.8	125.6	105.8	8	1	7	87.1	60.8	92.9
Motor vehicle accidents# (810-825)	13	8	5	75.3	91.3	58.8	1	0	1	10.9	-	13.3
Suicide (950-959)	3	3	0	17.4	34.2	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	3	1	2	17.4	11.4	23.5	3	0	3	32.7	-	39.8
Symptoms, signs, and ill-defined conditions# (780-799)	8	2	6	46.3	22.8	70.6	7	0	7	76.2	-	92.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JEFF DAVIS AND JONES COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Jeff Davis						Jones					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	3	0	3	4.8	-	20.6
Malignant neoplasms (140-208)	29	15	14	209.4	234.3	188.0	106	86	20	171.2	181.8	137.0
Diabetes mellitus (250)	4	1	3	28.9	15.6	40.3	8	4	4	12.9	8.4	27.4
Diseases of heart (390-398, 402, 404, 410-429)	41	24	17	296.1	374.9	228.3	236	188	48	381.2	397.3	328.8
Hypertension (401, 403)	0	0	0	-	-	-	5	1	4	8.1	2.1	27.4
Cerebrovascular diseases (430-438)	10	4	6	72.2	62.5	80.6	57	37	20	92.1	78.2	137.0
Atherosclerosis (440)	1	0	1	7.2	-	13.4	4	4	0	6.5	8.4	-
Pneumonia and influenza (480-487)	1	1	0	7.2	15.6	-	6	4	2	9.7	8.4	13.7
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	4	1	36.1	62.5	13.4	16	11	5	25.8	23.2	34.2
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	8	8	0	12.9	16.9	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	6	3	3	9.7	6.3	20.6
Infections of kidney (590)	1	0	1	7.2	-	13.4	1	1	0	1.6	2.1	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	7.2	15.6	-	2	1	1	3.2	2.1	6.8
Certain conditions originating in the perinatal period (760-779)	3	1	2	11.4	10.6	11.8	12	8	4	10.9	10.9	10.9
Accidents (800-949)	10	5	5	72.2	78.1	67.2	39	29	10	63.0	61.3	68.5
Motor vehicle accidents# (810-825)	6	3	3	43.3	46.9	40.3	19	13	6	30.7	27.5	41.1
Suicide (950-959)	3	2	1	21.7	31.2	13.4	3	3	0	4.8	6.3	-
Homicide and legal intervention (960-978)	4	0	4	28.9	-	53.7	8	6	2	12.9	12.7	13.7
Symptoms, signs, and ill-defined conditions# (780-799)	23	7	16	166.1	109.4	214.9	27	18	9	43.6	38.0	61.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF KEMPER AND LAFAYETTE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Kemper						Lafayette					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	13	6	7	128.1	131.7	125.2	40	24	16	128.9	106.5	188.5
Diabetes mellitus (250)	2	2	0	19.7	43.9	-	5	2	3	16.1	8.9	35.3
Diseases of heart (390-398, 402, 404, 410-429)	37	18	19	364.6	395.0	339.8	67	52	15	215.9	230.7	176.7
Hypertension (401, 403)	0	0	0	-	-	-	2	0	2	6.4	-	23.6
Cerebrovascular diseases (430-438)	11	6	5	108.4	131.7	89.4	31	21	10	99.9	93.2	117.8
Atherosclerosis (440)	1	0	1	9.8	-	17.9	1	1	0	3.2	4.4	-
Pneumonia and influenza (480-487)	2	0	2	19.7	-	35.8	0	0	0	-	-	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	29.6	43.9	17.9	5	3	2	16.1	13.3	23.6
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	1	1	0	3.2	4.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	29.6	21.9	35.8	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	9.8	-	17.9	3	2	1	9.7	8.9	11.8
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
Accidents (800-949)	10	7	3	98.5	153.6	53.6	8	6	2	25.8	26.6	23.6
Motor vehicle accidents# (810-825)	5	4	1	49.3	87.8	17.9	7	5	2	22.6	22.2	23.6
Suicide (950-959)	2	2	0	19.7	43.9	-	2	2	0	6.4	8.9	-
Homicide and legal intervention (960-978)	2	1	1	19.7	21.9	17.9	2	0	2	6.4	-	23.6
Symptoms, signs, and ill-defined conditions# (780-799)	15	6	9	147.8	131.7	161.0	20	9	11	64.4	39.9	129.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAMAR AND LAUDERDALE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Lamar						Lauderdale					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	4.2	4.7	-	1	0	1	1.3	-	4.0
Malignant neoplasms (140-208)	41	37	4	172.1	175.1	148.4	145	94	51	187.6	179.5	204.7
Diabetes mellitus (250)	2	2	0	8.4	9.5	-	9	6	3	11.6	11.4	12.0
Diseases of heart (390-398, 402, 404, 410-429)	39	34	5	163.7	160.9	185.4	269	191	78	348.1	364.7	313.1
Hypertension (401, 403)	2	1	1	8.4	4.7	37.1	3	2	1	3.9	3.8	4.0
Cerebrovascular diseases (430-438)	15	12	3	63.0	56.8	111.3	126	82	44	163.0	156.6	176.6
Atherosclerosis (440)	0	0	0	-	-	-	15	13	2	19.4	24.8	8.0
Pneumonia and influenza (480-487)	4	3	1	16.8	14.2	37.1	12	11	1	15.5	21.0	4.0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	29.4	33.1	-	13	13	0	16.8	24.8	-
Chronic liver disease and cirrhosis (571)	3	3	0	12.6	14.2	-	9	4	5	11.6	7.6	20.1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	1	1	8.4	4.7	37.1	5	3	2	6.5	5.7	8.0
Infections of kidney (590)	0	0	0	-	-	-	3	2	1	3.9	3.8	4.0
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	6	3	3	7.8	5.7	12.0
Certain conditions originating in the perinatal period (760-779)	1	0	1	2.5	-	20.4	7	2	5	4.8	2.5	7.6
Accidents (800-949)	10	10	0	42.0	47.3	-	38	24	14	49.2	45.8	56.2
Motor vehicle accidents# (810-825)	3	3	0	12.6	14.2	-	13	10	3	16.8	19.1	12.0
Suicide (950-959)	3	3	0	12.6	14.2	-	7	6	1	9.0	11.4	4.0
Homicide and legal intervention (960-978)	1	0	1	4.2	-	37.1	16	6	10	20.7	11.4	40.1
Symptoms, signs, and ill-defined conditions# (780-799)	15	12	3	63.0	56.8	111.3	22	9	13	28.5	17.2	52.2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAWRENCE AND LEAKE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Lawrence						Leake					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	28	18	10	223.7	208.5	257.3	39	29	10	207.6	253.2	136.3
Diabetes mellitus (250)	3	3	0	24.0	34.8	-	4	3	1	21.3	26.2	13.6
Diseases of heart (390-398, 402, 404, 410-429)	36	28	8	287.6	324.4	205.9	89	68	21	473.6	593.7	286.2
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	15	9	6	119.8	104.3	154.4	19	11	8	101.1	96.0	109.0
Atherosclerosis (440)	1	1	0	8.0	11.6	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	3	2	1	24.0	23.2	25.7	6	3	3	31.9	26.2	40.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	3	1	32.0	34.8	25.7	3	3	0	16.0	26.2	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	8.0	11.6	-	0	0	0	-	-	-
Infections of kidney (590)	1	0	1	8.0	-	25.7	2	2	0	10.6	17.5	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	8.0	-	25.7	1	0	1	5.3	-	13.6
Certain conditions originating in the perinatal period (760-779)	1	0	1	4.1	-	9.6	2	0	2	5.6	-	10.9
Accidents (800-949)	13	11	2	103.8	127.4	51.5	10	7	3	53.2	61.1	40.9
Motor vehicle accidents# (810-825)	4	4	0	32.0	46.3	-	6	4	2	31.9	34.9	27.3
Suicide (950-959)	0	0	0	-	-	-	6	4	2	31.9	34.9	27.3
Homicide and legal intervention (960-978)	0	0	0	-	-	-	5	1	4	26.6	8.7	54.5
Symptoms, signs, and ill-defined conditions# (780-799)	1	0	1	8.0	-	25.7	5	3	2	26.6	26.2	27.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LEE AND LEFLORE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Lee						Leflore					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	2	1	1	4.8	6.0	4.0
Malignant neoplasms (140-208)	94	73	21	164.7	161.4	177.4	68	28	40	163.8	167.4	161.3
Diabetes mellitus (250)	5	2	3	8.8	4.4	25.4	7	3	4	16.8	17.9	16.1
Diseases of heart (390-398, 402, 404, 410-429)	219	184	35	383.8	406.8	295.8	197	83	114	474.4	496.3	459.6
Hypertension (401, 403)	2	1	1	3.5	2.2	8.4	7	1	6	16.8	6.0	24.2
Cerebrovascular diseases (430-438)	48	36	12	84.1	79.6	101.4	56	22	34	134.8	131.5	137.1
Atherosclerosis (440)	15	13	2	26.3	28.7	16.9	2	1	1	4.8	6.0	4.0
Pneumonia and influenza (480-487)	8	4	4	14.0	8.8	33.8	8	6	2	19.3	35.9	8.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	16	13	3	28.0	28.7	25.4	6	2	4	14.4	12.0	16.1
Chronic liver disease and cirrhosis (571)	4	4	0	7.0	8.8	-	3	2	1	7.2	12.0	4.0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	7.0	4.4	16.9	5	2	3	12.0	12.0	12.1
Infections of kidney (590)	2	2	0	3.5	4.4	-	2	1	1	4.8	6.0	4.0
Maternal causes (630-676)	1	1	0	91.8	132.3	-	0	0	0	-	-	-
Congenital anomalies (740-759)	5	3	2	8.8	6.6	16.9	3	3	0	7.2	17.9	-
Certain conditions originating in the perinatal period (760-779)	7	3	4	6.4	4.0	12.0	13	2	11	14.0	6.5	17.7
Accidents (800-949)	32	25	7	56.1	55.3	59.2	37	12	25	89.1	71.8	100.8
Motor vehicle accidents# (810-825)	14	13	1	24.5	28.7	8.4	13	9	4	31.3	53.8	16.1
Suicide (950-959)	5	5	0	8.8	11.0	-	3	3	0	7.2	17.9	-
Homicide and legal intervention (960-978)	12	5	7	21.0	11.0	59.2	5	1	4	12.0	6.0	16.1
Symptoms, signs, and ill-defined conditions# (780-799)	6	4	2	10.5	8.8	16.9	5	1	4	12.0	6.0	16.1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LINCOLN AND LOWNDES COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Lincoln						Lowndes					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	50	37	13	165.7	175.6	142.9	93	62	31	162.3	166.8	153.9
Diabetes mellitus (250)	6	2	4	19.9	9.5	44.0	9	6	3	15.7	16.1	14.9
Diseases of heart (390-398, 402, 404, 410-429)	110	92	18	364.6	436.5	197.8	132	87	45	230.4	234.1	223.4
Hypertension (401, 403)	1	0	1	3.3	-	11.0	2	1	1	3.5	2.7	5.0
Cerebrovascular diseases (430-438)	26	16	10	86.2	75.9	109.9	37	21	16	64.6	56.5	79.4
Atherosclerosis (440)	1	0	1	3.3	-	11.0	1	0	1	1.7	-	5.0
Pneumonia and influenza (480-487)	11	7	4	36.4	33.2	44.0	6	4	2	10.5	10.8	9.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	16.6	23.7	-	5	4	1	8.7	10.8	5.0
Chronic liver disease and cirrhosis (571)	4	1	3	13.2	4.7	33.0	2	2	0	3.5	5.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	6.6	9.5	-	4	1	3	7.0	2.7	14.9
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	6.6	4.7	11.0	3	0	3	5.2	-	14.9
Certain conditions originating in the perinatal period (760-779)	3	1	2	5.4	3.2	8.5	11	4	7	9.2	6.2	12.7
Accidents (800-949)	18	9	9	59.6	42.7	98.9	55	28	27	96.0	75.4	134.0
Motor vehicle accidents# (810-825)	9	5	4	29.8	23.7	44.0	24	15	9	41.9	40.4	44.7
Suicide (950-959)	4	4	0	13.2	19.0	-	1	1	0	1.7	2.7	-
Homicide and legal intervention (960-978)	6	3	3	19.9	14.2	33.0	4	1	3	7.0	2.7	14.9
Symptoms, signs, and ill-defined conditions# (780-799)	17	5	12	56.3	23.7	131.9	36	15	21	62.8	40.4	104.2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MADISON AND MARION COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Madison						Marion					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	0	1	2.4	-	4.3	0	0	0	-	-	-
Malignant neoplasms (140-208)	57	25	32	137.0	137.0	137.0	54	42	12	210.0	233.7	155.0
Diabetes mellitus (250)	6	0	6	14.4	-	25.7	2	2	0	7.8	11.1	-
Diseases of heart (390-398, 402, 404, 410-429)	74	45	29	177.8	246.6	124.1	76	55	21	295.6	306.1	271.3
Hypertension (401, 403)	4	2	2	9.6	11.0	8.6	1	0	1	3.9	-	12.9
Cerebrovascular diseases (430-438)	29	9	20	69.7	49.3	85.6	35	23	12	136.1	128.0	155.0
Atherosclerosis (440)	2	1	1	4.8	5.5	4.3	11	4	7	42.8	22.3	90.4
Pneumonia and influenza (480-487)	8	4	4	19.2	21.9	17.1	10	9	1	38.9	50.1	12.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	8	5	3	19.2	27.4	12.8	3	2	1	11.7	11.1	12.9
Chronic liver disease and cirrhosis (571)	1	1	0	2.4	5.5	-	4	4	0	15.6	22.3	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	2	5	16.8	11.0	21.4	3	0	3	11.7	-	38.8
Infections of kidney (590)	1	0	1	2.4	-	4.3	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	4	2	2	9.6	11.0	8.6	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	5	0	5	6.0	-	10.0	4	3	1	8.4	10.3	5.4
Accidents (800-949)	35	11	24	84.1	60.3	102.7	33	21	12	128.4	116.9	155.0
Motor vehicle accidents# (810-825)	12	4	8	28.8	21.9	34.2	15	10	5	58.3	55.6	64.6
Suicide (950-959)	5	4	1	12.0	21.9	4.3	2	2	0	7.8	11.1	-
Homicide and legal intervention (960-978)	7	0	7	16.8	-	30.0	8	1	7	31.1	5.6	90.4
Symptoms, signs, and ill-defined conditions# (780-799)	52	8	44	125.0	43.8	188.3	28	20	8	108.9	111.3	103.4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MARSHALL AND MONROE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Marshall						Monroe					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	44	31	13	150.2	227.2	83.1	71	49	22	195.0	191.8	202.6
Diabetes mellitus (250)	2	1	1	6.8	7.3	6.4	6	3	3	16.5	11.7	27.6
Diseases of heart (390-398, 402, 404, 410-429)	69	39	30	235.5	285.8	191.7	137	112	25	376.3	438.4	230.2
Hypertension (401, 403)	0	0	0	-	-	-	3	2	1	8.2	7.8	9.2
Cerebrovascular diseases (430-438)	24	8	16	81.9	58.6	102.2	42	25	17	115.4	97.9	156.5
Atherosclerosis (440)	5	3	2	17.1	22.0	12.8	8	7	1	22.0	27.4	9.2
Pneumonia and influenza (480-487)	2	2	0	6.8	14.6	-	16	11	5	44.0	43.1	46.0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	4	1	17.1	29.3	6.4	10	7	3	27.5	27.4	27.6
Chronic liver disease and cirrhosis (571)	2	1	1	6.8	7.3	6.4	2	1	1	5.5	3.9	9.2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	0	3	10.2	-	19.2	5	3	2	13.7	11.7	18.4
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	6.8	-	12.8	3	1	2	8.2	3.9	18.4
Certain conditions originating in the perinatal period (760-779)	6	1	5	9.7	4.7	12.3	9	6	3	14.4	15.8	12.3
Accidents (800-949)	24	10	14	81.9	73.3	89.5	42	26	16	115.4	101.8	147.3
Motor vehicle accidents# (810-825)	15	6	9	51.2	44.0	57.5	16	12	4	44.0	47.0	36.8
Suicide (950-959)	3	2	1	10.2	14.6	6.4	2	2	0	5.5	7.8	-
Homicide and legal intervention (960-978)	5	1	4	17.1	7.3	25.6	3	1	2	8.2	3.9	18.4
Symptoms, signs, and ill-defined conditions# (780-799)	33	4	29	112.6	29.3	185.3	18	6	12	49.4	23.5	110.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MONTGOMERY AND NESHOBA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Montgomery						Neshoba					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	22	16	6	164.6	203.0	109.4	31	24	7	130.3	140.6	104.2
Diabetes mellitus (250)	4	4	0	29.9	50.7	-	1	0	1	4.2	-	14.9
Diseases of heart (390-398, 402, 404, 410-429)	63	44	19	471.3	558.2	346.5	77	63	14	323.7	369.0	208.5
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	27	15	12	202.0	190.3	218.8	14	10	4	58.8	58.6	59.6
Atherosclerosis (440)	0	0	0	-	-	-	2	1	1	8.4	5.8	14.9
Pneumonia and influenza (480-487)	0	0	0	-	-	-	5	3	2	21.0	17.6	29.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	1	2	22.4	12.7	36.5	5	4	1	21.0	23.4	14.9
Chronic liver disease and cirrhosis (571)	1	1	0	7.5	12.7	-	2	1	1	8.4	5.8	14.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	3	0	22.4	38.0	-	4	3	1	16.8	17.6	14.9
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	4.2	5.8	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	15.0	25.4	-	1	0	1	4.2	-	14.9
Certain conditions originating in the perinatal period (760-779)	2	0	2	8.4	-	14.8	1	0	1	2.3	-	5.3
Accidents (800-949)	12	4	8	89.8	50.7	145.9	14	9	5	58.8	52.7	74.5
Motor vehicle accidents# (810-825)	5	2	3	37.4	25.4	54.7	9	6	3	37.8	35.1	44.7
Suicide (950-959)	1	1	0	7.5	12.7	-	4	1	3	16.8	5.8	44.7
Homicide and legal intervention (960-978)	5	4	1	37.4	50.7	18.2	3	0	3	12.6	-	44.7
Symptoms, signs, and ill-defined conditions# (780-799)	5	1	4	37.4	12.7	73.0	44	27	17	185.0	158.1	253.2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF NEWTON AND NOXUBEE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Newton						Noxubee					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	33	27	6	165.5	192.9	100.9	23	8	15	174.1	171.9	175.2
Diabetes mellitus (250)	7	2	5	35.1	14.3	84.1	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	77	50	27	386.1	357.2	454.1	43	16	27	325.5	343.9	315.4
Hypertension (401, 403)	1	1	0	5.0	7.1	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	21	14	7	105.3	100.0	117.7	12	1	11	90.8	21.5	128.5
Atherosclerosis (440)	0	0	0	-	-	-	1	0	1	7.6	-	11.7
Pneumonia and influenza (480-487)	3	0	3	15.0	-	50.4	4	1	3	30.3	21.5	35.0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	10.0	14.3	-	2	1	1	15.1	21.5	11.7
Chronic liver disease and cirrhosis (571)	2	1	1	10.0	7.1	16.8	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	20.0	14.3	33.6	2	1	1	15.1	21.5	11.7
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	0	1	7.6	-	11.7
Certain conditions originating in the perinatal period (760-779)	2	0	2	6.2	-	12.5	2	0	2	6.8	-	8.5
Accidents (800-949)	13	9	4	65.2	64.3	67.3	8	3	5	60.6	64.5	58.4
Motor vehicle accidents# (810-825)	5	4	1	25.1	28.6	16.8	1	1	0	7.6	21.5	-
Suicide (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	4	1	3	20.0	7.1	50.4	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	7	6	1	35.1	42.9	16.8	15	1	14	113.5	21.5	163.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF OKTIBBEHA AND PANOLA COUNTIES, MISSISSIPPI, 1980

	Oktibbeha						Panola					
	Number			Rate**			Number			Rate**		
Cause and International Classification Number*	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	2.8	4.3	-	1	1	0	3.6	7.0	-
Malignant neoplasms (140-208)	30	18	12	83.3	77.8	93.2	68	36	32	241.4	251.5	231.0
Diabetes mellitus (250)	3	3	0	8.3	13.0	-	10	4	6	35.5	27.9	43.3
Diseases of heart (390-398, 402, 404, 410-429)	95	51	44	263.8	220.4	341.6	110	64	46	390.6	447.2	332.1
Hypertension (401, 403)	1	0	1	2.8	-	7.8	5	1	4	17.8	7.0	28.9
Cerebrovascular diseases (430-438)	26	14	12	72.2	60.5	93.2	43	19	24	152.7	132.8	173.3
Atherosclerosis (440)	2	1	1	5.6	4.3	7.8	8	3	5	28.4	21.0	36.1
Pneumonia and influenza (480-487)	2	2	0	5.6	8.6	-	4	3	1	14.2	21.0	7.2
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	8.3	8.6	7.8	9	8	1	32.0	55.9	7.2
Chronic liver disease and cirrhosis (571)	1	0	1	2.8	-	7.8	3	1	2	10.6	7.0	14.4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	1	8.3	8.6	7.8	3	0	3	10.6	-	21.6
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	2.8	4.3	-	1	0	1	3.6	-	7.2
Certain conditions originating in the perinatal period (760-779)	11	3	8	18.0	11.2	23.3	8	2	6	13.5	9.0	16.1
Accidents (800-949)	15	6	9	41.6	25.9	69.9	20	10	10	71.0	69.9	72.2
Motor vehicle accidents# (810-825)	3	3	0	8.3	13.0	-	9	6	3	32.0	41.9	21.6
Suicide (950-959)	3	2	1	8.3	8.6	7.8	2	2	0	7.1	14.0	-
Homicide and legal intervention (960-978)	4	2	2	11.1	8.6	15.5	5	2	3	17.8	14.0	21.6
Symptoms, signs, and ill-defined conditions# (780-799)	3	1	2	8.3	4.3	15.5	8	3	5	28.4	21.0	36.1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PEARL RIVER AND PERRY COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Pearl River						Perry					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	68	57	11	201.2	199.1	212.6	22	17	5	223.0	220.4	232.3
Diabetes mellitus (250)	3	3	0	8.9	10.5	-	2	1	1	20.3	13.0	46.5
Diseases of heart (390-398, 402, 404, 410-429)	96	82	14	284.1	286.5	270.6	32	23	9	324.4	298.2	418.2
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	13	11	2	38.5	38.4	38.7	7	7	0	71.0	90.8	-
Atherosclerosis (440)	4	3	1	11.8	10.5	19.3	1	0	1	10.1	-	46.5
Pneumonia and influenza (480-487)	8	7	1	23.7	24.4	19.3	2	1	1	20.3	13.0	46.5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	20.7	24.4	-	5	4	1	50.7	51.9	46.5
Chronic liver disease and cirrhosis (571)	1	1	0	3.0	3.5	-	1	1	0	10.1	13.0	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	4	1	14.8	14.0	19.3	1	1	0	10.1	13.0	-
Infections of kidney (590)	3	3	0	8.9	10.5	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	6	4	2	17.8	14.0	38.7	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	5	1	4	8.1	2.0	33.6	5	4	1	24.8	28.2	16.7
Accidents (800-949)	29	27	2	85.8	94.3	38.7	13	8	5	131.8	103.7	232.3
Motor vehicle accidents# (810-825)	15	14	1	44.4	48.9	19.3	5	3	2	50.7	38.9	92.9
Suicide (950-959)	3	3	0	8.9	10.5	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	4	3	1	11.8	10.5	19.3	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	15	12	3	44.4	41.9	58.0	2	2	0	20.3	25.9	-

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PIKE AND PONTOTOC COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Pike						Pontotoc					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	85	55	30	235.0	269.5	190.3	27	22	5	129.1	124.9	151.5
Diabetes mellitus (250)	20	7	13	55.3	34.3	82.4	6	5	1	28.7	28.4	30.3
Diseases of heart (390-398, 402, 404, 410-429)	165	111	54	456.1	544.0	342.5	89	79	10	425.5	448.4	303.0
Hypertension (401, 403)	4	0	4	11.0	-	25.4	1	1	0	4.8	5.7	-
Cerebrovascular diseases (430-438)	58	36	22	160.3	176.4	139.5	11	11	0	52.6	62.4	-
Atherosclerosis (440)	10	3	7	27.6	14.7	44.4	3	2	1	14.3	11.4	30.3
Pneumonia and influenza (480-487)	3	1	2	8.3	4.9	12.7	4	4	0	19.1	22.7	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	11.0	19.6	-	6	5	1	28.7	28.4	30.3
Chronic liver disease and cirrhosis (571)	2	2	0	5.5	9.8	-	3	3	0	14.3	17.0	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	5	1	16.6	24.5	6.3	1	1	0	4.8	5.7	-
Infections of kidney (590)	2	1	1	5.5	4.9	6.3	1	1	0	4.8	5.7	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	5.5	-	12.7	1	1	0	4.8	5.7	-
Certain conditions originating in the perinatal period (760-779)	7	4	3	10.3	13.7	7.8	3	3	0	10.6	12.6	-
Accidents (800-949)	23	8	15	63.6	39.2	95.1	17	14	3	81.3	79.5	90.9
Motor vehicle accidents# (810-825)	13	5	8	35.9	24.5	50.7	8	7	1	38.2	39.7	30.3
Suicide (950-959)	2	1	1	5.5	4.9	6.3	0	0	0	-	-	-
Homicide and legal intervention (960-978)	9	1	8	24.9	4.9	50.7	4	2	2	19.1	11.4	60.6
Symptoms, signs, and ill-defined conditions# (780-799)	25	7	18	69.1	34.3	114.2	2	1	1	9.6	5.7	30.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PRENTISS AND QUITMAN COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Prentiss						Quitman					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	39	37	2	162.3	173.0	75.7	32	16	16	253.2	289.3	225.2
Diabetes mellitus (250)	3	3	0	12.5	14.0	-	2	1	1	15.8	18.1	14.1
Diseases of heart (390-398, 402, 404, 410-429)	68	61	7	283.0	285.3	265.0	61	31	30	482.7	560.6	422.2
Hypertension (401, 403)	1	0	1	4.2	-	37.8	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	11	10	1	45.8	46.8	37.8	28	10	18	221.6	180.8	253.3
Atherosclerosis (440)	4	4	0	16.6	18.7	-	2	1	1	15.8	18.1	14.1
Pneumonia and influenza (480-487)	9	8	1	37.5	37.4	37.8	4	3	1	31.6	54.2	14.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	12.5	9.4	37.8	5	5	0	39.6	90.4	-
Chronic liver disease and cirrhosis (571)	2	2	0	8.3	9.4	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	4	0	16.6	18.7	-	4	2	2	31.6	36.2	28.1
Infections of kidney (590)	0	0	0	-	-	-	1	0	1	7.9	-	14.1
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	4.2	4.7	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	0	2	5.9	-	39.2	2	0	2	7.4	-	10.0
Accidents (800-949)	8	7	1	33.3	32.7	37.8	13	5	8	102.9	90.4	112.6
Motor vehicle accidents# (810-825)	5	5	0	20.8	23.4	-	1	1	0	7.9	18.1	-
Suicide (950-959)	1	1	0	4.2	4.7	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	3	3	0	12.5	14.0	-	3	2	1	23.7	36.2	14.1
Symptoms, signs, and ill-defined conditions# (780-799)	31	30	1	129.0	140.3	37.8	2	1	1	15.8	18.1	14.1

* Causes and numbers are from the *Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death*.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF RANKIN AND SCOTT COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Rankin						Scott					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	0	1	1.4	-	7.6	0	0	0	-	-	-
Malignant neoplasms (140-208)	88	70	18	126.8	124.4	136.9	46	26	20	187.3	164.0	229.7
Diabetes mellitus (250)	17	7	10	24.5	12.4	76.1	2	1	1	8.1	6.3	11.5
Diseases of heart (390-398, 402, 404, 410-429)	191	144	47	275.1	255.8	357.6	99	66	33	403.2	416.4	379.0
Hypertension (401, 403)	3	2	1	4.3	3.6	7.6	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	32	19	13	46.1	33.8	98.9	28	17	11	114.0	107.2	126.3
Atherosclerosis (440)	6	5	1	8.6	8.9	7.6	3	2	1	12.2	12.6	11.5
Pneumonia and influenza (480-487)	13	9	4	18.7	16.0	30.4	9	8	1	36.6	50.5	11.5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	8	5	3	11.5	8.9	22.8	9	9	0	36.6	56.8	-
Chronic liver disease and cirrhosis (571)	5	3	2	7.2	5.3	15.2	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	3	3	8.6	5.3	22.8	3	0	3	12.2	-	34.4
Infections of kidney (590)	1	0	1	1.4	-	7.6	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	2.9	1.8	7.6	3	1	2	12.2	6.3	23.0
Certain conditions originating in the perinatal period (760-779)	5	2	3	4.2	2.1	11.4	3	2	1	6.8	8.0	5.1
Accidents (800-949)	42	29	13	60.5	51.5	98.9	21	12	9	85.5	75.7	103.4
Motor vehicle accidents# (810-825)	20	17	3	28.8	30.2	22.8	10	7	3	40.7	44.2	34.4
Suicide (950-959)	6	6	0	8.6	10.7	-	1	1	0	4.1	6.3	-
Homicide and legal intervention (960-978)	3	1	2	4.3	1.8	15.2	2	0	2	8.1	-	23.0
Symptoms, signs, and ill-defined conditions# (780-799)	17	13	4	24.5	23.1	30.4	9	5	4	36.6	31.5	45.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SHARKEY AND SIMPSON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Sharkey						Simpson					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	1	0	4.3	6.2	-
Malignant neoplasms (140-208)	13	6	7	163.2	222.2	133.0	45	30	15	192.0	185.2	207.1
Diabetes mellitus (250)	3	2	1	37.7	74.1	19.0	2	1	1	8.5	6.2	13.8
Diseases of heart (390-398, 402, 404, 410-429)	23	13	10	288.8	481.5	190.0	95	68	27	405.3	419.8	372.8
Hypertension (401, 403)	0	0	0	-	-	-	1	0	1	4.3	-	13.8
Cerebrovascular diseases (430-438)	1	1	0	12.6	37.0	-	19	15	4	81.0	92.6	55.2
Atherosclerosis (440)	2	1	1	25.1	37.0	19.0	3	2	1	12.8	12.3	13.8
Pneumonia and influenza (480-487)	3	2	1	37.7	74.1	19.0	6	5	1	25.6	30.9	13.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	0	0	0	-	-	-	7	6	1	29.9	37.0	13.8
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	0	3	37.7	-	57.0	3	2	1	12.8	12.3	13.8
Infections of kidney (590)	0	0	0	-	-	-	3	1	2	12.8	6.2	27.6
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	0	1	4.3	-	13.8
Certain conditions originating in the perinatal period (760-779)	3	1	2	15.4	25.6	12.8	5	3	2	11.3	12.2	10.1
Accidents (800-949)	11	5	6	138.1	185.2	114.0	21	14	7	89.6	86.4	96.6
Motor vehicle accidents# (810-825)	2	0	2	25.1	-	38.0	10	5	5	42.7	30.9	69.0
Suicide (950-959)	0	0	0	-	-	-	1	1	0	4.3	6.2	-
Homicide and legal intervention (960-978)	1	0	1	12.6	-	19.0	3	2	1	12.8	12.3	13.8
Symptoms, signs, and ill-defined conditions# (780-799)	8	0	8	100.4	-	152.0	6	3	3	25.6	18.5	41.4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SMITH AND STONE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Smith						Stone					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	6.6	8.4	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	20	18	2	132.6	151.7	62.2	14	12	2	144.1	160.8	88.8
Diabetes mellitus (250)	4	4	0	26.5	33.7	-	2	1	1	20.6	13.4	44.4
Diseases of heart (390-398, 402, 404, 410-429)	32	31	1	212.2	261.3	31.1	39	34	5	401.4	455.6	221.9
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	11	10	1	73.0	84.3	31.1	6	4	2	61.8	53.6	88.8
Atherosclerosis (440)	3	2	1	19.9	16.8	31.1	0	0	0	-	-	-
Pneumonia and influenza (480-487)	7	6	1	46.4	50.6	31.1	3	3	0	30.9	40.2	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	13.3	16.8	-	1	1	0	10.3	13.4	-
Chronic liver disease and cirrhosis (571)	1	1	0	6.6	8.4	-	1	0	1	10.3	-	44.4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	6.6	8.4	-	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	1	1	8.3	6.8	10.5	0	0	0	-	-	-
Accidents (800-949)	13	12	1	86.2	101.1	31.1	6	4	2	61.8	53.6	88.8
Motor vehicle accidents# (810-825)	9	8	1	59.7	67.4	31.1	2	0	2	20.6	-	88.8
Suicide (950-959)	0	0	0	-	-	-	1	0	1	10.3	-	44.4
Homicide and legal intervention (960-978)	0	0	0	-	-	-	2	0	2	20.6	-	88.8
Symptoms, signs, and ill-defined conditions# (780-799)	6	6	0	39.8	50.6	-	5	3	2	51.5	40.2	88.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SUNFLOWER AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Sunflower						Tallahatchie					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	54	21	33	155.0	160.9	151.4	36	19	17	209.8	262.0	171.6
Diabetes mellitus (250)	10	3	7	28.7	23.0	32.1	3	0	3	17.5	-	30.3
Diseases of heart (390-398, 402, 404, 410-429)	142	54	88	407.5	413.7	403.8	75	41	34	437.1	565.4	343.3
Hypertension (401, 403)	2	1	1	5.7	7.7	4.6	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	49	17	32	140.6	130.2	146.8	24	7	17	139.9	96.5	171.6
Atherosclerosis (440)	2	1	1	5.7	7.7	4.6	0	0	0	-	-	-
Pneumonia and influenza (480-487)	8	4	4	23.0	30.6	18.4	9	5	4	52.4	68.9	40.4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	5	1	17.2	38.3	4.6	7	6	1	40.8	82.7	10.1
Chronic liver disease and cirrhosis (571)	2	2	0	5.7	15.3	-	3	1	2	17.5	13.8	20.2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	8.6	7.7	9.2	4	2	2	23.3	27.6	20.2
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	5.8	13.8	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	6	0	6	17.2	-	27.5	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	11	1	10	13.2	5.8	15.1	5	0	5	12.9	-	17.1
Accidents (800-949)	19	6	13	54.5	46.0	59.6	11	3	8	64.1	41.4	80.8
Motor vehicle accidents# (810-825)	10	4	6	28.7	30.6	27.5	2	1	1	11.6	13.8	10.1
Suicide (950-959)	2	0	2	5.7	-	9.2	1	1	0	5.8	13.8	-
Homicide and legal intervention (960-978)	5	0	5	14.3	-	22.9	2	0	2	11.6	-	20.2
Symptoms, signs, and ill-defined conditions# (780-799)	15	3	12	43.0	23.0	55.1	21	4	17	122.4	55.2	171.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TATE AND TIPPAH COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Tate						Tippah					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	38	22	16	188.9	178.3	205.6	30	26	4	160.1	165.2	133.5
Diabetes mellitus (250)	4	1	3	19.9	8.1	38.6	1	1	0	5.3	6.4	-
Diseases of heart (390-398, 402, 404, 410-429)	77	46	31	382.7	372.8	398.4	74	68	6	394.9	431.9	200.3
Hypertension (401, 403)	2	0	2	9.9	-	25.7	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	18	11	7	89.5	89.1	90.0	27	22	5	144.1	139.7	166.9
Atherosclerosis (440)	3	3	0	14.9	24.3	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	2	0	2	9.9	-	25.7	5	5	0	26.7	31.8	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	6	0	29.8	48.6	-	6	5	1	32.0	31.8	33.4
Chronic liver disease and cirrhosis (571)	1	1	0	5.0	8.1	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	19.9	16.2	25.7	1	1	0	5.3	6.4	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	0	1	5.3	-	33.4
Certain conditions originating in the perinatal period (760-779)	1	1	0	2.8	6.0	-	4	2	2	12.5	8.1	27.0
Accidents (800-949)	9	3	6	44.7	24.3	77.1	11	9	2	58.7	57.2	66.8
Motor vehicle accidents# (810-825)	4	2	2	19.9	16.2	25.7	6	5	1	32.0	31.8	33.4
Suicide (950-959)	0	0	0	-	-	-	2	2	0	10.7	12.7	-
Homicide and legal intervention (960-978)	2	0	2	9.9	-	25.7	2	1	1	10.7	6.4	33.4
Symptoms, signs, and ill-defined conditions# (780-799)	11	7	4	54.7	56.7	51.4	10	8	2	53.4	50.8	66.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TISHOMINGO AND TUNICA COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Tishomingo						Tunica					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	5.4	5.6	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	26	26	0	141.0	147.1	-	22	14	8	227.9	545.6	112.9
Diabetes mellitus (250)	4	4	0	21.7	22.6	-	1	0	1	10.4	-	14.1
Diseases of heart (390-398, 402, 404, 410-429)	61	60	1	330.9	339.4	131.9	56	17	39	580.2	662.5	550.4
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	14	14	0	75.9	79.2	-	7	3	4	72.5	116.9	56.4
Atherosclerosis (440)	3	3	0	16.3	17.0	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	6	6	0	32.5	33.9	-	1	1	0	10.4	39.0	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	27.1	28.3	-	1	1	0	10.4	39.0	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	2	2	0	20.7	77.9	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	3	0	16.3	17.0	-	2	0	2	20.7	-	28.2
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	1	0	1	465.1	-	595.2
Congenital anomalies (740-759)	1	1	0	5.4	5.6	-	1	1	0	10.4	39.0	-
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	2	0	2	9.3	-	11.9
Accidents (800-949)	18	18	0	97.6	101.8	-	12	2	10	124.3	77.9	141.1
Motor vehicle accidents# (810-825)	10	10	0	54.2	56.6	-	3	0	3	31.1	-	42.3
Suicide (950-959)	0	0	0	-	-	-	2	1	1	20.7	39.0	14.1
Homicide and legal intervention (960-978)	0	0	0	-	-	-	1	1	0	10.4	39.0	-
Symptoms, signs, and ill-defined conditions# (780-799)	13	12	1	70.5	67.9	131.9	13	1	12	134.7	39.0	169.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF UNION AND WALTHALL COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Union						Walthall					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	39	32	7	179.4	171.1	230.3	34	27	7	247.1	333.5	123.5
Diabetes mellitus (250)	1	1	0	4.6	5.3	-	3	1	2	21.8	12.4	35.3
Diseases of heart (390-398, 402, 404, 410-429)	79	73	6	363.4	390.4	197.4	43	25	18	312.5	308.8	317.7
Hypertension (401, 403)	0	0	0	-	-	-	1	1	0	7.3	12.4	-
Cerebrovascular diseases (430-438)	13	10	3	59.8	53.5	98.7	10	8	2	72.7	98.8	35.3
Atherosclerosis (440)	1	1	0	4.6	5.3	-	2	2	0	14.5	24.7	-
Pneumonia and influenza (480-487)	14	13	1	64.4	69.5	32.9	1	0	1	7.3	-	17.6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	32.2	37.4	-	4	2	2	29.1	24.7	35.3
Chronic liver disease and cirrhosis (571)	3	3	0	13.8	16.0	-	1	1	0	7.3	12.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	3	1	18.4	16.0	32.9	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	3	3	0	13.8	16.0	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	1	1	5.7	3.7	12.5	3	0	3	10.6	-	18.6
Accidents (800-949)	16	11	5	73.6	58.8	164.5	8	4	4	58.1	49.4	70.6
Motor vehicle accidents# (810-825)	11	7	4	50.6	37.4	131.6	5	3	2	36.3	37.0	35.3
Suicide (950-959)	5	5	0	23.0	26.7	-	1	1	0	7.3	12.4	-
Homicide and legal intervention (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# ([illegible]80-799)	25	19	6	115.0	101.6	197.4	9	2	7	65.4	24.7	123.5

---

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WARREN AND WASHINGTON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Warren						Washington					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	3	0	3	5.8	-	15.2	4	3	1	5.5	9.5	2.4
Malignant neoplasms (140-208)	86	41	45	166.6	128.6	227.8	140	70	70	193.5	221.4	171.9
Diabetes mellitus (250)	2	1	1	3.9	3.1	5.1	18	4	14	24.9	12.6	34.4
Diseases of heart (390-398, 402, 404, 410-429)	172	95	77	333.2	298.[illegible]	389.9	248	116	132	342.8	366.9	324.1
Hypertension (401, 403)	2	0	2	3.9	-	10.1	1	0	1	1.4	-	2.4
Cerebrovascular diseases (430-438)	60	28	32	116.2	87.8	162.0	96	37	59	132.7	117.0	144.9
Atherosclerosis (440)	4	2	2	7.7	6.3	10.1	4	2	2	5.5	6.3	4.9
Pneumonia and influenza (480-487)	8	4	4	15.5	12.5	20.2	13	8	5	18.0	25.3	12.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	11	7	4	21.3	22.0	20.2	10	4	6	13.8	12.6	14.7
Chronic liver disease and cirrhosis (571)	2	2	0	3.9	6.3	-	8	4	4	11.0	12.6	9.8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	0	8	15.5	-	40.5	10	1	9	13.8	3.2	22.1
Infections of kidney (590)	1	0	1	1.9	-	5.1	1	0	1	1.4	-	2.4
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	5	4	1	9.7	12.5	5.1	7	5	2	9.7	15.8	4.9
Certain conditions originating in the perinatal period (760-779)	9	3	6	9.2	6.0	12.4	16	6	10	9.5	11.9	8.4
Accidents (800-949)	32	17	15	62.0	53.3	76.0	57	20	37	78.8	63.2	90.8
Motor vehicle accidents# (810-825)	8	5	3	15.5	15.7	15.2	13	5	8	18.0	15.8	19.6
Suicide (950-959)	6	4	2	11.6	12.5	10.1	4	4	0	5.5	12.6	-
Homicide and legal intervention (960-978)	4	1	3	7.7	3.1	15.2	14	0	14	19.4	-	34.4
Symptoms, signs, and ill-defined conditions# (780-799)	16	4	12	31.0	12.5	60.8	83	11	72	114.7	34.8	176.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WAYNE AND WEBSTER COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Wayne						Webster					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	26	16	10	135.9	126.0	155.3	24	21	3	233.0	254.1	147.4
Diabetes mellitus (250)	1	1	0	5.2	7.9	-	1	1	0	9.7	12.1	-
Diseases of heart (390-398, 402, 404, 410-429)	68	47	21	355.4	370.2	326.1	36	29	7	349.5	350.9	344.0
Hypertension (401, 403)	2	1	1	10.4	7.9	15.5	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	13	7	6	67.9	55.1	93.2	17	14	3	165.0	169.4	147.4
Atherosclerosis (440)	3	3	0	15.7	23.6	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	10	6	4	52.3	47.3	62.1	3	0	3	29.1	-	147.4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	1	1	10.4	7.9	15.5	3	3	0	29.1	36.3	-
Chronic liver disease and cirrhosis (571)	2	2	0	10.4	15.8	-	2	2	0	19.4	24.2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	1	0	1	9.7	-	49.1
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	9.7	12.1	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	2	2	0	19.4	24.2	-
Certain conditions originating in the perinatal period (760-779)	3	2	1	8.4	9.7	6.7	1	0	1	6.5	-	18.5
Accidents (800-949)	15	10	5	78.4	78.8	77.6	12	10	2	116.5	121.0	98.3
Motor vehicle accidents# (810-825)	9	6	3	47.0	47.3	46.6	9	8	1	87.4	96.8	49.1
Suicide (950-959)	0	0	0	-	-	-	2	1	1	19.4	12.1	49.1
Homicide and legal intervention (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	3	2	1	15.7	15.8	15.5	4	2	2	38.8	24.2	98.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WILKINSON AND WINSTON COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Wilkinson						Winston					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	30	6	24	299.4	182.3	356.7	39	25	14	200.3	214.4	179.2
Diabetes mellitus (250)	6	1	5	59.9	30.4	74.3	7	4	3	35.9	34.3	38.4
Diseases of heart (390-398, 402, 404, 410-429)	48	18	30	479.0	546.8	445.8	75	55	20	385.1	471.6	256.0
Hypertension (401, 403)	0	0	0	-	-	-	1	1	0	5.1	8.6	-
Cerebrovascular diseases (430-438)	13	5	8	129.7	151.9	118.9	25	16	9	128.4	137.2	115.2
Atherosclerosis (440)	1	1	0	10.0	30.4	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	0	0	0	-	-	-	4	3	1	20.5	25.7	12.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	0	1	10.0	-	14.9	5	5	0	25.7	42.9	-
Chronic liver disease and cirrhosis (571)	1	1	0	10.0	30.4	-	2	2	0	10.3	17.2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	2	1	1	10.3	8.6	12.8
Infections of kidney (590)	2	0	2	20.0	-	29.7	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	10.0	30.4	-	4	2	2	20.5	17.2	25.6
Certain conditions originating in the perinatal period (760-779)	3	0	3	14.8	-	20.0	2	0	2	5.5	-	8.9
Accidents (800-949)	16	5	11	159.7	151.9	163.5	19	7	12	97.6	60.0	153.6
Motor vehicle accidents# (810-825)	4	2	2	39.9	60.8	29.7	15	6	9	77.0	51.4	115.2
Suicide (950-959)	1	0	1	10.0	-	14.9	1	0	1	5.1	-	12.8
Homicide and legal intervention (960-978)	1	0	1	10.0	-	14.9	2	1	1	10.3	8.6	12.8
Symptoms, signs, and ill-defined conditions# (780-799)	9	2	7	89.8	60.8	104.0	18	8	10	92.4	68.6	128.0

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, MISSISSIPPI, 1980

Cause and International Classification Number*	Yalobusha						Yazoo					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	30	24	6	228.3	296.4	119.0	54	30	24	197.4	227.3	169.6
Diabetes mellitus (250)	2	0	2	15.2	-	39.7	7	4	3	25.6	30.3	21.2
Diseases of heart (390-398, 402, 404, 410-429)	46	37	9	350.1	456.9	178.5	98	57	41	358.3	431.9	289.7
Hypertension (401, 403)	4	3	1	30.4	37.0	19.8	2	0	2	7.3	-	14.1
Cerebrovascular diseases (430-438)	16	12	4	121.8	148.2	79.3	30	16	14	109.7	121.2	98.9
Atherosclerosis (440)	0	0	0	-	-	-	4	2	2	14.6	15.2	14.1
Pneumonia and influenza (480-487)	5	3	2	38.0	37.0	39.7	10	5	5	36.6	37.9	35.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	1	1	15.2	12.3	19.8	5	4	1	18.3	30.3	7.1
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	3	2	1	11.0	15.2	7.1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	15.2	-	39.7	1	1	0	3.6	7.6	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	7.6	12.3	-	3	0	3	11.0	-	21.2
Certain conditions originating in the perinatal period (760-779)	3	1	2	12.6	8.1	17.7	7	1	6	11.9	4.5	16.3
Accidents (800-949)	7	4	3	53.3	49.4	59.5	23	10	13	84.1	75.8	91.8
Motor vehicle accidents# (810-825)	0	0	0	-	-	-	7	3	4	25.6	22.7	28.3
Suicide (950-959)	3	2	1	22.8	24.7	19.8	1	1	0	3.6	7.6	-
Homicide and legal intervention (960-978)	1	0	1	7.6	-	19.8	9	1	8	32.9	7.6	56.5
Symptoms, signs, and ill-defined conditions# (780-799)	8	4	4	60.9	49.4	79.3	70	16	54	256.0	121.2	381.6

* Causes and numbers are from the _Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death_.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

# Not to be used for ranking.

TABLE 19
DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, STATE OF MISSISSIPPI, 1980

Cause and International Classification Number*	State of Mississippi					
	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	30	15	15	1.2	0.9	1.6
Malignant neoplasms (140-208)	4,383	2,895	1,488	173.9	179.2	164.3
Diabetes mellitus (250)	409	198	211	16.2	12.2	23.3
Diseases of heart (390-398, 402, 404, 410-429)	8,220	5,493	2,727	326.1	340.1	301.2
Hypertension (401, 403)	119	42	77	4.7	2.6	8.5
Cerebrovascular diseases (430-438)	2,323	1,366	957	92.2	84.6	105.7
Atherosclerosis (440)	296	185	111	11.7	11.4	12.2
Pneumonia and influenza (480-487)	482	345	137	19.1	21.4	15.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	495	400	95	19.6	24.8	10.5
Chronic liver disease and cirrhosis (571)	196	148	48	7.8	9.2	5.3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	240	113	127	9.5	7.0	14.0
Infections of kidney (590)	49	30	19	1.9	1.8	2.1
Maternal causes (630-676)	2	1	1	4.2	4.0	4.3
Congenital anomalies (740-759)	186	107	79	7.4	6.6	8.7
Certain conditions originating in the perinatal period (760-779)	392	121	271	8.2	4.9	11.7
Accidents (800-949)	1,711	985	726	67.9	61.0	80.2
Motor vehicle accidents# (810-825)	743	489	254	29.5	30.3	28.0
Suicide (950-959)	231	188	43	9.2	11.6	4.7
Homicide and legal intervention (960-978)	359	112	247	14.2	6.9	27.3
Symptoms, signs, and ill-defined conditions# (780-799)	1,448	560	888	57.4	34.7	98.1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1980,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1980)

	Number			Rate*		
Year	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,406	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

Table 20 - Page 2
Live Births - Mississippi - 1913-1980

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	Not Available	
1973	44,638	23,119	21,519	19.3	Not Available	
1974	44,032	23,023	21,009	18.9	Not Available	
1975	43,336	22,559	20,777	18.5	Not Available	
1976	42,983	22,605	20,378	18.2	Not Available	
1977	45,532	23,369	22,163	19.1	Not Available	
1978	44,373	22,632	21,741	18.5	Not Available	
1979	45,919	23,487	22,432	19.1	Not Available	
1980	47,821	24,687	23,134	19.0	15.3	25.5

* Births per 1,000 population.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1980, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1980)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

Table 21 - Page 2
Deaths - Mississippi - 1913-1980

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	Not Available	
1973	24,007	14,461	9,546	10.4	Not Available	
1974	23,153	14,268	8,885	9.9	Not Available	
1975	22,768	13,790	8,978	9.7	Not Available	
1976	23,124	14,307	8,817	9.8	Not Available	
1977	23,022	14,318	8,704	9.6	Not Available	
1978	23,363	14,631	8,732	9.7	Not Available	
1979	22,932	14,348	8,584	9.5	Not Available	
1980	23,576	14,531	9,045	9.4	9.0	10.0

* Deaths per 1,000 population.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1980, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1980)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

Table 22 - Page 2
Maternal Deaths - Mississippi - 1913-1980

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1917-1980, (OCCURRENCE DATA 1917-1943, RESIDENCE DATA 1944-1980)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,489	974	1,515	44.0	38.0	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

Table 23 - Page 2
Infant Deaths - Mississippi - 1917-1980

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
980	812	272	540	17.0	11.0	23.3

* Deaths of children under one year of age.

* Deaths per 1,000 live births.

# Not available.

TABLE 24

NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1980,

(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1980)

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

Table 24 - Page 2
Neonatal Deaths - Mississippi - 1924-1980

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1980
(OCCURRENCE DATA 1924-1943, RESIDENCE DATA 1944-1980)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,053	313	740	18.6	12.2	23.9
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

ble 25 - Page 2
stneonatal Deaths - Mississippi - 1924-1980

	Number			Rate**		
ear	Total	White	Non-white	Total	White	Non-white
960	960	164	796	16.2	6.0	24.9
961	849	136	713	14.3	5.0	22.2
962	897	155	742	15.2	5.6	23.6
963	923	140	783	16.1	5.2	25.7
964	858	139	719	15.1	5.4	23.4
965	843	123	720	16.5	5.3	25.9
966	733	134	599	15.2	5.9	23.5
967	592	124	468	12.7	5.5	19.6
968	497	93	404	10.9	4.1	17.6
969	447	89	358	9.5	3.7	15.5
970	427	89	338	8.9	3.6	14.5
71	371	78	293	7.6	3.1	12.5
72	350	97	253	7.6	4.1	11.4
73	361	91	270	8.1	3.9	12.5
74	314	80	234	7.1	3.5	11.1
75	298	99	199	6.9	4.4	9.6
76	301	88	213	7.0	3.9	10.4
77	246	63	183	5.4	2.7	8.2
78	287	75	212	6.5	3.3	9.8
79	295	89	206	6.4	3.8	9.2
80	289	83	206	6.0	3.4	8.9

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

* Deaths per 1,000 live births.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA, MISSISSIPPI, 1926-1980

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

Table 26 - Page 2
Marriages and Divorces - Mississippi - 1926-1980

	Marriages			Divorces		
Year	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.

S4350-1

VITAL STATISTICS
MISSISSIPPI
1981

****

MISSISSIPPI STATE DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH STATISTICS
DAVID LOHRISCH, PH.D., DIRECTOR

P. O. BOX 1700
JACKSON, MISSISSIPPI 39205

TELEPHONE NUMBER 601-354-6607

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin 1
Definitions of Live Birth and Fetal Death 1
Occurrence and Residence Allocation 1
Population 2
Rates 2
Classification of Cause of Death 2

SUMMARY TABLES, 1981

LIVE BIRTHS

Table A1. Live Births and Percentage Distribution, by Type of Facility, Attendant, and Race 5
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1981 6
Table A3. Live Births and Average per Day, by Month 6
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age of Mother and Race 7
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race 8
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race 8
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race 9
Table A8. Median Number of Months between Last Delivery to Mothers Who Had Had Previous Pregnancies and Live Birth in 1981, by Race and Outcome of Last Delivery 10
Table A9. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race 10
Table A10. Live Births and Percentage Distribution, by Maturity and Race .. 11
Table A11. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race 11

FETAL DEATHS

Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race 12
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race 13
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race 13
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1979-1981 14

DEATHS

Table C1. Deaths and Average per Day, by Month 15
Table C2. Deaths, Percentage Distribution, and Rates, by Age and Race 15
Table C3. Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race 16
Table C4. Death Rates, by Age, Race, and Sex 16
Table C5. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race 17
Table C6. Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause 18

Page

SUMMARY TABLES, 1981

DEATHS (continued)

Table C7. Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race 19
Table C8. Deaths from Major Chronic Respiratory Diseases, 1956, 1961, 1966, 1971, 1976, 1981 19
Table C9 Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race 20
Table C10. Deaths from Selected Types of Accidents, by Sex, also by Age 21
Table C11. Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1981 22
Table C12. Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race 23
Table C13. Deaths and Mortality Rates for Six Leading Causes of Infant Deaths, by Cause and Race 23

MARRIAGES

Table D1. Marriages and Average per Day, by Month 24
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race 24
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race 25
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race 25
Table D5 Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race 26
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride 27

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race 28
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race 28
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race 29

MAJOR TABLES, 1981

LIVE BIRTHS

Table 1. Live Births, by Place of Occurrence and Race, also Live Births and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1981 33
Table 2. Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1981 36
Table 3. Fertility Rates, by County of Residence and Race, Mississippi, 1981 39
Table 4A. Total Live Births, by County of Residence and Age of Mother, Mississippi, 1981 40
Table 4B. White Live Births, by County of Residence and Age of Mother, Mississippi, 1981 42

Page

MAJOR TABLES, 1981

LIVE BIRTHS (continued)

Table 4C. Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1981 44

Table 5. Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1981 46

Table 6A. Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1981 48

Table 6B. White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1981 50

Table 6C. Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1981 52

Table 7. Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1981 54

Table 8. Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1981 56

FETAL DEATHS

Table 9. Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1981 58

DEATHS

Table 10. Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race,(Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1981 60

Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1981 63

Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1981 70

Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1977-1981 (5-Year Average) 72

Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1981 74

Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1981 76

MARRIAGES

Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1981 78

DIVORCES

Table 16. Divorces and Rates, by County of Occurrence and Race, Mississippi, 1981 80

TIME SERIES TABLES

Table 17. Live Births and Rates, by Year and Race, Mississippi, 1913-1981, (Occurrence Data 1913-1943, Residence Data 1944-1981) 85

TIME SERIES TABLES (continued)

Table 18. Deaths and Rates, by Year and Race, Mississippi, 1913-1981, (Occurrence Data 1913-1943, Residence Data 1944-1981) 87
Table 19. Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1981, (Occurrence Data 1913-1943, Residence Data 1944-1981) 89
Table 20. Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1981, (Occurrence Data 1917-1943, Residence Data 1944-1981) 91
Table 21. Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1981, (Occurrence Data 1924-1944, Residence Data 1945-1981) 93
Table 22. Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1981, (Occurrence Data 1924-1943, Residence Data 1944-1981) 95
Table 23. Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1981 97

VITAL STATISTICS
MISSISSIPPI, 1981

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1981; the second part contains major statistical tables for 1981. Time series tables numbered 17 through 23 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

> Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.
>
> Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exlude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

Figures from the U.S. Census of April 1, 1980, were used in this bulletin, and several types of rates and special compilations were prepared which can be done only when detailed population data of the type which comes from the decennial census are available.

Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes, except maternal and certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1981

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

LIVE BIRTHS

Table A1. Live births and percentage distribution, by type of facility, attendant, and race
Mississippi, 1981

Type of Facility and Race	Number						Percent					
	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown
Total	46,228	44,031	1,951	143	87	16	100.0	95.2	4.2	0.3	0.2	*
Hospital	45,911	43,952	1,943	0	12	4	99.3	95.1	4.2	–	*	*
Home, etc.	297	73	8	142	63	11	0.6	0.2	*	0.3	0.1	*
Enroute to hospital	16	5	0	0	11	0	*	*	–	–	*	–
Unknown place	4	1	0	1	1	1	*	*	–	–	*	*
White	23,777	23,423	272	45	34	3	100.0	98.5	1.1	0.2	0.1	*
Hospital	23,681	23,409	267	0	3	2	99.6	98.4	1.1	–	*	*
Home, etc.	91	13	5	45	27	1	0.4	*	*	0.2	0.1	*
Enroute to hospital	4	0	0	0	4	0	*	–	–	–	*	–
Unknown place	1	1	0	0	0	0	*	*	–	–	–	–
Nonwhite	22,451	20,608	1,679	98	53	13	100.0	91.8	7.5	0.4	0.2	*
Hospital	22,230	20,543	1,676	0	9	2	99.0	91.5	7.5	–	*	*
Home, etc.	206	60	3	97	36	10	0.9	0.3	*	0.4	0.2	*
Enroute to hospital	12	5	0	0	7	0	*	*	–	–	*	–
Unknown place	3	0	0	1	1	1	*	–	–	*	*	*

* Less than 0.06 percent.

Table A2. Percentage of live births in hospitals or clinics, by year and race, 1940, 1950, 1960, 1970-1981

Year	Total	White	Non-white	Year	Total	White	Non-white
1940	14.1	27.1	3.9	1970*	90.0	99.7	79.7
				1971*	92.2	99.6	84.2
1950	46.1	83.3	18.9	1972*	95.2	99.8	90.4
				1973*	96.4	99.7	92.8
1960	73.2	99.0	51.3	1974*	97.4	99.7	94.8
				1975*	97.9	99.6	96.0
				1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
				1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9
				1980*	99.4	99.7	99.1
				1981*	99.3	99.6	99.0

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing inpatient care were included.

Table A3. Live births and average per day, by month Mississippi, 1981

Month	Births	Average per Day	Month	Births	Average per Day
Total	46,228	127			
January	3,965	128	July	4,284	138
February	3,491	125	August	4,443	143
March	3,560	115	September	4,459	149
April	3,231	108	October	4,040	130
May	3,291	106	November	3,810	127
June	3,509	117	December	4,145	134

Table A4. Live births, percentage distribution, and fertility rates, by age of mother and race Mississippi, 1981

Age of Mother	Number			Percent			Fertility Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	46,228	23,777	22,451	100.0	100.0	100.0	81.1	65.5	108.5
10-14	347	52	295	0.8	0.2	1.3	3.1	0.8	6.0
15-19	10,082	3,794	6,288	21.8	16.0	28.0	78.8	52.4	113.4
20-24	16,179	8,604	7,575	35.0	36.2	33.7	137.1	122.0	159.5
25-29	12,331	7,340	4,991	26.7	30.9	22.2	122.4	114.8	135.6
30-34	5,468	3,173	2,295	11.8	13.3	10.2	61.9	52.4	82.9
35-39	1,440	696	744	3.1	2.9	3.3	20.1	13.7	36.2
40-44	344	113	231	0.7	0.5	1.0	5.4	2.5	12.1
45-49	24	3	21	**	**	0.1	0.4	0.1	1.2
Unknown	13	2	11	**	**	**			

* For total group - live births per 1,000 females 15-44 years of age; for specific age groups - live births per 1,000 females in specified group.

** Less than 0.06 percent.

Table A5. Live births and percentage distribution, by years of school completed by father and mother and race
Mississippi, 1981

Years of School Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
FATHER									
Median years completed*	12.6	12.7	12.3						
Total legitimate births	32,888	22,388	10,500	100.0	100.0	100.0			
0-6 years	748	335	413	2.3	1.5	4.0	2.3	1.5	4.0
7-9 years	3,335	2,089	1,246	10.2	9.4	12.1	12.5	10.9	16.1
10, 11 years	4,957	2,812	2,145	15.2	12.6	20.8	27.7	23.5	37.0
12 years	11,931	8,019	3,912	36.6	36.0	38.0	64.3	59.4	75.0
1-3 years college	5,959	4,378	1,581	18.3	19.6	15.4	82.6	79.0	90.3
4 or more years college	5,668	4,672	996	17.4	20.9	9.7	100.0	100.0	100.0
Unknown	290	83	207						
MOTHER									
Median years completed*	12.4	12.6	12.1						
Total births	46,228	23,777	22,451	100.0	100.0	100.0			
0-6 years	661	215	446	1.4	0.9	2.0	1.4	0.9	2.0
7-9 years	6,284	2,540	3,744	13.6	10.7	16.7	15.0	11.6	18.7
10, 11 years	9,253	3,281	5,972	20.0	13.8	26.7	35.1	25.4	45.4
12 years	16,971	9,352	7,619	36.8	39.4	34.0	71.9	64.8	79.4
1-3 years college	7,877	4,670	3,207	17.1	19.6	14.3	88.9	84.4	93.7
4 or more years college	5,108	3,696	1,412	11.1	15.6	6.3	100.0	100.0	100.0
Unknown	74	23	51						

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A6. Illegitimate live births, percent of total live births in specified group, by age of mother and race
Mississippi, 1981

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	13,340	1,389	11,951	28.8	5.8	53.2
10-14	322	32	290	92.8	61.5	98.3
15-19	5,960	654	5,306	59.1	17.2	84.4
20-24	4,407	479	3,928	27.2	5.6	51.8
25-29	1,719	149	1,570	13.9	2.0	31.4
30-34	638	47	591	11.7	1.5	25.8
35-39	203	23	180	14.1	3.3	24.2
40-44	77	4	73	22.4	3.5	31.6
45-49	10	1	9	41.7	33.3	42.8
Unknown	4	0	4			

Table A8. Median number of months between last delivery to mothers who had had previous pregnancies and live births in 1981, by race and outcome of last delivery

Race	Total*	Outcome of Last Delivery	
		Live Birth	Fetal Death
Total	32.6	35.0	20.6
White	34.8	38.1	20.0
Nonwhite	30.3	31.8	21.7

* Excludes those with outcome of last delivery unknown.

Table A9. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race Mississippi, 1981

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	46,228	23,777	22,451	100.0	100.0	100.0
No prenatal care	403	124	279	0.9	0.5	1.2
Some prenatal care	45,703	23,609	22,094	98.9	99.3	98.4
First trimester	34,273	20,051	14,222	74.1	84.3	63.3
Second trimester	9,659	2,998	6,661	20.9	12.6	29.7
Third trimester	1,669	521	1,148	3.6	2.2	5.1
Unknown month	102	39	63	0.2	0.2	0.3
Unknown whether any prenatal care	122	44	78	0.3	0.2	0.3

Table A10. Live births and percentage distribution, by maturity and race Mississippi, 1981

Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	46,228	23,777	22,451	100.0	100.0	100.0
Immature only**	1,776	615	1,161	3.8	2.6	5.2
Premature only**	3,668	1,204	2,464	7.9	5.1	11.0
Both immature and premature	2,240	726	1,514	4.8	3.0	6.7
Total immature	4,016	1,341	2,675	8.7	5.6	11.9
Total premature	5,908	1,930	3,978	12.8	8.1	17.7
Total immature and/or premature	7,684	2,545	5,139	16.6	10.7	22.9
Neither immature nor premature**	38,544	21,232	17,312	83.4	89.3	77.1

* Immature - birthweight 5½ pounds (2,500 grams) or less; premature - gestation less than 37 weeks (calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of birth).

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A11. Congenital malformations reported on live birth certificates, by system or organs affected and race Mississippi, 1981

System or Organs Affected and International Classification Number*	Total	White	Non-white
Total malformations reported	375	181	194
Musculoskeletal system (754-756)	169	56	113
Digestive system (749-751)	59	45	14
Genital organs (752)	36	18	18
Nervous system (740-742)	32	18	14
Circulatory system (745-747)	17	9	8
All others	62	35	27

* From the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Table A7. Live births, percentage distribution, fertility rates, and median age of mother, by total-birth order and race
Mississippi, 1981

Total-Birth Order*	Number			Percent			Fertility Rate**			Median Age of Mother		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	46,228	23,777	22,451	100.0	100.0	100.0	81.1	65.5	108.5	23.9	24.7	22.9
First	16,126	9,176	6,950	34.9	38.6	31.0	28.3	25.3	33.6	20.6	21.9	19.0
Second	13,686	7,870	5,816	29.6	33.1	25.9	24.0	21.7	28.1	24.0	25.0	22.2
Third	8,111	3,984	4,127	17.5	16.8	18.4	14.2	11.0	19.9	25.8	27.1	24.5
Fourth	4,003	1,584	2,419	8.6	6.7	10.8	7.0	4.4	11.7	27.1	28.5	26.1
Fifth	1,951	615	1,336	4.2	2.6	6.0	3.4	1.7	6.4	28.3	29.9	27.5
Sixth	903	225	678	2.0	0.9	3.0	1.6	0.6	3.3	29.7	30.5	29.4
Seventh	502	89	413	1.1	0.4	1.8	0.9	0.2	2.0	31.8	33.3	31.6
Eighth	284	64	220	0.6	0.3	1.0	0.5	0.2	1.1	33.2	33.9	33.1
Ninth	172	20	152	0.4	0.1	0.7	0.3	#	0.7	34.3	34.8	34.2
Tenth & over	307	31	276	0.7	0.1	1.2	0.5	0.1	1.3	36.9	36.0	37.0
Unknown	183	119	64	0.4	0.5	0.3	0.3	0.3	0.3			

* Includes all live births plus all fetal deaths regardless of length of gestation.

** Live births per 1,000 females 15-44 years of age.

# Less than 0.06.

FETAL DEATHS

Table B1. Reportable* fetal deaths and percentage distribution, by place of delivery, attendant, and race Mississippi, 1981

Place of Delivery and Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	648	222	426	100.0	100.0	100.0
Hospital	630	219	411	97.2	98.6	96.5
Physician	607	215	392	93.7	96.8	92.0
Certified nurse midwife	15	2	13	2.3	0.9	3.0
Other	8	2	6	1.2	0.9	1.4
Other named place	17	3	14	2.6	1.4	3.3
Physician	8	1	7	1.2	0.4	1.6
"Granny" midwife	1	0	1	0.2	-	0.2
Other	5	0	5	0.8	-	1.2
Unknown	3	2	1	0.5	0.9	0.2
Unknown	1	0	1	0.2	-	0.2
Unknown	1	0	1	0.2	-	0.2

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B2. Reportable* fetal deaths and fetal death ratios,
by age of mother and race
Mississippi, 1981

Age of Mother	Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white
Total	648	222	426	14.0	9.3	19.0
10-14	10	0	10	28.8	-	33.9
15-19	141	49	92	14.0	12.9	14.6
20-24	216	73	143	13.4	8.5	18.9
25-29	139	54	85	11.3	7.4	17.0
30-34	87	29	58	15.9	9.1	25.3
35-39	34	14	20	23.6	20.1	26.9
40-44	14	2	12	40.7	17.7	51.9
45-49	4	1	3	#	#	#
Unknown	3	0	3	#	-	#

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births to mothers in specified group.

# Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and reportable* fetal deaths,
by whether mother received prenatal care and race,
Mississippi, 1981

Prenatal Care	Live Births			Reportable* Fetal Deaths		
	Total	White	Non-white	Total	White	Non-white
Total	100.0	100.0	100.0	100.0	100.0	100.0
No care	0.9	0.5	1.2	6.6	5.8	7.0
Some care	98.9	99.3	98.4	81.0	84.7	79.1
Unknown whether any care	0.3	0.2	0.3	12.3	9.4	13.8

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B4. Reportable* fetal deaths and fetal death ratios, by completed weeks of gestation and race, 1979-1981

Completed Weeks of Gestation**	Total			White			Nonwhite		
	1979	1980	1981	1979	1980	1981	1979	1980	1981
REPORTABLE* FETAL DEATHS									
Total	665	707	648	209	247	222	456	460	426
Under 20	29	25	31	5	9	8	24	16	23
20 and over	602	624	553	195	221	200	407	403	353
20-22	84	77	69	31	21	18	53	56	51
23-27	119	140	123	30	50	39	89	90	84
28-36	197	192	188	55	57	56	142	135	132
37 and over	202	215	173	79	93	87	123	122	86
Unknown	34	58	64	9	17	14	25	41	50
FETAL DEATH RATIOS#									
Total	14.5	14.8	14.0	8.9	10.0	9.3	20.3	19.9	19.0
Under 20	0.6	0.5	0.7	0.2	0.4	0.3	1.1	0.7	1.0
20 and over	13.1	13.0	12.0	8.3	9.0	8.4	18.1	17.4	15.7
20-22	1.8	1.6	1.5	1.3	0.8	0.8	2.4	2.4	2.3
23-27	2.6	2.9	2.7	1.3	2.0	1.6	4.0	3.9	3.7
28-36	4.3	4.0	4.1	2.3	2.3	2.4	6.3	5.8	5.9
37 and over	4.4	4.5	3.7	3.4	3.8	3.6	5.5	5.3	3.8
Unknown	0.7	1.2	1.4	0.4	0.7	0.6	1.1	1.8	2.2

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of delivery.

# Reportable fetal deaths per 1,000 live births.

DEATHS

Table C1. Deaths and average per day, by month
Mississippi, 1981

Month	Deaths	Average per Day	Month	Deaths	Average per Day
Total	23,405	64			
January	2,509	81	July	1,903	61
February	1,957	70	August	1,862	60
March	1,995	64	September	1,878	63
April	1,804	60	October	1,847	60
May	1,879	61	November	1,897	63
June	1,839	61	December	2,035	66

Table C2. Deaths, percentage distribution, and rates, by age and race
Mississippi, 1981

	Number			Percent			Rate*		
Age	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	23,405	14,876	8,529	100.0	100.0	100.0	9.3	9.2	9.4
Under 1	711	248	463	3.0	1.7	5.4	15.4	10.1	21.4
1-4	130	42	88	0.6	0.3	1.0	0.8	0.4	1.1
5-9	78	44	34	0.3	0.3	0.4	0.4	0.4	0.3
10-14	92	51	41	0.4	0.3	0.5	0.4	0.4	0.4
15-24	636	421	215	2.7	2.8	2.5	1.3	1.4	1.1
25-34	669	350	319	2.8	2.4	3.7	1.8	1.4	2.6
35-44	746	416	330	3.2	2.8	3.9	2.9	2.2	4.6
45-54	1,641	1,018	623	7.0	6.8	7.3	7.1	6.0	10.0
55-64	3,361	2,145	1,216	14.4	14.4	14.2	15.5	13.7	20.1
65-74	5,625	3,674	1,951	24.0	24.7	22.9	31.2	30.2	33.4
75-84	5,957	3,944	2,013	25.4	26.5	23.6	69.3	68.7	70.6
85 and over	3,739	2,519	1,220	16.0	16.9	14.3	159.0	166.0	146.4
Unknown	20	4	16	0.1	**	0.2			

* Deaths per 1,000 population.

** Less than 0.06 percent.

Table C3. Deaths by age, race, and sex, and male/female ratios by age and race
Mississippi, 1981

	Total			White			Nonwhite		
	Male	Female	Males per Female	Male	Female	Males per Female	Male	Female	Males per Female
al	12,923	10,482	1.23	8,224	6,652	1.24	4,699	3,830	1.23
er 1	404	307	1.32	152	96	1.58	252	211	1.19
	78	52	1.50	24	18	1.33	54	34	1.59
	51	27	1.89	27	17	1.59	24	10	2.40
14	61	31	1.97	33	18	1.83	28	13	2.15
24	485	151	3.21	317	104	3.05	168	47	3.57
34	459	210	2.18	242	108	2.24	217	102	2.13
44	506	240	2.11	289	127	2.28	217	113	1.92
54	1,074	567	1.89	693	325	2.13	381	242	1.57
64	2,155	1,206	1.79	1,460	685	2.13	695	521	1.33
74	3,341	2,284	1.46	2,244	1,430	1.57	1,097	854	1.28
34	2,927	3,030	0.97	1,920	2,024	0.95	1,007	1,006	1.00
and over	1,368	2,371	0.58	820	1,699	0.48	548	672	0.82
nown	14	6		3	1		11	5	
ian age	68.5	75.5		68.9	77.0		67.8	72.3	

Table C4. Death rates*, by age, race, and sex
Mississippi, 1981

Age	Total		White		Nonwhite	
	Male	Female	Male	Female	Male	Female
Total	10.6	8.0	10.4	8.0	11.0	8.0
Under 1	17.1	13.6	12.0	8.0	23.0	19.8
1-4	0.9	0.6	0.5	0.4	1.4	0.9
5-9	0.4	0.2	0.4	0.3	0.5	0.2
10-14	0.5	0.3	0.5	0.3	0.6	0.3
15-24	2.0	0.6	2.1	0.7	1.7	0.4
25-34	2.5	1.1	1.9	0.9	3.9	1.6
35-44	4.0	1.8	3.1	1.3	6.9	2.8
45-54	9.9	4.6	8.4	3.7	14.6	6.6
55-64	21.9	10.2	20.1	8.2	27.0	15.1
65-74	43.0	22.3	43.1	20.6	42.9	26.0
75-84	89.4	57.0	92.2	55.3	84.4	60.7
85 and over	180.4	148.9	184.4	158.4	174.7	129.2

* Deaths per 1,000 population.

Table C5. Deaths and percent of total deaths from ten leading causes, by cause and race Mississippi, 1981

Cause and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of ten leading causes	18,957	12,296	6,661	81.0	82.6	78.1
1. Heart diseases (390-398, 402, 404-429)	8,441	5,689	2,752	36.1	38.2	32.3
2. Malignant neoplasms (140-208)	4,304	2,910	1,394	18.4	19.6	16.3
3. Cerebrovascular diseases (430-438)	2,193	1,304	889	9.4	8.8	10.4
4. Accidents (800-949)	1,568	1,010	558	6.7	6.8	6.5
5. Emphysema and other chronic obstructive pulmonary diseases (490-496)	549	465	84	2.3	3.1	1.0
6. Pneumonia and influenza (480-487)	528	371	157	2.2	2.5	1.8
7. Diabetes mellitus (250)	388	188	200	1.6	1.3	2.3
8. Certain conditions originating in the perinatal period (760-779)	361	104	257	1.5	0.7	3.0
9. Homicide and legal intervention (960-978)	351	119	232	1.5	0.8	2.7
10. Nephritis, nephrotic syndrome, and nephrosis (580-589)	274	136	138	1.2	0.9	1.6

le C6. Deaths and percent of total deaths, and rates for five leading causes, by age and cause
Mississippi, 1981

	Cause and International Classification Number	Number	Percent	Rate*
	All causes	130	100.0	0.8
	1. Accidents (800-949)	58	44.6	34.3
	2. Congenital anomalies (740-759)	15	11.5	8.9
	3. Heart diseases (390-398, 402, 404-429)	12	9.2	7.1
	4. Malignant neoplasms (140-208)	4	3.1	2.4
	5. Meningitis (320-322)	3	2.3	1.8
4	All causes	170	100.0	0.4
	1. Accidents (800-949)	85	50.0	19.1
	2. Malignant neoplasms (140-208)	13	7.6	2.9
	3. Homicide and legal intervention (960-978)	9	5.3	2.0
	4. Heart diseases (390-398, 402, 404-429)	8	4.7	1.8
	5. Congenital anomalies (740-759)	4	2.4	0.9
24	All causes	636	100.0	1.3
	1. Accidents (800-949)	385	60.5	78.2
	2. Homicide and legal intervention (960-978)	61	9.6	12.4
	3. Suicide (950-959)	52	8.2	10.6
	4. Malignant neoplasms (140-208)	34	5.3	6.9
	5. Heart diseases (390-398, 402, 404-429)	22	3.4	4.5
44	All causes	1,415	100.0	2.2
	1. Accidents (800-949)	412	29.1	65.4
	2. Heart diseases (390-398, 402, 404-429)	204	14.4	32.4
	3. Malignant neoplasms (140-208)	192	13.6	30.5
	4. Homicide and legal intervention (960-978)	177	12.5	28.1
	5. Suicide (950-959)	89	6.3	14.1
64	All causes	5,002	100.0	11.2
	1. Heart diseases (390-398, 402, 404-429)	1,709	34.2	381.2
	2. Malignant neoplasms (140-208)	1,373	27.4	306.3
	3. Cerebrovascular diseases (430-438)	310	6.2	69.2
	4. Accidents (800-949)	273	5.4	60.9
	5. Chronic liver disease and cirrhosis (571)	121	2.4	27.0
and over	All causes	15,321	100.0	52.9
	1. Heart diseases (390-398, 402, 404-429)	6,463	42.2	2,233.6
	2. Malignant neoplasms (140-208)	2,684	17.5	927.6
	3. Cerebrovascular diseases (430-438)	1,827	11.9	631.4
	4. Emphysema and other chronic obstructive pulmonary diseases (490-496)	427	2.8	147.6
	5. Pneumonia and influenza (480-487)	412	2.7	142.4

eaths from all causes per 1,000 population in specified group and deaths from pecific causes per 100,000 population in specified group.

Table C7. Deaths and rates from malignant neoplasms, by primary site, sex, and race Mississippi, 1981

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Rate*			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	1,651	809	1,259	585	209.4	190.2	152.3	121.8
1. Respiratory and intrathoracic organs (160-165)	733	273	229	72	92.9	64.2	27.7	15.0
2. Digestive organs and peritoneum (150-159)	307	185	319	157	38.9	43.5	38.6	32.7
3. Genital organs (179-187)	162	155	138	107	20.5	36.4	16.7	22.3
4. Lymphatic and hematopoietic tissue (200-208)	142	53	127	49	18.0	12.5	15.4	10.2
5. Breast (174, 175)	2	1	202	90	0.2	0.2	24.4	18.7
6. Urinary organs (188, 189)	76	33	41	19	9.6	7.8	5.0	4.0
7. Brain (191)	43	10	43	5	5.4	2.4	5.2	1.0
8. Lip, oral cavity, and pharynx (140-149)	35	16	15	4	4.4	3.8	1.8	0.8
9. Skin (172, 173)	29	1	28	6	3.7	0.2	3.4	1.2
10. Bone and connective tissue (170, 171)	13	10	14	8	1.6	2.4	1.7	1.7
- Other and unspecified sites (190, 192-199)	109	72	103	68	13.8	16.9	12.5	14.2

* Deaths per 100,000 population in specified group.

Table C8. Deaths from major chronic respiratory diseases, Mississippi, 1956, 1961, 1966, 1971, 1976, 1981

Cause and International Classification Number	1956	1961	1966	1971	1976	1981
Tuberculosis of respiratory system (010-012)	176	103	101	34	39	21
Malignant neoplasms of respiratory system (160-165)	223	389	498	741	949	1,307
Malignant neoplasms of trachea, bronchus, and lung (162)	200	362	476	700	914	1,263
Chronic and unqualified bronchitis (490, 491)	18	35	43	54	35	28
Emphysema (492)	27	67	183	210	181	102
Asthma (493)	49	52	39	22	19	34
(Adjusted figures*)	(27)	(36)	(27)			

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revisions of the cause-of-death classification system in 1958 and 1968.

Table C9. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race Mississippi, 1981

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of five leading causes	1,210	780	430	77.2	77.2	77.1
1. Motor vehicle (810-825)	793	564	229	50.6	55.8	41.0
2. Fires and flames (890-899)	151	59	92	9.6	5.8	16.5
3. Falls (880-888)	97	73	24	6.2	7.2	4.3
4. Drowning and submersion (except in transport accidents) (910)	90	39	51	5.7	3.9	9.1
5. Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (911, 912)	79	45	34	5.0	4.4	6.1

Table C10. Deaths from selected types of accidents, by sex, also by age
Mississippi residents, 1981

ype of Accident and nternational Classification Number	Total	Sex		Age								
		Male	Female	Under 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & Over	Un-known
LL ACCIDENTS	1,568	1,158	410	27	58	85	385	264	148	273	328	0
otor vehicle (810-825)	793	598	195	1	17	45	261	173	85	125	86	0
ater transport (830-838)	25	23	2	0	0	1	11	5	4	3	1	0
Submersion, drowning (830, 832)	22	22	0	0	0	1	9	4	4	3	1	0
Other (831, 833-838)	3	1	2	0	0	0	2	1	0	0	0	0
ir and space transport (840-845)	11	8	3	0	0	1	3	4	3	0	0	0
oisoning (850-869)	51	37	14	2	1	1	5	13	4	15	10	0
By drugs, medicaments, and biologicals (850-858)	25	19	6	2	1	0	1	8	3	5	5	0
By other solid and liquid substances, gases, and vapors (860-869)	26	18	8	0	0	1	4	5	1	10	5	0
alls (880-888)	97	44	53	2	0	0	6	4	2	13	70	0
ires and flames (890-899)	151	104	47	2	18	6	6	8	13	34	64	0
rowning and submersion (except in transport accidents) (910)	90	80	10	0	11	18	36	9	4	9	3	0
nhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (911, 912)	79	39	40	14	2	0	4	7	4	19	29	0
echanical suffocation (including in bed or cradle) (913)	13	11	2	3	5	2	0	1	1	1	0	0
truck by, striking against, and caught in or between objects (916-918)	29	28	1	0	0	2	7	6	5	8	1	0
aused by machinery (919)	27	27	0	0	0	1	5	3	5	9	4	0
aused by firearm missile (922)	73	64	9	0	2	8	23	15	8	13	4	0
aused by electric current (925)	20	19	1	0	0	0	6	6	5	2	1	0

Table C11. Motor vehicle accident deaths occurring in Mississippi and rates, also motor vehicle accident deaths of Mississippi residents and rates, by year, 1950, 1955, 1960, 1965, 1970-1981

	Occurrence Data		Residence Data	
Year	Number	Rate*	Number	Rate*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	**	793	31.5

* Deaths in Mississippi per 100,000,000 miles of vehicle travel; deaths of residents per 100,000 population.

** Not available.

Table C12. Infant deaths, percentage distribution, and mortality rates by age and race Mississippi, 1981

Age	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total under 1 year	711	248	463	100.0	100.0	100.0	15.4	10.4	20.6
Neonatal (under 28 days)	486	166	320	68.4	66.9	69.1	10.5	7.0	14.2
Hebdomadal (under 7 days)	411	140	271	57.8	56.4	58.5	8.9	5.9	12.1
Under 1 day	267	89	178	37.6	35.9	38.4	5.8	3.7	7.9
1-6 days	144	51	93	20.2	20.6	20.1	3.1	2.1	4.1
7-27 days	75	26	49	10.5	10.5	10.6	1.6	1.1	2.2
Postneonatal (28 days to 1 year)	225	82	143	31.6	33.1	30.9	4.9	3.4	6.4

* Deaths per 1,000 live births.

Table C13. Deaths and mortality rates for ten leading causes of infant deaths, by cause and race Mississippi, 1981

Cause and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
All causes	711	248	463	15.4	10.4	20.6
1. Congenital anomalies (740-759)	108	62	46	2.3	2.6	2.0
2. Disorders relating to short gestation and unsepcified low birthweight (765)	76	10	66	1.6	0.4	2.9
3. Sudden infant death syndrome (798.0)	74	22	52	1.6	0.9	2.3
4. Respiratory distress syndrome (769)	73	31	42	1.6	1.3	1.9
5. Maternal complications of pregnancy (761)	30	12	18	0.6	0.5	0.8
6. Infections specific to the perinatal period (771)	28	6	22	0.6	0.2	1.0
7. Accidents (800-949)	27	9	18	0.6	0.4	0.8
8. Symptoms, signs, and ill-defined conditions (excluding SIDS)(780-797, 798.1-799)	25	5	20	0.5	0.2	0.9
9. Intrauterine hypoxia and birth asphyxia (768)	24	7	17	0.5	0.3	0.8
10. Complications of placenta, cord, and membranes (762)	20	9	11	0.4	0.4	0.5

* Deaths per 1,000 live births.

Table D1. Marriages and average per day, by month
Mississippi, 1981

Month	Marriages	Average per Day	Month	Marriages	Average per Day
Total	28,002	77			
January	1,888	61	July	2,472	80
February	1,905	68	August	2,901	94
March	2,023	65	September	2,065	69
April	2,091	70	October	2,126	68
May	2,721	88	November	2,113	70
June	3,082	103	December	2,615	84

Table D2. Brides and grooms and percentage distribution, by age and race
Mississippi, 1981

	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
	28,002	20,877	7,125	28,002	20,871	7,131	100.0	100.0	100.0	100.0	100.0	100.0
20	7,558	6,039	1,519	3,181	2,651	530	27.0	28.9	21.3	11.4	12.7	7.4
	5	3	2	0	0	0	*	*	*	–	–	–
	60	49	11	1	1	0	0.2	0.2	0.2	*	*	–
	422	383	39	10	9	1	1.5	1.8	0.5	*	*	*
	891	745	146	54	49	5	3.2	3.6	2.0	0.2	0.2	0.1
	1,524	1,254	270	389	359	30	5.4	6.0	3.8	1.4	1.7	0.4
	2,386	1,899	487	1,104	957	147	8.5	9.1	6.8	3.9	4.6	2.1
	2,270	1,706	564	1,623	1,276	347	8.1	8.2	7.9	5.8	6.1	4.9
	9,048	6,412	2,636	9,814	7,071	2,743	32.3	30.7	37.0	35.0	33.9	38.5
	6,916	5,007	1,909	8,886	6,466	2,420	24.7	24.0	26.8	31.7	31.0	33.9
	2,367	1,851	516	3,034	2,396	638	8.4	8.9	7.2	10.8	11.5	8.9
	1,172	883	289	1,541	1,236	305	4.2	4.2	4.0	5.5	5.9	4.3
	564	409	155	872	620	252	2.0	2.0	2.2	3.1	3.0	3.5
	319	234	85	474	306	168	1.1	1.1	1.2	1.7	1.5	2.4
over	52	41	11	192	123	69	0.2	0.2	0.2	0.7	0.6	1.0
wn	6	1	5	8	2	6	*	*	0.1	*	*	0.1

s than 0.06 percent.

Table D3. Median age of bride and groom, for all marriages and first marriages, by race Mississippi, 1981

All and First Marriages	Bride Total	Bride White	Bride Non-white	Groom Total	Groom White	Groom Non-white
All marriages	23.3	23.1	23.7	25.7	25.7	25.7
First marriages	20.8	20.0	22.3	22.9	22.6	23.7

Table D4. Brides and grooms and percentage distribution, by marriage order and race Mississippi, 1981

Marriage Order	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	No whi
Total	28,802	20,877	7,125	28,002	20,871	7,131	100.0	100.0	100.0	100.0	100.0	100
First	16,773	11,474	5,299	16,563	11,521	5,042	59.9	55.0	74.4	59.1	55.2	70
Remarriage	11,208	9,387	1,821	11,408	9,326	2,082	40.0	45.0	25.6	40.7	44.7	29
Second	8,048	6,513	1,535	8,262	6,561	1,701	28.7	31.2	21.5	29.5	31.4	23
Over two	3,145	2,860	285	3,121	2,745	376	11.2	13.7	4.0	11.1	13.2	5
Third	2,434	2,186	248	2,382	2,075	307	8.7	10.5	3.5	8.5	9.9	4
Fourth	555	524	31	579	527	52	2.0	2.5	0.4	2.1	2.5	0
Fifth	125	119	6	121	106	15	0.4	0.6	0.1	0.4	0.5	0
Sixth	23	23	0	28	27	1	0.1	0.1	–	0.1	0.1	
Seventh	6	6	0	4	4	0	#	#	–	#	#	
Eighth	0	0	0	5	4	1	–	–	–	#	#	
Ninth	1	1	0	0	0	0	#	#	–	–	–	
Tenth	1	1	0	1	1	0	#	#	–	#	#	
Eleventh	0	0	0	1	1	0	–	–	–	#	#	
Unknown*	15	14	1	25	20	5	#	0.1	#	0.1	0.1	0
Unknown**	21	16	5	31	24	7	0.1	0.1	0.1	0.1	0.1	0

* Previously married but number of previous marriages unknown.

** Unknown whether previously married.

# Less than 0.06 percent.

Table D5. Brides and grooms and percentage distribution, by previous marital status and race Mississippi, 1981

Previous Marital Status	Bride			Groom		
	Total	White	Non-white	Total	White	Non-white
NUMBER						
Total	28,002	20,877	7,125	28,002	20,871	7,131
Not previously married	16,773	11,474	5,299	16,563	11,521	5,042
Remarriages	11,208	9,387	1,821	11,408	9,326	2,082
Widowed	1,353	1,004	349	1,048	743	305
Divorced*	9,777	8,321	1,456	10,311	8,553	1,758
Unknown**	78	62	16	49	30	19
Unknown#	21	16	5	31	24	7
PERCENT						
Total	100.0	100.0	100.0	100.0	100.0	100.0
Not previously married	59.9	55.0	74.4	59.1	55.2	70.7
Remarriages	40.0	45.0	25.6	40.7	44.7	29.2
Widowed	4.8	4.8	4.9	3.7	3.6	4.3
Divorced*	34.9	39.8	20.4	36.8	41.0	24.6
Unknown**	0.3	0.3	0.2	0.2	0.1	0.3
Unknown#	0.1	0.1	0.1	0.1	0.1	0.1

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

# Unknown whether any previous marriage.

Table D6. Marriages and percentage distribution, by residence of bride and groom and race of bride Mississippi, 1981

Residence of Groom	Race and Residence of Bride											
	Total				White				Nonwhite			
	Total	Mississippi	Other	Unknown	Total	Mississippi	Other	Unknown	Total	Mississippi	Other	Unknown
NUMBER												
Total	28,002	25,651	2,338	13	20,877	18,953	1,916	8	7,125	6,698	422	5
Mississippi	24,701	24,118	574	9	18,228	17,754	468	6	6,473	6,364	106	3
Other	3,283	1,518	1,764	1	2,636	1,187	1,448	1	647	331	316	0
Unknown	18	15	0	3	13	12	0	1	5	3	0	2
PERCENT												
Total	100.0	91.6	8.3	*	100.0	90.8	9.2	*	100.0	94.0	5.9	0.1
Mississippi	88.2	86.1	2.0	*	87.3	85.0	2.2	*	90.8	89.3	1.5	*
Other	11.7	5.4	6.3	*	12.6	5.7	6.9	*	9.1	4.6	4.4	–
Unknown	0.1	*	–	*	0.1	*	–	*	0.1	*	–	*

* Less than 0.06 percent.

Table E1. Divorces and percentage distribution, by cause and race* Mississippi, 1981

	Number				Percent			
ause	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
otal	14,182	10,403	2,795	984	100.0	100.0	100.0	100.0
rreconcilable differences	7,163	5,614	798	751	50.5	54.0	28.6	76.3
ruel and inhuman treatment	5,535	4,133	1,305	97	39.0	39.7	46.7	9.8
esertion	968	377	557	34	6.8	3.6	19.9	3.4
dultery	204	128	62	14	1.4	1.2	2.2	1.4
runkenness	86	60	25	1	0.6	0.6	0.9	0.1
enitentiary	43	26	16	1	0.3	0.2	0.6	0.1
nnulment	23	19	4	0	0.2	0.2	0.1	-
igamy	14	5	8	1	0.1	**	0.3	0.1
iscellaneous and other	11	9	1	1	0.1	0.1	**	0.1
nknown	135	32	19	84	1.0	0.3	0.7	8.5

* Divorces of mixed-race couples are included in figures for nonwhites.

* Less than 0.06 percent.

Table E2. Divorces and percentage distribution, by number of minor children and race* Mississippi, 1981

	Number				Percent			
umber of Minor Children	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
otal divorces	14,182	10,403	2,795	984	100.0	100.0	100.0	100.0
one	6,209	4,856	932	421	43.8	46.7	33.3	42.8
ne	3,768	2,734	797	237	26.6	26.3	28.5	24.1
wo	2,606	1,889	561	156	18.4	18.2	20.1	15.8
hree or more	1,388	859	477	52	9.8	8.2	17.1	5.3
nknown	211	65	28	118	1.5	0.6	1.0	12.0

Divorces of mixed-race couples are included in figures for nonwhites.

Table E3. Divorces and percentage distribution, by number of years married and race*
Mississippi, 1981

Number of Years Married	Number				Percent			
	Total	White	Non-white	Un-known	Total	White	Non-white	Un-know
Total divorces	14,182	10,403	2,795	984	100.0	100.0	100.0	100.
Under five	6,191	5,018	937	236	43.6	48.2	33.5	24.
Under one	1,045	912	86	47	7.4	8.8	3.1	4.
One	1,522	1,283	192	47	10.7	12.3	6.9	4.
Two	1,383	1,128	207	48	9.8	10.8	7.4	4.
Three	1,227	940	232	55	8.6	9.0	8.3	5.
Four	1,014	755	220	39	7.1	7.2	7.9	4.
Five-nine	3,409	2,435	842	132	24.0	23.4	30.1	13.
Ten-nineteen	2,706	2,004	606	96	19.1	19.3	21.7	9.
Twenty and over	1,251	874	346	31	8.8	8.4	12.4	3.
Unknown	625	72	64	489	4.4	0.7	2.3	49.

* Divorces of mixed-race couples are included in figures for nonwhites.

MAJOR TABLES

1981

TABLE 1
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE, ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE), MISSISSIPPI, 1981

	Occurrence Data			Residence Data					
	Number			Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	45,783	23,570	22,213	46,228	23,777	22,451	18.3	14.7	24.8
Adams	1,342	651	691	732	317	415	19.2	16.2	22.4
Alcorn	158	140	18	458	382	76	13.9	13.0	21.2
Amite	4	0	4	220	93	127	16.4	13.3	19.9
Attala	178	125	53	304	129	175	15.3	10.7	22.4
Benton	1	0	1	130	63	67	15.9	12.5	21.6
Bolivar	1,628	263	1,365	1,089	232	857	23.7	13.6	29.6
Calhoun	0	0	0	249	143	106	15.9	12.3	26.4
Carroll	1	0	1	134	65	69	13.7	12.2	15.5
Chickasaw	50	7	43	339	165	174	19.0	14.5	26.9
Choctaw	97	22	75	158	84	74	17.6	13.0	29.0
Claiborne	156	13	143	239	51	188	19.5	16.6	20.4
Clarke	17	6	11	313	176	137	18.5	16.0	23.1
Clay	425	104	321	453	160	293	21.5	15.3	27.6
Coahoma	1,150	307	843	770	169	601	20.8	12.9	25.2
Copiah	231	87	144	458	154	304	17.3	11.3	23.6
Covington	179	77	102	342	164	178	21.5	15.8	32.3
DeSoto	3	3	0	815	639	176	15.1	14.4	18.1
Forrest	2,667	1,804	863	1,160	691	469	17.6	14.5	25.6
Franklin	79	37	42	151	81	70	18.4	15.7	22.8
George	166	129	37	289	246	43	18.9	17.8	28.9
Greene	30	14	16	154	102	52	15.7	13.0	26.1
Grenada	618	283	335	351	151	200	16.7	12.4	22.6
Hancock	131	114	17	387	345	42	15.8	15.8	15.9
Harrison	3,274	2,422	852	2,883	2,089	794	18.3	16.8	23.6
Hinds	7,084	2,424	4,660	4,783	1,935	2,848	19.0	14.2	24.8
Holmes	375	27	348	510	79	431	22.2	12.0	26.3
Humphreys	181	7	174	318	78	240	22.8	16.5	26.0
Issaquena	1	0	1	47	18	29	18.7	16.3	20.6
Itawamba	17	15	2	275	249	26	13.4	13.0	19.7
Jackson	1,933	1,407	526	2,022	1,479	543	17.1	15.6	23.3
Jasper	2	1	1	320	102	218	18.5	11.6	25.6
Jefferson	49	1	48	209	17	192	22.8	10.3	25.5
Jeff Davis	23	6	17	262	98	164	18.9	15.3	22.0
Jones	1,694	857	837	1,070	689	381	17.3	14.6	26.1
Kemper	5	1	4	163	48	115	16.1	10.5	20.6
Lafayette	462	282	180	362	195	167	11.7	8.6	19.7
Lamar	75	55	20	478	403	75	20.1	19.1	27.8
Lauderdale	2,553	1,447	1,106	1,399	775	624	18.1	14.8	25.0
Lawrence	71	28	43	229	142	87	18.3	16.4	22.4
Leake	87	44	43	341	171	170	18.1	14.9	23.2
Lee	2,147	1,558	589	974	648	326	17.1	14.3	27.5

ble 1 - Page 2
ve Births - Mississippi - 1981

	Occurrence Data			Residence Data					
	Number			Number			Rate*		
unty	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
ncoln	360	240	120	512	293	219	17.0	13.9	24.1
wndes	964	670	294	1,094	608	486	19.1	16.4	24.1
dison	29	5	24	836	326	510	20.1	17.9	21.8
rion	7	5	2	502	305	197	19.5	17.0	25.4
rshall	6	3	3	555	215	340	18.9	15.8	21.7
nroe	1,376	1,006	370	655	371	284	18.0	14.5	26.2
ntgomery	239	84	155	225	99	126	16.8	12.6	23.0
shoba	182	71	111	403	225	178	16.9	13.2	26.5
wton	107	52	55	304	172	132	15.2	12.3	22.2
xubee	228	27	201	300	95	205	22.7	20.4	24.0
tibbeha	772	309	463	593	257	336	16.5	11.1	26.1
nola	422	91	331	606	194	412	21.5	13.6	29.7
arl River	449	346	103	548	427	121	16.2	14.9	23.4
rry	86	62	24	184	124	60	18.6	16.1	27.9
ke	1,117	633	484	647	273	374	17.9	13.4	23.7
ntotoc	82	64	18	298	235	63	14.2	13.3	19.1
entiss	94	83	11	336	276	60	14.0	12.9	22.7
itman	61	14	47	263	75	188	20.8	13.6	26.4
nkin	2,245	1,833	412	1,204	940	264	17.3	16.7	20.1
ott	100	78	22	456	263	193	18.6	16.6	22.2
arkey	46	3	43	215	41	174	27.0	15.2	33.0
mpson	86	43	43	423	239	184	18.0	14.8	25.4
ith	26	15	11	234	144	90	15.5	12.1	28.0
one	2	0	2	184	125	59	18.9	16.7	26.2
nflower	394	119	275	753	164	589	21.6	12.6	27.0
llahatchie	219	43	176	375	104	271	21.8	14.3	27.4
te	244	73	171	361	166	195	17.9	13.4	25.1
ppah	236	123	113	297	216	81	15.8	13.7	27.0
shomingo	139	134	5	267	260	7	14.5	14.7	9.2
nica	80	5	75	218	32	186	22.6	12.5	26.2
ion	477	372	105	331	278	53	15.2	14.9	17.4
lthall	192	79	113	250	112	138	18.2	13.8	24.4
rren	1,492	631	861	983	500	483	19.0	15.7	24.4
shington	1,302	547	755	1,665	510	1,155	23.0	16.1	28.4
yne	339	152	187	436	245	191	22.8	19.3	29.6
bster	192	118	74	174	124	50	16.9	15.0	24.6
lkinson	218	69	149	200	52	148	20.0	15.8	22.0
nston	190	91	99	327	142	185	16.8	12.2	23.7
lobusha	162	66	96	215	106	109	16.4	13.1	21.6
zoo	162	62	100	612	191	421	22.4	14.5	29.7
of state	2,327	1,672	655	1,882	1,465	417			

Table 1 - Page 3
Live Births - Mississippi - 1981

	Residence Data					
	Number			Rate*		
Town**	Total	White	Non-white	Total	White	Non-white
Biloxi	1,002	730	272	20.3	18.8	25.7
Brookhaven	190	73	117	17.6	11.4	26.7
Canton	284	51	233	25.5	13.3	31.9
Clarksdale	452	99	353	21.4	12.4	26.8
Cleveland	327	120	207	22.5	13.8	35.4
Clinton	215	173	42	14.7	12.8	36.4
Columbus	491	214	277	17.9	14.2	22.5
Corinth	152	104	48	11.0	9.2	19.1
Greenville	942	249	693	23.2	15.4	28.4
Greenwood	445	138	307	22.1	14.5	28.9
Grenada	198	68	130	15.7	9.6	23.3
Gulfport	754	455	299	19.0	15.5	28.9
Hattiesburg	761	379	382	18.6	14.4	26.3
Jackson	3,913	1,506	2,407	19.3	14.2	24.9
Laurel	401	178	223	18.3	13.5	25.6
McComb	234	103	131	19.0	13.2	29.0
Meridian	806	360	446	17.3	12.4	25.2
Moss Point	369	88	281	19.4	13.5	22.5
Natchez	406	154	252	18.4	14.6	21.9
Ocean Springs	246	217	29	17.0	16.4	23.2
Pascagoula	552	422	130	18.8	17.6	24.5
Pearl	347	313	34	16.7	17.1	13.8
Picayune	187	108	79	18.0	15.5	23.2
Southaven	228	221	7	14.2	13.9	45.4
Starkville	258	140	118	17.0	12.7	28.4
Tupelo	424	276	148	17.7	14.2	33.2
Vicksburg	510	156	354	20.0	13.0	26.3
Yazoo City	304	75	229	24.5	11.8	37.5

* Live births per 1,000 population.

** Towns of 10,000 population or more.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT, ALSO BY COUNTY OF RESIDENCE AND SEX, MISSISSIPPI, 1981

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
STATE	46,228	23,777	23,681	14	82	22,451	22,230	65	156	23,680	22,548
Adams	732	317	317	0	0	415	414	0	1	346	386
Alcorn	458	382	382	0	0	76	76	0	0	238	220
Amite	220	93	93	0	0	127	123	0	4	119	101
Attala	304	129	128	0	1	175	159	1	15	156	148
Benton	130	63	63	0	0	67	65	2	0	60	70
Bolivar	1,089	232	232	0	0	857	850	1	6	552	537
Calhoun	249	143	143	0	0	106	106	0	0	130	119
Carroll	134	65	65	0	0	69	68	0	1	66	68
Chickasaw	339	165	165	0	0	174	174	0	0	189	150
Choctaw	158	84	84	0	0	74	71	0	3	79	79
Claiborne	239	51	51	0	0	188	188	0	0	131	108
Clarke	313	176	176	0	0	137	136	0	1	149	164
Clay	453	160	160	0	0	293	293	0	0	223	230
Coahoma	770	169	169	0	0	601	601	0	0	402	368
Copiah	458	154	153	0	1	304	301	2	1	236	222
Covington	342	164	163	0	1	178	177	0	1	165	177
DeSoto	815	639	636	0	3	176	176	0	0	438	377
Forrest	1,160	691	685	2	4	469	468	1	0	598	562
Franklin	151	81	81	0	0	70	70	0	0	65	86
George	289	246	246	0	0	43	43	0	0	148	141
Greene	154	102	102	0	0	52	52	0	0	87	67
Grenada	351	151	151	0	0	200	198	1	1	180	171
Hancock	387	345	342	1	2	42	42	0	0	211	176
Harrison	2,883	2,089	2,078	2	9	794	791	1	2	1,493	1,390

Table 2 - Page 2
Live Births - Mississippi - 1981

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Hinds	4,783	1,935	1,923	1	11	2,848	2,827	10	11	2,429	2,354
Holmes	510	79	78	0	1	431	426	1	4	248	262
Humphreys	318	78	78	0	0	240	237	2	1	145	173
Issaquena	47	18	18	0	0	29	28	0	1	30	17
Itawamba	275	249	248	1	0	26	26	0	0	134	141
Jackson	2,022	1,479	1,477	0	2	543	539	0	4	1,022	1,000
Jasper	320	102	101	0	1	218	217	0	1	174	146
Jefferson	209	17	17	0	0	192	191	0	1	109	100
Jeff Davis	262	98	97	0	1	164	162	1	1	118	144
Jones	1,070	689	683	0	6	381	381	0	0	564	506
Kemper	163	48	48	0	0	115	114	0	1	87	76
Lafayette	362	195	195	0	0	167	162	1	4	175	187
Lamar	478	403	399	0	4	75	75	0	0	219	259
Lauderdale	1,399	775	774	1	0	624	624	0	0	720	679
Lawrence	229	142	142	0	0	87	85	1	1	116	113
Leake	341	171	171	0	0	170	165	1	4	161	180
Lee	974	648	647	1	0	326	324	2	0	498	476
Leflore	847	236	236	0	0	611	603	3	5	432	415
Lincoln	512	293	293	0	0	219	218	0	1	265	247
Lowndes	1,094	608	607	0	1	486	479	3	4	581	513
Madison	836	326	326	0	0	510	508	1	1	450	386
Marion	502	305	302	0	3	197	195	0	2	257	245
Marshall	555	215	212	0	3	340	340	0	0	272	283
Monroe	655	371	370	1	0	284	283	0	1	330	325
Montgomery	225	99	99	0	0	126	126	0	0	111	114
Neshoba	403	225	225	0	0	178	178	0	0	214	189
Newton	304	172	172	0	0	132	130	2	0	162	142
Noxubee	300	95	95	0	0	205	203	1	1	159	141
Oktibbeha	593	257	257	0	0	336	334	0	2	304	289
Panola	606	194	192	0	2	412	397	4	11	327	279

Table 2 - Page 3
Live Births - Mississippi - 1981

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	548	427	426	1	0	121	121	0	0	274	274
Perry	184	124	123	0	1	60	59	1	0	90	94
Pike	647	273	267	0	6	374	357	3	14	341	306
Pontotoc	298	235	234	0	1	63	62	1	0	149	149
Prentiss	336	276	276	0	0	60	59	1	0	184	152
Quitman	263	75	75	0	0	188	187	0	1	139	124
Rankin	1,204	940	937	1	2	264	263	1	0	612	592
Scott	456	263	263	0	0	193	190	2	1	232	224
Sharkey	215	41	41	0	0	174	172	0	2	115	100
Simpson	423	239	237	0	2	184	182	2	0	221	202
Smith	234	144	143	0	1	90	89	0	1	115	119
Stone	184	125	125	0	0	59	57	0	2	108	76
Sunflower	753	164	164	0	0	589	586	2	1	370	383
Tallahatchie	375	104	104	0	0	271	267	1	3	197	178
Tate	361	166	166	0	0	195	193	2	0	180	181
Tippah	297	216	216	0	0	81	81	0	0	138	159
Tishomingo	267	260	259	0	1	7	7	0	0	136	131
Tunica	218	32	32	0	0	186	186	0	0	118	100
Union	331	278	277	1	0	53	53	0	0	163	168
Walthall	250	112	106	0	6	138	125	0	13	135	115
Warren	983	500	498	0	2	483	483	0	0	484	499
Washington	1,665	510	510	0	0	1,155	1,143	5	7	852	813
Wayne	436	245	243	1	1	191	190	0	1	232	204
Webster	174	124	124	0	0	50	50	0	0	97	77
Wilkinson	200	52	52	0	0	148	147	1	0	104	96
Winston	327	142	141	0	1	185	185	0	0	172	155
Yalobusha	215	106	106	0	0	109	109	0	0	115	100
Yazoo	612	191	189	0	2	421	408	1	12	333	279

NOTE: "Hosp. or Clinic" includes delivery by physician, CNM, or any other named person. "Other" includes delivery by any person other than a physician, at any place other than a hospital or clinic.

TABLE 3
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1981

County	Total	White	Non-white	County	Total	White	Non-white
STATE	81.1	65.5	108.5				
Adams	83.9	72.0	96.1	Lincoln	81.4	67.7	111.9
Alcorn	62.6	58.8	93.1	Lowndes	74.8	63.1	97.6
Amite	83.6	69.9	97.5	Madison	85.3	72.9	95.7
Attala	81.0	58.5	113.2	Marion	94.9	81.7	126.3
Benton	79.7	65.6	100.0	Marshall	83.5	72.0	92.9
Bolivar	106.3	59.7	134.7	Monroe	84.4	68.9	119.8
Calhoun	78.7	62.9	119.0	Montgomery	86.1	66.1	112.9
Carroll	66.0	61.0	71.5	Neshoba	83.0	67.0	118.8
Chickasaw	89.5	70.3	120.7	Newton	75.9	63.2	103.0
Choctaw	85.1	65.2	130.3	Noxubee	113.0	110.7	114.0
Claiborne	77.8	91.7	74.7	Oktibbeha	60.2	39.6	100.0
Clarke	88.8	76.5	112.1	Panola	105.1	66.6	144.5
Clay	96.4	70.9	119.9	Pearl River	72.4	67.0	101.1
Coahoma	97.8	60.0	118.9	Perry	83.6	71.0	131.9
Copiah	81.4	56.0	105.8	Pike	85.3	66.3	107.9
Covington	101.0	75.9	145.3	Pontotoc	68.2	64.6	85.6
DeSoto	61.4	57.1	85.0	Prentiss	65.0	60.8	95.1
Forrest	68.8	56.6	100.7	Quitman	105.7	68.0	135.6
Franklin	91.7	82.8	104.6	Rankin	70.2	66.4	88.6
George	86.8	82.0	131.1	Scott	87.6	78.6	104.0
Greene	74.6	62.3	122.1	Sharkey	130.5	78.5	154.5
Grenada	76.1	57.9	99.7	Simpson	85.7	71.4	116.2
Hancock	76.8	77.1	74.2	Smith	74.9	59.8	125.2
Harrison	77.8	72.2	97.8	Stone	84.6	75.5	113.7
Hinds	74.4	57.4	93.2	Sunflower	108.8	64.4	134.8
Holmes	108.5	60.3	127.1	Tallahatchie	107.7	73.6	131.1
Humphreys	111.9	83.4	125.8	Tate	75.7	56.9	105.4
Issaquena	83.0	72.0	91.8	Tippah	76.0	65.8	130.0
Itawamba	62.6	60.7	89.6	Tishomingo	68.9	69.9	44.0
Jackson	71.2	65.2	95.3	Tunica	112.2	63.9	129.1
Jasper	90.5	60.2	118.3	Union	74.2	72.3	85.6
Jefferson	105.0	63.4	111.4	Walthall	91.7	72.2	117.4
Jeff Davis	93.0	77.7	105.5	Warren	83.3	67.6	109.6
Jones	78.4	66.4	116.7	Washington	105.4	73.1	130.9
Kemper	82.0	55.0	103.0	Wayne	102.4	86.8	132.9
Lafayette	45.4	33.0	80.4	Webster	85.2	76.7	117.4
Lamar	84.8	80.2	122.5	Wilkinson	94.1	80.4	100.1
Lauderdale	81.6	67.1	111.7	Winston	83.4	62.5	112.2
Lawrence	83.8	75.8	101.4	Yalobusha	82.6	69.1	102.0
Leake	91.5	77.6	111.5	Yazoo	110.5	72.4	145.1
Lee	72.8	61.5	114.8				
Leflore	90.6	67.8	104.2				

* Live births per 1,000 female population 15-44 years of age.

TABLE 4A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1981

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	46,228	347	10,082	16,179	12,331	5,468	1,440	344	24	13
Adams	732	7	154	260	221	72	13	5	0	0
Alcorn	458	3	78	165	141	57	13	1	0	0
Amite	220	1	54	68	55	29	11	2	0	0
Attala	304	6	65	120	71	23	11	7	1	0
Benton	130	1	29	51	24	17	4	4	0	0
Bolivar	1,089	11	318	356	245	121	31	6	1	0
Calhoun	249	4	65	99	57	19	4	1	0	0
Carroll	134	0	26	45	43	15	4	1	0	0
Chickasaw	339	1	79	109	93	37	19	1	0	0
Choctaw	158	2	33	53	43	19	6	2	0	0
Claiborne	239	2	58	71	71	30	5	2	0	0
Clarke	313	5	65	112	85	38	6	2	0	0
Clay	453	2	104	137	133	54	19	4	0	0
Coahoma	770	13	234	257	175	60	29	2	0	0
Copiah	458	5	125	155	118	42	11	2	0	0
Covington	342	3	81	138	78	29	10	3	0	0
DeSoto	815	2	138	295	236	105	34	5	0	0
Forrest	1,160	10	231	401	327	149	32	10	0	0
Franklin	151	0	28	56	48	13	5	1	0	0
George	289	4	64	106	71	27	15	2	0	0
Greene	154	1	37	66	31	11	6	2	0	0
Grenada	351	1	91	118	86	37	14	4	0	0
Hancock	387	0	82	140	99	53	11	2	0	0
Harrison	2,883	14	605	1,087	773	314	69	19	1	1
Hinds	4,783	34	854	1,571	1,450	700	146	26	1	1
Holmes	510	5	137	180	107	51	20	9	1	0
Humphreys	318	5	93	94	80	30	12	4	0	0
Issaquena	47	0	14	19	10	4	0	0	0	0
Itawamba	275	0	51	113	67	35	9	0	0	0
Jackson	2,022	7	336	786	547	238	58	17	2	1
Jasper	320	4	72	118	69	41	12	4	0	0
Jefferson	209	5	46	71	49	25	12	1	0	0
Jeff Davis	262	5	67	83	58	35	10	4	0	0
Jones	1,070	6	226	385	285	133	29	6	0	0
Kemper	163	1	40	49	44	15	10	4	0	0
Lafayette	362	1	64	129	99	58	8	3	0	0
Lamar	478	1	75	176	149	62	13	2	0	0
Lauderdale	1,399	9	279	508	370	179	41	12	1	0
Lawrence	229	2	49	81	68	20	7	2	0	0
Leake	341	3	69	118	91	41	13	4	1	1
Lee	974	5	199	362	253	115	33	7	0	0
Leflore	847	13	223	299	180	97	29	5	1	0

Table 4A - Page 2
Total Live Births - Mississippi - 1981

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	512	4	108	162	158	57	19	3	1	0
Lowndes	1,094	6	188	423	314	115	37	10	1	0
Madison	836	7	167	256	265	117	16	8	0	0
Marion	502	3	113	205	107	57	13	3	0	1
Marshall	555	4	132	187	138	68	23	2	1	0
Monroe	655	4	143	224	177	82	21	3	1	0
Montgomery	225	1	63	73	57	23	7	1	0	0
Neshoba	403	4	96	138	104	37	19	4	1	0
Newton	304	2	72	98	84	37	8	3	0	0
Noxubee	300	2	73	91	88	36	8	2	0	0
Oktibbeha	593	1	122	189	170	77	24	8	2	0
Panola	606	6	150	193	153	79	16	8	0	1
Pearl River	548	6	106	204	160	59	10	3	0	0
Perry	184	1	37	68	49	23	5	1	0	0
Pike	647	6	134	250	150	72	27	8	0	0
Pontotoc	298	1	51	109	86	36	14	1	0	0
Prentiss	336	0	77	127	81	40	9	2	0	0
Quitman	263	1	81	89	56	25	8	3	0	0
Rankin	1,204	0	179	378	393	209	40	5	0	0
Scott	456	5	119	157	108	50	15	2	0	0
Sharkey	215	5	67	65	48	21	4	3	0	2
Simpson	423	4	101	149	110	46	10	2	1	0
Smith	234	2	59	80	53	27	8	4	1	0
Stone	184	1	35	63	51	29	4	1	0	0
Sunflower	753	12	216	256	163	80	18	7	1	0
Tallahatchie	375	4	125	138	60	34	11	3	0	0
Tate	361	3	88	121	87	40	16	3	1	2
Tippah	297	2	45	117	79	34	16	4	0	0
Tishomingo	267	0	61	94	66	38	8	0	0	0
Tunica	218	2	82	72	30	23	6	1	1	1
Union	331	1	63	122	100	29	14	2	0	0
Walthall	250	3	47	91	62	35	9	3	0	0
Warren	983	6	192	348	275	122	32	7	1	0
Washington	1,665	21	431	578	413	171	45	5	1	0
Wayne	436	1	111	142	122	48	9	3	0	0
Webster	174	0	37	60	52	20	4	1	0	0
Wilkinson	200	2	58	55	52	19	10	4	0	0
Winston	327	2	71	95	95	47	11	4	0	2
Yalobusha	215	2	46	86	59	16	4	2	0	0
Yazoo	612	6	168	219	156	40	18	5	0	0

TABLE 4B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1981

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	23,777	52	3,794	8,604	7,340	3,173	696	113	3	2
Adams	317	0	45	114	118	33	6	1	0	0
Alcorn	382	2	64	135	119	51	10	1	0	0
Amite	93	0	16	35	23	14	4	1	0	0
Attala	129	1	21	62	38	6	1	0	0	0
Benton	63	0	11	27	10	11	1	3	0	0
Bolivar	232	1	37	85	75	27	7	0	0	0
Calhoun	143	1	31	59	36	13	3	0	0	0
Carroll	65	0	4	27	21	11	2	0	0	0
Chickasaw	165	0	28	50	56	22	9	0	0	0
Choctaw	84	0	14	29	25	11	4	1	0	0
Claiborne	51	0	10	14	20	4	3	0	0	0
Clarke	176	1	30	71	49	23	1	1	0	0
Clay	160	1	27	60	48	20	3	1	0	0
Coahoma	169	0	21	57	56	22	12	1	0	0
Copiah	154	0	35	54	51	13	1	0	0	0
Covington	164	1	35	68	40	15	5	0	0	0
DeSoto	639	2	90	235	203	86	20	3	0	0
Forrest	691	3	110	238	213	102	20	5	0	0
Franklin	81	0	7	33	29	10	2	0	0	0
George	246	2	54	89	62	25	13	1	0	0
Greene	102	0	23	47	19	9	3	1	0	0
Grenada	151	0	26	48	46	22	8	1	0	0
Hancock	345	0	74	125	89	47	9	1	0	0
Harrison	2,089	3	396	845	580	215	39	10	0	1
Hinds	1,935	3	184	567	744	372	59	6	0	0
Holmes	79	0	14	34	18	12	1	0	0	0
Humphreys	78	1	11	24	32	7	3	0	0	0
Issaquena	18	0	2	6	6	4	0	0	0	0
Itawamba	249	0	46	104	58	32	9	0	0	0
Jackson	1,479	3	245	594	409	173	43	12	0	0
Jasper	102	0	18	38	24	17	4	1	0	0
Jefferson	17	0	2	9	5	1	0	0	0	0
Jeff Davis	98	0	22	38	30	7	1	0	0	0
Jones	689	3	112	255	203	92	19	5	0	0
Kemper	48	0	4	15	21	4	2	2	0	0
Lafayette	195	0	21	60	68	39	5	2	0	0
Lamar	403	1	57	150	129	55	10	1	0	0
Lauderdale	775	1	108	292	237	106	25	6	0	0
Lawrence	142	0	26	54	44	13	3	2	0	0
Leake	171	2	25	70	49	19	4	1	1	0
Lee	648	0	121	219	193	89	21	5	0	0
Leflore	236	1	35	79	74	41	6	0	0	0

Table 4B - Page 2
White Live Births - Mississippi - 1981

		Age of Mother								
County	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	293	0	53	95	104	32	8	0	1	0
Lowndes	608	1	78	254	201	58	15	1	0	0
Madison	326	1	26	91	137	66	3	2	0	0
Marion	305	1	61	130	67	32	11	2	0	1
Marshall	215	0	37	81	61	26	10	0	0	0
Monroe	371	0	77	126	107	49	12	0	0	0
Montgomery	99	0	24	27	33	9	6	0	0	0
Neshoba	225	2	42	86	66	19	8	2	0	0
Newton	172	1	26	62	56	23	3	1	0	0
Noxubee	95	0	10	32	33	17	3	0	0	0
Oktibbeha	257	0	31	81	90	44	9	2	0	0
Panola	194	0	34	64	58	29	6	3	0	0
Pearl River	427	1	75	159	128	51	10	3	0	0
Perry	124	0	29	40	35	17	2	1	0	0
Pike	273	1	42	105	75	38	11	1	0	0
Pontotoc	235	0	32	89	75	26	12	1	0	0
Prentiss	276	0	62	112	65	29	6	2	0	0
Quitman	75	0	13	25	26	5	6	0	0	0
Rankin	940	0	110	282	339	180	26	3	0	0
Scott	263	2	63	85	71	34	8	0	0	0
Sharkey	41	0	7	9	16	9	0	0	0	0
Simpson	239	1	57	86	64	25	5	0	1	0
Smith	144	0	29	55	35	18	6	1	0	0
Stone	125	0	20	42	38	22	2	1	0	0
Sunflower	164	0	26	58	52	25	3	0	0	0
Tallahatchie	104	1	22	37	26	16	2	0	0	0
Tate	166	1	28	59	50	19	7	2	0	0
Tippah	216	1	31	85	56	27	14	2	0	0
Tishomingo	260	0	59	92	64	37	8	0	0	0
Tunica	32	0	2	12	6	8	3	1	0	0
Union	278	1	48	100	88	27	12	2	0	0
Walthall	112	0	18	44	34	15	1	0	0	0
Warren	500	0	54	185	168	76	15	2	0	0
Washington	510	2	80	178	165	73	12	0	0	0
Wayne	245	0	38	90	80	28	8	1	0	0
Webster	124	0	21	42	40	16	4	1	0	0
Wilkinson	52	0	7	17	18	4	6	0	0	0
Winston	142	0	18	49	48	21	5	1	0	0
Yalobusha	106	1	17	50	28	9	1	0	0	0
Yazoo	191	1	25	73	67	19	6	0	0	0

TABLE 4C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1981

ounty	Total	Age of Mother								
		Under 15	15-19	20-25	25-29	30-34	35-39	40-44	45-49	Un-known
TATE	22,451	295	6,288	7,575	4,991	2,295	744	231	21	11
dams	415	7	109	146	103	39	7	4	0	0
lcorn	76	1	14	30	22	6	3	0	0	0
mite	127	1	38	33	32	15	7	1	0	0
ttala	175	5	44	58	33	17	10	7	1	0
enton	67	1	18	24	14	6	3	1	0	0
olivar	857	10	281	271	170	94	24	6	1	0
alhoun	106	3	34	40	21	6	1	1	0	0
arroll	69	0	22	18	22	4	2	1	0	0
hickasaw	174	1	51	59	37	15	10	1	0	0
hoctaw	74	2	19	24	18	8	2	1	0	0
laiborne	188	2	48	57	51	26	2	2	0	0
larke	137	4	35	41	36	15	5	1	0	0
lay	293	1	77	77	85	34	16	3	0	0
oahoma	601	13	213	200	119	38	17	1	0	0
opiah	304	5	90	101	67	29	10	2	0	0
ovington	178	2	46	70	38	14	5	3	0	0
eSoto	176	0	48	60	33	19	14	2	0	0
orrest	469	7	121	163	114	47	12	5	0	0
ranklin	70	0	21	23	19	3	3	1	0	0
eorge	43	2	10	17	9	2	2	1	0	0
reene	52	1	14	19	12	2	3	1	0	0
renada	200	1	65	70	40	15	6	3	0	0
ancock	42	0	8	15	10	6	2	1	0	0
arrison	794	11	209	242	193	99	30	9	1	0
inds	2,848	31	670	1,004	706	328	87	20	1	1
olmes	431	5	123	146	89	39	19	9	1	0
umphreys	240	4	82	70	48	23	9	4	0	0
ssaquena	29	0	12	13	4	0	0	0	0	0
tawamba	26	0	5	9	9	3	0	0	0	0
ackson	543	4	121	192	138	65	15	5	2	1
asper	218	4	54	80	45	24	8	3	0	0
efferson	192	5	44	62	44	24	12	1	0	0
eff Davis	164	5	45	45	28	28	9	4	0	0
ones	381	3	114	130	82	41	10	1	0	0
emper	115	1	36	34	23	11	8	2	0	0
afayette	167	1	43	69	31	19	3	1	0	0
amar	75	0	18	26	20	7	3	1	0	0
auderdale	624	8	171	216	133	73	16	6	1	0
awrence	87	2	23	27	24	7	4	0	0	0
eake	170	1	44	48	42	22	9	3	0	1
ee	326	5	78	143	60	26	12	2	0	0
eflore	611	12	188	220	106	56	23	5	1	0

Table 4C - Page 2
Nonwhite Live Births - Mississippi - 1981

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known
Lincoln	219	4	55	67	54	25	11	3	0	
Lowndes	486	5	110	169	113	57	22	9	1	
Madison	510	6	141	165	128	51	13	6	0	
Marion	197	2	52	75	40	25	2	1	0	
Marshall	340	4	95	106	77	42	13	2	1	
Monroe	284	4	66	98	70	33	9	3	1	
Montgomery	126	1	39	46	24	14	1	1	0	
Neshoba	178	2	54	52	38	18	11	2	1	
Newton	132	1	46	36	28	14	5	2	0	
Noxubee	205	2	63	59	55	19	5	2	0	
Oktibbeha	336	1	91	108	80	33	15	6	2	
Panola	412	6	116	129	95	50	10	5	0	
Pearl River	121	5	31	45	32	8	0	0	0	
Perry	60	1	8	28	14	6	3	0	0	
Pike	374	5	92	145	75	34	16	7	0	
Pontotoc	63	1	19	20	11	10	2	0	0	
Prentiss	60	0	15	15	16	11	3	0	0	
Quitman	188	1	68	64	30	20	2	3	0	
Rankin	264	0	69	96	54	29	14	2	0	
Scott	193	3	56	72	37	16	7	2	0	
Sharkey	174	5	60	56	32	12	4	3	0	
Simpson	184	3	44	63	46	21	5	2	0	
Smith	90	2	30	25	18	9	2	3	1	
Stone	59	1	15	21	13	7	2	0	0	
Sunflower	589	12	190	198	111	55	15	7	1	
Tallahatchie	271	3	103	101	34	18	9	3	0	
Tate	195	2	60	62	37	21	9	1	1	
Tippah	81	1	14	32	23	7	2	2	0	
Tishomingo	7	0	2	2	2	1	0	0	0	
Tunica	186	2	80	60	24	15	3	0	1	
Union	53	0	15	22	12	2	2	0	0	
Walthall	138	3	29	47	28	20	8	3	0	
Warren	483	6	138	163	107	46	17	5	1	
Washington	1,155	19	351	400	248	98	33	5	1	
Wayne	191	1	73	52	42	20	1	2	0	
Webster	50	0	16	18	12	4	0	0	0	
Wilkinson	148	2	51	38	34	15	4	4	0	
Winston	185	2	53	46	47	26	6	3	0	
Yalobusha	109	1	29	36	31	7	3	2	0	
Yazoo	421	5	143	146	89	21	12	5	0	

TABLE 5
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1981

	Number			Percent		
County	Total	White	Non-white	Total	White	Non-white
STATE	13,340	1,389	11,951	28.8	5.8	53.2
Adams	264	18	246	36.1	5.7	59.3
Alcorn	57	23	34	12.4	6.0	44.7
Amite	63	4	59	28.6	4.3	46.4
Attala	78	7	71	25.6	5.4	40.6
Benton	30	3	27	23.1	4.8	40.3
Bolivar	574	5	569	52.7	2.2	66.4
Calhoun	67	12	55	26.9	8.4	51.9
Carroll	28	1	27	20.9	1.5	39.1
Chickasaw	82	7	75	24.2	4.2	43.1
Choctaw	34	0	34	21.5	-	45.9
Claiborne	103	3	100	43.1	5.9	53.2
Clarke	83	12	71	26.5	6.8	51.8
Clay	142	12	130	31.3	7.5	44.4
Coahoma	401	10	391	52.1	5.9	65.0
Copiah	165	7	158	36.0	4.5	52.0
Covington	91	10	81	26.6	6.1	45.5
DeSoto	139	38	101	17.0	5.9	57.4
Forrest	277	50	227	23.9	7.2	48.4
Franklin	36	2	34	23.8	2.5	48.6
George	31	12	19	10.7	4.9	44.2
Greene	25	6	19	16.2	5.9	36.5
Grenada	109	9	100	31.0	6.0	50.0
Hancock	59	40	19	15.2	11.6	45.2
Harrison	526	157	369	18.2	7.5	46.5
Hinds	1,541	103	1,438	32.2	5.3	50.5
Holmes	232	2	230	45.5	2.5	53.4
Humphreys	161	2	159	50.6	2.6	66.2
Issaquena	22	0	22	46.8	-	75.9
Itawamba	28	16	12	10.2	6.4	46.2
Jackson	405	132	273	20.0	8.9	50.3
Jasper	96	5	91	30.0	4.9	41.7
Jefferson	112	1	111	53.6	5.9	57.8
Jeff Davis	68	1	67	26.0	1.0	40.8
Jones	204	26	178	19.1	3.8	46.7
Kemper	49	1	48	30.1	2.1	41.7
Lafayette	89	8	81	24.6	4.1	48.5
Lamar	57	19	38	11.9	4.7	50.7
Lauderdale	363	43	320	25.9	5.5	51.3
Lawrence	41	4	37	17.9	2.8	42.5
Leake	76	13	63	22.3	7.6	37.0
Lee	174	49	125	17.9	7.6	38.3
Leflore	400	21	379	47.2	8.9	62.0

Table 5 - Page 2
Illegitimate Live Births - Mississippi - 1981

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	124	13	111	24.2	4.4	50.7
Lowndes	280	27	253	25.6	4.4	52.0
Madison	314	15	299	37.6	4.6	58.6
Marion	104	19	85	20.7	6.2	43.1
Marshall	213	12	201	38.4	5.6	59.1
Monroe	144	16	128	22.0	4.3	45.1
Montgomery	76	5	71	33.8	5.0	56.3
Neshoba	86	11	75	21.3	4.9	42.1
Newton	67	8	59	22.0	4.6	44.7
Noxubee	125	3	122	41.7	3.2	59.5
Oktibbeha	172	8	164	29.0	3.1	48.8
Panola	260	20	240	42.9	10.3	58.2
Pearl River	95	30	65	17.3	7.0	53.7
Perry	32	3	29	17.4	2.4	48.3
Pike	199	14	185	30.8	5.1	49.5
Pontotoc	38	9	29	12.8	3.8	46.0
Prentiss	46	20	26	13.7	7.2	43.3
Quitman	127	4	123	48.3	5.3	65.4
Rankin	155	44	111	12.9	4.7	42.0
Scott	109	18	91	23.9	6.8	47.2
Sharkey	119	1	118	55.3	2.4	67.8
Simpson	89	12	77	21.0	5.0	41.8
Smith	48	6	42	20.5	4.2	46.7
Stone	32	3	29	17.4	2.4	49.2
Sunflower	387	13	374	51.4	7.9	63.5
Tallahatchie	198	13	185	52.8	12.5	68.3
Tate	105	6	99	29.1	3.6	50.8
Tippah	31	10	21	10.4	4.6	25.9
Tishomingo	15	11	4	5.6	4.2	57.1
Tunica	130	0	130	59.6	-	69.9
Union	40	15	25	12.1	5.4	47.2
Walthall	61	8	53	24.4	7.1	38.4
Warren	301	23	278	30.6	4.6	57.6
Washington	783	34	749	47.0	6.7	64.8
Wayne	117	15	102	26.8	6.1	53.4
Webster	36	9	27	20.7	7.2	54.0
Wilkinson	88	3	85	44.0	5.8	57.4
Winston	101	3	98	30.9	2.1	53.0
Yalobusha	63	5	58	29.3	4.7	53.2
Yazoo	248	6	242	40.5	3.1	57.5

TABLE 6A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1981

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	13,340	322	5,960	4,407	1,719	638	203	77	10	4
Adams	264	7	106	88	50	8	3	2	0	0
Alcorn	57	2	21	24	9	1	0	0	0	0
Amite	63	1	30	14	15	2	1	0	0	0
Attala	78	6	36	21	8	3	2	1	1	0
Benton	30	1	16	7	5	1	0	0	0	0
Bolivar	574	10	266	184	78	28	5	3	0	0
Calhoun	67	4	33	19	7	2	1	1	0	0
Carroll	28	0	18	8	1	1	0	0	0	0
Chickasaw	82	1	44	24	5	6	1	1	0	0
Choctaw	34	2	15	8	5	3	1	0	0	0
Claiborne	103	2	43	33	15	8	1	1	0	0
Clarke	83	4	32	23	13	9	1	1	0	0
Clay	142	1	61	41	23	13	2	1	0	0
Coahoma	401	13	192	129	53	7	6	1	0	0
Copiah	165	5	79	49	20	7	5	0	0	0
Covington	91	2	38	36	12	1	0	2	0	0
DeSoto	139	2	61	47	17	9	3	0	0	0
Forrest	277	9	124	98	32	11	3	0	0	0
Franklin	36	0	16	14	5	1	0	0	0	0
George	31	2	13	11	3	0	1	1	0	0
Greene	25	1	14	7	2	0	1	0	0	0
Grenada	109	1	59	34	9	3	3	0	0	0
Hancock	59	0	21	25	8	4	0	1	0	0
Harrison	526	13	244	176	60	24	7	2	0	0
Hinds	1,541	33	621	546	224	82	27	6	1	1
Holmes	232	5	102	74	34	12	2	3	0	0
Humphreys	161	5	71	46	25	9	4	1	0	0
Issaquena	22	0	12	10	0	0	0	0	0	0
Itawamba	28	0	10	8	6	4	0	0	0	0
Jackson	405	6	167	152	52	18	4	4	1	1
Jasper	96	4	43	36	4	7	1	1	0	0
Jefferson	112	5	39	40	16	7	4	1	0	0
Jeff Davis	68	4	34	18	8	4	0	0	0	0
Jones	204	5	98	67	19	10	5	0	0	0
Kemper	49	1	25	13	3	3	2	2	0	0
Lafayette	89	1	38	31	9	7	3	0	0	0
Lamar	57	0	25	24	6	2	0	0	0	0
Lauderdale	363	8	163	121	40	23	6	1	1	0
Lawrence	41	2	22	9	7	1	0	0	0	0
Leake	76	2	30	19	18	3	1	2	1	0
Lee	174	5	78	55	19	9	6	2	0	0
Leflore	400	13	179	135	49	18	5	1	0	0

Table 6A - Page 2
Total Illegitimate Live Births - Mississippi - 1981

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	124	4	50	43	18	6	1	2	0	0
Lowndes	280	6	109	102	38	11	8	6	0	0
Madison	314	7	139	106	44	13	2	3	0	0
Marion	104	3	48	41	6	4	2	0	0	0
Marshall	213	3	95	62	33	15	4	1	0	0
Monroe	144	4	59	41	23	11	3	2	1	0
Montgomery	76	1	38	23	9	5	0	0	0	0
Neshoba	86	3	40	22	13	5	3	0	0	0
Newton	67	1	39	16	8	1	2	0	0	0
Noxubee	125	2	56	35	18	13	0	1	0	0
Oktibbeha	172	1	72	55	28	11	5	0	0	0
Panola	260	6	115	78	42	13	4	1	0	1
Pearl River	95	6	43	31	13	3	0	0	0	0
Perry	32	1	9	13	5	3	1	0	0	0
Pike	199	6	82	74	22	7	6	2	0	0
Pontotoc	38	1	19	11	0	6	2	0	0	0
Prentiss	46	0	24	10	8	3	1	0	0	0
Quitman	127	1	63	42	12	8	0	1	0	0
Rankin	155	0	70	56	18	7	4	0	0	0
Scott	109	4	53	36	9	5	2	0	0	0
Sharkey	119	5	60	37	15	2	0	0	0	0
Simpson	89	4	45	26	9	4	0	1	0	0
Smith	48	2	28	7	9	1	1	0	0	0
Stone	32	1	15	12	2	2	0	0	0	0
Sunflower	387	12	175	127	43	18	8	3	1	0
Tallahatchie	198	4	100	71	14	5	2	2	0	0
Tate	105	3	53	34	9	4	1	0	1	0
Tippah	31	1	14	12	3	1	0	0	0	0
Tishomingo	15	0	9	3	1	2	0	0	0	0
Tunica	130	2	72	38	11	7	0	0	0	0
Union	40	1	16	14	6	1	2	0	0	0
Walthall	61	3	21	24	8	2	2	1	0	0
Warren	301	6	136	108	33	10	5	2	1	0
Washington	783	20	337	277	108	30	9	1	1	0
Wayne	117	1	66	33	10	7	0	0	0	0
Webster	36	0	19	14	1	2	0	0	0	0
Wilkinson	88	2	45	20	15	5	0	1	0	0
Winston	101	2	43	29	19	7	0	0	0	1
Yalobusha	63	2	26	24	9	0	1	1	0	0
Yazoo	248	4	118	76	33	8	5	4	0	0

TABLE 6B
WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1981

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	1,389	32	654	479	149	47	23	4	1	0
Adams	18	0	9	5	4	0	0	0	0	0
Alcorn	23	1	10	10	1	1	0	0	0	0
Amite	4	0	2	0	2	0	0	0	0	0
Attala	7	1	5	1	0	0	0	0	0	0
Benton	3	0	1	1	1	0	0	0	0	0
Bolivar	5	0	3	2	0	0	0	0	0	0
Calhoun	12	1	5	5	0	1	0	0	0	0
Carroll	1	0	0	1	0	0	0	0	0	0
Chickasaw	7	0	5	1	0	0	1	0	0	0
Choctaw	0	0	0	0	0	0	0	0	0	0
Claiborne	3	0	3	0	0	0	0	0	0	0
Clarke	12	0	6	2	0	4	0	0	0	0
Clay	12	0	5	6	1	0	0	0	0	0
Coahoma	10	0	4	4	1	0	0	1	0	0
Copiah	7	0	4	2	1	0	0	0	0	0
Covington	10	0	4	5	1	0	0	0	0	0
DeSoto	38	2	20	11	4	0	1	0	0	0
Forrest	50	2	20	17	5	5	1	0	0	0
Franklin	2	0	0	2	0	0	0	0	0	0
George	12	0	7	3	2	0	0	0	0	0
Greene	6	0	3	1	2	0	0	0	0	0
Grenada	9	0	4	3	0	0	2	0	0	0
Hancock	40	0	16	18	5	1	0	0	0	0
Harrison	157	2	64	66	19	3	3	0	0	0
Hinds	103	3	42	38	14	4	2	0	0	0
Holmes	2	0	2	0	0	0	0	0	0	0
Humphreys	2	1	0	1	0	0	0	0	0	0
Issaquena	0	0	0	0	0	0	0	0	0	0
Itawamba	16	0	7	5	2	2	0	0	0	0
Jackson	132	2	59	50	13	5	1	2	0	0
Jasper	5	0	4	1	0	0	0	0	0	0
Jefferson	1	0	0	1	0	0	0	0	0	0
Jeff Davis	1	0	0	1	0	0	0	0	0	0
Jones	26	2	12	10	2	0	0	0	0	0
Kemper	1	0	1	0	0	0	0	0	0	0
Lafayette	8	0	3	4	1	0	0	0	0	0
Lamar	19	0	11	6	2	0	0	0	0	0
Lauderdale	43	0	20	16	5	1	1	0	0	0
Lawrence	4	0	2	1	1	0	0	0	0	0
Leake	13	1	3	4	3	1	0	0	1	0
Lee	49	0	25	10	9	4	1	0	0	0
Leflore	21	1	9	7	3	1	0	0	0	0

Table 6B - Page 2
White Illegitimate Live Births - Mississippi - 1981

		Age of Mother								
County	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	13	0	7	5	1	0	0	0	0	0
Lowndes	27	1	12	11	2	0	1	0	0	0
Madison	15	1	9	4	1	0	0	0	0	0
Marion	19	1	12	5	0	0	1	0	0	0
Marshall	12	0	8	3	0	0	1	0	0	0
Monroe	16	0	13	1	2	0	0	0	0	0
Montgomery	5	0	3	2	0	0	0	0	0	0
Neshoba	11	1	4	2	4	0	0	0	0	0
Newton	8	0	3	2	3	0	0	0	0	0
Noxubee	3	0	2	1	0	0	0	0	0	0
Oktibbeha	8	0	3	4	1	0	0	0	0	0
Panola	20	0	9	6	2	0	3	0	0	0
Pearl River	30	0	15	8	5	2	0	0	0	0
Perry	3	0	1	2	0	0	0	0	0	0
Pike	14	1	6	3	1	1	1	1	0	0
Pontotoc	9	0	3	3	0	1	2	0	0	0
Prentiss	20	0	13	4	2	1	0	0	0	0
Quitman	4	0	1	2	0	1	0	0	0	0
Rankin	44	0	18	18	6	2	0	0	0	0
Scott	18	2	13	3	0	0	0	0	0	0
Sharkey	1	0	1	0	0	0	0	0	0	0
Simpson	12	1	9	2	0	0	0	0	0	0
Smith	6	0	4	2	0	0	0	0	0	0
Stone	3	0	1	2	0	0	0	0	0	0
Sunflower	13	0	7	4	1	1	0	0	0	0
Tallahatchie	13	1	7	5	0	0	0	0	0	0
Tate	6	1	2	2	1	0	0	0	0	0
Tippah	10	0	4	5	1	0	0	0	0	0
Tishomingo	11	0	8	2	0	1	0	0	0	0
Tunica	0	0	0	0	0	0	0	0	0	0
Union	15	1	7	6	0	0	1	0	0	0
Walthall	8	0	3	5	0	0	0	0	0	0
Warren	23	0	10	11	2	0	0	0	0	0
Washington	34	1	17	10	4	2	0	0	0	0
Wayne	15	0	8	3	2	2	0	0	0	0
Webster	9	0	5	4	0	0	0	0	0	0
Wilkinson	3	0	2	1	0	0	0	0	0	0
Winston	3	0	1	1	1	0	0	0	0	0
Yalobusha	5	1	2	2	0	0	0	0	0	0
Yazoo	6	0	1	2	3	0	0	0	0	0

TABLE 6C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1981

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	11,951	290	5,306	3,928	1,570	591	180	73	9	4
Adams	246	7	97	83	46	8	3	2	0	0
Alcorn	34	1	11	14	8	0	0	0	0	0
Amite	59	1	28	14	13	2	1	0	0	0
Attala	71	5	31	20	8	3	2	1	1	0
Benton	27	1	15	6	4	1	0	0	0	0
Bolivar	569	10	263	182	78	28	5	3	0	0
Calhoun	55	3	28	14	7	1	1	1	0	0
Carroll	27	0	18	7	1	1	0	0	0	0
Chickasaw	75	1	39	23	5	6	0	1	0	0
Choctaw	34	2	15	8	5	3	1	0	0	0
Claiborne	100	2	40	33	15	8	1	1	0	0
Clarke	71	4	26	21	13	5	1	1	0	0
Clay	130	1	56	35	22	13	2	1	0	0
Coahoma	391	13	188	125	52	7	6	0	0	0
Copiah	158	5	75	47	19	7	5	0	0	0
Covington	81	2	34	31	11	1	0	2	0	0
DeSoto	101	0	41	36	13	9	2	0	0	0
Forrest	227	7	104	81	27	6	2	0	0	0
Franklin	34	0	16	12	5	1	0	0	0	0
George	19	2	6	8	1	0	1	1	0	0
Greene	19	1	11	6	0	0	1	0	0	0
Grenada	100	1	55	31	9	3	1	0	0	0
Hancock	19	0	5	7	3	3	0	1	0	0
Harrison	369	11	180	110	41	21	4	2	0	0
Hinds	1,438	30	579	508	210	78	25	6	1	1
Holmes	230	5	100	74	34	12	2	3	0	0
Humphreys	159	4	71	45	25	9	4	1	0	0
Issaquena	22	0	12	10	0	0	0	0	0	0
Itawamba	12	0	3	3	4	2	0	0	0	0
Jackson	273	4	108	102	39	13	3	2	1	1
Jasper	91	4	39	35	4	7	1	1	0	0
Jefferson	111	5	39	39	16	7	4	1	0	0
Jeff Davis	67	4	34	17	8	4	0	0	0	0
Jones	178	3	86	57	17	10	5	0	0	0
Kemper	48	1	24	13	3	3	2	2	0	0
Lafayette	81	1	35	27	8	7	3	0	0	0
Lamar	38	0	14	18	4	2	0	0	0	0
Lauderdale	320	8	143	105	35	22	5	1	1	0
Lawrence	37	2	20	8	6	1	0	0	0	0
Leake	63	1	27	15	15	2	1	2	0	0
Lee	125	5	53	45	10	5	5	2	0	0
Leflore	379	12	170	128	46	17	5	1	0	0

Table 6C - Page 2
Nonwhite Illegitimate Live births - Mississippi - 1981

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un know
Lincoln	111	4	43	38	17	6	1	2	0	
Lowndes	253	5	97	91	36	11	7	6	0	
Madison	299	6	130	102	43	13	2	3	0	
Marion	85	2	36	36	6	4	1	0	0	
Marshall	201	3	87	59	33	15	3	1	0	
Monroe	128	4	46	40	21	11	3	2	1	
Montgomery	71	1	35	21	9	5	0	0	0	
Neshoba	75	2	36	20	9	5	3	0	0	
Newton	59	1	36	14	5	1	2	0	0	
Noxubee	122	2	54	34	18	13	0	1	0	
Oktibbeha	164	1	69	51	27	11	5	0	0	
Panola	240	6	106	72	40	13	1	1	0	
Pearl River	65	5	28	23	8	1	0	0	0	
Perry	29	1	8	11	5	3	1	0	0	
Pike	185	5	76	71	21	6	5	1	0	
Pontotoc	29	1	16	8	0	4	0	0	0	
Prentiss	26	0	11	6	6	2	1	0	0	
Quitman	123	1	62	40	12	7	0	1	0	
Rankin	111	0	52	38	12	5	4	0	0	
Scott	91	2	40	33	9	5	2	0	0	
Sharkey	118	5	59	37	15	2	0	0	0	
Simpson	77	3	36	24	9	4	0	1	0	
Smith	42	2	24	5	9	1	1	0	0	
Stone	29	1	14	10	2	2	0	0	0	
Sunflower	374	12	168	123	42	17	8	3	1	
Tallahatchie	185	3	93	66	14	5	2	2	0	
Tate	99	2	51	32	8	4	1	0	1	
Tippah	21	1	10	7	2	1	0	0	0	
Tishomingo	4	0	1	1	1	1	0	0	0	
Tunica	130	2	72	38	11	7	0	0	0	
Union	25	0	9	8	6	1	1	0	0	
Walthall	53	3	18	19	8	2	2	1	0	
Warren	278	6	126	97	31	10	5	2	1	
Washington	749	19	320	267	104	28	9	1	1	
Wayne	102	1	58	30	8	5	0	0	0	
Webster	27	0	14	10	1	2	0	0	0	
Wilkinson	85	2	43	19	15	5	0	1	0	
Winston	98	2	42	28	18	7	0	0	0	
Yalobusha	58	1	24	22	9	0	1	1	0	
Yazoo	242	4	117	74	30	8	5	4	0	

TABLE 7
IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1981

	Number			Percent		
County	Total	White	Non-white	Total	White	Non-white
STATE	4,016	1,341	2,675	8.7	5.6	11.9
Adams	77	17	60	10.5	5.4	14.4
Alcorn	33	26	7	7.2	6.8	9.2
Amite	23	7	16	10.4	7.5	12.6
Attala	34	12	22	11.2	9.3	12.6
Benton	8	2	6	6.2	3.2	9.0
Bolivar	121	12	109	11.1	5.2	12.7
Calhoun	23	7	16	9.2	4.9	15.1
Carroll	7	1	6	5.2	1.5	8.7
Chickasaw	30	8	22	8.8	4.8	12.6
Choctaw	6	2	4	3.8	2.4	5.4
Claiborne	17	3	14	7.1	5.9	7.4
Clarke	21	6	15	6.7	3.4	10.9
Clay	32	6	26	7.1	3.8	8.9
Coahoma	72	2	70	9.4	1.2	11.6
Copiah	55	12	43	12.0	7.8	14.1
Covington	27	10	17	7.9	6.1	9.6
DeSoto	58	34	24	7.1	5.3	13.6
Forrest	90	35	55	7.8	5.1	11.7
Franklin	13	7	6	8.6	8.6	8.6
George	22	16	6	7.6	6.5	14.0
Greene	11	4	7	7.1	3.9	13.5
Grenada	39	12	27	11.1	7.9	13.5
Hancock	29	24	5	7.5	7.0	11.9
Harrison	223	133	90	7.7	6.4	11.3
Hinds	464	117	347	9.7	6.0	12.2
Holmes	66	1	65	12.9	1.3	15.1
Humphreys	27	6	21	8.5	7.7	8.8
Issaquena	4	2	2	8.5	11.1	6.9
Itawamba	14	13	1	5.1	5.2	3.8
Jackson	120	64	56	5.9	4.3	10.3
Jasper	36	9	27	11.2	8.8	12.4
Jefferson	18	1	17	8.6	5.9	8.8
Jeff Davis	22	3	19	8.4	3.1	11.6
Jones	88	40	48	8.2	5.8	12.6
Kemper	16	0	16	9.8	–	13.9
Lafayette	24	6	18	6.6	3.1	10.8
Lamar	29	21	8	6.1	5.2	10.7
Lauderdale	112	44	68	8.0	5.7	10.9
Lawrence	16	8	8	7.0	5.6	9.2
Leake	42	16	26	12.3	9.4	15.3
Lee	91	42	49	9.3	6.5	15.0
Leflore	94	23	71	11.1	9.7	11.6

Table 7 - Page 2
Immature Live Births - Mississippi - 1981

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	33	12	21	6.4	4.1	9.6
Lowndes	96	36	60	8.8	5.9	12.3
Madison	90	18	72	10.8	5.5	14.1
Marion	43	18	25	8.6	5.9	12.7
Marshall	44	12	32	7.9	5.6	9.4
Monroe	60	18	42	9.2	4.8	14.8
Montgomery	21	5	16	9.3	5.0	12.7
Neshoba	38	16	22	9.4	7.1	12.4
Newton	22	12	10	7.2	7.0	7.6
Noxubee	31	8	23	10.3	8.4	11.2
Oktibbeha	47	9	38	7.9	3.5	11.3
Panola	43	4	39	7.1	2.1	9.5
Pearl River	42	20	22	7.7	4.7	18.2
Perry	18	9	9	9.8	7.2	15.0
Pike	56	15	41	8.6	5.5	11.0
Pontotoc	30	21	9	10.1	8.9	14.3
Prentiss	24	16	8	7.1	5.8	13.3
Quitman	26	4	22	9.9	5.3	11.7
Rankin	81	48	33	6.7	5.1	12.5
Scott	44	20	24	9.6	7.6	12.4
Sharkey	20	0	20	9.3	-	11.5
Simpson	36	16	20	8.5	6.7	10.9
Smith	25	12	13	10.7	8.3	14.4
Stone	11	5	6	6.0	4.0	10.2
Sunflower	65	7	58	8.6	4.3	9.8
Tallahatchie	42	9	33	11.2	8.6	12.2
Tate	39	7	32	10.8	4.2	16.4
Tippah	23	16	7	7.7	7.4	8.6
Tishomingo	20	19	1	7.5	7.3	14.3
Tunica	28	4	24	12.8	12.5	12.9
Union	20	13	7	6.0	4.7	13.2
Walthall	15	6	9	6.0	5.4	6.5
Warren	65	12	53	6.6	2.4	11.0
Washington	188	32	156	11.3	6.3	13.5
Wayne	33	12	21	7.6	4.9	11.0
Webster	15	10	5	8.6	8.1	10.0
Wilkinson	16	2	14	8.0	3.8	9.4
Winston	25	5	20	7.6	3.5	10.8
Yalobusha	18	8	10	8.4	7.5	9.2
Yazoo	69	11	58	11.3	5.8	13.8

* Birthweight 2,500 grams or less.

TABLE 8
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1981

	Number			Percent		
County	Total	White	Non-white	Total	White	Non-white
STATE	5,908	1,930	3,978	12.8	8.1	17.7
Adams	116	21	95	15.8	6.6	22.9
Alcorn	43	29	14	9.4	7.6	18.4
Amite	32	13	19	14.5	14.0	15.0
Attala	47	13	34	15.5	10.1	19.4
Benton	16	2	14	12.3	3.2	20.9
Bolivar	183	14	169	16.8	6.0	19.7
Calhoun	29	10	19	11.6	7.0	17.9
Carroll	15	4	11	11.2	6.2	15.9
Chickasaw	43	13	30	12.7	7.9	17.2
Choctaw	12	0	12	7.6	-	16.2
Claiborne	25	4	21	10.5	7.8	11.2
Clarke	34	16	18	10.9	9.1	13.1
Clay	54	12	42	11.9	7.5	14.3
Coahoma	123	16	107	16.0	9.5	17.8
Copiah	81	15	66	17.7	9.7	21.7
Covington	41	14	27	12.0	8.5	15.2
DeSoto	69	46	23	8.5	7.2	13.1
Forrest	134	49	85	11.6	7.1	18.1
Franklin	13	6	7	8.6	7.4	10.0
George	27	22	5	9.3	8.9	11.6
Greene	17	8	9	11.0	7.8	17.3
Grenada	56	15	41	16.0	9.9	20.5
Hancock	32	26	6	8.3	7.5	14.3
Harrison	315	196	119	10.9	9.4	15.0
Hinds	679	157	522	14.2	8.1	18.3
Holmes	95	4	91	18.6	5.1	21.1
Humphreys	47	10	37	14.8	12.8	15.4
Issaquena	8	1	7	17.0	5.6	24.1
Itawamba	21	15	6	7.6	6.0	23.1
Jackson	201	118	83	9.9	8.0	15.3
Jasper	51	9	42	15.9	8.8	19.3
Jefferson	30	2	28	14.4	11.8	14.6
Jeff Davis	34	8	26	13.0	8.2	15.8
Jones	125	56	69	11.7	8.1	18.1
Kemper	20	2	18	12.3	4.2	15.6
Lafayette	45	12	33	12.4	6.2	19.8
Lamar	35	28	7	7.3	6.9	9.3
Lauderdale	151	55	96	10.8	7.1	15.4
Lawrence	24	15	9	10.5	10.6	10.3
Leake	48	15	33	14.1	8.8	19.4
Lee	120	56	64	12.3	8.6	19.6
Leflore	144	28	116	17.0	11.9	19.0

Table 8 - Page 2
Premature Live Births - Mississippi - 1981

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	58	25	33	11.3	8.5	15.1
Lowndes	135	41	94	12.3	6.7	19.3
Madison	112	25	87	13.4	7.7	17.0
Marion	59	22	37	11.8	7.2	18.8
Marshall	77	19	58	13.9	8.8	17.0
Monroe	88	34	54	13.4	9.2	19.0
Montgomery	36	8	28	16.0	8.1	22.2
Neshoba	49	23	26	12.2	10.2	14.6
Newton	30	13	17	9.9	7.6	12.9
Noxubee	51	10	41	17.0	10.5	20.0
Oktibbeha	71	20	51	12.0	7.8	15.2
Panola	101	16	85	16.7	8.2	20.6
Pearl River	59	36	23	10.8	8.4	19.0
Perry	18	11	7	9.8	8.9	11.7
Pike	108	29	79	16.7	10.6	21.1
Pontotoc	42	25	17	14.1	10.6	27.0
Prentiss	36	25	11	10.7	9.0	18.3
Quitman	40	4	36	15.2	5.3	19.1
Rankin	119	76	43	9.9	8.1	16.3
Scott	58	31	27	12.7	11.8	14.0
Sharkey	36	2	34	16.7	4.9	19.5
Simpson	55	17	38	13.0	7.1	20.6
Smith	31	15	16	13.2	10.4	17.8
Stone	18	6	12	9.8	4.8	20.3
Sunflower	105	14	91	13.9	8.5	15.4
Tallahatchie	66	11	55	17.6	10.6	20.3
Tate	64	15	49	17.7	9.0	25.1
Tippah	33	22	11	11.1	10.2	13.6
Tishomingo	24	22	2	9.0	8.5	28.6
Tunica	34	2	32	15.6	6.2	17.2
Union	32	24	8	9.7	8.6	15.1
Walthall	42	11	31	16.8	9.8	22.5
Warren	92	27	65	9.4	5.4	13.4
Washington	268	43	225	16.1	8.4	19.5
Wayne	34	12	22	7.8	4.9	11.5
Webster	18	13	5	10.3	10.5	10.0
Wilkinson	12	0	12	6.0	-	8.1
Winston	36	8	28	11.0	5.6	15.1
Yalobusha	27	7	20	12.6	6.6	18.3
Yazoo	99	11	88	16.2	5.8	20.9

* Gestation less than 37 weeks.

TABLE 9

REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE, ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1981

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	654	222	432	648	222	426	14.0	9.3	19.0
Adams	9	2	7	3	0	3	4.1	-	7.2
Alcorn	5	3	2	8	5	3	17.5	13.1	39.5
Amite	0	0	0	1	0	1	4.5	-	7.9
Attala	1	0	1	8	1	7	26.3	7.8	40.0
Benton	0	0	0	0	0	0	-	-	-
Bolivar	24	2	22	21	3	18	19.3	12.9	21.0
Calhoun	0	0	0	2	2	0	8.0	14.0	-
Carroll	0	0	0	0	0	0	-	-	-
Chickasaw	0	0	0	8	3	5	23.6	18.2	28.7
Choctaw	3	1	2	3	1	2	19.0	11.9	27.0
Claiborne	1	0	1	5	1	4	20.9	19.6	21.3
Clarke	0	0	0	1	0	1	3.2	-	7.3
Clay	10	0	10	6	1	5	13.2	6.2	17.1
Coahoma	27	2	25	15	0	15	19.5	-	25.0
Copiah	1	0	1	7	2	5	15.3	13.0	16.4
Covington	1	0	1	7	2	5	20.5	12.2	28.1
DeSoto	0	0	0	6	3	3	7.4	4.7	17.0
Forrest	33	21	12	14	6	8	12.1	8.7	17.0
Franklin	0	0	0	0	0	0	-	-	-
George	0	0	0	3	2	1	10.4	8.1	23.2
Greene	0	0	0	0	0	0	-	-	-
Grenada	12	4	8	8	2	6	22.8	13.2	30.0
Hancock	0	0	0	1	1	0	2.6	2.9	-
Harrison	41	23	18	37	23	14	12.8	11.0	17.6
Hinds	143	29	114	84	17	67	17.6	8.8	23.5
Holmes	1	0	1	5	0	5	9.8	-	11.6
Humphreys	3	0	3	7	0	7	22.0	-	29.2
Issaquena	0	0	0	0	0	0	-	-	-
Itawamba	0	0	0	2	2	0	7.3	8.0	-
Jackson	31	22	9	29	20	9	14.3	13.5	16.6
Jasper	0	0	0	4	0	4	12.5	-	18.3
Jefferson	0	0	0	2	0	2	9.6	-	10.4
Jeff Davis	1	1	0	5	4	1	19.1	40.8	6.1
Jones	23	7	16	15	7	8	14.0	10.2	21.0
Kemper	0	0	0	1	0	1	6.1	-	8.7
Lafayette	5	2	3	1	0	1	2.8	-	6.0
Lamar	3	2	1	9	8	1	18.8	19.8	13.3
Lauderdale	21	12	9	11	8	3	7.9	10.3	4.8
Lawrence	0	0	0	2	1	1	8.7	7.0	11.5
Leake	0	0	0	1	0	1	2.9	-	5.9
Lee	29	10	19	14	4	10	14.4	6.2	30.7
Leflore	28	1	27	16	0	16	18.9	-	26.2

Table 9 - Page 2
Fetal Deaths - Mississippi - 1981

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	2	1	1	3	1	2	5.8	3.4	9.1
Lowndes	10	7	3	16	7	9	14.6	11.5	18.5
Madison	3	0	3	10	0	10	12.0	-	19.6
Marion	0	0	0	7	5	2	13.9	16.4	10.2
Marshall	1	0	1	8	3	5	14.4	14.0	14.7
Monroe	16	12	4	11	7	4	16.8	18.9	14.1
Montgomery	2	0	2	4	1	3	17.8	10.1	23.8
Neshoba	7	2	5	7	3	4	17.4	13.3	22.5
Newton	2	1	1	5	2	3	16.4	11.6	22.7
Noxubee	3	0	3	4	0	4	13.3	-	19.5
Oktibbeha	9	3	6	6	3	3	10.1	11.7	8.9
Panola	4	0	4	8	2	6	13.2	10.3	14.6
Pearl River	10	8	2	10	6	4	18.2	14.0	33.0
Perry	2	1	1	4	3	1	21.7	24.2	16.7
Pike	12	4	8	11	2	9	17.0	7.3	24.1
Pontotoc	1	1	0	5	2	3	16.8	8.5	47.6
Prentiss	1	0	1	4	2	2	11.9	7.2	33.3
Quitman	1	0	1	5	0	5	19.0	-	26.6
Rankin	26	12	14	7	6	1	5.8	6.4	3.8
Scott	0	0	0	8	1	7	17.5	3.8	36.3
Sharkey	2	0	2	7	0	7	32.6	-	40.2
Simpson	3	0	3	9	2	7	21.3	8.4	38.0
Smith	0	0	0	2	0	2	8.5	-	22.2
Stone	0	0	0	1	1	0	5.4	8.0	-
Sunflower	8	3	5	12	2	10	15.9	12.2	17.0
Tallahatchie	1	0	1	3	0	3	8.0	-	11.1
Tate	3	0	3	6	1	5	16.6	6.0	25.6
Tippah	8	7	1	12	10	2	40.4	46.3	24.7
Tishomingo	0	0	0	1	0	1	3.7	-	142.8
Tunica	0	0	0	4	0	4	18.3	-	21.5
Union	6	4	2	3	2	1	9.1	7.2	18.9
Walthall	2	0	2	3	1	2	12.0	8.9	14.5
Warren	17	4	13	14	5	9	14.2	10.0	18.6
Washington	18	1	17	26	2	24	15.6	3.9	20.8
Wayne	2	1	1	5	2	3	11.5	8.2	15.7
Webster	5	1	4	4	2	2	23.0	16.1	40.0
Wilkinson	5	2	3	4	3	1	20.0	57.7	6.8
Winston	2	1	1	7	1	6	21.4	7.0	32.4
Yalobusha	0	0	0	1	0	1	4.6	-	9.2
Yazoo	4	2	2	9	3	6	14.7	15.7	14.2
Out of state	19	8	11	25	8	17			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births.

TABLE 10
DEATHS, BY PLACE OF OCCURRENCE AND RACE, ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE), MISSISSIPPI, 1981

	Occurrence Data			Residence Data					
	Number			Number			Rate*		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	22,995	14,576	8,419	23,405	14,876	8,529	9.3	9.2	9.4
Adams	474	235	239	398	190	208	10.5	9.7	11.2
Alcorn	258	227	31	291	249	42	8.8	8.4	11.7
Amite	48	25	23	150	90	60	11.2	12.9	9.4
Attala	207	138	69	250	160	90	12.6	13.3	11.5
Benton	30	16	14	77	51	26	9.4	10.1	8.4
Bolivar	467	155	312	470	171	299	10.2	10.1	10.3
Calhoun	94	80	14	159	134	25	10.2	11.5	6.2
Carroll	19	14	5	88	60	28	9.0	11.2	6.3
Chickasaw	123	82	41	178	114	64	10.0	10.0	9.9
Choctaw	70	47	23	91	67	24	10.1	10.4	9.4
Claiborne	81	18	63	109	21	88	8.9	6.8	9.6
Clarke	132	78	54	199	114	85	11.7	10.4	14.3
Clay	152	86	66	204	109	95	9.7	10.4	9.0
Coahoma	423	162	261	394	140	254	10.7	10.7	10.6
Copiah	176	91	85	271	131	140	10.2	9.6	10.9
Covington	123	83	40	183	124	59	11.5	11.9	10.7
DeSoto	129	91	38	318	239	79	5.9	5.4	8.1
Forrest	794	562	232	668	471	197	10.1	9.9	10.8
Franklin	92	61	31	102	65	37	12.4	12.6	12.1
George	94	34	10	137	123	14	9.0	8.9	9.4
Greene	46	34	12	102	83	19	10.4	10.6	9.5
Grenada	236	141	95	233	131	102	11.1	10.7	11.5
Hancock	168	144	24	225	197	28	9.2	9.0	10.6
Harrison	1,597	1,302	295	1,334	1,084	250	8.5	8.7	7.4
Hinds	3,584	2,067	1,517	2,072	1,166	906	8.2	8.6	7.9
Holmes	198	57	141	245	69	176	10.7	10.5	10.7
Humphreys	154	41	113	169	55	114	12.1	11.6	12.4
Issaquena	2	0	2	12	4	8	4.8	3.6	5.7
Itawamba	107	96	11	193	174	19	9.4	9.1	14.4
Jackson	636	501	135	674	533	141	5.7	5.6	6.0
Jasper	97	51	46	151	85	66	8.7	9.7	7.8
Jefferson	61	10	51	98	22	76	10.7	13.4	10.1
Jeff Davis	107	51	56	149	69	80	10.8	10.8	10.7
Jones	623	432	191	622	451	171	10.0	9.5	11.7
Kemper	60	32	28	105	56	49	10.3	12.3	8.8
Lafayette	227	162	65	214	151	63	6.9	6.7	7.4
Lamar	236	191	45	153	125	28	6.4	5.9	10.4
Lauderdale	1,074	746	328	816	559	257	10.6	10.7	10.3
Lawrence	94	72	22	119	91	28	9.5	10.5	7.2
Leake	149	106	43	212	146	66	11.3	12.7	9.0
Lee	904	704	200	509	384	125	8.9	8.5	10.6
Leflore	531	249	282	495	231	264	11.9	13.8	10.6

Table 10 - Page 2
Deaths - Mississippi - 1981

County	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	302	207	95	344	240	104	11.4	11.4	11.4
Lowndes	464	288	176	416	256	160	7.2	6.9	7.9
Madison	230	91	139	351	146	205	8.4	8.0	8.8
Marion	153	108	45	222	152	70	8.6	8.4	9.0
Marshall	159	66	93	249	116	133	8.5	8.5	8.5
Monroe	312	227	85	372	272	100	10.2	10.6	9.2
Montgomery	168	98	70	153	94	59	11.4	11.9	10.8
Neshoba	140	105	35	237	184	53	10.0	10.8	7.9
Newton	183	144	39	239	187	52	12.0	13.4	8.7
Noxubee	93	32	61	125	46	79	9.5	9.9	9.2
Oktibbeha	211	111	100	223	124	99	6.2	5.4	7.7
Panola	258	131	127	304	155	149	10.8	10.8	10.8
Pearl River	236	199	37	326	266	60	9.6	9.3	11.6
Perry	58	51	7	82	61	21	8.3	7.9	9.8
Pike	450	300	150	441	285	156	12.2	14.0	9.9
Pontotoc	150	134	16	214	193	21	10.2	11.0	6.4
Prentiss	144	131	13	228	209	19	9.5	9.8	7.2
Quitman	71	24	47	145	62	83	11.5	11.2	11.7
Rankin	380	276	104	542	420	122	7.8	7.5	9.3
Scott	170	125	45	220	160	60	9.0	10.1	6.9
Sharkey	62	23	39	98	36	62	12.3	13.3	11.8
Simpson	177	116	61	224	152	72	9.6	9.4	9.9
Smith	84	63	21	137	114	23	9.1	9.6	7.2
Stone	77	64	13	87	71	16	9.0	9.5	7.1
Sunflower	226	86	140	311	127	184	8.9	9.7	8.4
Tallahatchie	122	54	68	183	89	94	10.7	12.3	9.5
Tate	137	81	56	186	119	67	9.2	9.6	8.6
Tippah	149	136	13	196	169	27	10.4	10.7	9.0
Tishomingo	137	131	6	187	181	6	10.1	10.2	7.9
Tunica	82	24	58	108	34	74	11.2	13.2	10.4
Union	258	222	36	237	207	30	10.9	11.1	9.9
Walthall	129	87	42	160	104	56	11.6	12.8	9.9
Warren	525	283	242	468	256	212	9.1	8.0	10.
Washington	744	284	460	695	253	442	9.6	8.0	10.8
Wayne	146	99	47	167	122	45	8.7	9.6	7.0
Webster	105	86	19	120	100	20	11.6	12.1	9.8
Wilkinson	141	66	75	125	49	76	12.5	14.9	11.
Winston	174	122	52	213	144	69	10.9	12.3	8.8
Yalobusha	94	63	31	133	89	44	10.1	11.0	8.
Yazoo	217	114	103	298	143	155	10.9	10.8	11.0
Out of state	1,319	1,008	311	909	708	201			

Table 10 - Page 3
Deaths - Mississippi - 1981

	Residence Data					
	Number			Rate*		
Town**	Total	White	Non-white	Total	White	Non-white
Biloxi	397	333	64	8.0	8.6	6.0
Brookhaven	172	118	54	15.9	18.4	12.3
Canton	160	63	97	14.4	16.5	13.3
Clarksdale	249	103	146	11.8	12.9	11.1
Cleveland	135	71	64	9.3	8.2	10.9
Clinton	105	70	35	7.2	5.2	30.3
Columbus	257	147	110	9.4	9.8	8.9
Corinth	132	103	29	9.5	9.1	11.6
Greenville	454	168	286	11.2	10.4	11.7
Greenwood	335	168	167	16.6	17.7	15.7
Grenada	155	90	65	12.3	12.7	11.6
Gulfport	484	360	124	12.2	12.3	12.0
Hattiesburg	470	308	162	11.5	11.7	11.1
Jackson	1,703	989	714	8.4	9.3	7.4
Laurel	299	181	118	13.6	13.7	13.6
McComb	196	142	54	15.9	18.2	11.9
Meridian	580	380	200	12.4	13.1	11.3
Moss Point	113	54	59	5.9	8.3	4.7
Natchez	261	122	139	11.8	11.6	12.1
Ocean Springs	106	98	8	7.3	7.4	6.4
Pascagoula	212	163	49	7.2	6.8	9.2
Pearl	82	80	2	3.9	4.4	0.8
Picayune	143	97	46	13.8	13.9	13.5
Southaven	63	58	5	3.9	3.6	32.5
Starkville	118	79	39	7.8	7.2	9.4
Tupelo	265	207	58	11.1	10.6	13.0
Vicksburg	323	162	161	12.7	13.5	11.9
Yazoo City	173	75	98	13.9	11.8	16.1

* Deaths per 1,000 population.

** Towns of 10,000 population or more.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE, ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1981

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65 and Over	Unknown
001-999	ALL CAUSES	23,405	9.3	W	14,876	M	8,224	152	24	27	33	317	242	289	693	1,460	4,984	3
						F	6,652	96	18	17	18	104	108	127	325	685	5,153	1
				NW	8,529	M	4,699	252	54	24	28	168	217	217	381	695	2,652	11
						F	3,830	211	34	10	13	47	102	113	242	521	2,532	5
001-139	Infectious and parasitic diseases	230	9.1	W	127	M	69	4	1	1	0	2	0	4	9	16	32	0
						F	58	1	0	2	0	0	1	1	4	11	38	0
				NW	103	M	48	7	1	1	0	1	3	3	6	10	16	0
						F	55	2	3	1	1	3	4	2	4	7	28	0
010-018	Tuberculosis	25	1.0	W	12	M	10	0	0	0	0	0	0	0	2	5	3	0
						F	2	0	0	0	0	0	0	0	0	2	0	0
				NW	13	M	7	0	0	0	0	0	1	0	1	3	2	0
						F	6	0	0	0	0	0	1	0	2	0	3	0
070	Viral hepatitis	15	0.6	W	6	M	4	0	0	0	0	0	0	0	1	1	2	0
						F	2	0	0	0	0	0	0	0	1	1	0	0
				NW	9	M	5	0	0	0	0	1	1	0	2	1	0	0
						F	4	0	0	0	0	2	1	0	0	0	1	0
140-208	Malignant neoplasms	4,304	170.8	W	2,910	M	1,651	0	1	1	2	7	15	43	161	396	1,024	1
						F	1,259	1	0	3	3	10	15	41	119	266	801	0
				NW	1,394	M	809	0	1	0	2	11	12	19	78	172	513	1
						F	585	0	2	1	1	6	18	29	57	124	346	1
210-239	Benign neoplasms and neoplasms of undetermined nature	54	2.1	W	29	M	10	0	0	1	0	1	0	1	1	0	6	0
						F	19	0	1	0	0	0	1	0	2	1	14	0
				NW	25	M	12	1	0	0	0	0	0	0	0	1	10	0
						F	13	0	0	0	0	0	1	0	1	5	6	0

Table 11 - Page 2
Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
240-279	Endocrine, nutritional, and metabolic diseases and immunity disorders	545	21.6	W	286	M	116	5	1	1	1	2	2	4	10	18	72	0
						F	170	0	0	2	1	0	3	3	10	17	134	0
				NW	259	M	94	4	0	0	0	1	0	6	7	17	58	1
						F	165	3	1	0	0	4	1	4	9	28	115	0
250	Diabetes mellitus	388	15.4	W	188	M	71	0	0	0	0	0	0	2	7	13	49	0
						F	117	0	0	0	0	0	0	1	9	11	96	0
				NW	200	M	66	0	0	0	0	1	0	4	6	13	42	0
						F	134	0	0	0	0	2	1	2	8	23	98	0
260-269	Nutritional deficiencies	34	1.3	W	20	M	9	0	0	0	0	1	0	0	0	0	8	0
						F	11	0	0	0	0	0	1	1	0	0	9	0
				NW	14	M	9	1	0	0	0	0	0	1	0	1	5	1
						F	5	0	0	0	0	0	0	0	0	0	5	0
280-289	Diseases of blood and blood-forming organs	71	2.8	W	48	M	19	1	0	1	0	1	0	0	0	4	12	0
						F	29	0	0	0	1	0	0	0	3	2	23	0
				NW	23	M	18	0	1	0	0	1	3	3	0	1	9	0
						F	5	0	0	0	0	0	1	0	1	0	3	0
280-285	Anemias	40	1.6	W	20	M	5	0	0	0	0	0	0	0	0	1	4	0
						F	15	0	0	0	1	0	0	0	0	2	12	0
				NW	20	M	16	0	1	0	0	1	3	3	0	1	7	0
						F	4	0	0	0	0	0	1	0	1	0	2	0
290-319	Mental disorders	126	5.0	W	79	M	36	0	0	0	0	0	1	0	3	12	20	0
						F	43	0	0	0	2	0	0	1	0	6	34	0
				NW	47	M	29	0	0	0	0	1	1	3	6	6	12	0
						F	18	0	0	0	1	0	1	2	1	1	12	0
303	Alcoholism	29	1.2	W	19	M	13	0	0	0	0	0	0	0	3	6	4	0
						F	6	0	0	0	0	0	0	1	0	5	0	0
				NW	10	M	8	0	0	0	0	0	1	1	4	1	1	0
						F	2	0	0	0	0	0	0	1	1	0	0	0

Table 11 - Page 3
Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
320-389	Diseases of the nervous system and sense organs	221	8.8	W	152	M	86	6	2	1	1	6	2	4	7	11	46	0
						F	66	5	2	0	2	6	1	5	5	7	33	0
				NW	69	M	39	4	3	3	2	3	4	4	3	3	10	0
						F	30	6	2	0	1	1	3	4	2	2	9	0
320-322	Meningitis	25	1.0	W	13	M	8	4	0	0	0	1	0	0	1	1	1	0
						F	5	3	0	0	0	0	0	0	1	0	1	0
				NW	12	M	5	1	2	1	0	0	1	0	0	0	0	0
						F	7	6	1	0	0	0	0	0	0	0	0	0
345	Epilepsy	25	1.0	W	8	M	6	0	0	0	0	0	2	1	0	2	1	0
						F	2	0	1	0	0	1	0	0	0	0	0	0
				NW	17	M	11	0	0	0	1	1	2	2	2	1	2	0
						F	6	0	0	0	0	0	2	2	0	0	2	0
390-459	Diseases of the circulatory system	11,230	445.5	W	7,383	M	3,857	6	2	2	4	8	15	72	305	664	2,778	1
						F	3,526	3	2	1	1	3	15	26	93	243	3,138	1
				NW	3,847	M	1,924	4	5	0	3	10	19	54	147	298	1,380	4
						F	1,923	4	3	0	0	7	21	38	106	253	1,489	2
390-398, 402, 404-429	Heart diseases	8,441	334.9	W	5,689	M	3,128	5	2	1	3	8	10	67	270	578	2,183	1
						F	2,561	3	2	1	1	1	10	17	70	188	2,267	1
				NW	2,752	M	1,413	4	5	0	2	7	17	45	107	230	992	4
						F	1,339	3	3	0	0	6	14	24	76	190	1,021	2
401,403	Hypertension	102	4.0	W	43	M	15	0	0	0	0	0	0	0	1	3	11	0
						F	28	0	0	0	0	0	0	0	0	2	26	0
				NW	59	M	28	0	0	0	0	0	0	0	3	5	20	0
						F	31	0	0	0	0	0	0	2	3	9	17	0
430-438	Cerebrovascular diseases	2,193	87.0	W	1,304	M	539	0	0	1	1	0	4	4	26	59	444	0
						F	765	0	0	0	0	2	3	8	19	41	692	0
				NW	889	M	425	0	0	0	1	3	2	9	35	56	319	0
						F	464	1	0	0	0	1	7	9	25	49	372	0

able 11 - Page 4
eaths - Mississippi - 1981

ter- ational lassi- ication umber*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
0	Atherosclerosis	256	10.2	W	178	M	74	0	0	0	0	0	0	0	1	5	68	0
						F	104	0	0	0	0	0	0	0	1	2	101	0
				NW	78	M	31	0	0	0	0	0	0	0	0	2	29	0
						F	47	0	0	0	0	0	0	0	0	1	46	0
0-519	Diseases of the respiratory system	1,293	51.3	W	965	M	592	4	1	0	0	6	8	6	23	89	455	0
						F	373	3	0	0	1	1	2	4	11	37	314	0
				NW	328	M	207	10	2	1	0	2	8	8	18	24	133	1
						F	121	13	2	0	1	0	5	3	7	15	75	0
0-486	Pneumonia	466	18.5	W	331	M	166	1	0	0	0	1	4	3	10	23	124	0
						F	165	2	0	0	1	0	1	1	2	11	147	0
				NW	135	M	85	6	0	0	0	1	3	3	7	8	56	1
						F	50	5	1	0	0	0	1	0	3	5	35	0
7	Influenza	62	2.4	W	40	M	19	0	0	0	0	0	0	0	0	3	16	0
						F	21	0	0	0	0	0	0	0	0	2	19	0
				NW	22	M	8	0	0	1	0	0	1	0	0	0	6	0
						F	14	0	1	0	0	0	0	1	2	1	9	0
2	Emphysema	102	4.0	W	90	M	70	0	0	0	0	0	2	0	4	15	49	0
						F	20	0	0	0	0	0	0	0	1	2	17	0
				NW	12	M	10	0	0	0	0	0	0	0	1	3	6	0
						F	2	0	0	0	0	0	0	0	0	0	2	0
0,491, 3-496	Other chronic obstructive pulmonary diseases and allied conditions	447	17.7	W	375	M	260	0	0	0	0	1	1	0	6	39	213	0
						F	115	0	0	0	0	1	0	2	5	17	90	0
				NW	72	M	51	0	1	0	0	0	1	2	4	6	37	0
						F	21	0	0	0	0	0	1	1	2	4	13	0
0-579	Diseases of the digestive system	697	27.6	W	486	M	242	1	2	0	0	0	4	17	45	54	119	0
						F	244	1	0	2	0	1	3	5	24	38	170	0
				NW	211	M	102	6	1	0	0	0	2	12	12	17	52	0
						F	109	4	1	2	1	2	2	5	9	16	66	1

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65 and Over	Unknown
531-533	Ulcer of stomach and duodenum	53	2.1	W	26	M	12	0	0	0	0	0	0	0	1	1	10	0
						F	14	0	0	0	0	0	0	1	0	0	13	0
				NW	27	M	15	1	0	0	0	0	0	1	2	2	9	0
						F	12	1	0	0	0	0	0	0	2	3	6	0
571	Chronic liver disease and cirrhosis	216	8.6	W	160	M	101	0	0	0	0	0	2	10	31	30	28	0
						F	59	0	0	0	0	0	0	4	14	20	21	0
				NW	56	M	32	0	0	0	0	0	2	7	9	6	8	0
						F	24	1	0	0	0	0	1	1	5	6	10	0
580-629	Diseases of the genitourinary system	440	17.4	W	230	M	101	3	0	0	0	0	1	1	7	12	77	0
						F	129	0	0	1	0	0	2	0	2	7	117	0
				NW	210	M	96	0	0	0	0	0	2	3	3	4	83	1
						F	114	1	0	0	0	2	0	4	9	10	88	0
580-589	Nephritis, nephrotic syndrome, and nephrosis	274	10.9	W	136	M	57	3	0	0	0	0	0	1	6	9	38	0
						F	79	0	0	1	0	0	1	0	1	5	71	0
				NW	138	M	61	0	0	0	0	0	1	2	3	4	51	0
						F	77	1	0	0	0	2	0	3	7	8	56	0
590	Infections of kidney	42	1.7	W	26	M	8	0	0	0	0	0	0	0	0	0	8	0
						F	18	0	0	0	0	0	0	0	1	0	17	0
				NW	16	M	5	0	0	0	0	0	0	0	0	0	5	0
						F	11	0	0	0	0	0	0	0	0	1	10	0
630-676	Complications of pregnancy, childbirth, and the puerperium	7	15.1	W	5	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	5	0	0	0	0	2	3	0	0	0	0	0
				NW	2	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	2	0	0	0	0	0	0	2	0	0	0	0
680-709	Diseases of the skin and subcutaneous tissue	47	1.9	W	19	M	5	0	0	0	0	0	0	0	0	1	4	0
						F	14	0	0	0	0	0	0	1	0	1	12	0
				NW	28	M	11	0	0	0	0	0	0	1	1	0	9	0
						F	17	0	1	0	0	0	0	0	0	0	16	0

nter- ational lassi- ication umber*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
10-739	Diseases of the musculoskeletal system and connective tissue	64	2.5	W	40	M	13	1	0	0	0	1	0	0	1	0	10	0
						F	27	0	1	0	0	1	1	1	3	5	15	0
				NW	24	M	7	0	0	0	0	0	0	0	0	4	3	0
						F	17	0	0	0	1	0	4	0	1	4	6	1
40-759	Congenital anomalies	158	6.3	W	95	M	53	35	6	1	0	4	2	0	1	2	2	0
						F	42	27	4	1	0	4	2	1	0	0	3	0
				NW	63	M	33	23	2	1	0	3	2	1	1	0	0	0
						F	30	23	3	0	1	1	1	0	0	1	0	0
60-779	Certain conditions originating in the perinatal period	361	7.8	W	104	M	66	66	0	0	0	0	0	0	0	0	0	0
						F	38	38	0	0	0	0	0	0	0	0	0	0
				NW	257	M	150	150	0	0	0	0	0	0	0	0	0	0
						F	107	107	0	0	0	0	0	0	0	0	0	0
80-799	Symptoms, signs, and ill-defined conditions	1,368	54.3	W	565	M	327	14	0	0	0	1	1	12	28	76	195	0
						F	238	13	0	0	0	0	3	3	12	19	188	0
				NW	803	M	461	35	6	3	3	4	6	20	44	70	267	3
						F	342	37	3	0	1	2	6	6	21	40	226	0
00-999	All external causes	2,189	86.8	W	1,353	M	981	6	8	18	25	278	191	125	92	105	132	1
						F	372	4	8	5	7	76	56	35	37	25	119	0
				NW	836	M	659	8	32	15	18	131	155	80	55	68	97	0
						F	177	11	13	6	4	19	34	14	14	15	47	0
10-825	Motor vehicle accidents	793	31.5	W	564	M	413	0	4	8	14	162	90	41	30	32	32	0
						F	151	1	1	4	3	54	25	17	10	10	26	0
				NW	229	M	185	0	7	7	3	37	47	24	23	15	22	0
						F	44	0	5	4	2	8	11	3	3	2	6	0
00-807, 26-949	All other accidents and adverse effects	775	30.7	W	446	M	315	5	3	6	9	71	45	35	29	47	65	0
						F	131	3	7	1	0	10	11	2	10	6	81	0
				NW	329	M	245	7	23	8	12	41	30	21	13	34	56	0
						F	84	11	8	2	2	2	5	5	6	3	40	0

Table 11 - Page 7
Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
950-959	Suicide	243	9.6	W	209	M	148	0	0	0	1	34	30	24	20	14	25	0
						F	61	0	0	0	1	9	13	11	11	7	9	0
				NW	34	M	27	0	0	0	0	8	6	4	0	2	7	0
						F	7	0	0	0	0	1	1	0	1	4	0	0
960-978	Homicide and legal intervention	351	13.9	W	119	M	94	1	1	3	1	7	25	24	11	11	9	1
						F	25	0	0	0	3	3	5	4	6	2	2	0
				NW	232	M	190	1	1	0	2	43	68	28	19	17	11	0
						F	42	0	0	0	0	8	17	6	4	6	1	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-676) are per 100,000 live births and deaths from certain conditions originating in the perinatal period (classification numbers 760-779) are per 1,000 live births.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1981

	Infant Deaths			Neonatal Deaths			Postneonatal Dea	
County	Total	White	Non-white	Total	White	Non-white	Total	White
STATE	711	248	463	486	166	320	225	82
Adams	14	4	10	10	4	6	4	0
Alcorn	6	3	3	4	1	3	2	2
Amite	1	0	1	0	0	0	1	0
Attala	8	3	5	5	1	4	3	2
Benton	1	0	1	1	0	1	0	0
Bolivar	24	2	22	19	1	18	5	1
Calhoun	5	3	2	4	3	1	1	0
Carroll	0	0	0	0	0	0	0	0
Chickasaw	11	0	11	11	0	11	0	0
Choctaw	1	0	1	0	0	0	1	0
Claiborne	3	0	3	3	0	3	0	0
Clarke	4	2	2	3	2	1	1	0
Clay	6	2	4	4	2	2	2	0
Coahoma	22	3	19	14	2	12	8	1
Copiah	2	0	2	1	0	1	1	0
Covington	11	3	8	7	2	5	4	1
DeSoto	7	6	1	5	4	1	2	2
Forrest	14	10	4	12	8	4	2	2
Franklin	1	1	0	1	1	0	0	0
George	4	3	1	3	2	1	1	1
Greene	3	1	2	2	0	2	1	1
Grenada	6	2	4	5	2	3	1	0
Hancock	6	5	1	4	3	1	2	2
Harrison	37	27	10	20	17	3	17	10
Hinds	72	12	60	52	8	44	20	4
Holmes	9	0	9	1	0	1	8	0
Humphreys	10	2	8	8	1	7	2	1
Issaquena	2	0	2	1	0	1	1	0
Itawamba	4	4	0	2	2	0	2	2
Jackson	24	14	10	22	12	10	2	2
Jasper	7	2	5	3	1	2	4	1
Jefferson	3	0	3	2	0	2	1	0
Jeff Davis	2	0	2	1	0	1	1	0
Jones	25	14	11	17	9	8	8	5
Kemper	3	0	3	3	0	3	0	0
Lafayette	4	2	2	2	1	1	2	1
Lamar	6	4	2	3	2	1	3	2
Lauderdale	18	11	7	11	6	5	7	5
Lawrence	1	0	1	1	0	1	0	0
Leake	5	0	5	4	0	4	1	0
Lee	16	7	9	8	2	6	8	5
Leflore	21	5	16	17	4	13	4	1

Table 12A - Page 2
Infant, Neonatal, and Postneonatal Deaths - Mississippi - 1981

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths	
	Total	White	Non-white	Total	White	Non-white	Total	White
Lincoln	9	4	5	5	2	3	4	2
Lowndes	15	8	7	8	4	4	7	4
Madison	17	6	11	13	5	8	4	1
Marion	5	1	4	3	1	2	2	0
Marshall	7	1	6	5	1	4	2	0
Monroe	7	3	4	3	1	2	4	2
Montgomery	5	1	4	1	0	1	4	1
Neshoba	5	1	4	4	1	3	1	0
Newton	3	1	2	2	1	1	1	0
Noxubee	5	1	4	2	1	1	3	0
Oktibbeha	9	2	7	7	2	5	2	0
Panola	15	2	13	9	0	9	6	2
Pearl River	6	4	2	2	2	0	4	2
Perry	3	2	1	3	2	1	0	0
Pike	10	2	8	10	2	8	0	0
Pontotoc	4	3	1	3	2	1	1	1
Prentiss	1	0	1	0	0	0	1	0
Quitman	4	0	4	3	0	3	1	0
Rankin	10	7	3	8	5	3	2	2
Scott	6	3	3	4	2	2	2	1
Sharkey	7	1	6	5	1	4	2	0
Simpson	9	2	7	4	0	4	5	2
Smith	3	2	1	2	2	0	1	0
Stone	1	1	0	1	1	0	0	0
Sunflower	11	2	9	8	0	8	3	2
Tallahatchie	13	4	9	10	4	6	3	0
Tate	7	3	4	7	3	4	0	0
Tippah	5	3	2	2	1	1	3	2
Tishomingo	7	7	0	5	5	0	2	2
Tunica	2	0	2	1	0	1	1	0
Union	1	0	1	1	0	1	0	0
Walthall	1	0	1	1	0	1	0	0
Warren	17	4	13	14	2	12	3	2
Washington	20	3	17	14	3	11	6	0
Wayne	9	3	6	7	3	4	2	0
Webster	3	2	1	2	2	0	1	0
Wilkinson	2	0	2	1	0	1	1	0
Winston	3	1	2	1	1	0	2	0
Yalobusha	2	0	2	2	0	2	0	0
Yazoo	13	1	12	7	1	6	6	0

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1977-1981 (5-YEAR AVERAGE)

	Infant**			Neonatal**			Postneonatal**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	17.4	11.4	23.8	11.6	8.1	15.3	5.8	3.3	8.5
Adams	16.6	9.0	21.9	11.7	6.2	15.6	4.8	2.8	6.3
Alcorn	13.3	11.4	23.3	9.1	7.9	15.5	4.2	3.5	7.8
Amite	15.1	2.1	25.0	9.8	-	7.2	5.3	2.1	7.8
Attala	16.6	5.5	27.1	11.3	2.7	19.4	5.3	2.7	7.7
Benton	7.6	6.1	9.0	6.1	6.1	6.0	1.5	-	3.0
Bolivar	25.8	14.6	29.0	17.4	10.6	19.4	8.4	4.1	9.7
Calhoun	21.6	16.0	29.6	12.1	11.6	12.7	9.5	4.4	16.9
Carroll	20.5	-	36.4	10.2	-	18.2	10.2	-	18.2
Chickasaw	18.1	5.9	29.4	13.6	2.3	23.9	4.5	3.5	5.4
Choctaw	8.8	6.9	11.1	2.5	-	5.5	6.3	6.9	5.5
Claiborne	26.3	8.5	30.5	19.7	8.5	22.4	6.6	-	8.1
Clarke	15.8	9.8	22.8	10.6	8.6	12.8	5.3	1.2	10.0
Clay	17.9	9.1	22.9	12.2	7.8	14.8	5.6	1.3	8.1
Coahoma	24.2	10.6	28.2	15.8	8.5	17.9	8.5	2.1	10.4
Copiah	16.9	4.4	24.3	8.4	1.1	12.8	8.4	3.3	11.5
Covington	28.2	14.1	40.5	19.7	11.3	27.0	8.5	2.8	13.5
DeSoto	13.7	12.3	17.8	10.0	9.4	11.9	3.7	2.9	5.9
Forrest	17.9	14.6	23.2	13.6	11.6	16.7	4.3	2.9	6.5
Franklin	20.9	25.7	16.3	11.1	17.1	5.4	9.7	8.6	10.9
George	12.8	11.2	21.4	7.4	7.2	8.5	5.4	4.0	12.8
Greene	16.6	17.0	15.5	10.0	7.8	15.5	6.6	9.3	-
Grenada	17.7	12.2	22.6	15.1	11.1	18.7	2.6	1.1	3.9
Hancock	8.4	8.4	7.8	5.0	5.2	3.9	3.3	3.2	3.9
Harrison	12.7	11.3	16.4	8.0	7.7	8.7	4.7	3.6	7.7
Hinds	13.7	6.9	18.3	9.2	5.3	11.7	4.6	1.6	6.6
Holmes	18.7	11.8	20.1	10.9	11.8	10.8	7.8	-	9.4
Humphreys	34.7	14.9	40.1	22.5	11.9	25.4	12.2	3.0	14.7
Issaquena	29.0	-	44.8	19.3	-	29.8	9.7	-	14.9
Itawamba	14.1	14.9	7.4	8.2	9.1	-	5.9	5.8	7.4
Jackson	14.8	11.5	23.7	11.0	8.5	17.7	3.8	3.0	6.0
Jasper	20.5	15.6	23.1	11.4	10.4	12.0	9.0	5.2	11.1
Jefferson	16.0	-	17.7	13.1	-	14.6	2.8	-	3.1
Jeff Davis	16.3	9.4	19.7	11.6	9.4	12.7	4.7	-	6.9
Jones	18.[illegible]	13.1	27.4	11.4	7.8	18.1	6.8	5.4	9.3
Kemper	17.7	6.9	23.4	8.3	-	12.6	9.4	6.9	10.8
Lafayette	12.9	11.6	14.5	7.4	8.1	6.7	5.5	3.6	7.8
Lamar	8.5	7.6	13.5	5.5	5.3	6.8	3.0	2.3	6.8
Lauderdale	16.7	13.6	20.4	11.8	8.8	15.4	4.9	4.8	5.0
Lawrence	8.8	4.6	14.5	6.2	3.1	10.3	2.6	1.5	4.1
Leake	15.6	9.2	21.3	10.6	6.6	14.2	5.0	2.6	7.1
Lee	18.3	14.2	27.1	11.6	8.6	17.8	6.8	5.6	9.2
Leflore	26.9	17.3	31.1	18.9	12.8	21.5	8.0	4.5	9.6

Table 12B - Page 2
Infant, Neonatal, and Postneonatal Mortality Rates - Mississippi - 1981

	Infant**			Neonatal**			Postneonatal**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	14.4	9.1	21.5	9.2	5.6	14.0	5.2	3.5	7.5
Lowndes	18.8	14.6	23.8	12.8	10.6	15.3	6.0	4.0	8.5
Madison	16.5	8.0	21.3	9.9	6.0	12.2	6.5	2.0	9.1
Marion	15.8	11.4	22.5	9.0	7.1	11.8	6.8	4.3	10.7
Marshall	17.1	12.9	19.5	10.6	8.0	12.0	6.6	5.0	7.4
Monroe	16.7	14.3	20.0	9.6	8.8	10.8	7.1	5.5	9.2
Montgomery	18.4	16.6	19.7	7.9	8.3	7.6	10.5	8.3	12.1
Neshoba	14.5	7.0	23.7	9.7	5.2	15.1	4.8	1.7	8.6
Newton	17.6	14.0	21.8	11.9	9.4	15.0	5.7	4.7	6.8
Noxubee	24.3	13.6	28.0	12.5	10.9	13.0	11.8	2.7	14.9
Oktibbeha	23.5	12.9	32.4	15.8	9.1	21.4	7.7	3.8	11.0
Panola	27.2	11.3	35.4	16.4	7.2	21.1	10.8	4.1	14.2
Pearl River	14.9	12.8	22.9	9.1	7.8	14.1	5.8	5.0	8.8
Perry	18.8	17.5	21.5	14.8	14.6	15.4	4.0	2.9	6.2
Pike	19.7	10.7	26.4	14.2	8.6	18.3	5.5	2.1	8.1
Pontotoc	15.9	13.9	23.6	11.7	11.3	13.5	4.1	2.6	10.1
Prentiss	13.0	8.6	34.1	7.7	7.2	10.2	5.3	1.4	23.9
Quitman	25.5	7.9	31.7	14.5	5.3	17.7	11.0	2.6	14.0
Rankin	9.8	8.3	15.0	6.6	5.5	10.3	3.2	2.8	4.7
Scott	18.6	13.8	24.2	14.4	11.2	18.2	4.2	2.6	6.0
Sharkey	20.1	12.0	22.4	12.8	12.0	13.0	7.3	-	9.4
Simpson	15.5	13.0	18.7	11.2	11.3	11.0	4.4	1.7	7.7
Smith	22.7	17.3	32.0	12.6	13.3	11.4	10.1	4.0	20.5
Stone	13.4	11.4	17.0	8.5	9.5	6.8	4.9	1.9	10.2
Sunflower	27.2	10.2	32.0	21.9	7.9	25.9	5.3	2.2	6.1
Tallahatchie	29.7	19.0	33.2	20.7	14.8	22.6	9.0	4.2	10.6
Tate	20.2	16.0	23.6	11.2	9.8	12.3	9.0	6.2	11.3
Tippah	22.9	18.0	38.7	17.0	12.0	33.1	5.9	6.0	5.5
Tishomingo	12.9	13.5	-	8.9	9.3	-	4.0	4.2	-
Tunica	29.3	15.6	31.9	15.9	10.4	16.9	13.4	5.2	14.9
Union	11.4	8.7	20.8	8.5	6.6	15.6	2.8	2.2	5.2
Walthall	17.4	8.8	23.9	12.1	7.0	15.9	5.3	1.8	8.0
Warren	19.5	12.7	26.5	14.1	9.8	18.5	5.4	2.9	8.0
Washington	17.3	11.8	19.9	11.3	9.9	12.0	6.0	1.9	7.9
Wayne	16.6	11.8	22.5	11.8	8.8	15.4	4.8	2.9	7.1
Webster	22.2	17.8	30.4	15.2	16.1	13.5	7.0	1.8	16.9
Wilkinson	19.1	8.4	23.0	13.5	8.4	15.3	5.6	-	7.7
Winston	14.9	11.3	17.5	10.7	9.9	11.3	4.2	1.4	6.2
Yalobusha	22.3	15.0	29.4	18.6	13.1	23.9	3.7	1.9	5.5
Yazoo	23.9	12.8	29.9	13.5	6.9	17.1	10.4	5.9	12.8

* Deaths per 1,000 live births.

** Infant - age less than one year; neonatal - age less than 28 days; postneonatal - age 28 days to one year.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE, ALSO MORTALITY RATES FOR SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1981

ause of Death and nternational Classi- ication Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
LL CAUSES	711	15.4	W	248	166	89	51	13	7	6	82
			NW	463	320	178	93	22	15	12	143
eningococcal infection 36)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
epticemia (038)	6	0.1	W	3	0	0	0	0	0	0	3
			NW	3	0	0	0	0	0	0	3
ther infectious and rasitic diseases 01-035, 037, 039-139)	8	0.2	W	2	0	0	0	0	0	0	2
			NW	6	0	0	0	0	0	0	6
eningitis (320-322)	14	0.3	W	7	3	0	0	1	2	0	4
			NW	7	3	0	0	2	0	1	4
cute upper respiratory nfections (460-465)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	0	0	0	0	0	0	4
ronchitis and bronchio- itis (466, 490, 491)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
neumonia and influenza 80-487)	14	0.3	W	3	1	0	0	1	0	0	2
			NW	11	3	1	1	0	0	1	8
ernia and intestinal struction (550-553, 560)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
ongenital anomalies 40-759)	108	2.3	W	62	50	26	18	2	1	3	12
			NW	46	36	16	15	2	3	0	10
aternal conditions un- elated to pregnancy (760)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
aternal complications of regnancy (761)	30	0.6	W	12	12	12	0	0	0	0	0
			NW	18	18	15	2	0	1	0	0
mplications of placenta, ord, and membranes (762)	20	0.4	W	9	9	9	0	0	0	0	0
			NW	11	11	9	2	0	0	0	0
ther complications of bor and delivery (763)	5	0.1	W	1	1	1	0	0	0	0	0
			NW	4	4	2	2	0	0	0	0
isorders relating to ort gestation and un- ecified low birthweight 65)	76	1.6	W	10	10	8	2	0	0	0	0
			NW	66	64	64	0	0	0	0	2

Table 13 - Page 2
Infant Deaths - Mississippi - 1981

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Birth trauma (767)	9	0.2	W	4	4	0	0	3	1	0	0
			NW	5	5	1	2	1	1	0	0
Intrauterine hypoxia and birth asphyxia (768)	24	0.5	W	7	7	4	3	0	0	0	0
			NW	17	17	7	9	1	0	0	0
Respiratory distress syndrome (769)	73	1.6	W	31	31	14	14	2	1	0	0
			NW	42	42	22	18	2	0	0	0
Infections specific to the perinatal period (771)	28	0.6	W	6	6	1	3	2	0	0	0
			NW	22	21	2	10	6	2	1	1
Neonatal hemorrhage (772)	9	0.2	W	1	1	0	1	0	0	0	0
			NW	8	8	2	4	1	1	0	0
Hemorrhagic disease of newborn (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Sudden infant death syndrome (798.0)	74	1.6	W	22	2	0	1	0	0	1	20
			NW	52	9	0	0	2	3	4	43
All other symptoms, signs, and ill-defined conditions (780-797, 798.1-799)	25	0.5	W	5	0	0	0	0	0	0	5
			NW	20	3	2	1	0	0	0	17
Accidents (800-949)	27	0.6	W	9	3	0	1	0	1	1	6
			NW	18	2	0	2	0	0	0	16
All other causes	154	3.3	W	52	25	13	8	2	1	1	27
			NW	102	73	34	25	5	4	5	29

* Deaths of children under 1 year of age.

** Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Deaths per 1,000 live births.

## Less than 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT, MISSISSIPPI, 1981

ounty	Total	Motor Vehicle	Water Trans- port	Poison- ing	Falls	Fires and Flames	Drowning and Sub- mersion	Fire- arms	All Other
TATE	1,567	792	22	53	95	147	98	75	285
dams	19	7	1	0	2	1	0	1	7
lcorn	17	7	0	2	1	0	1	1	5
mite	9	3	0	0	1	1	1	1	2
ttala	11	0	0	1	3	4	0	0	3
enton	6	6	0	0	0	0	0	0	0
olivar	22	10	0	0	3	2	2	0	5
alhoun	11	6	0	0	0	0	0	3	2
arroll	4	4	0	0	0	0	0	0	0
hickasaw	10	7	0	0	0	0	1	1	1
hoctaw	8	5	0	0	0	1	1	0	1
laiborne	17	11	1	0	2	2	1	0	0
larke	9	3	0	2	1	3	0	0	0
lay	14	7	0	0	0	1	1	3	2
oahoma	20	10	1	1	0	4	1	0	3
opiah	16	10	0	0	0	0	1	3	2
ovington	7	4	0	0	0	2	0	1	0
eSoto	18	11	0	0	0	3	3	0	1
orrest	56	31	2	0	6	3	2	3	9
ranklin	7	4	0	0	0	1	1	0	1
eorge	6	4	0	0	0	0	0	0	2
reene	8	3	0	2	0	1	0	1	1
renada	8	8	0	0	0	0	0	0	0
ancock	21	13	1	0	1	1	2	0	3
arrison	110	48	2	12	7	3	11	1	26
inds	181	79	0	10	20	11	11	8	42
olmes	11	7	0	0	1	1	0	0	2
umphreys	11	2	1	0	1	3	0	3	1
ssaquena	1	1	0	0	0	0	0	0	0
tawamba	15	10	0	1	0	3	0	0	1
ackson	70	37	4	1	4	4	8	4	8
asper	6	2	0	0	0	1	1	0	2
efferson	10	6	0	0	0	0	2	1	1
eff Davis	5	0	0	0	0	2	0	0	3
ones	36	21	0	3	2	2	1	1	6
emper	4	3	0	0	0	1	0	0	0
afayette	16	9	0	1	1	1	0	0	4
amar	10	3	0	0	2	1	1	1	2
auderdale	55	37	1	0	6	1	3	0	7
awrence	8	6	0	0	0	0	0	1	1
eake	15	10	0	1	0	1	0	1	2
ee	54	30	1	2	3	6	4	3	5
eflore	21	7	0	1	3	3	0	3	4

Table 14 - Page 2
Accidental Deaths - Mississippi - 1981

County	Total	Motor Vehicle	Water Trans-port	Poison-ing	Falls	Fires and Flames	Drowning and Sub-mersion	Fire-arms	Al Othe
Lincoln	15	9	0	0	0	1	0	1	
Lowndes	44	27	1	1	4	2	3	3	
Madison	19	12	0	0	0	1	2	1	
Marion	7	6	0	0	1	0	0	0	
Marshall	25	19	0	1	0	2	0	0	
Monroe	27	13	0	0	1	4	2	1	
Montgomery	10	8	0	0	1	0	1	0	
Neshoba	9	4	0	0	0	3	1	0	
Newton	14	6	0	1	0	2	0	2	
Noxubee	6	3	0	0	1	0	0	1	
Oktibbeha	12	2	0	0	2	1	3	1	
Panola	22	19	0	0	1	0	2	0	
Pearl River	18	11	0	1	0	0	1	4	
Perry	6	1	0	0	0	0	1	1	
Pike	15	8	0	0	0	1	4	0	
Pontotoc	6	2	0	0	0	2	0	0	
Prentiss	10	4	0	0	0	2	1	1	
Quitman	6	5	0	0	0	0	0	1	
Rankin	44	19	0	2	2	1	2	0	1
Scott	11	6	0	0	0	1	0	1	
Sharkey	5	3	0	0	0	1	0	0	
Simpson	12	8	0	0	0	0	0	1	
Smith	5	2	0	1	1	0	0	0	
Stone	6	5	0	0	0	0	1	0	
Sunflower	11	7	0	0	0	1	1	0	
Tallahatchie	11	3	1	0	1	1	3	1	
Tate	10	7	0	0	0	0	1	0	
Tippah	15	4	0	0	0	5	1	1	
Tishomingo	10	7	0	0	0	1	0	2	
Tunica	10	8	0	0	0	1	0	0	
Union	15	9	0	2	1	1	1	0	
Walthall	6	2	0	0	0	1	1	1	
Warren	27	7	2	1	2	4	2	2	
Washington	67	16	0	3	6	22	1	0	1
Wayne	15	6	1	0	0	0	2	1	
Webster	11	3	0	0	1	3	1	0	
Wilkinson	12	6	2	0	0	4	0	0	
Winston	10	5	0	0	0	1	0	2	
Yalobusha	4	1	0	0	0	0	0	0	
Yazoo	16	7	0	0	0	4	0	1	

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE, ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE, ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE, MISSISSIPPI, 1981

	Licensure Data			Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	28,002	20,877	7,125	28,002	20,877	7,125	25,651	18,953	6,698
Adams	495	321	174	520	334	186	456	287	169
Alcorn	423	387	36	433	394	39	321	293	28
Amite	108	66	42	129	88	41	89	51	38
Attala	201	148	53	193	141	52	183	135	48
Benton	47	29	18	68	48	20	55	38	17
Bolivar	380	212	168	379	209	170	344	190	154
Calhoun	154	117	37	158	123	35	151	113	38
Carroll	61	40	21	75	47	28	58	34	24
Chickasaw	210	141	69	213	144	69	198	137	61
Choctaw	84	64	20	83	71	12	82	63	19
Claiborne	101	46	55	106	47	59	84	37	47
Clarke	152	103	49	156	108	48	148	103	45
Clay	189	107	82	185	107	78	187	112	75
Coahoma	319	153	166	309	145	164	291	130	161
Copiah	215	132	83	250	153	97	219	133	86
Covington	188	159	29	204	166	38	189	152	37
DeSoto	816	646	170	777	616	161	447	396	51
Forrest	1,021	835	186	885	711	174	935	765	170
Franklin	86	51	35	89	57	32	78	46	32
George	294	284	10	282	275	7	185	180	5
Greene	97	85	12	126	108	18	100	79	21
Grenada	210	148	62	196	133	63	208	149	59
Hancock	335	307	28	341	312	29	262	237	25
Harrison	2,459	2,147	312	2,441	2,138	303	1,983	1,726	257
Hinds	3,111	2,067	1,044	2,851	1,902	949	2,911	1,917	994
Holmes	179	50	129	191	53	138	185	49	136
Humphreys	99	52	47	99	53	46	96	49	47
Issaquena	11	4	7	13	5	8	13	6	7
Itawamba	188	179	9	207	198	9	189	178	11
Jackson	1,470	1,281	189	1,536	1,338	198	1,419	1,239	180
Jasper	151	86	65	182	105	77	146	78	68
Jefferson	75	22	53	64	16	48	65	18	47
Jeff Davis	126	72	54	142	90	52	135	79	56
Jones	809	653	156	814	652	162	791	643	148
Kemper	65	30	35	73	44	29	72	32	40
Lafayette	248	173	75	259	175	84	237	159	78
Lamar	191	170	21	234	211	23	240	219	21
Lauderdale	775	601	174	744	567	177	755	585	170
Lawrence	137	110	27	146	114	32	147	116	31
Leake	195	134	61	202	141	61	187	127	60
Lee	784	648	136	727	604	123	747	622	125
Leflore	384	215	169	375	209	166	392	227	165

Table 15 - Page 2
Marriages - Mississippi - 1981

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	336	263	73	341	266	75	312	243	69
Lowndes	591	460	131	580	448	132	529	408	121
Madison	306	181	125	354	208	146	337	205	132
Marion	349	284	65	328	265	63	313	251	62
Marshall	265	165	100	255	154	101	202	124	78
Monroe	339	263	76	363	277	86	336	253	83
Montgomery	122	87	35	138	104	34	131	95	36
Neshoba	227	157	70	242	167	75	235	163	72
Newton	140	103	37	162	125	37	147	109	38
Noxubee	88	36	52	92	40	52	81	31	50
Oktibbeha	313	205	108	291	185	106	288	185	103
Panola	250	162	88	262	168	94	245	161	84
Pearl River	454	407	47	457	411	46	397	354	43
Perry	129	112	17	111	95	16	106	90	16
Pike	427	280	147	446	284	162	398	260	138
Pontotoc	201	181	20	203	181	22	206	188	18
Prentiss	240	224	16	238	219	19	238	222	16
Quitman	101	60	41	110	68	42	105	59	46
Rankin	681	586	95	682	596	86	730	641	89
Scott	242	169	73	254	183	71	239	174	65
Sharkey	65	35	30	58	31	27	55	28	27
Simpson	221	168	53	254	200	54	220	168	52
Smith	97	83	14	120	104	16	116	98	18
Stone	159	137	22	136	118	18	119	101	18
Sunflower	275	119	156	310	148	162	275	123	152
Tallahatchie	154	93	61	150	92	58	136	81	55
Tate	178	126	52	197	144	53	148	101	47
Tippah	241	214	27	240	216	24	197	175	22
Tishomingo	300	294	6	296	290	6	187	183	4
Tunica	92	39	53	85	30	55	80	30	50
Union	218	198	20	232	209	23	215	198	17
Walthall	161	101	60	156	100	56	134	79	55
Warren	600	443	157	573	411	162	564	406	158
Washington	730	430	300	747	442	305	705	411	294
Wayne	230	162	68	226	166	60	203	144	59
Webster	104	88	16	101	86	15	92	75	17
Wilkinson	191	114	77	183	103	80	103	36	67
Winston	160	104	56	161	101	60	163	107	56
Yalobusha	146	111	35	153	116	37	148	107	41
Yazoo	236	158	78	249	167	82	236	157	79
Unknown county				9	7	2			
Out of state	*	*	*	*	*	*	2,338	1,916	422
Unknown state							13	8	5

* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 16
DIVORCES AND RATES, BY COUNTY OF OCCURRENCE AND RACE, MISSISSIPPI, 1981

County	Number				Rate*		
	Total	White	Non-white	Un-known	Total	White	Non-white
STATE	**14,182**	**10,403**	**2,795**	**984**	**25.1**	**25.1**	**18.5**
Adams	55	33	22	0	6.8	6.5	7.3
Alcorn	144	137	7	0	17.0	17.6	10.6
Amite	46	35	11	0	14.9	18.3	9.3
Attala	69	50	19	0	14.6	15.1	13.4
Benton	44	35	9	0	22.5	24.9	16.4
Bolivar	139	81	58	0	16.5	19.3	13.8
Calhoun	56	52	4	0	14.4	16.4	5.5
Carroll	28	21	7	0	12.2	14.0	8.7
Chickasaw	86	63	23	0	20.7	21.0	19.8
Choctaw	29	27	2	0	13.6	16.1	4.4
Claiborne	26	9	17	0	12.2	11.0	12.9
Clarke	65	41	24	0	16.2	13.8	22.9
Clay	119	72	46	1	26.0	25.6	25.9
Coahoma	192	102	90	0	27.2	29.9	24.8
Copiah	114	73	41	0	20.2	20.8	19.1
Covington	88	66	22	0	23.5	23.8	22.5
DeSoto	396	387	9	0	30.4	33.9	5.6
Forrest	512	409	103	0	37.0	37.4	35.2
Franklin	31	22	9	0	16.1	15.5	17.5
George	79	79	0	0	20.9	22.4	-
Greene	11	10	1	0	4.6	5.0	2.8
Grenada	118	86	32	0	24.7	26.2	21.5
Hancock	157	134	8	15	27.0	25.1	17.1
Harrison	1,248	1,102	146	0	35.5	37.6	24.7
Hinds	1,669	431	290	948	31.3	12.6	15.1
Holmes	79	29	49	1	18.1	17.0	18.4
Humphreys	40	21	19	0	15.0	17.0	13.2
Issaquena	3	0	3	0	6.0	-	14.6
Itawamba	101	95	6	0	18.6	18.3	24.5
Jackson	911	804	107	0	32.9	33.9	26.9
Jasper	69	40	29	0	17.2	16.5	18.3
Jefferson	36	8	28	0	21.4	18.1	22.5
Jeff Davis	55	37	18	0	18.0	21.5	13.6
Jones	465	393	69	3	30.9	31.3	27.8
Kemper	30	16	14	0	13.2	12.7	13.8
Lafayette	153	116	37	0	25.4	24.9	26.8
Lamar	165	141	10	14	28.2	26.2	21.6
Lauderdale	528	428	100	0	30.2	32.3	23.7
Lawrence	76	66	10	0	25.5	28.5	15.1
Leake	92	76	16	0	19.8	23.6	11.3
Lee	327	267	60	0	23.1	22.3	27.8
Leflore	193	128	65	0	23.8	29.9	17.0

Table 16 - Page 2
Divorces - Mississippi - 1981

	Number				Rate*		
County	Total	White	Non-white	Un-known	Total	White	Non-white
Lincoln	111	69	42	0	15.4	12.4	26.1
Lowndes	315	253	61	1	24.7	26.6	18.8
Madison	162	124	38	0	18.8	25.1	10.3
Marion	192	161	31	0	31.2	33.6	22.7
Marshall	178	131	47	0	29.0	36.0	18.8
Monroe	211	168	43	0	24.4	24.7	23.4
Montgomery	67	49	18	0	21.7	22.9	18.9
Neshoba	142	119	23	0	24.3	25.5	19.6
Newton	84	62	22	0	17.2	16.3	20.1
Noxubee	30	16	14	0	11.3	12.6	10.0
Oktibbeha	162	115	47	0	24.0	24.2	23.5
Panola	123	85	38	0	20.2	22.0	17.0
Pearl River	280	254	26	0	33.8	34.3	29.3
Perry	48	43	5	0	20.8	21.7	15.2
Pike	161	103	57	1	20.0	19.5	20.7
Pontotoc	76	72	4	0	14.2	15.2	6.4
Prentiss	148	143	5	0	24.6	25.6	11.5
Quitman	47	30	17	0	18.2	20.5	15.2
Rankin	472	445	27	0	27.6	30.2	11.3
Scott	154	120	34	0	26.2	28.4	20.7
Sharkey	26	15	11	0	17.5	20.5	14.7
Simpson	113	85	28	0	20.1	19.8	21.1
Smith	69	61	8	0	18.2	18.9	13.7
Stone	59	47	12	0	26.9	25.4	34.7
Sunflower	115	68	47	0	17.6	20.7	14.4
Tallahatchie	51	33	18	0	14.5	17.3	11.2
Tate	111	82	29	0	25.1	26.2	22.2
Tippah	124	115	9	0	26.5	28.0	15.9
Tishomingo	78	78	0	0	15.6	16.1	-
Tunica	27	12	15	0	15.5	18.3	13.8
Union	145	136	9	0	25.4	26.5	15.9
Walthall	49	37	12	0	15.2	16.8	11.7
Warren	341	247	94	0	29.9	30.3	29.0
Washington	388	254	134	0	26.7	31.0	21.1
Wayne	109	89	20	0	24.8	26.9	18.3
Webster	51	44	7	0	19.6	19.7	19.2
Wilkinson	21	9	12	0	10.4	10.7	10.2
Winston	94	70	24	0	20.4	21.7	17.4
Yalobusha	76	57	19	0	24.5	25.6	21.6
Yazoo	128	80	48	0	22.1	22.8	20.9

* Divorces per 1,000 married women 15 years of age and over.

NOTE: The divorce rates by race for the state and some of the counties where the race of the couple was unknown should be used with caution because the rate for the white and/or the nonwhite race will appear diminished in these instances.

TIME SERIES TABLES

TABLE 17
LIVE BIRTHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1981, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1981)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

Table 17 - Page 2
Live Births - Mississippi - 1913-1981

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29 5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	Not Available	
1973	44,638	23,119	21,519	19.3	Not Available	
1974	44,032	23,023	21,009	18.9	Not Available	
1975	43,336	22,559	20,777	18.5	Not Available	
1976	42,983	22,605	20,378	18.2	Not Available	
1977	45,532	23,369	22,163	19.1	Not Available	
1978	44,373	22,632	21,741	18.5	Not Available	
1979	45,919	23,487	22,432	19.1	Not Available	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8

* Births per 1,000 population.

TABLE 18
DEATHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1981,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1981)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

Table 18 - Page 2
Deaths - Mississippi - 1913-1981

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	Not Available	
1973	24,007	14,461	9,546	10.4	Not Available	
1974	23,153	14,268	8,885	9.9	Not Available	
1975	22,768	13,790	8,978	9.7	Not Available	
1976	23,124	14,307	8,817	9.8	Not Available	
1977	23,022	14,318	8,704	9.6	Not Available	
1978	23,363	14,631	8,732	9.7	Not Available	
1979	22,932	14,348	8,584	9.5	Not Available	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4

* Deaths per 1,000 population.

TABLE 19
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1981,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1981)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

able 19 - Page 2
aternal Deaths - Mississippi - 1913-1981

	Number			Rate**		
ear	Total	White	Non-white	Total	White	Non-white
950	165	30	135	256.1	110.3	362.5
951	143	28	115	218.3	100.7	304.9
952	119	15	104	184.5	53.4	285.4
953	119	24	95	185.8	84.8	265.7
954	104	11	93	160.6	38.2	258.6
955	76	12	64	120.2	43.6	179.3
956	74	12	62	119.0	44.0	177.6
957	75	14	61	123.5	52.2	179.9
958	53	10	43	89.5	37.3	132.8
959	55	9	46	90.8	32.2	141.2
960	59	8	51	99.6	29.4	159.3
961	49	9	40	82.3	32.8	124.6
962	55	7	48	93.3	25.4	152.8
963	44	9	35	76.8	33.6	114.8
964	57	9	48	100.6	34.7	156.3
965	40	3	37	78.2	12.8	133.1
966	27	6	21	56.0	26.4	82.4
967	36	10	26	77.3	44.1	108.7
968	21	3	18	45.9	13.2	78.6
969	23	3	20	48.8	12.5	86.6
970	34	5	29	70.6	20.1	124.7
971	21	5	16	43.2	19.8	68.4
972	24	5	19	52.3	21.0	85.7
973	12	4	8	26.9	17.3	37.2
974	12	4	8	27.2	17.4	38.1
975	6	0	6	13.8	-	28.9
976	8	4	4	18.6	17.7	19.6
977	10	2	8	22.0	8.6	36.1
978	6	1	5	13.5	4.4	23.0
979	10	3	7	21.8	12.8	31.2
980	2	1	1	4.2	4.0	4.3
981	7	5	2	15.1	21.0	8.9

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

* Deaths per 100,000 live births.

TABLE 20
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1917-1981
(OCCURRENCE DATA 1917-1943, RESIDENCE DATA 1944-1981)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,489	974	1,515	44.0	38.0	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

Table 20 - Page 2
Infant Deaths - Mississippi - 1917-1981

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6

* Deaths of children under one year of age.

** Deaths per 1,000 live births.

# Not available.

TABLE 21
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1981, (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1981)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

Table 21 - Page 2
Neonatal Deaths - Mississippi - 1924-1981

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 22
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1981
(OCCURRENCE DATA 1924-1943, RESIDENCE DATA 1944-1981)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,053	313	740	18.6	12.2	23.9
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

Table 22 - Page 2
Postneonatal Deaths - Mississippi - 1924-1981

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 23
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA, MISSISSIPPI, 1926-1981

	Marriages			Divorces		
Year	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	[illegible]6,998	9,404	5,016	3,485	1,531
1959	20,447	[illegible]3,547	6,900	5,108	3,557	1,551

Table 23 - Page 2
Marriages and Divorces - Mississippi - 1926-1981

	Marriages			Divorces		
Year	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.

VITAL STATISTICS

MISSISSIPPI

1982


MISSISSIPPI STATE BOARD OF HEALTH
HYGEIA

Mississippi State Department of Health
Office of Public Health Statistics

54350-1

VITAL STATISTICS

MISSISSIPPI

1982

****

MISSISSIPPI STATE DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH STATISTICS
DAVID LOHRISCH, PH.D., DIRECTOR

P. O. BOX 1700
JACKSON, MISSISSIPPI 39205

TELEPHONE NUMBER 601-354-6607

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin 1
Definitions of Live Birth and Fetal Death 1
Occurrence and Residence Allocation 1
Population 2
Rates 2
Classification of Cause of Death 2

SUMMARY TABLES, 1982

LIVE BIRTHS

Table A1. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race 5
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1982 6
Table A3. Live Births and Average per Day, by Month 6
Table A4. Live Births and Percentage Distribution, by Age of Mother and Race 7
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race 7
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race 8
Table A7. Live Births, Percentage Distribution, and Median Age of Mother, by Total-Birth Order and Race 8
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race 9
Table A9. Live Births and Percentage Distribution, by Maturity and Race . 9
Table A10. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race 10

FETAL DEATHS

Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race 11
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race 11
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race ... 12
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1980-1982 13

DEATHS

Table C1. Deaths and Average per Day, by Month 14
Table C2. Deaths and Percentage Distribution, by Age and Race 14
Table C3. Deaths, by Age, Race, and Sex, and Male/Female Ratios by Age and Race 15
Table C4. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race 15
Table C5. Deaths and Percent of Total Deaths from Five Leading Causes, by Age and Cause 16
Table C6. Deaths from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race 17

Page

MMARY TABLES, 1982

DEATHS (continued)

Table C7. Deaths from Major Chronic Respiratory Diseases, 1957, 1962, 1967, 1972, 1977, 1982 17
Table C8. Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race 18
Table C9. Deaths from Selected Types of Accident, by Sex, also by Age .. 19
Table C10. Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1982 20
Table C11. Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race 21
Table C12. Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race 21

MARRIAGES

Table D1. Marriages and Average per Day, by Month 22
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race 23
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race 24
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race 25
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race 26
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride 27

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race 28
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race 28
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race 29

JOR TABLES, 1982

LIVE BIRTHS

Table 1. Live Births, by Place of Occurrence and Race, also Live Births, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or more), Mississippi, 1982 33
Table 2. Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1982 36
Table 3A. Total Live Births, by County of Residence and Age of Mother, Mississippi, 1982 39
Table 3B. White Live Births, by County of Residence and Age of Mother, Mississippi, 1982 41
Table 3C. Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1982 43
Table 4. Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1982 45
Table 5A. Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1982 47

Page

MAJOR TABLES, 1982

LIVE BIRTHS (continued)

Table 5B. White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1982 49
Table 5C. Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1982 51
Table 6. Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1982 53
Table 7. Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1982 55

FETAL DEATHS

Table 8. Reportable Fetal Deaths, by County of Occurrence and Race, Also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1982 57

DEATHS

Table 9. Deaths, by Place of Occurrence and Race, also Deaths, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1982 59
Table 10. Deaths, by Cause and Race, Mississippi Residents, 1982 62
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1982 77
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1982 84
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1978-1982 (5-Year Average) 86
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1982 88
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1982 90

MARRIAGES

Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1982 92

DIVORCES

Table 16. Divorces, by County of Occurrence and Race, Mississippi, 1982 94

DEATHS (COUNTY AND STATE SUMMARIES)

Table 17. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents
The Counties (in alphabetical order) 97
The State 117

TIME SERIES TABLES

Table 18. Live Births and Rates, by Year and Race, Mississippi, 1913-1982, (Occurrence Data 1913-1943, Residence Data 1944-1982) 121
Table 19. Deaths and Rates, by Year and Race, Mississippi, 1913-1982, (Occurrence Data 1913-1943, Residence Data 1944-1982) 123

Page

ME SERIES TABLES (continued)

Table 20. Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1982, (Occurrence Data 1913-1943, Residence Data 1944-1982) 125
Table 21. Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1982, (Occurrence Data 1917-1943, Residence Data 1944-1982) 127
Table 22. Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1982, (Occurrence Data 1924-1944, Residence Data 1945-1982) 129
Table 23. Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1982, (Occurrence Data 1924-1943, Residence Data 1944-1982) 131
Table 24. Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1982 133

VITAL STATISTICS
MISSISSIPPI, 1982

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1982; the second part contains major statistical tables for 1982. Time series tables numbered 18 through 24 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

> Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.
>
> Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The only population figures used in this bulletin are the U.S. Census Bureau's provisional state estimate of 2,551,000 as of July 1, 1982. No breakdowns by race or sex were available, and estimates by age and estimates for counties were not used as they are considerably less reliable than the state figures.

Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes, except maternal and certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1982

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

LIVE BIRTHS

Table A1. Live births and percentage distribution, by place of delivery, attendant, and race Mississippi, 1982

ace of elivery d Race	Number						Percent					
	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Unknown
otal	45,926	43,923	1,803	104	90	6	100.0	95.6	3.9	0.2	0.2	*
ospital	45,665	43,853	1,795	0	16	1	99.4	95.5	3.9	-	*	*
ome, etc.	240	66	8	100	61	5	0.5	0.1	*	0.2	0.1	*
route to hospital	13	0	0	0	13	0	*	-	-	-	*	-
known place	8	4	0	4	0	0	*	*	-	*	-	-
ite	24,028	23,743	213	36	33	3	100.0	98.8	0.9	0.2	0.1	*
ospital	23,945	23,735	205	0	4	1	99.6	98.8	0.8	-	*	*
ome, etc.	80	7	8	34	29	2	0.3	*	*	0.1	0.1	*
route to hospital	0	0	0	0	0	0	-	-	-	-	-	-
known place	3	1	0	2	0	0	*	*	-	*	-	-
onwhite	21,898	20,180	1,590	68	57	3	100.0	92.2	7.3	0.3	0.3	*
ospital	21,720	20,118	1,590	0	12	0	99.2	91.9	7.3	-	*	-
ome, etc.	160	59	0	66	32	3	0.7	0.3	-	0.3	0.1	*
route to hospital	13	0	0	0	13	0	*	-	-	-	*	-
known place	5	3	0	2	0	0	*	*	-	*	-	-

Less than 0.06 percent.

Table A2. Percentage of live births in hospitals or clinics, by year and race
Mississippi, 1940, 1950, 1960, 1970-1982

Year	Total	White	Non-white	Year	Total	White	Non-white
1940	14.1	27.1	3.9	1970*	90.0	99.7	79.7
				1971*	92.2	99.6	84.2
1950	46.1	83.3	18.9	1972*	95.2	99.8	90.4
				1973*	96.4	99.7	92.8
1960	73.2	99.0	51.3	1974*	97.4	99.7	94.8
				1975*	97.9	99.6	96.0
				1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
				1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9
				1980*	99.4	99.7	99.1
				1981*	99.3	99.6	99.0
				1982*	99.4	99.6	99.2

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing inpatient care were included.

Table A3. Live births and average per day, by month
Mississippi, 1982

Month	Births	Average per Day	Month	Births	Average per Day
Total	45,926	126			
January	3,870	125	July	4,153	134
February	3,431	122	August	4,312	139
March	3,606	116	September	4,249	142
April	3,202	107	October	4,063	131
May	3,442	111	November	3,877	129
June	3,822	127	December	3,899	126

Table A4. Live births and percentage distribution, by age of mother and race
Mississippi, 1982

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	45,926	24,028	21,898	100.0	100.0	100.0
Under 15	346	38	308	0.8	0.2	1.4
15-19	9,701	3,717	5,984	21.1	15.5	27.3
20-24	16,296	8,780	7,516	35.5	36.5	34.3
25-29	12,184	7,347	4,837	26.5	30.6	22.1
30-34	5,481	3,205	2,276	11.9	13.3	10.4
35-39	1,567	819	748	3.4	3.4	3.4
40-44	322	117	205	0.7	0.5	0.9
45-49	24	3	21	*	*	0.1
Unknown	5	2	3	*	*	*

* Less than 0.06 percent.

Table A5. Live births and percentage distribution, by years of school completed by father and mother and race
Mississippi, 1982

Years of School Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
FATHER									
Median years completed*	12.6	12.8	12.4						
Total legitimate births	32,335	22,562	9,773	100.0	100.0	100.0			
0-6 years	623	298	325	1.9	1.3	3.4	1.9	1.3	3.4
7-9 years	3,109	2,015	1,094	9.7	9.0	11.4	11.6	10.3	14.8
10, 11 years	4,708	2,806	1,902	14.7	12.5	19.8	26.3	22.8	34.6
12 years	11,930	8,126	3,804	37.2	36.2	39.6	63.5	59.0	74.2
1-3 years college	6,097	4,589	1,508	19.0	20.4	15.7	82.5	79.4	89.9
4 or more years college	5,601	4,630	971	17.5	20.6	10.1	100.0	100.0	100.0
Unknown	267	98	169						
MOTHER									
Median years completed*	12.4	12.6	12.2						
Total births	45,926	24,028	21,898	100.0	100.0	100.0			
0-6 years	548	196	352	1.2	0.8	1.6	1.2	0.8	1.6
7-9 years	5,971	2,478	3,493	13.0	10.3	16.0	14.2	11.1	17.6
10, 11 years	9,032	3,375	5,657	19.7	14.1	25.9	33.9	25.2	43.5
12 years	16,968	9,276	7,692	37.0	38.6	35.2	70.9	63.9	78.7
1-3 years college	8,202	4,943	3,259	17.9	20.6	14.9	88.8	84.5	93.6
4 or more years college	5,129	3,728	1,401	11.2	15.5	6.4	100.0	100.0	100.0
Unknown	76	32	44						

* Calculations exclude births to parents with education unknown; calculations for fathers

Table A6. Illegitimate live births and percent of total live births in specified group, by age of mother and race
Mississippi, 1982

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	13,591	1,466	12,125	29.6	6.1	55.4
Under 15	330	25	305	95.4	65.8	99.0
15-19	5,815	697	5,118	59.9	18.8	85.5
20-24	4,637	466	4,171	28.4	5.3	55.5
25-29	1,785	176	1,609	14.6	2.4	33.3
30-34	691	59	632	12.6	1.8	27.8
35-39	240	29	211	15.3	3.5	28.2
40-44	84	12	72	26.1	10.2	35.1
45-49	6	0	6	26.1	-	28.6
Unknown	3	2	1			

Table A7. Live births, percentage distribution, and median age of mother, by total-birth order and race
Mississippi, 1982

tal-Birth der*	Number			Percent			Median Age of Mother		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
tal	45,926	24,028	21,898	100.0	100.0	100.0	23.9	24.7	22.9
rst	15,888	9,146	6,742	34.6	38.1	30.8	20.7	22.0	19.2
cond	13,903	8,034	5,869	30.3	33.4	26.8	23.9	25.0	22.3
ird	8,150	4,152	3,998	17.7	17.3	18.2	25.9	27.1	24.4
urth	4,002	1,579	2,423	8.7	6.6	11.1	27.2	28.5	26.3
fth	1,858	616	1,242	4.0	2.6	5.7	28.2	29.5	27.7
xth	939	233	706	2.0	1.0	3.2	29.6	31.5	28.9
venth	476	115	361	1.0	0.5	1.6	31.4	32.1	31.3
ghth	253	45	208	0.6	0.2	1.0	33.3	34.5	33.1
nth	127	13	114	0.3	**	0.5	35.8	38.0	35.3
nth & over	232	30	202	0.5	0.1	0.9	37.9	36.5	38.1
known	98	65	33	0.2	0.3	0.2			

Includes all live births plus all fetal deaths regardless of length of gestation.

Less than 0.06 percent.

Table A8. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race
Mississippi, 1982

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	45,926	24,028	21,898	100.0	100.0	100.0
No prenatal care	408	123	285	0.9	0.5	1.3
Some prenatal care	45,398	23,846	21,552	98.8	99.2	98.4
First trimester	33,915	20,356	13,559	73.8	84.7	61.9
Second trimester	9,763	3,019	6,744	21.2	12.6	30.8
Third trimester	1,645	452	1,193	3.6	1.9	5.4
Unknown month	75	19	56	0.2	0.1	0.2
Unknown whether any prenatal care	120	59	61	0.3	0.2	0.3

Table A9. Live births and percentage distribution, by maturity and race
Mississippi, 1982

Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	45,926	24,028	21,898	100.0	100.0	100.0
Immature only**	1,843	688	1,155	4.0	2.9	5.3
Premature only**	3,821	1,317	2,504	8.3	5.5	11.4
Both immature and premature	2,251	764	1,487	4.9	3.2	6.8
Total immature	4,094	1,452	2,642	8.9	6.0	12.1
Total premature	6,072	2,081	3,991	13.2	8.7	18.2
Total immature and/or premature	7,915	2,769	5,146	17.2	11.5	23.5
Neither immature nor premature**	38,011	21,259	16,752	82.8	88.5	76.5

* Immature - birthweight 5½ pounds (2,500 grams) or less; premature - gestation less than 37 weeks (calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of birth).

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A10. Congenital malformations reported on live birth certificates, by malformation and race
Mississippi, 1982

International Classification Number*	Malformation	Total	White	Non-white
740-759	Total	359	178	181
740-742	Of nervous system	36	21	15
743	Of eye	3	1	2
744	Of ear, face, and neck	7	4	3
745-747	Of circulatory system	24	19	5
748	Of respiratory system	3	3	0
749-751	Of digestive system	52	45	7
749	Cleft palate and cleft lip	45	40	5
749.0	Cleft palate	22	19	3
749.1	Cleft lip	23	21	2
750, 751	Other of digestive system	7	5	2
752	Of genital organs	33	18	15
753	Of urinary organs	7	5	2
754-756	Of musculoskeletal system	150	44	106
754	Certain musculoskeletal anomalies	18	9	9
755	Of limbs	111	23	88
755.0	Polydactyly	84	11	73
755.9	Other	27	12	15
756	Other of musculoskeletal system	21	12	9
757	Of the integument	9	3	6
758	Chromosomal anomalies	19	9	10
759	Other and unspecified	16	6	10
759.0	Other unspecified	4	1	3
759.9	Unspecified	12	5	7

* From the *Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death*.

FETAL DEATHS

Table B1. Reportable* fetal deaths and percentage distribution,
by place of delivery, attendant, and race
Mississippi, 1982

Place of Delivery and Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	639	231	408	100.0	100.0	100.0
Hospital	624	231	393	97.6	100.0	96.3
Physician	592	227	365	92.6	98.3	89.5
Certified nurse midwife	14	2	12	2.2	0.9	2.9
Other	18	2	16	2.8	0.9	3.9
Other named place	13	0	13	2.0	-	3.2
Physician	10	0	10	1.6	-	2.4
Other	2	0	2	0.3	-	0.5
Unknown	1	0	1	0.2	-	0.2
Enroute to hospital	1	0	1	0.2	-	0.2
Physician	1	0	1	0.2	-	0.2
Unknown	1	0	1	0.2	-	0.2
Other	1	0	1	0.2	-	0.2

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B2. Reportable* fetal deaths and fetal death ratios,
by age of mother and race
Mississippi, 1982

Age of Mother	Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white
Total	639	231	408	13.9	9.6	18.6
Under 15	6	0	6	17.3	-	19.5
15-19	154	42	112	15.9	11.3	18.7
20-24	201	76	125	12.3	8.6	16.6
25-29	150	58	92	12.3	7.9	19.0
30-34	86	37	49	15.7	11.5	21.5
35-39	30	15	15	19.1	18.3	20.0
40-44	9	2	7	28.0	17.1	34.1
45-49	0	0	0	-	-	-
Unknown	3	1	2	#	#	#

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births to mothers in specified group.

# Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and reportable* fetal deaths, by whether mother received prenatal care and race
Mississippi, 1982

Prenatal Care	Live Births			Reportable* Fetal Deaths		
	Total	White	Non-white	Total	White	Non-white
Total	100.0	100.0	100.0	100.0	100.0	100.0
No care	0.9	0.5	1.3	7.5	4.8	9.1
Some care	98.8	99.2	98.4	81.7	87.0	78.7
Unknown whether any care	0.3	0.2	0.3	10.8	8.2	12.2

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B4. Reportable* fetal deaths and fetal death ratios, by completed weeks of gestation and race Mississippi, 1980-1982

Completed Weeks of Gestation**	Total			White			Nonwhite		
	1980	1981	1982	1980	1981	1982	1980	1981	1982
REPORTABLE* FETAL DEATHS									
Total	707	648	639	247	222	231	460	426	408
Under 20	25	31	33	9	8	5	16	23	28
20 and over	624	553	557	221	200	208	403	353	349
20-22	77	69	88	21	18	33	56	51	55
23-27	140	123	104	50	39	32	90	84	72
28-36	192	188	199	57	56	63	135	132	136
37 and over	215	173	166	93	87	80	122	86	86
Unknown	58	64	49	17	14	18	41	50	31
FETAL DEATH RATIOS#									
Total	14.8	14.0	13.9	10.0	9.3	9.6	19.9	19.0	18.6
Under 20	0.5	0.7	0.7	0.4	0.3	0.2	0.7	1.0	1.3
20 and over	13.0	12.0	12.1	9.0	8.4	8.6	17.4	15.7	15.9
20-22	1.6	1.5	1.9	0.8	0.8	1.4	2.4	2.3	2.5
23-27	2.9	2.7	2.3	2.0	1.6	1.3	3.9	3.7	3.3
28-36	4.0	4.1	4.3	2.3	2.4	2.6	5.8	5.9	6.2
37 and over	4.5	3.7	3.6	3.8	3.6	3.3	5.3	3.8	3.9
Unknown	1.2	1.4	1.1	0.7	0.6	0.7	1.8	2.2	1.4

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of delivery.

# Reportable fetal deaths per 1,000 live births.

DEATHS

Table C1. Deaths and average per day, by month Mississippi, 1982

Month	Deaths	Average per Day	Month	Deaths	Average per Day
Total	23,173	63			
January	2,114	68	July	1,959	63
February	1,835	66	August	1,839	59
March	2,170	70	September	1,847	62
April	1,886	63	October	1,927	62
May	1,914	62	November	1,926	64
June	1,774	59	December	1,982	64

Table C2. Deaths and percentage distribution, by age and race Mississippi, 1982

	Number			Percent		
Age	Total	White	Non-white	Total	'White	Non-white
Total	23,173	14,863	8,310	100.0	100.0	100.0
Under 1	706	249	457	3.0	1.7	5.5
1-4	135	64	71	0.6	0.4	0.8
5-9	83	41	42	0.4	0.3	0.5
10-14	90	51	39	0.4	0.3	0.5
15-24	600	342	258	2.6	2.3	3.1
25-34	617	336	281	2.7	2.3	3.4
35-44	791	435	356	3.4	2.9	4.3
45-54	1,541	936	605	6.6	6.3	7.3
55-64	3,302	2,121	1,181	14.2	14.3	14.2
65-74	5,458	3,653	1,805	23.6	24.6	21.7
75-84	6,007	4,018	1,989	25.9	27.0	23.9
85 and over	3,815	2,611	1,204	16.5	17.6	14.5
Unknown	28	6	22	0.1	*	0.3

* Less than 0.06 percent.

Table C3. Deaths by age, race, and sex, and male/female ratios by age and race
Mississippi, 1982

	Total			White			Nonwhite		
Age	Male	Female	Males per Female	Male	Female	Males per Female	Male	Female	Males pe Femal
Total	12,748	10,425	1.22	8,205	6,658	1.23	4,543	3,767	1.2
Under 1	401	305	1.31	158	91	1.74	243	214	1.1
1-4	68	67	1.01	32	32	1.00	36	35	1.0
5-9	46	37	1.24	19	22	0.86	27	15	1.8
10-14	59	31	1.90	31	20	1.55	28	11	2.5
15-24	455	145	3.14	261	81	3.22	194	64	3.0
25-34	433	184	2.35	239	97	2.46	194	87	2.2
35-44	525	266	1.97	290	145	2.00	235	121	1.9
45-54	988	553	1.79	617	319	1.93	371	234	1.5
55-64	2,112	1,190	1.77	1,422	699	2.03	690	491	1.4
65-74	3,326	2,132	1.56	2,294	1,359	1.69	1,032	773	1.3
75-84	3,022	2,985	1.01	2,008	2,010	1.00	1,014	975	1.0
85 and over	1,296	2,519	0.51	830	1,781	0.47	466	738	0.6
Unknown	17	11		4	2		13	9	
Median age	68.8	76.0		69.5	77.3		67.4	72.8	

Table C4. Deaths and percent of total deaths from ten leading causes, by cause and race
Mississippi, 1982

	Number			Percent		
Cause and International Classification Number	Total	White	Non-white	Total	White	Non whit
Total of ten leading causes	18,660	12,220	6,440	80.5	82.2	77.
1. Heart diseases (390-398, 402, 404-429)	8,195	5,583	2,612	35.4	37.6	31.
2. Malignant neoplasms (140-208)	4,436	3,006	1,430	19.1	20.2	17.
3. Cerebrovascular diseases (430-438)	2,093	1,266	827	9.0	8.5	10.
4. Accidents (800-949)	1,513	996	517	6.5	6.7	6.
5. Emphysema and other chronic obstructive pulmonary diseases (490-496)	554	463	91	2.4	3.1	1.
6. Pneumonia and influenza (480-487)	498	335	163	2.1	2.2	2.
7. Homicide and legal intervention (960-978)	412	152	260	1.8	1.0	3.
8. Diabetes mellitus (250)	361	177	184	1.6	1.2	2.
9. Certain conditions originating in the perinatal period (760-779)	357	116	241	1.5	0.8	2.
10. Nephritis, nephrotic syndrome, and nephrosis (580-589)	241	126	115	1.0	0.8	1.

Table C5. Deaths and percent of total deaths from five leading causes, by age and cause
Mississippi, 1982

Age	Cause and International Classification Number	Number	Percent
1-4	All causes	135	100.0
	1. Accidents (800-949)	62	45.9
	2. Congenital anomalies (740-759)	15	11.1
	3. Malignant neoplasms (140-208)	7	5.2
	3. Heart diseases (390-398, 402, 404-429)	7	5.2
	5. Pneumonia and influenza (480-487)	4	3.0
5-14	All causes	173	100.0
	1. Accidents (800-949)	99	57.2
	2. Malignant neoplasms (140-208)	20	11.6
	3. Heart diseases (390-398, 402, 404-429)	8	4.6
	4. Congenital anomalies (740-759)	6	3.5
	5. Pneumonia and influenza (480-487)	5	2.9
15-24	All causes	600	100.0
	1. Accidents (800-949)	341	56.8
	2. Homicide and legal intervention (960-978)	101	16.8
	3. Suicide (950-959)	42	7.0
	4. Malignant neoplasms (140-208)	26	4.3
	5. Heart diseases (390-398, 402, 404-429)	15	2.5
25-44	All causes	1,408	100.0
	1. Accidents (800-949)	407	28.9
	2. Heart diseases (390-398, 402, 404-429)	223	15.8
	3. Homicide and legal intervention (960-978)	190	13.5
	4. Malignant neoplasms (140-208)	172	12.2
	5. Suicide (950-959)	80	5.7
45-64	All causes	4,843	100.0
	1. Heart diseases (390-398, 402, 404-429)	1,601	33.0
	2. Malignant neoplasms (140-208)	1,403	29.0
	3. Cerebrovascular diseases (430-438)	281	5.8
	4. Accidents (800-949)	251	5.2
	5. Emphysema and other chronic obstructive pulmonary diseases (490-496)	100	2.1
65 and over	All causes	15,280	100.0
	1. Heart diseases (390-398, 402, 404-429)	6,312	41.3
	2. Malignant neoplasms (140-208)	2,803	18.3
	3. Cerebrovascular diseases (430-438)	1,766	11.6
	4. Emphysema and other chronic obstructive pulmonary diseases (490-496)	444	2.9
	5. Pneumonia and influenza (480-487)	388	2.5

Table C6. Deaths from malignant neoplasms and percentage distribution, by primary site, sex, and race
Mississippi, 1982

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Percent			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	1,730	828	1,276	602	100.0	100.0	100.0	100.0
1. Respiratory and intra-thoracic organs (160-165)	750	281	214	88	43.4	33.9	16.8	14.6
2. Digestive organs and peritoneum (150-159)	340	194	328	166	19.6	23.4	25.7	27.6
3. Genital organs (179-187)	151	151	143	85	8.7	18.2	11.2	14.1
4. Lymphatic and hematopoietic tissue (200-208)	152	63	144	59	8.8	7.6	11.3	9.8
5. Breast (174, 175)	2	0	205	82	0.1	-	16.1	13.6
6. Urinary organs (188, 189)	88	24	34	19	5.1	2.9	2.7	3.2
7. Lip, oral cavity, and pharynx (140-149)	45	17	27	7	2.6	2.0	2.1	1.2
8. Brain (191)	41	11	34	7	2.4	1.3	2.7	1.2
9. Skin (172, 173)	36	3	25	5	2.1	0.4	2.0	0.8
10. Bone and connective tissue (170, 171)	9	7	14	13	0.5	0.8	1.1	2.2
- Other and unspecified sites (190, 192-199)	116	77	108	71	6.7	9.3	8.5	11.8

Table C7. Deaths from major chronic respiratory diseases
Mississippi, 1957, 1962, 1967, 1972, 1977, 1982

Cause and International Classification Number	1957	1962	1967	1972	1977	1982
Tuberculosis of respiratory system (010-012)	150	119	76	41	41	19
Malignant neoplasms of respiratory system (160-165)	273	427	588	764	1,069	1,333
Malignant neoplasms of trachea, bronchus, and lung (162)	247	392	556	736	1,019	1,268
Chronic and unqualified bronchitis (490, 491)	25	40	43	54	39	18
Emphysema (492)	43	111	194	170	146	82
Asthma (493)	59	43	50	22	15	29
(Adjusted figures*)	(33)	(30)	(35)			

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revisions of the cause-of-death classification system in 1958 and 1968.

Table C8. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race Mississippi, 1982

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total of five leading causes	1,141	756	385	75.4	75.9	74.5
1. Motor vehicle (810-825)	755	541	214	49.9	54.3	41.4
2. Fires and flames (890-899)	114	42	72	7.5	4.2	13.9
3. Falls (880-888)	111	93	18	7.3	9.3	3.5
4. Drowning and submersion (except in transport accidents) (910)	92	38	54	6.1	3.8	10.4
5. Firearm missile (922)	69	42	27	4.6	4.2	5.2

Table C9. Deaths from selected types of accidents, by sex, also by age
Mississippi residents, 1982

Type of Accident and International Classification Number	Total	Sex		Age								
		Male	Female	Under 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & Over	Unknown
ALL ACCIDENTS	1,513	1,068	445	30	62	99	341	250	157	251	321	2
Motor vehicle (810-825)	755	538	217	8	25	36	241	148	83	128	85	1
Water transport (830-838)	31	27	4	0	0	1	5	11	5	8	1	0
Submersion, drowning (830, 832)	28	25	3	0	0	1	3	10	5	8	1	0
Other (831, 833-838)	3	2	1	0	0	0	2	1	0	0	0	0
Air and space transport (840-845)	20	16	4	0	0	3	4	3	7	3	0	0
Poisoning (850-869)	56	32	24	0	7	1	8	14	8	8	10	0
By drugs, medicaments, and biologicals (850-858)	26	13	13	0	3	0	3	8	5	2	5	0
By other solid and liquid substances, gases, and vapors (860-869)	30	19	11	0	4	1	5	6	3	6	5	0
Falls (880-888)	111	69	42	0	0	2	5	4	4	14	82	0
Fires and flames (890-899)	114	66	48	4	18	7	8	9	6	18	43	1
Drowning and submersion (except in transport accidents) (910)	92	78	14	1	2	26	24	18	8	8	5	0
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (911, 912)	63	32	31	10	3	1	3	5	4	9	28	0
Mechanical suffocation (including in bed or cradle) (913)	7	5	2	5	0	1	0	0	0	1	0	0
Struck by, striking against, and caught in or between objects (916-918)	24	20	4	0	3	1	2	2	5	8	3	0
Caused by machinery (919)	22	21	1	0	0	1	1	4	4	10	2	0
Caused by firearm missile (922)	69	57	12	0	2	9	17	14	9	9	9	0
Caused by electric current (925)	18	18	0	0	0	1	6	4	3	3	1	0

Table C10. Motor vehicle accident deaths occurring in Mississippi and rates, also motor vehicle accident deaths of Mississippi residents and rates, by year, 1950, 1955, 1960, 1965, 1970-1982

Year	Occurrence Data		Residence Data	
	Number	Rate*	Number	Rate*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6

* Deaths in Mississippi per 100,000,000 miles of vehicle travel; deaths of residents per 100,000 population.

** Not available.

Table C11. Infant deaths, percentage distribution, and mortality rates by age and race Mississippi, 1982

Age	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non whit
Total under 1 year	706	249	457	100.0	100.0	100.0	15.4	10.4	20.
Neonatal (under 28 days)	467	166	301	66.1	66.7	65.9	10.2	6.9	13.
Hebdomadal (under 7 days)	380	132	248	53.8	53.0	54.3	8.3	5.5	11.
Under 1 day	234	77	157	33.1	30.9	34.4	5.1	3.2	7.
1-6 days	146	55	91	20.7	22.1	19.9	3.2	2.3	4.
7-27 days	87	34	53	12.3	13.6	11.6	1.9	1.4	2.
Postneonatal (28 days to 1 year)	239	83	156	33.8	33.3	34.1	5.2	3.4	7.

* Deaths per 1,000 live births.

Table C12. Deaths and mortality rates for ten leading causes of infant deaths, by cause and race Mississippi, 1982

Cause and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
All causes	706	249	457	15.4	10.4	20.9
1. Congenital anomalies (740-759)	105	52	53	2.3	2.2	2.4
2. Respiratory distress syndrome (769)	86	44	42	1.9	1.8	1.9
3. Sudden infant death syndrome (798.0)	75	21	54	1.6	0.9	2.5
4. Disorders relating to short gestation and unspecified low birthweight (765)	58	7	51	1.3	0.3	2.3
5. Intrauterine hypoxia and birth asphyxia (768)	33	10	23	0.7	0.4	1.0
6. Maternal complications of pregnancy (761)	30	8	22	0.6	0.3	1.0
6. Accidents (800-949)	30	12	18	0.6	0.5	0.8
8. Infections specific to the perinatal period (771)	28	7	21	0.6	0.3	1.0
9. Symptoms, signs, and ill-defined conditions (excluding SIDS) (780-797, 798.1-799)	27	8	19	0.6	0.3	0.9
10. Neonatal hemorrhage (772)	21	7	14	0.4	0.3	0.6

* Deaths per 1,000 live births.

MARRIAGES

Table D1. Marriages and average per day, by month
Mississippi, 1982

Month	Marriages	Average per Day	Month	Marriages	Average per Day
Total	27,584	76			
January	1,794	58	July	2,859	92
February	1,955	70	August	2,580	83
March	1,988	64	September	2,044	68
April	2,216	74	October	2,069	67
May	2,579	83	November	2,033	68
June	2,954	98	December	2,513	81

Table D2. Brides and grooms and percentage distribution, by age and race Mississippi, 1982

Age	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	27,584	20,547	7,037	27,584	20,541	7,043	100.0	100.0	100.0	100.0	100.0	100.0
Under 20	7,045	5,653	1,392	2,843	2,364	479	25.5	27.5	19.8	10.3	11.5	6.8
13	6	4	2	0	0	0	*	*	*	–	–	–
14	36	33	3	1	1	0	0.1	0.2	*	*	*	–
15	373	329	44	7	7	0	1.4	1.6	0.6	*	*	–
16	768	668	100	52	48	4	2.8	3.2	1.4	0.2	0.2	*
17	1,373	1,137	236	333	303	30	5.0	5.5	3.4	1.2	1.5	0.4
18	2,300	1,857	443	917	772	145	8.3	9.0	6.3	3.3	3.8	2.0
19	2,189	1,625	564	1,533	1,233	300	7.9	7.9	8.0	5.6	6.0	4.3
20–24	9,046	6,370	2,676	9,667	7,019	2,648	32.8	31.0	38.0	35.0	34.2	37.6
25–34	7,069	5,072	1,997	8,905	6,378	2,527	25.6	24.7	28.4	32.3	31.0	35.9
35–44	2,387	1,891	496	3,130	2,490	640	8.6	9.2	7.0	11.3	12.1	9.1
45–54	1,069	832	237	1,487	1,195	292	3.9	4.0	3.4	5.4	5.8	4.1
55–64	601	452	149	862	630	232	2.2	2.2	2.1	3.1	3.1	3.3
65–74	317	239	78	536	362	174	1.1	1.2	1.1	1.9	1.8	2.5
75 & over	45	34	11	149	101	48	0.2	0.2	0.2	0.5	0.5	0.7
Unknown	5	4	1	5	2	3	*	*	*	*	*	*

* Less than 0.06 percent.

Table D3. Median age of bride and groom,
for all marriages and first marriages, by race
Mississippi, 1982

All and First Marriages	Bride			Groom		
	Total	White	Non-white	Total	White	Non-white
All marriages	23.4	23.3	23.7	25.8	25.8	25.8
First marriages	21.1	20.3	22.5	23.1	22.7	24.0

Table D4. Brides and grooms and percentage distribution, by marriage order and race Mississippi, 1982

Marriage Order	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	27,584	20,547	7,037	27,584	20,541	7,043	100.0	100.0	100.0	100.0	100.0	100.0
First	16,571	11,293	5,278	16,330	11,313	5,017	60.1	55.0	75.0	59.2	55.1	71.2
Remarriage	10,996	9,243	1,753	11,239	9,218	2,021	39.9	45.0	24.9	40.7	44.9	28.7
Second	7,919	6,443	1,476	7,989	6,363	1,626	28.7	31.4	21.0	29.0	31.0	23.1
Over two	3,071	2,796	275	3,248	2,853	395	11.1	13.6	3.9	11.8	13.9	5.6
Third	2,326	2,091	235	2,470	2,157	313	8.4	10.2	3.3	9.0	10.5	4.4
Fourth	616	579	37	604	540	64	2.2	2.8	0.5	2.2	2.6	0.9
Fifth	100	98	2	127	117	10	0.4	0.5	#	0.5	0.6	0.1
Sixth	22	21	1	33	28	5	0.1	0.1	#	0.1	0.1	0.1
Seventh	4	4	0	12	9	3	#	#	–	#	#	#
Eighth	2	2	0	1	1	0	#	#	–	#	#	–
Ninth	1	1	0	0	0	0	#	#	–	–	–	–
Tenth	0	0	0	1	1	0	–	–	–	#	#	–
Unknown*	6	4	2	2	2	0	#	#	#	#	#	–
Unknown**	17	11	6	15	10	5	0.1	#	0.1	#	#	0.1

* Previously married but number of previous marriages unknown.

** Unknown whether previously married.

# Less than 0.06 percent.

Table D5. Brides and grooms and percentage distribution, by previous marital status and race
Mississippi, 1982

Previous Marital Status	Bride			Groom		
	Total	White	Non-white	Total	White	Non-white
NUMBER						
Total	27,584	20,547	7,037	27,584	20,541	7,043
Not previously married	16,571	11,293	5,278	16,330	11,313	5,017
Remarriages	10,996	9,243	1,753	11,239	9,218	2,021
Widowed	1,279	985	294	1,076	783	293
Divorced*	9,682	8,228	1,454	10,143	8,417	1,726
Unknown**	35	30	5	20	18	2
Unknown#	17	11	6	15	10	5
PERCENT						
Total	100.0	100.0	100.0	100.0	100.0	100.0
Not previously married	60.1	55.0	75.0	59.2	55.1	71.2
Remarriages	39.9	45.0	24.9	40.7	44.9	28.7
Widowed	4.6	4.8	4.2	3.9	3.8	4.2
Divorced*	35.1	40.0	20.7	36.8	41.0	24.5
Unknown**	0.1	0.1	0.1	0.1	0.1	##
Unknown#	0.1	##	0.1	##	##	0.1

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

# Unknown whether any previous marriage.

## Less than 0.06 percent.

Table D6. Marriages and percentage distribution, by residence of bride and groom and race of bride Mississippi, 1982

Residence of Groom	Race and Residence of Bride											
					White				Nonwhite			
	Total	Mississippi	Other	Unknown	Total	Mississippi	Other	Unknown	Total	Mississippi	Other	Unknown
NUMBER												
Total	27,584	25,261	2,317	6	20,547	18,622	1,919	6	7,037	6,639	398	0
Mississippi	24,400	23,797	598	5	17,999	17,497	497	5	6,401	6,300	101	0
Other	3,172	1,454	1,718	0	2,537	1,116	1,421	0	635	338	297	0
Unknown	12	10	1	1	11	9	1	1	1	1	0	0
PERCENT												
Total	100.0	91.6	8.4	*	100.0	90.6	9.3	*	100.0	94.3	5.6	-
Mississippi	88.4	86.3	2.2	*	87.6	85.2	2.4	*	91.0	89.5	1.4	-
Other	11.5	5.3	6.2	-	12.3	5.4	6.9	-	9.0	4.8	4.2	-
Unknown	*	*	*	*	*	*	*	*	*	*	-	-

* Less than 0.06 percent.

DIVORCES

Table E1. Divorces and percentage distribution, by cause and race*
Mississippi, 1982

Cause	Number				Percent			
	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
Total	12,861	10,239	2,570	52	100.0	100.0	100.0	100.0
Irreconcilable differences	7,555	6,512	1,019	24	58.7	63.6	39.6	46.2
Cruel and inhuman treatment	4,226	3,205	1,000	21	32.8	31.3	38.9	40.4
Desertion	749	296	449	4	5.8	2.9	17.5	7.7
Adultery	179	125	52	2	1.4	1.2	2.0	3.8
Drunkenness	65	39	26	0	0.5	0.4	1.0	-
Penitentiary	40	26	14	0	0.3	0.2	0.5	-
Annulment	23	20	3	0	0.2	0.2	0.1	-
Bigamy	6	3	3	0	**	**	0.1	-
Miscellaneous and other	9	5	4	0	0.1	**	0.2	-
Unknown	9	8	0	1	0.1	0.1	-	1.9

* Divorces of mixed-race couples are included in figures for nonwhites.

** Less than 0.06 percent.

able E2. Divorces and percentage distribution, by number of minor children and race*
Mississippi, 1982

Number of Minor Children	Number				Percent			
	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
Total divorces	12,861	10,239	2,570	52	100.0	100.0	100.0	100.0
None	5,906	4,953	930	23	45.9	48.4	36.2	44.2
One	3,387	2,687	687	13	26.3	26.2	26.7	25.0
Two	2,345	1,802	537	6	18.2	17.6	20.9	11.5
Three or more	1,185	770	408	7	9.2	7.5	15.9	13.5
Unknown	38	27	8	3	0.3	0.3	0.3	5.8

* Divorces of mixed-race couples are included in figures for nonwhites.

Table E3. Divorces and percentage distribution, by number of years married and race*
Mississippi, 1982

Number of Years Married	Number				Percent			
	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
Total divorces	12,861	10,239	2,570	52	100.0	100.0	100.0	100.0
Under five	5,825	4,958	844	23	45.3	48.4	32.8	44.2
Under one	972	890	79	3	7.6	8.7	3.1	5.8
One	1,469	1,291	177	1	11.4	12.6	6.9	1.9
Two	1,328	1,121	199	8	10.3	10.9	7.7	15.4
Three	1,154	942	207	5	9.0	9.2	8.0	9.6
Four	902	714	182	6	7.0	7.0	7.1	11.5
Five-nine	3,137	2,347	777	13	24.4	22.9	30.2	25.0
Ten-nineteen	2,682	2,029	645	8	20.8	19.8	25.1	15.4
Twenty and over	1,151	855	293	3	8.9	8.4	11.4	5.8
Unknown	66	50	11	5	0.5	0.5	0.4	9.6

* Divorces of mixed-race couples are included in figures for nonwhites.

MAJOR TABLES

1982

TABLE 1

LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE, ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE), MISSISSIPPI, 1982

	Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white
STATE	45,537	23,725	21,812	45,926	24,028	21,898
Adams	1,186	610	576	686	308	378
Alcorn	126	104	22	432	371	61
Amite	6	0	6	197	78	119
Attala	128	103	25	275	133	142
Benton	0	0	0	129	59	70
Bolivar	1,508	260	1,248	1,034	233	801
Calhoun	1	1	0	240	143	97
Carroll	0	0	0	111	51	60
Chickasaw	53	7	46	350	172	178
Choctaw	95	16	79	139	78	61
Claiborne	117	6	111	221	34	187
Clarke	1	0	1	312	153	159
Clay	409	112	297	411	147	264
Coahoma	1,164	288	876	808	169	639
Copiah	193	86	107	473	176	297
Covington	145	64	81	304	165	139
DeSoto	3	3	0	780	623	157
Forrest	2,705	1,817	888	1,176	690	486
Franklin	1	0	1	152	82	70
George	156	121	35	308	261	47
Greene	16	14	2	154	114	40
Grenada	652	342	310	355	171	184
Hancock	137	117	20	423	359	64
Harrison	3,456	2,577	879	3,044	2,245	799
Hinds	7,229	2,468	4,761	4,638	1,887	2,751
Holmes	361	43	318	516	88	428
Humphreys	104	10	94	308	63	245
Issaquena	0	0	0	47	20	27
Itawamba	0	0	0	241	207	34
Jackson	2,105	1,571	534	2,182	1,628	554
Jasper	3	0	3	350	111	239
Jefferson	69	1	68	191	18	173
Jeff Davis	4	1	3	265	92	173
Jones	1,759	915	844	1,173	767	406
Kemper	0	0	0	177	52	125
Lafayette	529	318	211	393	211	182
Lamar	67	47	20	445	377	68
Lauderdale	2,576	1,373	1,203	1,370	710	660
Lawrence	81	23	58	233	138	95
Leake	78	40	38	308	135	173
Lee	2,386	1,757	629	1,056	711	345
Leflore	1,235	358	877	825	231	594

Table 1 - Page 2
Live Births - Mississippi - 1982

	Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white
Lincoln	352	250	102	506	321	185
Lowndes	991	713	278	1,141	695	446
Madison	15	4	11	827	317	510
Marion	9	6	3	477	292	185
Marshall	4	1	3	545	221	324
Monroe	1,292	955	337	654	395	259
Montgomery	209	54	155	247	111	136
Neshoba	110	56	54	389	223	166
Newton	113	59	54	323	167	156
Noxubee	215	23	192	265	61	204
Oktibbeha	720	299	421	617	279	338
Panola	397	78	319	585	206	379
Pearl River	478	389	89	565	470	95
Perry	70	54	16	220	158	62
Pike	1,192	671	521	656	281	375
Pontotoc	39	31	8	298	230	68
Prentiss	4	1	3	333	274	59
Quitman	137	40	97	279	71	208
Rankin	2,169	1,819	350	1,156	891	265
Scott	82	59	23	417	235	182
Sharkey	73	7	66	222	51	171
Simpson	86	53	33	441	254	187
Smith	38	26	12	232	159	73
Stone	1	0	1	158	101	57
Sunflower	458	161	297	758	188	570
Tallahatchie	182	32	150	349	90	259
Tate	206	57	149	323	159	164
Tippah	232	123	109	280	222	58
Tishomingo	134	127	7	266	256	10
Tunica	97	7	90	217	34	183
Union	471	352	119	323	264	59
Walthall	144	56	88	228	108	120
Warren	1,482	584	898	931	498	433
Washington	1,345	504	841	1,618	463	1,155
Wayne	359	160	199	414	228	186
Webster	166	98	68	175	121	54
Wilkinson	207	54	153	202	54	148
Winston	184	93	91	296	119	177
Yalobusha	129	45	84	223	108	115
Yazoo	101	51	50	538	192	346
Out of state	2,287	1,717	570	1,898	1,414	484

Table 1 - Page 3
Live Births - Mississippi - 1982

	Residence Data		
Town*	Total	White	Non-white
Biloxi	1,042	771	271
Brookhaven	190	87	103
Canton	280	48	232
Clarksdale	470	105	365
Cleveland	273	97	176
Clinton	212	170	42
Columbus	514	235	279
Corinth	134	94	40
Greenville	933	210	723
Greenwood	448	134	314
Grenada	214	84	130
Gulfport	851	524	327
Hattiesburg	826	386	440
Jackson	3,794	1,462	2,332
Laurel	434	188	246
McComb	227	96	131
Meridian	776	315	461
Moss Point	396	79	317
Natchez	413	169	244
Ocean Springs	296	259	37
Pascagoula	644	540	104
Pearl	338	303	35
Picayune	180	119	61
Southaven	231	218	13
Starkville	299	159	140
Tupelo	436	283	153
Vicksburg	490	176	314
Yazoo City	255	65	190

* Towns of 10,000 population or more.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT, ALSO BY COUNTY OF RESIDENCE AND SEX, MISSISSIPPI, 1982

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
STATE	45,926	24,028	23,945	8	75	21,898	21,720	62	116	23,518	22,408
Adams	686	308	307	1	0	378	376	0	2	357	329
Alcorn	432	371	371	0	0	61	60	1	0	226	206
Amite	197	78	78	0	0	119	112	1	6	115	82
Attala	275	133	133	0	0	142	133	0	9	126	149
Benton	129	59	59	0	0	70	70	0	0	71	58
Bolivar	1,034	233	232	0	1	801	795	2	4	547	487
Calhoun	240	143	143	0	0	97	97	0	0	138	102
Carroll	111	51	51	0	0	60	60	0	0	58	53
Chickasaw	350	172	171	0	1	178	176	2	0	176	174
Choctaw	139	78	78	0	0	61	60	0	1	72	67
Claiborne	221	34	34	0	0	187	185	2	0	122	99
Clarke	312	153	153	0	0	159	159	0	0	164	148
Clay	411	147	147	0	0	264	263	0	1	222	189
Coahoma	808	169	169	0	0	639	636	2	1	415	393
Copiah	473	176	175	1	0	297	296	1	0	225	248
Covington	304	165	165	0	0	139	139	0	0	156	148
DeSoto	780	623	620	0	3	157	157	0	0	414	366
Forrest	1,176	690	686	1	3	486	485	0	1	604	572
Franklin	152	82	82	0	0	70	69	0	1	66	86
George	308	261	258	0	3	47	47	0	0	159	149
Greene	154	114	114	0	0	40	40	0	0	70	84
Grenada	355	171	171	0	0	184	183	0	1	167	188
Hancock	423	359	358	0	1	64	64	0	0	216	207
Harrison	3,044	2,245	2,240	0	5	799	790	0	9	1,605	1,439

able 2 - Page 2
ive Births - Mississippi - 1982

		White				Nonwhite				Sex	
ounty	Total	Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
inds	4,638	1,887	1,877	2	8	2,751	2,738	8	5	2,407	2,231
olmes	516	88	88	0	0	428	424	0	4	255	261
umphreys	308	63	63	0	0	245	244	1	0	155	153
ssaquena	47	20	20	0	0	27	26	0	1	27	20
tawamba	241	207	207	0	0	34	34	0	0	122	119
ackson	2,182	1,628	1,623	1	4	554	546	0	8	1,136	1,046
asper	350	111	111	0	0	239	236	1	2	185	165
efferson	191	18	18	0	0	173	173	0	0	97	94
eff Davis	265	92	91	0	1	173	173	0	0	134	131
ones	1,173	767	757	1	9	406	406	0	0	592	581
emper	177	52	52	0	0	125	125	0	0	105	72
afayette	393	211	210	0	1	182	180	0	2	198	195
amar	445	377	376	0	1	68	68	0	0	234	211
auderdale	1,370	710	710	0	0	660	660	0	0	714	656
awrence	233	138	138	0	0	95	95	0	0	124	109
eake	308	135	135	0	0	173	172	0	1	159	149
ee	1,056	711	710	0	1	345	344	1	0	513	543
eflore	825	231	230	1	0	594	590	2	2	415	410
incoln	506	321	320	0	1	185	184	1	0	251	255
owndes	1,141	695	694	0	1	446	441	2	3	564	577
adison	827	317	317	0	0	510	507	3	0	429	398
arion	477	292	287	0	5	185	183	1	1	240	237
arshall	545	221	220	0	1	324	324	0	0	273	272
onroe	654	395	393	0	2	259	255	0	4	347	307
ontgomery	247	111	111	0	0	136	136	0	0	129	118
eshoba	389	223	223	0	0	166	163	3	0	188	201
ewton	323	167	167	0	0	156	154	2	0	170	153
oxubee	265	61	61	0	0	204	201	2	1	129	136
ktibbeha	617	279	279	0	0	338	338	0	0	320	297
anola	585	206	206	0	0	379	372	2	5	321	264

Table 2 - Page 3
Live Births - Mississippi - 1982

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	565	470	469	0	1	95	95	0	0	293	272
Perry	220	158	158	0	0	62	62	0	0	116	104
Pike	656	281	277	0	4	375	369	1	5	337	319
Pontotoc	298	230	229	0	1	68	68	0	0	147	151
Prentiss	333	274	274	0	0	59	58	0	1	164	169
Quitman	279	71	71	0	0	208	208	0	0	126	153
Rankin	1,156	891	887	0	4	265	263	1	1	592	564
Scott	417	235	235	0	0	182	182	0	0	209	208
Sharkey	222	51	51	0	0	171	170	0	1	114	108
Simpson	441	254	252	0	2	187	186	1	0	221	220
Smith	232	159	158	0	1	73	72	1	0	115	117
Stone	158	101	101	0	0	57	56	0	1	74	84
Sunflower	758	188	188	0	0	570	566	4	0	363	395
Tallahatchie	349	90	90	0	0	259	258	1	0	174	175
Tate	323	159	159	0	0	164	163	1	0	159	164
Tippah	280	222	222	0	0	58	58	0	0	133	147
Tishomingo	266	256	255	0	1	10	10	0	0	139	127
Tunica	217	34	34	0	0	183	182	1	0	117	100
Union	323	264	264	0	0	59	59	0	0	159	164
Walthall	228	108	104	0	4	120	105	1	14	116	112
Warren	931	498	495	0	3	433	433	0	0	465	466
Washington	1,618	463	463	0	0	1,155	1,144	7	4	791	827
Wayne	414	228	228	0	0	186	185	1	0	228	186
Webster	175	121	121	0	0	54	54	0	0	97	78
Wilkinson	202	54	53	0	1	148	148	0	0	116	86
Winston	296	119	119	0	0	177	174	2	1	149	147
Yalobusha	223	108	108	0	0	115	115	0	0	106	117
Yazoo	538	192	191	0	1	346	333	0	13	274	264

NOTE: "Hosp. or Clinic" includes delivery by physician, CNM, or any other named person. "Other" includes delivery by any person other than a physician, at any place other than a hospital or clinic.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- know
STATE	45,926	346	9,701	16,296	12,184	5,481	1,567	322	24	
Adams	686	3	131	271	179	83	14	5	0	
Alcorn	432	3	85	158	120	47	18	1	0	
Amite	197	2	44	75	43	25	7	1	0	
Attala	275	4	56	89	79	29	13	5	0	
Benton	129	2	26	59	24	11	6	1	0	
Bolivar	1,034	21	300	319	230	119	37	8	0	
Calhoun	240	3	63	76	62	26	7	3	0	
Carroll	111	1	23	35	32	16	4	0	0	
Chickasaw	350	1	78	137	81	37	13	3	0	
Choctaw	139	3	32	46	33	17	5	3	0	
Claiborne	221	3	53	78	53	28	4	2	0	
Clarke	312	4	67	108	81	38	9	5	0	
Clay	411	3	70	155	124	41	14	4	0	
Coahoma	808	11	232	308	165	64	20	8	0	
Copiah	473	3	113	155	128	56	11	6	1	
Covington	304	2	88	92	71	40	5	6	0	
DeSoto	780	1	122	262	233	114	36	11	1	
Forrest	1,176	7	215	423	345	143	37	6	0	
Franklin	152	0	28	54	43	22	5	0	0	
George	308	4	71	129	59	38	7	0	0	
Greene	154	1	34	64	37	11	5	2	0	
Grenada	355	6	87	108	97	41	14	2	0	
Hancock	423	2	98	141	114	46	19	3	0	
Harrison	3,044	13	630	1,176	773	338	93	17	2	
Hinds	4,638	42	753	1,499	1,437	703	171	27	5	
Holmes	516	3	146	164	135	41	23	4	0	
Humphreys	308	3	67	135	64	28	6	4	0	
Issaquena	47	1	11	14	13	3	3	2	0	
Itawamba	241	0	38	93	76	31	3	0	0	
Jackson	2,182	8	427	849	570	261	56	10	1	
Jasper	350	3	67	135	84	40	16	5	0	
Jefferson	191	2	42	68	52	19	6	1	1	
Jeff Davis	265	1	64	88	63	31	16	2	0	
Jones	1,173	8	211	437	317	150	42	7	0	
Kemper	177	2	41	64	48	16	5	1	0	
Lafayette	393	4	70	131	108	58	18	4	0	
Lamar	445	0	62	155	154	60	10	4	0	
Lauderdale	1,370	16	292	492	354	179	34	3	0	
Lawrence	233	3	65	79	54	24	8	0	0	
Leake	308	0	68	99	98	38	5	0	0	
Lee	1,056	3	202	378	315	121	30	7	0	
Leflore	825	3	227	275	210	88	16	6	0	

Table 3A - Page 2
Total Live Births - Mississippi - 1982

County	Total	Age of Mother Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	506	2	100	171	145	67	19	2	0	0
Lowndes	1,141	9	206	408	347	126	33	10	2	0
Madison	827	6	175	251	233	123	27	11	1	0
Marion	477	8	122	165	113	53	13	3	0	0
Marshall	545	5	124	194	123	70	24	5	0	0
Monroe	654	0	151	245	168	65	21	3	1	0
Montgomery	247	3	60	86	52	31	13	2	0	0
Neshoba	389	2	87	144	90	49	12	4	1	0
Newton	323	3	55	130	74	50	9	2	0	0
Noxubee	265	1	56	102	60	29	13	3	1	0
Oktibbeha	617	2	101	191	202	91	25	5	0	0
Panola	585	4	158	184	126	83	21	9	0	0
Pearl River	565	3	136	209	139	52	23	3	0	0
Perry	220	0	51	73	60	22	13	1	0	0
Pike	656	5	135	237	169	81	24	5	0	0
Pontotoc	298	0	46	109	93	38	11	1	0	0
Prentiss	333	2	73	127	87	33	8	2	1	0
Quitman	279	3	91	91	64	12	13	5	0	0
Rankin	1,156	6	172	401	375	149	49	3	1	0
Scott	417	2	86	158	101	43	23	4	0	0
Sharkey	222	5	60	84	43	20	8	2	0	0
Simpson	441	0	97	168	110	45	20	1	0	0
Smith	232	1	40	84	69	33	3	2	0	0
Stone	158	1	29	61	41	20	5	1	0	0
Sunflower	758	13	197	256	177	83	26	6	0	0
Tallahatchie	349	1	106	127	76	32	6	1	0	0
Tate	323	1	65	119	83	39	14	2	0	0
Tippah	280	2	56	109	65	34	10	4	0	0
Tishomingo	266	1	65	84	77	28	10	1	0	0
Tunica	217	4	75	73	43	15	6	1	0	0
Union	323	1	56	133	87	32	11	3	0	0
Walthall	228	3	48	84	43	32	13	5	0	0
Warren	931	7	182	315	267	117	35	8	0	0
Washington	1,618	17	414	578	377	159	63	7	3	0
Wayne	414	5	88	167	96	41	16	1	0	0
Webster	175	0	35	57	58	19	4	2	0	0
Wilkinson	202	3	46	72	40	25	14	1	1	0
Winston	296	3	66	98	77	44	8	0	0	0
Yalobusha	223	2	49	85	52	24	10	1	0	0
Yazoo	538	5	143	193	124	51	20	1	1	0

TABLE 3B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	U kno
STATE	24,028	38	3,717	8,780	7,347	3,205	819	117	3	
Adams	308	0	39	121	83	53	10	2	0	
Alcorn	371	2	75	133	102	42	16	1	0	
Amite	78	0	7	40	15	13	3	0	0	
Attala	133	1	20	45	45	13	7	2	0	
Benton	59	1	9	29	13	5	2	0	0	
Bolivar	233	0	21	77	91	38	5	1	0	
Calhoun	143	0	31	45	43	19	4	1	0	
Carroll	51	0	6	14	19	9	3	0	0	
Chickasaw	172	0	35	62	48	18	8	1	0	
Choctaw	78	1	10	23	29	12	1	2	0	
Claiborne	34	0	3	15	10	4	2	0	0	
Clarke	153	1	26	66	38	17	5	0	0	
Clay	147	0	16	60	56	12	3	0	0	
Coahoma	169	0	19	57	61	21	9	2	0	
Copiah	176	0	24	69	57	23	2	1	0	
Covington	165	0	40	55	44	21	2	3	0	
DeSoto	623	0	74	205	207	101	30	6	0	
Forrest	690	1	88	238	244	89	26	4	0	
Franklin	82	0	12	32	25	10	3	0	0	
George	261	2	59	115	48	34	3	0	0	
Greene	114	0	22	53	29	5	4	1	0	
Grenada	171	0	34	55	52	21	8	1	0	
Hancock	359	1	79	115	103	42	17	2	0	
Harrison	2,245	2	442	899	593	241	59	9	0	
Hinds	1,887	3	150	563	709	368	82	11	0	
Holmes	88	0	12	25	33	14	4	0	0	
Humphreys	63	0	8	27	21	6	1	0	0	
Issaquena	20	0	2	7	8	2	1	0	0	
Itawamba	207	0	35	77	65	27	3	0	0	
Jackson	1,628	3	298	660	431	190	42	3	1	
Jasper	111	0	13	46	33	15	3	1	0	
Jefferson	18	0	2	12	3	1	0	0	0	
Jeff Davis	92	0	13	46	18	12	2	1	0	
Jones	767	2	114	280	225	116	25	4	0	
Kemper	52	0	4	23	19	5	1	0	0	
Lafayette	211	0	24	65	64	41	14	3	0	
Lamar	377	0	52	126	136	52	8	3	0	
Lauderdale	710	3	102	266	214	109	15	1	0	
Lawrence	138	0	32	53	33	12	8	0	0	
Leake	135	0	25	46	44	18	2	0	0	
Lee	711	0	113	256	221	95	20	6	0	
Leflore	231	0	29	68	94	35	2	3	0	

Table 3B - Page 2
White Live Births - Mississippi - 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	321	0	50	110	98	50	11	2	0	0
Lowndes	695	0	80	267	245	81	18	4	0	0
Madison	317	0	24	99	119	71	4	0	0	0
Marion	292	1	63	116	75	28	7	2	0	0
Marshall	221	2	45	74	57	35	8	0	0	0
Monroe	395	0	83	140	120	36	14	1	1	0
Montgomery	111	0	24	42	28	13	4	0	0	0
Neshoba	223	0	36	90	53	32	9	3	0	0
Newton	167	0	15	70	46	31	4	1	0	0
Noxubee	61	0	7	26	12	13	2	0	1	0
Oktibbeha	279	0	25	80	110	49	13	2	0	0
Panola	206	0	38	77	50	31	8	2	0	0
Pearl River	470	1	103	172	123	47	22	2	0	0
Perry	158	0	37	51	43	15	11	1	0	0
Pike	281	0	41	101	92	36	10	1	0	0
Pontotoc	230	0	33	85	73	28	10	1	0	0
Prentiss	274	2	59	109	71	24	7	2	0	0
Quitman	71	1	15	23	26	3	3	0	0	0
Rankin	891	4	100	308	317	122	40	0	0	0
Scott	235	0	47	93	60	22	11	2	0	0
Sharkey	51	0	4	18	20	6	2	1	0	0
Simpson	254	0	49	103	72	22	8	0	0	0
Smith	159	1	17	57	56	25	2	1	0	0
Stone	101	0	14	41	29	13	3	1	0	0
Sunflower	188	0	18	67	69	30	4	0	0	0
Tallahatchie	90	0	11	32	33	12	2	0	0	0
Tate	159	0	18	67	45	22	7	0	0	0
Tippah	222	0	43	84	54	28	10	3	0	0
Tishomingo	256	0	64	81	74	26	10	1	0	0
Tunica	34	0	6	12	12	4	0	0	0	0
Union	264	1	37	112	75	28	8	3	0	0
Walthall	108	0	19	47	21	14	6	1	0	0
Warren	498	0	69	167	162	74	25	1	0	0
Washington	463	1	70	173	138	60	19	2	0	0
Wayne	228	1	43	98	58	20	8	0	0	0
Webster	121	0	20	39	45	12	3	2	0	0
Wilkinson	54	0	11	25	11	6	1	0	0	0
Winston	119	0	16	39	38	22	4	0	0	0
Yalobusha	108	0	19	44	29	10	6	0	0	0
Yazoo	192	0	25	72	62	23	10	0	0	0

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Unknown
STATE	21,898	308	5,984	7,516	4,837	2,276	748	205	21	3
Adams	378	3	92	150	96	30	4	3	0	0
Alcorn	61	1	10	25	18	5	2	0	0	0
Amite	119	2	37	35	28	12	4	1	0	0
Attala	142	3	36	44	34	16	6	3	0	0
Benton	70	1	17	30	11	6	4	1	0	0
Bolivar	801	21	279	242	139	81	32	7	0	0
Calhoun	97	3	32	31	19	7	3	2	0	0
Carroll	60	1	17	21	13	7	1	0	0	0
Chickasaw	178	1	43	75	33	19	5	2	0	0
Choctaw	61	2	22	23	4	5	4	1	0	0
Claiborne	187	3	50	63	43	24	2	2	0	0
Clarke	159	3	41	42	43	21	4	5	0	0
Clay	264	3	54	95	68	29	11	4	0	0
Coahoma	639	11	213	251	104	43	11	6	0	0
Copiah	297	3	89	86	71	33	9	5	1	0
Covington	139	2	48	37	27	19	3	3	0	0
DeSoto	157	1	48	57	26	13	6	5	1	0
Forrest	486	6	127	185	101	54	11	2	0	0
Franklin	70	0	16	22	18	12	2	0	0	0
George	47	2	12	14	11	4	4	0	0	0
Greene	40	1	12	11	8	6	1	1	0	0
Grenada	184	6	53	53	45	20	6	1	0	0
Hancock	64	1	19	26	11	4	2	1	0	0
Harrison	799	11	188	277	180	97	34	8	2	2
Hinds	2,751	39	603	936	728	335	89	16	5	0
Holmes	428	3	134	139	102	27	19	4	0	0
Humphreys	245	3	59	108	43	22	5	4	0	1
Issaquena	27	1	9	7	5	1	2	2	0	0
Itawamba	34	0	3	16	11	4	0	0	0	0
Jackson	554	5	129	189	139	71	14	7	0	0
Jasper	239	3	54	89	51	25	13	4	0	0
Jefferson	173	2	40	56	49	18	6	1	1	0
Jeff Davis	173	1	51	42	45	19	14	1	0	0
Jones	406	6	97	157	92	34	17	3	0	0
Kemper	125	2	37	41	29	11	4	1	0	0
Lafayette	182	4	46	66	44	17	4	1	0	0
Lamar	68	0	10	29	18	8	2	1	0	0
Lauderdale	660	13	190	226	140	70	19	2	0	0
Lawrence	95	3	33	26	21	12	0	0	0	0
Leake	173	0	43	53	54	20	3	0	0	0
Lee	345	3	89	122	94	26	10	1	0	0
Leflore	594	3	198	207	116	53	14	3	0	0

Table 3C - Page 2
Nonwhite Live Births - Mississippi - 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known
Lincoln	185	2	50	61	47	17	8	0	0	0
Lowndes	446	9	126	141	102	45	15	6	2	0
Madison	510	6	151	152	114	52	23	11	1	0
Marion	185	7	59	49	38	25	6	1	0	0
Marshall	324	3	79	120	66	35	16	5	0	0
Monroe	259	0	68	105	48	29	7	2	0	0
Montgomery	136	3	36	44	24	18	9	2	0	0
Neshoba	166	2	51	54	37	17	3	1	1	0
Newton	156	3	40	60	28	19	5	1	0	0
Noxubee	204	1	49	76	48	16	11	3	0	0
Oktibbeha	338	2	76	111	92	42	12	3	0	0
Panola	379	4	120	107	76	52	13	7	0	0
Pearl River	95	2	33	37	16	5	1	1	0	0
Perry	62	0	14	22	17	7	2	0	0	0
Pike	375	5	94	136	77	45	14	4	0	0
Pontotoc	68	0	13	24	20	10	1	0	0	0
Prentiss	59	0	14	18	16	9	1	0	1	0
Quitman	208	2	76	68	38	9	10	5	0	0
Rankin	265	2	72	93	58	27	9	3	1	0
Scott	182	2	39	65	41	21	12	2	0	0
Sharkey	171	5	56	66	23	14	6	1	0	0
Simpson	187	0	48	65	38	23	12	1	0	0
Smith	73	0	23	27	13	8	1	1	0	0
Stone	57	1	15	20	12	7	2	0	0	0
Sunflower	570	13	179	189	108	53	22	6	0	0
Tallahatchie	259	1	95	95	43	20	4	1	0	0
Tate	164	1	47	52	38	17	7	2	0	0
Tippah	58	2	13	25	11	6	0	1	0	0
Tishomingo	10	1	1	3	3	2	0	0	0	0
Tunica	183	4	69	61	31	11	6	1	0	0
Union	59	0	19	21	12	4	3	0	0	0
Walthall	120	3	29	37	22	18	7	4	0	0
Warren	433	7	113	148	105	43	10	7	0	0
Washington	1,155	16	344	405	239	99	44	5	3	0
Wayne	186	4	45	69	38	21	8	1	0	0
Webster	54	0	15	18	13	7	1	0	0	0
Wilkinson	148	3	35	47	29	19	13	1	1	0
Winston	177	3	50	59	39	22	4	0	0	0
Yalobusha	115	2	30	41	23	14	4	1	0	0
Yazoo	346	5	118	121	62	28	10	1	1	0

TABLE 4
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1982

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
STATE	13,591	1,466	12,125	29.6	6.1	55.4
Adams	257	25	232	37.5	8.1	61.4
Alcorn	50	23	27	11.6	6.2	44.3
Amite	56	1	55	28.4	1.3	46.2
Attala	77	7	70	28.0	5.3	49.3
Benton	36	2	34	27.9	3.4	48.6
Bolivar	572	13	559	55.3	5.6	69.8
Calhoun	54	5	49	22.5	3.5	50.5
Carroll	29	2	27	26.1	3.9	45.0
Chickasaw	91	13	78	26.0	7.6	43.8
Choctaw	38	2	36	27.3	2.6	59.0
Claiborne	110	1	109	49.8	2.9	58.3
Clarke	89	7	82	28.5	4.6	51.6
Clay	119	6	113	29.0	4.1	42.8
Coahoma	447	15	432	55.3	8.9	67.6
Copiah	153	7	146	32.3	4.0	49.2
Covington	82	9	73	27.0	5.4	52.5
DeSoto	131	35	96	16.8	5.6	61.1
Forrest	318	39	279	27.0	5.6	57.4
Franklin	32	4	28	21.0	4.9	40.0
George	50	21	29	16.2	8.0	61.7
Greene	30	7	23	19.5	6.1	57.5
Grenada	113	7	106	31.8	4.1	57.6
Hancock	73	36	37	17.2	10.0	57.8
Harrison	605	227	378	19.9	10.1	47.3
Hinds	1,524	90	1,434	32.8	4.8	52.1
Holmes	277	1	276	53.7	1.1	64.5
Humphreys	162	2	160	52.6	3.2	65.3
Issaquena	18	1	17	38.3	5.0	63.0
Itawamba	27	13	14	11.2	6.3	41.2
Jackson	413	144	269	18.9	8.8	48.6
Jasper	101	3	98	28.8	2.7	41.0
Jefferson	108	1	107	56.5	5.6	61.8
Jeff Davis	69	1	68	26.0	1.1	59.3
Jones	214	28	186	18.2	3.6	45.8
Kemper	63	2	61	35.6	3.8	48.8
Lafayette	106	16	90	27.0	7.6	49.4
Lamar	40	16	24	9.0	4.2	35.3
Lauderdale	401	57	344	29.3	8.0	52.1
Lawrence	51	3	48	21.9	2.2	50.5
Leake	60	7	53	19.5	5.2	30.6
Lee	212	49	163	20.1	6.9	47.2
Leflore	399	11	388	48.4	4.8	65.3

Table 4 - Page 2
Illegitimate Live Births - Mississippi - 1982

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	100	10	90	19.8	3.1	48.6
Lowndes	287	31	256	25.2	4.5	57.4
Madison	334	6	328	40.4	1.9	64.3
Marion	102	15	87	21.4	5.1	47.0
Marshall	204	19	185	37.4	8.6	57.1
Monroe	155	23	132	23.7	5.8	51.0
Montgomery	73	9	64	29.6	8.1	47.0
Neshoba	89	7	82	22.9	3.1	49.4
Newton	84	7	77	26.0	4.2	49.4
Noxubee	117	1	116	44.2	1.6	56.9
Oktibbeha	207	8	199	33.5	2.9	58.9
Panola	244	13	231	41.7	6.3	61.0
Pearl River	101	36	65	17.9	7.7	68.4
Perry	48	14	34	21.8	8.9	54.8
Pike	213	21	192	32.5	7.5	51.2
Pontotoc	44	7	37	14.8	3.0	54.4
Prentiss	43	18	25	12.9	6.6	42.4
Quitman	146	6	140	52.3	8.4	67.3
Rankin	154	42	112	13.3	4.7	42.3
Scott	88	13	75	21.1	5.5	41.2
Sharkey	137	1	136	61.7	2.0	79.5
Simpson	93	13	80	21.1	5.1	42.8
Smith	45	3	42	19.4	1.9	57.5
Stone	32	3	29	20.2	3.0	50.9
Sunflower	352	8	344	46.4	4.2	60.4
Tallahatchie	189	8	181	54.2	8.9	69.9
Tate	99	7	92	30.6	4.4	56.1
Tippah	40	20	20	14.3	9.0	34.5
Tishomingo	18	15	3	6.8	5.8	30.0
Tunica	143	4	139	65.9	11.8	76.0
Union	38	15	23	11.8	5.7	39.0
Walthall	48	2	46	21.0	1.8	38.3
Warren	295	25	270	31.7	5.0	62.4
Washington	776	35	741	48.0	7.6	64.2
Wayne	98	14	84	23.7	6.1	45.2
Webster	33	7	26	18.8	5.8	48.1
Wilkinson	98	7	91	48.5	13.0	61.5
Winston	97	2	95	32.8	1.7	53.7
Yalobusha	64	4	60	28.7	3.7	52.2
Yazoo	206	8	198	38.3	4.2	57.2

TABLE 5A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	13,591	330	5,815	4,637	1,785	691	240	84	6	3
Adams	257	3	89	104	47	11	2	1	0	0
Alcorn	50	2	19	16	9	2	2	0	0	0
Amite	56	2	32	11	10	1	0	0	0	0
Attala	77	4	31	24	8	6	2	2	0	0
Benton	36	1	13	17	2	1	1	1	0	0
Bolivar	572	21	264	181	62	30	11	3	0	0
Calhoun	54	3	30	15	4	1	0	1	0	0
Carroll	29	1	11	12	3	2	0	0	0	0
Chickasaw	91	1	36	39	8	6	0	1	0	0
Choctaw	38	2	18	14	2	2	0	0	0	0
Claiborne	110	3	45	40	11	9	1	1	0	0
Clarke	89	4	35	26	14	6	1	3	0	0
Clay	119	3	41	45	19	8	2	1	0	0
Coahoma	447	11	205	164	43	16	3	5	0	0
Copiah	153	3	82	36	20	9	2	0	1	0
Covington	82	2	43	18	11	7	0	1	0	0
DeSoto	131	1	60	43	14	7	4	2	0	0
Forrest	318	7	130	127	31	21	1	1	0	0
Franklin	32	0	13	14	5	0	0	0	0	0
George	50	3	20	15	8	3	1	0	0	0
Greene	30	1	16	8	3	1	1	0	0	0
Grenada	113	6	50	32	16	6	3	0	0	0
Hancock	73	1	29	26	6	6	4	1	0	0
Harrison	605	13	276	207	73	23	8	3	1	1
Hinds	1,524	42	571	546	245	85	23	10	1	1
Holmes	277	2	114	86	52	13	9	1	0	0
Humphreys	162	3	55	72	17	9	3	3	0	0
Issaquena	18	1	9	6	1	0	1	0	0	0
Itawamba	27	0	6	16	3	2	0	0	0	0
Jackson	413	7	177	147	59	17	2	4	0	0
Jasper	101	3	46	38	7	5	1	1	0	0
Jefferson	108	2	34	41	20	7	2	1	1	0
Jeff Davis	69	1	38	17	8	3	2	0	0	0
Jones	214	7	85	73	34	8	5	1	0	1
Kemper	63	2	30	16	11	2	2	0	0	0
Lafayette	106	4	44	33	19	6	0	0	0	0
Lamar	40	0	14	18	6	1	1	0	0	0
Lauderdale	401	16	180	127	57	18	3	0	0	0
Lawrence	51	3	31	13	2	2	0	0	0	0
Leake	60	0	30	18	9	3	0	0	0	0
Lee	212	3	86	73	33	12	4	1	0	0
Leflore	399	3	186	139	50	17	1	3	0	0

Table 5A - Page 2
Total Illegitimate Live Births - Mississippi - 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	100	2	41	32	20	2	3	0	0	0
Lowndes	287	9	127	89	43	9	7	2	1	0
Madison	334	6	140	105	51	17	11	4	0	0
Marion	102	6	49	29	8	8	1	1	0	0
Marshall	204	4	73	77	28	12	6	4	0	0
Monroe	155	0	75	53	18	7	2	0	0	0
Montgomery	73	3	34	24	3	5	3	1	0	0
Neshoba	89	2	40	29	12	6	0	0	0	0
Newton	84	3	35	29	6	9	2	0	0	0
Noxubee	117	1	43	48	15	7	3	0	0	0
Oktibbeha	207	2	72	73	37	17	5	1	0	0
Panola	244	4	117	68	28	17	7	3	0	0
Pearl River	101	2	51	36	5	3	3	1	0	0
Perry	48	0	19	16	9	3	1	0	0	0
Pike	213	5	86	73	28	15	4	2	0	0
Pontotoc	44	0	10	19	10	4	1	0	0	0
Prentiss	43	1	27	11	1	1	1	1	0	0
Quitman	146	2	73	52	14	2	3	0	0	0
Rankin	154	5	71	46	26	5	1	0	0	0
Scott	88	2	36	31	10	5	3	1	0	0
Sharkey	137	5	55	54	12	5	5	1	0	0
Simpson	93	0	41	38	9	3	2	0	0	0
Smith	45	1	22	16	4	2	0	0	0	0
Stone	32	1	14	12	4	1	0	0	0	0
Sunflower	352	13	164	120	34	15	6	0	0	0
Tallahatchie	189	1	88	70	18	9	2	1	0	0
Tate	99	1	48	26	17	5	2	0	0	0
Tippah	40	2	16	14	5	1	1	1	0	0
Tishomingo	18	1	7	6	3	1	0	0	0	0
Tunica	143	4	67	48	14	6	4	0	0	0
Union	38	1	20	13	1	2	1	0	0	0
Walthall	48	3	23	5	8	4	2	3	0	0
Warren	295	7	117	103	41	19	6	2	0	0
Washington	776	16	327	271	107	35	17	2	1	0
Wayne	98	5	37	33	14	8	1	0	0	0
Webster	33	0	18	6	5	3	1	0	0	0
Wilkinson	98	3	35	28	15	8	9	0	0	0
Winston	97	3	42	29	15	8	0	0	0	0
Yalobusha	64	2	30	24	3	4	0	1	0	0
Yazoo	206	5	101	68	22	4	6	0	0	0

TABLE 5B
WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	1,466	25	697	466	176	59	29	12	0	2
Adams	25	0	6	11	3	4	1	0	0	0
Alcorn	23	1	10	6	5	0	1	0	0	0
Amite	1	0	0	1	0	0	0	0	0	0
Attala	7	1	3	3	0	0	0	0	0	0
Benton	2	0	1	1	0	0	0	0	0	0
Bolivar	13	0	4	5	4	0	0	0	0	0
Calhoun	5	0	3	0	2	0	0	0	0	0
Carroll	2	0	1	0	0	1	0	0	0	0
Chickasaw	13	0	7	4	2	0	0	0	0	0
Choctaw	2	0	0	2	0	0	0	0	0	0
Claiborne	1	0	0	0	1	0	0	0	0	0
Clarke	7	1	4	2	0	0	0	0	0	0
Clay	6	0	4	1	0	0	1	0	0	0
Coahoma	15	0	5	5	1	2	1	1	0	0
Copiah	7	0	4	0	1	2	0	0	0	0
Covington	9	0	5	0	2	1	0	1	0	0
DeSoto	35	0	18	8	3	3	2	1	0	0
Forrest	39	1	18	15	3	1	0	1	0	0
Franklin	4	0	2	2	0	0	0	0	0	0
George	21	1	9	7	3	1	0	0	0	0
Greene	7	0	6	1	0	0	0	0	0	0
Grenada	7	0	4	0	2	1	0	0	0	0
Hancock	36	0	14	11	3	5	3	0	0	0
Harrison	227	2	121	78	23	1	2	0	0	0
Hinds	90	3	34	29	15	5	2	1	0	1
Holmes	1	0	1	0	0	0	0	0	0	0
Humphreys	2	0	2	0	0	0	0	0	0	0
Issaquena	1	0	0	1	0	0	0	0	0	0
Itawamba	13	0	4	6	2	1	0	0	0	0
Jackson	144	2	67	51	18	4	1	1	0	0
Jasper	3	0	2	1	0	0	0	0	0	0
Jefferson	1	0	0	0	1	0	0	0	0	0
Jeff Davis	1	0	0	1	0	0	0	0	0	0
Jones	28	1	15	5	4	2	0	0	0	1
Kemper	2	0	1	1	0	0	0	0	0	0
Lafayette	16	0	7	2	5	2	0	0	0	0
Lamar	16	0	6	5	4	0	1	0	0	0
Lauderdale	57	3	19	25	8	1	1	0	0	0
Lawrence	3	0	3	0	0	0	0	0	0	0
Leake	7	0	1	4	1	1	0	0	0	0
Lee	49	0	21	15	8	4	0	1	0	0
Leflore	11	0	4	3	2	1	0	1	0	0

able 5B - Page 2
hite Illegitimate Live Births - Mississippi - 1982

		Age of Mother								
ounty	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
incoln	10	0	4	5	1	0	0	0	0	0
owndes	31	0	12	11	4	2	1	1	0	0
adison	6	0	5	1	0	0	0	0	0	0
arion	15	1	6	5	2	0	0	1	0	0
arshall	19	1	10	3	3	1	1	0	0	0
onroe	23	0	17	4	1	0	1	0	0	0
ontgomery	9	0	5	4	0	0	0	0	0	0
eshoba	7	0	4	3	0	0	0	0	0	0
ewton	7	0	5	1	0	1	0	0	0	0
oxubee	1	0	0	1	0	0	0	0	0	0
ktibbeha	8	0	4	2	1	1	0	0	0	0
anola	13	0	8	5	0	0	0	0	0	0
earl River	36	0	22	10	0	1	3	0	0	0
erry	14	0	5	5	4	0	0	0	0	0
ike	21	0	9	7	2	2	0	1	0	0
ontotoc	7	0	0	5	0	1	1	0	0	0
rentiss	18	1	13	3	0	0	0	1	0	0
uitman	6	0	4	2	0	0	0	0	0	0
ankin	42	3	18	12	9	0	0	0	0	0
cott	13	0	9	3	0	0	1	0	0	0
harkey	1	0	0	1	0	0	0	0	0	0
impson	13	0	8	5	0	0	0	0	0	0
mith	3	1	1	1	0	0	0	0	0	0
tone	3	0	1	1	1	0	0	0	0	0
unflower	8	0	4	3	0	1	0	0	0	0
allahatchie	8	0	3	3	2	0	0	0	0	0
ate	7	0	4	2	1	0	0	0	0	0
ippah	20	0	8	7	3	1	1	0	0	0
ishomingo	15	0	7	5	2	1	0	0	0	0
unica	4	0	2	0	0	2	0	0	0	0
nion	15	1	8	4	0	1	1	0	0	0
althall	2	0	2	0	0	0	0	0	0	0
arren	25	0	12	10	1	1	1	0	0	0
ashington	35	0	16	11	6	0	2	0	0	0
ayne	14	1	6	4	3	0	0	0	0	0
ebster	7	0	5	0	2	0	0	0	0	0
ilkinson	7	0	4	2	1	0	0	0	0	0
inston	2	0	1	0	1	0	0	0	0	0
alobusha	4	0	3	1	0	0	0	0	0	0
azoo	8	0	6	2	0	0	0	0	0	0

TABLE 5C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	12,125	305	5,118	4,171	1,609	632	211	72	6	1
Adams	232	3	83	93	44	7	1	1	0	0
Alcorn	27	1	9	10	4	2	1	0	0	0
Amite	55	2	32	10	10	1	0	0	0	0
Attala	70	3	28	21	8	6	2	2	0	0
Benton	34	1	12	16	2	1	1	1	0	0
Bolivar	559	21	260	176	58	30	11	3	0	0
Calhoun	49	3	27	15	2	1	0	1	0	0
Carroll	27	1	10	12	3	1	0	0	0	0
Chickasaw	78	1	29	35	6	6	0	1	0	0
Choctaw	36	2	18	12	2	2	0	0	0	0
Claiborne	109	3	45	40	10	9	1	1	0	0
Clarke	82	3	31	24	14	6	1	3	0	0
Clay	113	3	37	44	19	8	1	1	0	0
Coahoma	432	11	200	159	42	14	2	4	0	0
Copiah	146	3	78	36	19	7	2	0	1	0
Covington	73	2	38	18	9	6	0	0	0	0
DeSoto	96	1	42	35	11	4	2	1	0	0
Forrest	279	6	112	112	28	20	1	0	0	0
Franklin	28	0	11	12	5	0	0	0	0	0
George	29	2	11	8	5	2	1	0	0	0
Greene	23	1	10	7	3	1	1	0	0	0
Grenada	106	6	46	32	14	5	3	0	0	0
Hancock	37	1	15	15	3	1	1	1	0	0
Harrison	378	11	155	129	50	22	6	3	1	1
Hinds	1,434	39	537	517	230	80	21	9	1	0
Holmes	276	2	113	86	52	13	9	1	0	0
Humphreys	160	3	53	72	17	9	3	3	0	0
Issaquena	17	1	9	5	1	0	1	0	0	0
Itawamba	14	0	2	10	1	1	0	0	0	0
Jackson	269	5	110	96	41	13	1	3	0	0
Jasper	98	3	44	37	7	5	1	1	0	0
Jefferson	107	2	34	41	19	7	2	1	1	0
Jeff Davis	68	1	38	16	8	3	2	0	0	0
Jones	186	6	70	68	30	6	5	1	0	0
Kemper	61	2	29	15	11	2	2	0	0	0
Lafayette	90	4	37	31	14	4	0	0	0	0
Lamar	24	0	8	13	2	1	0	0	0	0
Lauderdale	344	13	161	102	49	17	2	0	0	0
Lawrence	48	3	28	13	2	2	0	0	0	0
Leake	53	0	29	14	8	2	0	0	0	0
Lee	163	3	65	58	25	8	4	0	0	0
Leflore	388	3	182	136	48	16	1	2	0	0

ble 5C - Page 2
nwhite Illegitimate Live Births - Mississippi - 1982

		Age of Mother								
unty	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
ncoln	90	2	37	27	19	2	3	0	0	0
wndes	256	9	115	78	39	7	6	1	1	0
dison	328	6	135	104	51	17	11	4	0	0
rion	87	5	43	24	6	8	1	0	0	0
rshall	185	3	63	74	25	11	5	4	0	0
nroe	132	0	58	49	17	7	1	0	0	0
ntgomery	64	3	29	20	3	5	3	1	0	0
shoba	82	2	36	26	12	6	0	0	0	0
wton	77	3	30	28	6	8	2	0	0	0
xubee	116	1	43	47	15	7	3	0	0	0
tibbeha	199	2	68	71	36	16	5	1	0	0
nola	231	4	109	63	28	17	7	3	0	0
arl River	65	2	29	26	5	2	0	1	0	0
rry	34	0	14	11	5	3	1	0	0	0
ke	192	5	77	66	26	13	4	1	0	0
ntotoc	37	0	10	14	10	3	0	0	0	0
entiss	25	0	14	8	1	1	1	0	0	0
itman	140	2	69	50	14	2	3	0	0	0
nkin	112	2	53	34	17	5	1	0	0	0
ott	75	2	27	28	10	5	2	1	0	0
arkey	136	5	55	53	12	5	5	1	0	0
mpson	80	0	33	33	9	3	2	0	0	0
ith	42	0	21	15	4	2	0	0	0	0
one	29	1	13	11	3	1	0	0	0	0
nflower	344	13	160	117	34	14	6	0	0	0
llahatchie	181	1	85	67	16	9	2	1	0	0
te	92	1	44	24	16	5	2	0	0	0
ppah	20	2	8	7	2	0	0	1	0	0
ishomingo	3	1	0	1	1	0	0	0	0	0
nica	139	4	65	48	14	4	4	0	0	0
ion	23	0	12	9	1	1	0	0	0	0
lthall	46	3	21	5	8	4	2	3	0	0
rren	270	7	105	93	40	18	5	2	0	0
shington	741	16	311	260	101	35	15	2	1	0
yne	84	4	31	29	11	8	1	0	0	0
ebster	26	0	13	6	3	3	1	0	0	0
lkinson	91	3	31	26	14	8	9	0	0	0
inston	95	3	41	29	14	8	0	0	0	0
alobusha	60	2	27	23	3	4	0	1	0	0
azoo	198	5	95	66	22	4	6	0	0	0

TABLE 6
IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1982

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
STATE	4,094	1,452	2,642	8.9	6.0	12.1
Adams	70	17	53	10.2	5.5	14.0
Alcorn	23	14	9	5.3	3.8	14.8
Amite	17	6	11	8.6	7.7	9.2
Attala	25	5	20	9.1	3.8	14.1
Benton	7	4	3	5.4	6.8	4.3
Bolivar	119	9	110	11.5	3.9	13.7
Calhoun	15	2	13	6.2	1.4	13.4
Carroll	12	4	8	10.8	7.8	13.3
Chickasaw	30	11	19	8.6	6.4	10.7
Choctaw	16	3	13	11.5	3.8	21.3
Claiborne	22	3	19	10.0	8.8	10.2
Clarke	26	9	17	8.3	5.9	10.7
Clay	41	6	35	10.0	4.1	13.2
Coahoma	83	10	73	10.3	5.9	11.4
Copiah	50	17	33	10.6	9.6	11.1
Covington	29	16	13	9.5	9.7	9.4
DeSoto	69	55	14	8.8	8.8	8.9
Forrest	100	47	53	8.5	6.8	10.9
Franklin	10	5	5	6.6	6.1	7.1
George	17	16	1	5.5	6.1	2.1
Greene	9	4	5	5.8	3.5	12.5
Grenada	27	4	23	7.6	2.3	12.5
Hancock	35	25	10	8.3	7.0	15.6
Harrison	245	139	106	8.0	6.2	13.3
Hinds	436	108	328	9.4	5.7	11.9
Holmes	74	9	65	14.3	10.2	15.2
Humphreys	28	5	23	9.1	7.9	9.4
Issaquena	4	2	2	8.5	10.0	7.4
Itawamba	13	10	3	5.4	4.8	8.8
Jackson	143	83	60	6.6	5.1	10.8
Jasper	23	3	20	6.6	2.7	8.4
Jefferson	23	2	21	12.0	11.1	12.1
Jeff Davis	30	2	28	11.3	2.2	16.2
Jones	83	44	39	7.1	5.7	9.6
Kemper	20	5	15	11.3	9.6	12.0
Lafayette	27	11	16	6.9	5.2	8.8
Lamar	30	20	10	6.7	5.3	14.7
Lauderdale	94	31	63	6.9	4.4	9.5
Lawrence	22	14	8	9.4	10.1	8.4
Leake	35	12	23	11.4	8.9	13.3
Lee	99	53	46	9.4	7.4	13.3
Leflore	99	22	77	12.0	9.5	13.0

Table 6 - Page 2
Immature Live Births - Mississippi - 1982

	Number			Percent		
County	Total	White	Non-white	Total	White	Non-white
Lincoln	37	14	23	7.3	4.4	12.4
Lowndes	99	36	63	8.7	5.2	14.1
Madison	100	21	79	12.1	6.6	15.5
Marion	44	17	27	9.2	5.8	14.6
Marshall	55	22	33	10.1	10.0	10.2
Monroe	54	25	29	8.2	6.3	11.2
Montgomery	22	4	18	8.9	3.6	13.2
Neshoba	36	8	28	9.2	3.6	16.9
Newton	33	8	25	10.2	4.8	16.0
Noxubee	28	1	27	10.6	1.6	13.2
Oktibbeha	57	16	41	9.2	5.7	12.1
Panola	54	14	40	9.2	6.8	10.6
Pearl River	40	31	9	7.1	6.6	9.5
Perry	10	4	6	4.5	2.5	9.7
Pike	68	17	51	10.4	6.0	13.6
Pontotoc	25	15	10	8.4	6.5	14.7
Prentiss	32	22	10	9.6	8.0	16.9
Quitman	33	4	29	11.8	5.6	13.9
Rankin	83	56	27	7.2	6.3	10.2
Scott	38	11	27	9.1	4.7	14.8
Sharkey	30	4	26	13.5	7.8	15.2
Simpson	40	23	17	9.1	9.0	9.1
Smith	26	14	12	11.2	8.8	16.4
Stone	18	6	12	11.4	5.9	21.0
Sunflower	66	5	61	8.7	2.7	10.7
Tallahatchie	42	7	35	12.0	7.8	13.5
Tate	32	9	23	9.9	5.7	14.0
Tippah	22	16	6	7.8	7.2	10.3
Tishomingo	16	15	1	6.0	5.8	10.0
Tunica	30	2	28	13.8	5.9	15.3
Union	33	27	6	10.2	10.2	10.2
Walthall	14	5	9	6.1	4.6	7.5
Warren	84	36	48	9.0	7.2	11.1
Washington	161	28	133	10.0	6.0	11.5
Wayne	28	12	16	6.8	5.3	8.6
Webster	13	5	8	7.4	4.1	14.8
Wilkinson	18	3	15	8.9	5.6	10.1
Winston	22	7	15	7.4	5.9	8.5
Yalobusha	14	4	10	6.3	3.7	8.7
Yazoo	57	11	46	10.6	5.7	13.3

* Birthweight 2,500 grams or less.

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1982

	Number			Percent		
County	Total	White	Non-white	Total	White	Non-white
STATE	6,072	2,081	3,991	13.2	8.7	18.2
Adams	72	18	54	10.5	5.8	14.3
Alcorn	43	34	9	10.0	9.2	14.8
Amite	20	8	12	10.2	10.2	10.1
Attala	49	12	37	17.8	9.0	26.0
Benton	12	4	8	9.3	6.8	11.4
Bolivar	164	14	150	15.9	6.0	18.7
Calhoun	25	9	16	10.4	6.3	16.5
Carroll	17	7	10	15.3	13.7	16.7
Chickasaw	52	20	32	14.8	11.6	18.0
Choctaw	19	7	12	13.7	9.0	19.7
Claiborne	31	3	28	14.0	8.8	15.0
Clarke	30	15	15	9.6	9.8	9.4
Clay	50	11	39	12.2	7.5	14.8
Coahoma	146	12	134	18.1	7.1	21.0
Copiah	75	18	57	15.8	10.2	19.2
Covington	43	22	21	14.1	13.3	15.1
DeSoto	66	44	22	8.5	7.1	14.0
Forrest	149	55	94	12.7	8.0	19.3
Franklin	19	11	8	12.5	13.4	11.4
George	33	24	9	10.7	9.2	19.1
Greene	16	7	9	10.4	6.1	22.5
Grenada	34	5	29	9.6	2.9	15.8
Hancock	52	37	15	12.3	10.3	23.4
Harrison	366	203	163	12.0	9.0	20.4
Hinds	665	173	492	14.3	9.2	17.9
Holmes	101	11	90	19.6	12.5	21.0
Humphreys	42	5	37	13.6	7.9	15.1
Issaquena	8	3	5	17.0	15.0	18.5
Itawamba	30	21	9	12.4	10.1	26.5
Jackson	224	135	89	10.3	8.3	16.1
Jasper	43	3	40	12.3	2.7	16.7
Jefferson	30	2	28	15.7	11.1	16.2
Jeff Davis	43	4	39	16.2	4.3	22.5
Jones	137	67	70	11.7	8.7	17.2
Kemper	19	5	14	10.7	9.6	11.2
Lafayette	51	17	34	13.0	8.0	18.7
Lamar	34	24	10	7.6	6.4	14.7
Lauderdale	151	51	100	11.0	7.2	15.2
Lawrence	26	10	16	11.2	7.2	16.8
Leake	55	15	40	17.8	11.1	23.1
Lee	131	66	65	12.4	9.3	18.8
Leflore	139	30	109	16.8	13.0	18.4

Table 7 - Page 2
Premature Live Births - Mississippi - 1982

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	63	30	33	12.4	9.3	17.8
Lowndes	132	60	72	11.6	8.6	16.1
Madison	133	30	103	16.1	9.5	20.2
Marion	62	29	33	13.0	9.9	17.8
Marshall	62	16	46	11.4	7.2	14.2
Monroe	97	41	56	14.8	10.4	21.6
Montgomery	42	12	30	17.0	10.8	22.0
Neshoba	65	25	40	16.7	11.2	24.1
Newton	48	18	30	14.9	10.8	19.2
Noxubee	41	5	36	15.5	8.2	17.6
Oktibbeha	81	19	62	13.1	6.8	18.3
Panola	85	14	71	14.5	6.8	18.7
Pearl River	46	34	12	8.1	7.2	12.6
Perry	23	11	12	10.4	7.0	19.4
Pike	113	30	83	17.2	10.7	22.1
Pontotoc	40	23	17	13.4	10.0	25.0
Prentiss	36	23	13	10.8	8.4	22.0
Quitman	48	2	46	17.2	2.8	22.1
Rankin	135	78	57	11.7	8.8	21.5
Scott	53	22	31	12.7	9.4	17.0
Sharkey	39	3	36	17.6	5.9	21.0
Simpson	65	31	34	14.7	12.2	18.2
Smith	35	11	24	15.1	6.9	32.9
Stone	18	6	12	11.4	5.9	21.0
Sunflower	116	15	101	15.3	8.0	17.7
Tallahatchie	62	12	50	17.8	13.3	19.3
Tate	38	15	23	11.8	9.4	14.0
Tippah	29	20	9	10.4	9.0	15.5
Tishomingo	19	18	1	7.1	7.0	10.0
Tunica	46	1	45	21.2	2.9	24.6
Union	36	26	10	11.1	9.8	16.9
Walthall	38	13	25	16.7	12.0	20.8
Warren	117	43	74	12.6	8.6	17.1
Washington	256	48	208	15.8	10.4	18.0
Wayne	32	16	16	7.7	7.0	8.6
Webster	16	8	8	9.1	6.6	14.8
Wilkinson	17	2	15	8.4	3.7	10.1
Winston	46	7	39	15.5	5.9	22.0
Yalobusha	35	9	26	15.7	8.3	22.0
Yazoo	95	13	82	17.6	6.8	23.7

* Gestation less than 37 weeks.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE, ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1982

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	659	246	413	639	231	408	13.9	9.6	18.6
Adams	18	9	9	10	4	6	14.6	13.0	15.9
Alcorn	0	0	0	2	2	0	4.6	5.4	-
Amite	0	0	0	1	0	1	5.1	-	8.4
Attala	3	1	2	2	0	2	7.3	-	14.1
Benton	0	0	0	7	3	4	54.3	50.8	57.1
Bolivar	30	1	29	21	1	20	20.3	4.3	25.0
Calhoun	0	0	0	8	6	2	33.3	42.0	20.6
Carroll	0	0	0	1	1	0	9.0	19.6	-
Chickasaw	0	0	0	1	0	1	2.8	-	5.6
Choctaw	0	0	0	1	1	0	7.2	12.8	-
Claiborne	1	0	1	1	0	1	4.5	-	5.3
Clarke	1	0	1	11	5	6	35.2	32.7	37.7
Clay	4	1	3	5	1	4	12.2	6.8	15.2
Coahoma	22	2	20	17	1	16	21.0	5.9	25.0
Copiah	1	0	1	7	1	6	14.8	5.7	20.2
Covington	5	0	5	7	1	6	23.0	6.1	43.2
DeSoto	0	0	0	1	0	1	1.3	-	6.4
Forrest	38	21	17	22	13	9	18.7	18.8	18.5
Franklin	0	0	0	2	1	1	13.2	12.2	14.3
George	1	0	1	3	2	1	9.7	7.7	21.3
Greene	0	0	0	3	1	2	19.5	8.8	50.0
Grenada	12	6	6	5	2	3	14.1	11.7	16.3
Hancock	3	2	1	6	4	2	14.2	11.1	31.2
Harrison	37	29	8	36	30	6	11.8	13.4	7.5
Hinds	130	31	99	63	13	50	13.6	6.9	18.2
Holmes	1	0	1	4	1	3	7.8	11.4	7.0
Humphreys	1	0	1	1	0	1	3.2	-	4.1
Issaquena	0	0	0	1	0	1	21.3	-	37.0
Itawamba	0	0	0	1	1	0	4.1	4.8	-
Jackson	30	18	12	24	13	11	11.0	8.0	19.8
Jasper	0	0	0	5	0	5	14.3	-	20.9
Jefferson	1	0	1	1	0	1	5.2	-	5.8
Jeff Davis	0	0	0	4	2	2	15.1	21.7	11.6
Jones	12	5	7	4	2	2	3.4	2.6	4.9
Kemper	0	0	0	2	0	2	11.3	-	16.0
Lafayette	10	5	5	5	2	3	12.7	9.5	16.5
Lamar	2	1	1	3	1	2	6.7	2.6	29.4
Lauderdale	39	17	22	18	9	9	13.1	12.7	13.6
Lawrence	2	1	1	3	2	1	12.9	14.5	10.5
Leake	3	1	2	6	1	5	19.5	7.4	28.9
Lee	26	15	11	15	10	5	14.2	14.1	14.5
Leflore	20	4	16	12	2	10	14.5	8.6	16.8

Table 8 - Page 2
Fetal Deaths - Mississippi - 1982

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	5	2	3	8	5	3	15.8	15.6	16.2
Lowndes	14	7	7	18	9	9	15.8	12.9	20.2
Madison	0	0	0	16	4	12	19.3	12.6	23.5
Marion	0	0	0	7	2	5	14.7	6.8	27.0
Marshall	0	0	0	11	3	8	20.2	13.6	24.7
Monroe	23	12	11	16	4	12	24.5	10.1	46.3
Montgomery	4	0	4	4	0	4	16.2	-	29.4
Neshoba	1	0	1	5	1	4	12.8	4.5	24.1
Newton	2	0	2	2	1	1	6.2	6.0	6.4
Noxubee	6	1	5	4	1	3	15.1	16.4	14.7
Oktibbeha	15	4	11	13	3	10	21.1	10.8	29.6
Panola	8	0	8	11	2	9	18.8	9.7	23.7
Pearl River	4	3	1	8	6	2	14.2	12.8	21.0
Perry	0	0	0	0	0	0	-	-	-
Pike	18	10	8	10	5	5	15.2	17.8	13.3
Pontotoc	1	1	0	5	3	2	16.8	13.0	29.4
Prentiss	0	0	0	2	2	0	6.0	7.3	-
Quitman	3	0	3	8	1	7	28.7	14.1	33.6
Rankin	16	9	7	5	5	0	4.3	5.6	-
Scott	3	2	1	13	6	7	31.2	25.5	38.5
Sharkey	0	0	0	4	3	1	18.0	58.8	5.8
Simpson	0	0	0	0	0	0	-	-	-
Smith	0	0	0	6	4	2	25.9	25.2	27.4
Stone	0	0	0	2	0	2	12.6	-	35.1
Sunflower	6	1	5	13	3	10	17.2	16.0	17.5
Tallahatchie	0	0	0	2	0	2	5.7	-	7.7
Tate	9	3	6	8	2	6	24.8	12.6	36.6
Tippah	4	1	3	2	0	2	7.1	-	34.5
Tishomingo	0	0	0	1	0	1	3.8	-	100.0
Tunica	0	0	0	1	1	0	4.6	29.4	-
Union	8	6	2	6	4	2	18.6	15.2	33.9
Walthall	2	0	2	4	0	4	17.5	-	33.3
Warren	16	6	10	11	3	8	11.8	6.0	18.5
Washington	19	3	16	31	1	30	19.2	2.2	26.0
Wayne	4	1	3	2	0	2	4.8	-	10.8
Webster	4	2	2	3	1	2	17.1	8.3	37.0
Wilkinson	3	0	3	3	1	2	14.8	18.5	13.5
Winston	7	2	5	9	2	7	30.4	16.8	39.5
Yalobusha	1	0	1	4	1	3	17.9	9.2	26.1
Yazoo	0	0	0	9	3	6	16.7	15.6	17.3
Out of state	20	10	10	40	25	15			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births.

TABLE 9

DEATHS, BY PLACE OF OCCURRENCE AND RACE, ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE), MISSISSIPPI, 1982

	Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white
STATE	22,776	14,616	8,160	23,173	14,863	8,310
Adams	434	231	203	362	179	183
Alcorn	272	235	37	302	262	40
Amite	43	20	23	146	78	68
Attala	196	137	59	256	172	84
Benton	15	9	6	57	38	19
Bolivar	401	139	262	434	158	276
Calhoun	100	77	23	154	122	32
Carroll	22	13	9	79	47	32
Chickasaw	118	79	39	152	94	58
Choctaw	54	38	16	73	55	18
Claiborne	71	19	52	105	32	73
Clarke	128	88	40	186	119	67
Clay	143	65	78	186	92	94
Coahoma	448	183	265	445	164	281
Copiah	177	93	84	282	152	130
Covington	118	92	26	166	128	38
DeSoto	121	83	38	320	243	77
Forrest	765	580	185	626	453	173
Franklin	80	49	31	91	58	33
George	100	90	10	134	118	16
Greene	37	33	4	88	72	16
Grenada	247	144	103	234	130	104
Hancock	194	173	21	231	203	28
Harrison	1,558	1,277	281	1,302	1,060	242
Hinds	3,678	2,167	1,511	2,082	1,190	892
Holmes	185	61	124	242	71	171
Humphreys	83	31	52	129	51	78
Issaquena	2	1	1	10	1	9
Itawamba	107	99	8	176	163	13
Jackson	660	533	127	706	576	130
Jasper	111	59	52	159	84	75
Jefferson	51	8	43	84	17	67
Jeff Davis	89	44	45	145	73	72
Jones	621	449	172	659	498	161
Kemper	55	32	23	96	49	47
Lafayette	203	160	43	193	147	46
Lamar	259	224	35	167	147	20
Lauderdale	987	684	303	737	521	216
Lawrence	76	44	32	113	77	36
Leake	158	107	51	208	134	74
Lee	868	686	182	494	376	118
Leflore	535	239	296	480	201	279

Table 9 - Page 2
Deaths - Mississippi - 1982

	Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white
Lincoln	281	209	72	307	221	86
Lowndes	450	296	154	416	256	160
Madison	197	67	130	328	146	182
Marion	201	135	66	262	183	79
Marshall	150	67	83	248	123	125
Monroe	354	257	97	408	298	110
Montgomery	157	92	65	160	103	57
Neshoba	146	107	39	215	157	58
Newton	162	100	62	234	156	78
Noxubee	114	42	72	126	52	74
Oktibbeha	233	128	105	228	125	103
Panola	224	120	104	256	138	118
Pearl River	214	174	40	281	229	52
Perry	54	39	15	86	65	21
Pike	423	265	158	395	249	146
Pontotoc	148	137	11	205	189	16
Prentiss	137	120	17	227	204	23
Quitman	106	31	75	165	68	97
Rankin	359	257	102	504	378	126
Scott	196	116	80	267	160	107
Sharkey	75	28	47	95	38	57
Simpson	227	180	47	288	224	64
Smith	85	68	17	162	142	20
Stone	57	48	9	88	76	12
Sunflower	279	109	170	341	141	200
Tallahatchie	107	52	55	173	89	84
Tate	129	79	50	173	112	61
Tippah	194	170	24	233	205	28
Tishomingo	145	137	8	222	212	10
Tunica	75	16	59	106	26	80
Union	219	186	33	218	185	33
Walthall	129	86	43	160	103	57
Warren	539	273	266	503	257	246
Washington	717	285	432	680	261	419
Wayne	157	96	61	167	106	61
Webster	91	73	18	107	88	19
Wilkinson	155	69	86	124	44	80
Winston	173	126	47	226	154	72
Yalobusha	90	62	28	159	114	45
Yazoo	257	139	118	339	181	158
Out of state	1,330	970	360	933	723	210

Table 9 - Page 3
Deaths - Mississippi - 1982

Town*	Residence Data		
	Total	White	Non-white
Biloxi	348	279	69
Brookhaven	159	107	52
Canton	134	51	83
Clarksdale	300	118	182
Cleveland	144	69	75
Clinton	97	77	20
Columbus	263	149	114
Corinth	130	100	30
Greenville	441	171	270
Greenwood	296	125	171
Grenada	166	89	77
Gulfport	486	369	117
Hattiesburg	463	317	146
Jackson	1,722	993	729
Laurel	323	215	108
McComb	179	133	46
Meridian	513	350	163
Moss Point	137	60	77
Natchez	263	129	134
Ocean Springs	123	119	4
Pascagoula	202	167	35
Pearl	93	89	4
Picayune	113	76	37
Southaven	67	64	3
Starkville	119	83	36
Tupelo	243	193	50
Vicksburg	331	154	177
Yazoo City	202	94	108

* Towns of 10,000 population or more.

TABLE 10
DEATHS, BY CAUSE AND RACE, MISSISSIPPI RESIDENTS, 1982

International Classification Number*	Cause*	Total	White	Non-white
001-999	ALL CAUSES	23,173	14,863	8,310
001-139	INFECTIOUS AND PARASITIC DISEASES	238	124	114
001-009	Intestinal infectious diseases	10	4	6
002,003	Typhoid and paratyphoid fevers, and other salmonella infections	3	2	1
003	Other salmonella infections	3	2	1
004,006	Shigellosis and amebiasis	1	0	1
006	Amebiasis	1	0	1
008,009	Other and ill-defined intestinal infections	6	2	4
008	Intestinal infections due to other organisms	2	1	1
009	Ill-defined intestinal infections	4	1	3
010-018	Tuberculosis	27	4	23
010-012	Respiratory	19	4	15
011	Pulmonary	19	4	15
013-018	Other forms	8	0	8
014	Intestines, peritoneum, and mesenteric glands	1	0	1
015	Bones and joints	1	0	1
016	Genitourinary system	1	0	1
017	Other organs	1	0	1
018	Miliary	4	0	4
020-027	Zoonotic bacterial diseases	1	1	0
027	Other zoonotic bacterial diseases	1	1	0
030-041	Other bacterial diseases	141	78	63
031	Other diseases due to mycobacteria	1	1	0
034	Streptococcal sore throat and scarlatina	1	1	0
036	Meningococcal infection	8	4	4
038	Septicemia	123	66	57
039	Actinomycotic infections	3	2	1
040	Other bacterial disease	3	2	1
041	Bacterial infection of unspecified site	2	2	0
045-049	Poliomyelitis and other non-arthropod-borne diseases of central nervous system	6	6	0
045	Acute poliomyelitis	1	1	0
046	Slow virus infection	1	1	0
049	Other non-arthropod-borne diseases	4	4	0
050-057	Viral diseases accompanied by exanthem	6	3	3
052	Chickenpox	2	1	1
054	Herpes simplex	3	1	2
056	Rubella	1	1	0
060-066	Arthropod-borne viral diseases	0	0	0
070-079	Other diseases due to viruses and Chlamydiae	17	12	5
070	Viral hepatitis	9	5	4
078	Other diseases due to viruses and Chlamydiae	3	3	0
079	Viral infection in conditions classified elsewhere and of unspecified site	5	4	1
080-088	Rickettsioses and other arthropod-borne diseases	1	1	0
082	Tick-borne rickettsioses	1	1	0

Table 10 - Page 2
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
090-099	Syphilis and other venereal diseases	4	1	3
090-097	Syphilis and its sequelae	4	1	3
093	Cardiovascular	2	0	2
094	Neurosyphilis	2	1	1
100-104	Other spirochetal diseases	0	0	0
110-118	Mycoses	12	6	6
112	Candidiasis	3	2	1
114	Coccidioidomycosis	1	1	0
115	Histoplasmosis	3	2	1
116	Blastomycotic infection	2	0	2
117	Other mycoses	3	1	2
120-129	Helminthiases	0	0	0
130-139	Other infectious and parasitic diseases	13	8	5
135	Sarcoidosis	5	1	4
136	Other and unspecified infectious and parasitic diseases	2	2	0
137	Late effects of tuberculosis	4	3	1
138	Late effects of acute poliomyelitis	2	2	0
140-239	NEOPLASMS	4,495	3,036	1,459
140-208	Malignant neoplasms	4,436	3,006	1,430
140-149	Lip, oral cavity, and pharynx	96	72	24
140	Lip	3	3	0
141	Tongue	19	16	3
142	Major salivary glands	9	7	2
143	Gum	4	2	2
144	Floor of mouth	2	2	0
145	Other and unspecified parts of mouth	19	15	4
146	Oropharynx	10	7	3
147	Nasopharynx	10	9	1
148	Hypopharynx	2	2	0
149	Other and ill-defined sites	18	9	9
150-159	Digestive organs and peritoneum	1,028	668	360
150	Esophagus	67	34	33
151	Stomach	148	79	69
152	Small intestine, including duodenum	10	9	1
153	Colon	375	253	122
154	Rectum, rectosigmoid junction, and anus	60	45	15
155	Liver and intrahepatic bile ducts	67	43	24
156	Gallbladder and extrahepatic bile ducts	28	23	5
157	Pancreas	255	173	82
158	Retroperitoneum and peritoneum	6	2	4
159	Other and ill-defined sites	12	7	5
160-165	Respiratory and intrathoracic organs	1,333	964	369
160	Nasal cavities, middle ear, and accessory sinuses	3	2	1
161	Larynx	53	34	19
162	Trachea, bronchus, and lung	1,268	924	344
163	Pleura	3	3	0
164	Thymus, heart, and mediastinum	6	1	5

Table 10 - Page 3
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
170-175	Bone, connective tissue, skin, and breast	401	291	110
170	Bone and articular cartilage	19	10	9
171	Connective and other soft tissue	24	13	11
172	Melanoma of skin	49	45	4
173	Skin, other	20	16	4
174	Female breast	287	205	82
175	Male breast	2	2	0
179-189	Genitourinary organs	695	416	279
(179-187)	(Genital organs)	530	294	236
179	Uterus, part unspecified	46	22	24
180	Cervix uteri	65	37	28
182	Body of uterus	23	19	4
183	Ovary and other uterine adnexa	86	61	25
184	Other and unspecified female genital organs	8	4	4
185	Prostate	292	143	149
186	Testis	3	3	0
187	Penis and other male genital organs	7	5	2
(188,189)	(Urinary organs)	165	122	43
188	Bladder	99	70	29
189	Kidney and other and unspecified urinary organs	66	52	14
190-199	Other and unspecified sites	465	299	166
190	Eye	6	5	1
191	Brain	93	75	18
192	Other and unspecified parts of nervous system	1	1	0
193	Thyroid gland	10	6	4
194	Other endocrine glands and related structures	8	5	3
195	Other and ill-defined sites	32	21	11
199	Site unspecified	315	186	129
200-208	Lymphatic and hematopoietic tissue	418	296	122
200	Lymphosarcoma and reticulosarcoma	47	41	6
201	Hodgkin's disease	18	12	6
202	Other lymphoid and histiocytic tissue	74	60	14
203	Multiple myeloma and immunoproliferative neoplasms	97	58	39
(204-208)	(Leukemia)	182	125	57
204	Lymphatic	64	46	18
205	Myeloid	72	50	22
207	Other specified	2	2	0
208	Unspecified cell type	44	27	17
210-229	Benign neoplasms	22	10	12
211	Benign neoplasm of other parts of digestive system	1	0	1
212	Benign neoplasm of respiratory and intrathoracic organs	1	0	1
215	Other benign neoplasm of connective and other soft tissue	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	15	8	7
227	Benign neoplasm of other endocrine glands and related structures	3	1	2

International Classification Number*	Cause*	Total	White	Non-white
228	Hemangioma and lymphangioma, any site	1	1	0
230-234	Carcinoma in situ	0	0	0
235-239	Neoplasms of uncertain behavior and unspecified nature	37	20	17
235-238	Uncertain behavior	12	5	7
236	Genitourinary organs	1	0	1
237	Endocrine glands and nervous system	5	3	2
238	Other and unspecified sites and tissues	6	2	4
239	Unspecified nature	25	15	10
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	519	251	268
240-246	Diseases of thyroid gland	11	3	8
240	Simple and unspecified goiter	1	0	1
241	Nontoxic nodular goiter	1	1	0
242	Thyrotoxicosis with or without goiter	5	2	3
244	Acquired hypothyroidism	3	0	3
246	Other disorders of thyroid	1	0	1
250-259	Diseases of other endocrine glands	374	183	191
250	Diabetes mellitus	361	177	184
251	Other disorders of pancreatic internal secretion	5	0	5
252	Disorders of parathyroid gland	2	2	0
253	Disorders of the pituitary gland and its hypothalamic control	3	2	1
255	Disorders of adrenal glands	3	2	1
260-269	Nutritional deficiencies	27	13	14
260	Kwashiorkor	1	0	1
261	Nutritional marasmus	5	4	1
263	Other and unspecified protein-calorie malnutrition	18	8	10
269	Other nutritional deficiencies	3	1	2
270-279	Other metabolic disorders and immunity disorders	107	52	55
270	Disorders of amino-acid transport and metabolism	2	2	0
272	Disorders of lipid metabolism	1	1	0
273	Disorders of plasma protein metabolism	7	5	2
274	Gout	1	1	0
275	Disorders of mineral metabolism	4	1	3
276	Disorders of fluid, electrolyte, and acid-base balance	61	23	38
277	Other and unspecified disorders of metabolism	15	11	4
278	Obesity and other hyperalimentation	15	7	8
279	Disorders involving the immune mechanism	1	1	0
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	86	57	29
280-285	Anemias	48	26	22
281	Other deficiency	2	1	1
282	Hereditary hemolytic	11	2	9
283	Acquired hemolytic	2	1	1
284	Aplastic	17	15	2
285	Other and unspecified	16	7	9

Table 10 - Page 5
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
286	Coagulation defects	8	6	2
287	Purpura and other hemorrhagic conditions	7	7	0
288	Diseases of white blood cells	6	4	2
289	Other diseases of blood and blood-forming organs	17	14	3
290-319	MENTAL DISORDERS	122	72	50
290-299	Psychoses	37	21	16
290	Senile and presenile organic psychotic conditions	19	9	10
291	Alcoholic psychoses	7	4	3
293	Transient organic psychotic conditions	1	1	0
295	Schizophrenic psychoses	5	3	2
296	Affective psychoses	2	2	0
298	Other nonorganic psychoses	3	2	1
300-316	Neurotic disorders, personality disorders, and other nonpsychotic mental disorders	74	44	30
303	Alcohol dependence syndrome	18	5	13
305	Nondependent abuse of drugs	5	3	2
308	Acute reaction to stress	2	1	1
310	Specific nonpsychotic mental disorders following organic brain damage	49	35	14
317-319	Mental retardation	11	7	4
318	Other specified	5	3	2
319	Unspecified	6	4	2
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	222	142	80
320-326	Inflammatory diseases of central nervous system	29	11	18
320	Bacterial meningitis	11	4	7
322	Meningitis of unspecified cause	10	3	7
323	Encephalitis, myelitis, and encephalomyelitis	5	3	2
324	Intracranial and intraspinal abscess	3	1	2
330-337	Hereditary and degenerative diseases of the central nervous system	109	87	22
330	Cerebral degenerations usually manifest in childhood	2	2	0
331	Other cerebral degenerations	37	28	9
332	Parkinson's disease	35	31	4
333	Other extrapyramidal disease and abnormal movement disorders	8	7	1
335	Anterior horn cell disease	23	19	4
336	Other diseases of spinal cord	3	0	3
337	Disorders of the autonomic nervous system	1	0	1
340-349	Other disorders of the central nervous system	69	35	34
340	Multiple sclerosis	7	5	2
341	Other demyelinating diseases of central nervous system	1	1	0
342	Hemiplegia	3	3	0
343	Infantile cerebral palsy	4	3	1
344	Other paralytic syndromes	8	3	5
345	Epilepsy	17	4	13

Table 10 - Page 6
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
348	Other conditions of brain	27	14	13
349	Other and unspecified disorders of the nervous system	2	2	0
350-359	Disorders of peripheral nervous system	12	7	5
356	Hereditary and idiopathic peripheral neuropathy	1	1	0
357	Inflammatory and toxic neuropathy	1	1	0
358	Myoneural disorders	1	1	0
359	Muscular dystrophies and other myopathies	9	4	5
360-379	Disorders of the eye and adnexa	1	1	0
376	Disorders of the orbit	1	1	0
380-389	Diseases of the ear and mastoid process	2	1	1
381-383	Otitis media and mastoiditis	2	1	1
382	Suppurative and unspecified otitis media	1	0	1
383	Mastoiditis and related conditions	1	1	0
390-459	DISEASES OF THE CIRCULATORY SYSTEM	10,858	7,234	3,624
390-392	Active rheumatic fever	0	0	0
393-398	Chronic rheumatic heart disease	45	38	7
394	Diseases of mitral valve	28	26	2
395	Diseases of aortic valve	2	1	1
396	Diseases of mitral and aortic valves	7	6	1
397	Diseases of other endocardial structures	1	0	1
398	Other rheumatic heart disease	7	5	2
401-405	Hypertensive disease	465	205	260
401,403	Hypertension with or without renal disease	91	47	44
401	Essential hypertension	31	15	16
403	Hypertensive renal disease	60	32	28
402,404	Hypertensive heart disease with or without renal disease	374	158	216
402	Hypertensive heart disease	306	123	183
404	Hypertensive heart and renal disease	68	35	33
410-414	Ischemic heart disease	5,369	3,840	1,529
410	Acute myocardial infarction	3,517	2,498	1,019
411	Other acute and subacute forms of ischemic heart disease	12	7	5
412	Old myocardial infarction	9	6	3
413	Angina pectoris	9	6	3
414	Other forms of chronic ischemic heart disease	1,822	1,323	499
415-417	Diseases of pulmonary circulation	199	107	92
415	Acute pulmonary heart disease	183	96	87
416	Chronic pulmonary heart disease	16	11	5
420-429	Other forms of heart disease	2,208	1,440	768
420	Acute pericarditis	1	1	0
421	Acute and subacute endocarditis	4	2	2
423	Other diseases of pericardium	1	0	1
424	Other diseases of endocardium	41	31	10
425	Cardiomyopathy	88	58	30
426	Conduction disorders	8	5	3
427	Cardiac dysrhythmias	632	389	243

Table 10 - Page 7
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
428	Heart failure	584	362	222
429	Ill-defined heart diseases	849	592	257
430-438	Cerebrovascular diseases	2,093	1,266	827
430	Subarachnoid hemorrhage	49	30	19
431	Intracerebral hemorrhage	193	106	87
432	Other and unspecified intracranial hemorrhage	16	11	5
433	Occlusion and stenosis of precerebral arteries	28	23	5
434	Occlusion of cerebral arteries	315	220	95
435	Transient cerebral ischemia	7	4	3
436	Acute but ill-defined cerebrovascular disease	1,258	710	548
437	Other and ill-defined cerebrovascular disease	161	122	39
438	Late effects of cerebrovascular disease	66	40	26
440-448	Diseases of arteries, arterioles, and capillaries	420	305	115
440	Atherosclerosis	237	165	72
441-448	Other diseases of arteries, arterioles, and capillaries	183	140	43
441	Aortic aneurysm	120	96	24
442	Other aneurysm	12	8	4
443	Other peripheral vascular disease	22	14	8
444	Arterial embolism and thrombosis	8	7	1
446	Polyarteritis nodosa and allied conditions	8	5	3
447	Other disorders of arteries and arterioles	13	10	3
451-459	Diseases of veins and lymphatics, and other diseases of circulatory system	59	33	26
451-453	Venous thrombosis and embolism	22	13	9
451	Phlebitis and thrombophlebitis	15	8	7
453	Other venous embolism and thrombosis	7	5	2
454-459	Other diseases of the circulatory system	37	20	17
454	Varicose veins of lower extremities	2	2	0
456	Varicose veins of other sites	4	1	3
457	Noninfective disorders of lymphatic channels	1	1	0
458	Hypotension	8	3	5
459	Other disorders of circulatory system	22	13	9
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,287	963	324
460-466	Acute respiratory infections	9	6	3
462	Acute pharyngitis	1	1	0
465	Acute upper respiratory infection of multiple or unspecified sites	4	3	1
466	Acute bronchitis and bronchiolitis	4	2	2
470-478	Other diseases of upper respiratory tract	2	1	1
473	Chronic sinusitis	1	0	1
478	Other diseases of upper respiratory tract	1	1	0
480-487	Pneumonia and influenza	498	335	163
480-486	Pneumonia	487	329	158
480	Viral	4	3	1
481	Pneumococcal	12	5	7
482	Other bacterial	23	18	5

International Classification Number*	Cause*	Total	White	Non-white
483	Due to other specified organism	1	1	0
485	Broncho, organism unspecified	63	42	21
486	Organism unspecified	384	260	124
487	Influenza	11	6	5
490-496	Chronic obstructive pulmonary disease and allied conditions	554	463	91
490,491	Chronic and unqualified bronchitis	18	16	2
490	Unqualified	4	2	2
491	Chronic	14	14	0
492	Emphysema	82	66	16
493	Asthma	29	16	13
494	Bronchiectasis	12	9	3
496	Chronic airways obstruction, not elsewhere classified	413	356	57
500-508	Pneumoconioses and other lung diseases due to external agents	60	39	21
501	Asbestosis	2	2	0
502	Pneumoconiosis due to other silica or silicates	1	1	0
507	Pneumonitis due to solids and liquids	57	36	21
510-519	Other diseases of respiratory system	164	119	45
510	Empyema	5	4	1
511	Pleurisy	7	4	3
512	Pneumothorax	6	4	2
513	Abscess of lung and mediastinum	6	3	3
514	Pulmonary congestion and hypostasis	14	12	2
515	Postinflammatory pulmonary fibrosis	36	29	7
516	Other alveolar and paritoalveolar pneumopathy	8	8	0
518	Other diseases of lung	69	46	23
519	Other diseases of respiratory system	13	9	4
520-579	DISEASES OF THE DIGESTIVE SYSTEM	662	484	178
520-529	Diseases of oral cavity, salivary glands, and jaws	1	1	0
528	Diseases of the oral soft tissues, excluding gingiva and tongue	1	1	0
530-537	Diseases of esophagus, stomach, and duodenum	83	63	20
530	Diseases of esophagus	12	11	1
531-533	Peptic ulcer	58	43	15
531	Gastric ulcer	24	18	6
532	Duodenal ulcer	16	14	2
533	Peptic ulcer, site unspecified	18	11	7
535	Gastritis and duodenitis	6	5	1
536	Disorders of function of stomach	2	0	2
537	Other disorders of stomach and duodenum	5	4	1
540-543	Appendicitis	12	4	8
540	Acute appendicitis	12	4	8
550-553	Hernia of abdominal cavity	12	10	2
551	Other, of abdominal cavity, with gangrene	2	1	1
552	Other, of abdominal cavity with obstruction, without mention of gangrene	5	5	0

Table 10 - Page 9
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
553	Other, of abdominal cavity without mention of obstruction or gangrene	5	4	1
555-558	Noninfective enteritis and colitis	79	52	27
555	Regional enteritis	3	3	0
556	Idiopathic proctocolitis	4	4	0
557	Vascular insufficiency of intestine	53	34	19
558	Other noninfective gastroenteritis and colitis	19	11	8
560-569	Other diseases of intestine and peritoneum	100	61	39
560	Intestinal obstruction without mention of hernia	47	25	22
562	Diverticula of intestine	19	14	5
564	Functional digestive disorders, not elsewhere classified	1	1	0
566	Abscess of anal and rectal regions	7	3	4
567	Peritonitis	13	8	5
568	Other disorders of peritoneum	1	1	0
569	Other disorders of intestine	12	9	3
570-579	Other diseases of digestive system	375	293	82
570	Acute and subacute necrosis of liver	4	4	0
571	Chronic liver disease and cirrhosis	181	144	37
572	Liver abscess and sequelae of chronic liver disease	40	29	11
573	Other disorders of liver	19	15	4
574,575	Cholelithiasis and other disorders of gallbladder	31	25	6
574	Cholelithiasis	15	11	4
575	Other disorders of gallbladder	16	14	2
576	Other disorders of biliary tract	9	6	3
577	Diseases of pancreas	36	28	8
578	Gastrointestinal hemorrhage	52	39	13
579	Intestinal malabsorption	3	3	0
580-629	DISEASES OF THE GENITOURINARY SYSTEM	435	240	195
580-589	Nephritis, nephrotic syndrome, and nephrosis	241	126	115
580	Acute glomerulonephritis	2	1	1
581	Nephrotic syndrome	6	3	3
582	Chronic glomerulonephritis	24	10	14
583	Nephritis and nephropathy, unqualified	4	3	1
584-587	Renal failure and renal sclerosis	203	108	95
584	Acute	34	19	15
585	Chronic	43	17	26
586	Unspecified	126	72	54
588	Disorders resulting from impaired renal function	2	1	1
590-599	Other diseases of urinary system	169	105	64
590	Infections of kidney	38	26	12
591	Hydronephrosis	1	1	0
592,594	Calculus of urinary system	7	7	0
592	Of kidney and ureter	7	7	0
593	Other disorders of kidney and ureter	22	9	13
595	Cystitis	1	0	1
596	Other disorders of bladder	2	1	1
597	Urethritis, not sexually transmitted, and urethral syndrome	1	1	0

International Classification Number*	Cause*	Total	White	Non-white
598	Urethral stricture	1	1	0
599	Other disorders of urethra and urinary tract	96	59	37
600-608	Diseases of male genital organs	17	6	11
600	Hyperplasia of prostate	13	6	7
601	Inflammatory diseases of prostate	1	0	1
602	Other disorders of prostate	1	0	1
607	Disorders of penis	2	0	2
610,611	Disorders of breast	0	0	0
614-616	Inflammatory disease of female pelvic organs	5	2	3
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	4	2	2
616	Inflammatory disease of cervix, vagina, and vulva	1	0	1
617-629	Other disorders of female genital tract	3	1	2
619	Fistulae involving female genital tract	1	1	0
621	Disorders of uterus, not elsewhere classified	1	0	1
626	Disorders of menstruation and other abnormal bleeding from female genital tract	1	0	1
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1	1	0
630-639	Pregnancy with abortive outcome	0	0	0
640-648	Complications mainly related to pregnancy	0	0	0
650-659	Normal delivery, and other indications for care in pregnancy, labor, and delivery	0	0	0
660-669	Complications occurring mainly in the course of labor and delivery	0	0	0
670-676	Complications of the puerperium	1	1	0
673	Obstetrical pulmonary embolism	1	1	0
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	46	21	25
680-686	Infections of skin and subcutaneous tissue	11	9	2
681	Cellulitis and abscess of finger and toe	1	1	0
682	Other cellulitis and abscess	8	7	1
686	Other local infections of skin and subcutaneous tissue	2	1	1
690-698	Other inflammatory conditions of skin and subcutaneous tissue	3	0	3
695	Erythematous conditions	3	0	3
700-709	Other diseases of skin and subcutaneous tissue	32	12	20
707	Chronic ulcer of skin	32	12	20
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	69	40	29
710-719	Arthropathies and related disorders	54	31	23
710	Diffuse diseases of connective tissue	30	14	16
711-716	Arthropathy, rheumatoid arthritis, and osteoarthrosis	24	17	7
711	Arthropathy associated with infections	1	0	1

International Classification Number*	Cause*	Total	White	Non-white
714	Rheumatoid arthritis and other inflammatory polyarthropathies	17	13	4
715	Osteoarthrosis and allied disorders	5	4	1
716	Other and unspecified arthropathies	1	0	1
720-724	Dorsopathies	2	1	1
722	Intervertebral disc disorders	2	1	1
725-729	Rheumatism, excluding the back	3	1	2
728	Disorders of muscle, ligament, and fascia	1	1	0
729	Other disorders of soft tissues	2	0	2
730-739	Osteopathies, chondropathies, and acquired musculoskeletal deformities	10	7	3
730	Osteomyelitis, periostitis, and other infections involving bone	2	2	0
731	Osteitis deformans and oestopathies associated with other disorders classified elsewhere	1	0	1
732	Osteochondropathies	1	1	0
733	Other disorders of bone and cartilage	5	3	2
737	Curvature of spine	1	1	0
740-759	CONGENITAL ANOMALIES	158	90	68
740-742	Nervous system	22	15	7
740	Anencephalus and similar anomalies	4	3	1
741	Spina bifida	7	6	1
742	Other congenital anomalies of nervous system	11	6	5
743,744	Eye, ear, face, and neck	0	0	0
745-747	Circulatory system	67	38	29
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	10	7	3
746	Heart	36	21	15
747	Other congenital anomalies of circulatory system	21	10	11
748	Respiratory system	9	5	4
749-751	Digestive system	6	4	2
750	Other congenital anomalies of upper alimentary tract	1	1	0
751	Other congenital anomalies of digestive system	5	3	2
752,753	Genitourinary system	12	10	2
753	Urinary system	12	10	2
754-756	Musculoskeletal system	11	5	6
756	Other congenital musculoskeletal anomalies	11	5	6
757	Congenital anomalies of the integument	1	1	0
758	Chromosomal anomalies	15	7	8
759	Other and unspecified congenital anomalies	15	5	10
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	357	116	241
760	Maternal conditions unrelated to present pregnancy	2	1	1
761-763	Complications of pregnancy, labor, and delivery	43	14	29
761	Maternal complications of pregnancy	30	8	22

Table 10 - Page 12
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
762	Complications of placenta, cord, and membranes	11	5	6
763	Other complications of labor and delivery	2	1	1
765,766	Disorders relating to gestation	58	7	51
765	Short gestation and unspecified low birthweight	58	7	51
767	Birth trauma	10	5	5
768-770	Respiratory conditions of fetus and newborn	165	70	95
768	Intrauterine hypoxia and birth asphyxia	33	10	23
769	Respiratory distress syndrome	86	44	42
770	Other respiratory conditions of fetus and newborn	46	16	30
771	Infections specific to the perinatal period	28	7	21
772	Fetal and neonatal hemorrhage	21	7	14
775	Endocrine and metabolic disturbances specific to the fetus and newborn	2	2	0
776	Hematological disorders of fetus and newborn	1	0	1
777	Perinatal disorders of digestive system	10	1	9
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	0	1
779	Other and ill-defined conditions originating in the perinatal period	16	2	14
780-799	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	1,447	640	807
780-789	Symptoms	19	13	6
780	General	5	1	4
785	Involving cardiovascular system	10	8	2
786	Involving respiratory system and other chest symptoms	4	4	0
790-796	Nonspecific abnormal findings	1	0	1
790	Nonspecific findings on examination of blood	1	0	1
797-799	Ill-defined and unknown causes of morbidity and mortality	1,427	627	800
797	Senility without mention of psychosis	63	18	45
798	Sudden death, cause unknown	81	22	59
799	Other ill-defined and unknown causes	1,283	587	696
800-999	EXTERNAL CAUSES OF INJURY AND POISONING	2,171	1,352	819
800-949	Accidents and adverse effects	1,513	996	517
800-807	Railway	5	2	3
800	Involving collision with rolling stock	1	1	0
805	Hit by rolling stock	4	1	3
810-825	Motor vehicle	755	541	214
(810-819)	(Traffic)	728	522	206
810	Involving collision with train	12	7	5
812	Involving collision with another motor vehicle	283	221	62
813	Involving collision with other vehicle	5	4	1
814	Involving collision with pedestrian	68	29	39
815	Other involving collision on the highway	40	30	10
816	Due to loss of control, without collision on the highway	209	152	57
818	Other noncollision	6	3	3

Table 10 - Page 13
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
819	Of unspecified nature	105	76	29
(820-825)	(Nontraffic)	27	19	8
821	Involving other off-road motor vehicle	1	1	0
822	Involving collision of another motor vehicle with moving object	11	6	5
823	Involving collision of other motor vehicle with stationary object	2	2	0
825	Of other and unspecified nature	13	10	3
826-829	Other road vehicle	2	2	0
828	Involving animal being ridden	2	2	0
830-838	Water transport	31	22	9
830	Accident to watercraft causing submersion	9	4	5
831	Accident to watercraft causing other injury	2	2	0
832	Other submersion or drowning in water transport	19	15	4
838	Other and unspecified	1	1	0
840-845	Air and space transport	20	18	2
841	Accident to powered aircraft other and unspecified	18	16	2
844	Other specified air transport accidents	2	2	0
846-848	Vehicle accidents not elsewhere classifiable	0	0	0
850-869	Poisoning	56	36	20
(850-858)	(By drugs, medicaments, and biologicals)	26	19	7
850	Analgesics, antipyretics, antirheumatics	6	5	1
853	Tranquillizers	1	1	0
854	Other psychotropic agents	2	2	0
855	Other drugs acting on central and autonomic nervous systems	1	0	1
856	Antibiotics	1	1	0
858	Other drugs	15	10	5
(860-869)	(By other solid and liquid substances, gases, and vapors)	30	17	13
860	Alcohol, not elsewhere classified	5	4	1
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizars	3	1	2
864	Corrosives and caustics, not elsewhere classified	2	1	1
866	Other and unspecified solid and liquid substances	4	2	2
867	Gas distributed by pipeline	3	0	3
868	Other utility gas and other carbon monoxide	10	7	3
869	Other gases and vapors	3	2	1
870-876	Misadventures to patients during surgical and medical care	4	2	2
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	3	2	1
876	Other and unspecified misadventures during medical care	1	0	1
878,879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure	17	11	6

International Classification Number*	Cause*	Total	White	Non-white
878	Surgical operation or other surgical procedure	15	10	5
879	Other procedures	2	1	1
880-888	Falls	111	93	18
880	On or from stairs or steps	5	5	0
881	On or from ladders or scaffolding	6	6	0
882	From or out of building or other structure	3	3	0
883	Into hole or other opening in surface	1	1	0
884	Other from one level to another	3	2	1
887	Fracture, cause unspecified	54	43	11
888	Other and unspecified fall	39	33	6
890-899	Caused by fires and flames	114	42	72
890	Conflagration in private dwelling	86	25	61
891	Conflagration in other and unspecified building or structure	1	0	1
892	Conflagration not in building or structure	2	2	0
893	Ignition of clothing	12	7	5
894	Ignition of highly inflammable material	2	2	0
895	Controlled fire in private dwelling	2	1	1
896	Controlled fire in other and unspecified building or structure	1	1	0
898	Other specified fire and flames	5	3	2
899	Unspecified fire	3	1	2
900-909	Due to natural and environmental factors	39	19	20
900	Excessive heat	5	2	3
901	Excessive cold	12	3	9
904	Hunger, thirst, exposure, and neglect	8	3	5
905	Venomous animals and plants as the cause of poisoning and toxic reactions	1	1	0
906	Other injury caused by animals	1	1	0
907	Lightning	6	4	2
908	Cataclysmic storms and floods resulting from storms	4	3	1
909	Cataclysmic earth surface movements and eruptions	2	2	0
910-915	Accidents caused by submersion, suffocation, and Foreign bodies	162	79	83
910	Drowning and submersion	92	38	54
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	27	15	12
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	36	22	14
913	Mechanical suffocation	7	4	3
916-929	Other accidents	195	128	67
916	Struck by falling object	17	13	4
917	Striking against or struck by objects or persons	5	5	0
918	Caught accidentally in or between objects	2	0	2

International Classification Number*	Cause*	Total	White	Non-white
919	Caused by machinery	22	15	7
920	Caused by cutting and piercing instruments or objects	2	0	2
921	Caused by explosion of pressure vessel	1	1	0
922	Caused by firearm missile	69	42	27
923	Caused by explosive material	12	8	4
924	Caused by hot substance or object, caustic or corrosive material, and steam	3	0	3
925	Caused by electric current	18	15	3
927	Overexertion and strenuous movements	1	1	0
928	Other and unspecified environmental and accidental causes	34	23	11
929	Late effects of accidental injury	9	5	4
930-949	Drugs, medicaments, and biological substances causing adverse effects in therapeutic use	2	1	1
947	Other and unspecified drugs and medicaments	2	1	1
950-959	Suicide and self-inflicted injury	221	190	31
950-952	By poisoning	17	13	4
950	By solid or liquid substances	11	8	3
951	By gases in domestic use	1	0	1
952	By other gases and vapors	5	5	0
953	By hanging, strangulations, and suffocation	12	7	5
954	By submersion (drowning)	1	1	0
955	By firearms and explosives	179	158	21
956	By cutting and piercing instruments	5	5	0
957	By jumping from high place	2	2	0
958	By other and unspecified means	5	4	1
960-978	Homicide and injury purposely inflicted by other persons; legal intervention	412	152	260
960-969	Homicide and injury purposely inflicted by other persons	404	150	254
962	Assault by poisoning	24	15	9
963	Assault by hanging and strangulation	8	6	2
965	Assault by firearms and explosives	269	100	169
966	Assault by cutting and piercing instrument	66	15	51
967	Child battering and other maltreatment	3	2	1
968	Assault by other and unspecified means	34	12	22
970-978	Legal intervention	8	2	6
970	Injury by firearms	8	2	6
980-989	Injury undetermined whether accidentally or purposely inflicted	25	14	11
980	Poisoning by solid or liquid substances	3	1	2
982	Poisoning by other gases	1	1	0
984	Submersion (drowning)	2	2	0
985	Injury by firearms and explosives	19	10	9
990-999	Injury resulting from operations of war	0	0	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE, ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1982

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
001-999	ALL CAUSES	23,173	9.1	W	14,863	M	8,205	158	32	19	31	261	239	290	617	1,422	5,132	4
						F	6,658	91	32	22	20	81	97	145	319	699	5,150	2
				NW	8,310	M	4,543	243	36	27	28	194	194	235	371	690	2,512	13
						F	3,767	214	35	15	11	64	87	121	234	491	2,486	9
001-139	Infectious and parasitic diseases	238	9.3	W	124	M	70	1	3	1	0	2	1	2	4	13	43	0
						F	54	2	1	1	0	0	2	3	1	4	40	0
				NW	114	M	63	8	1	0	1	4	2	7	4	7	29	0
						F	51	2	0	1	0	2	3	4	1	6	32	0
010-018	Tuberculosis	27	1.0	W	4	M	3	0	0	0	0	0	0	0	0	0	3	0
						F	1	0	0	0	0	0	0	0	0	0	1	0
				NW	23	M	15	0	0	0	0	0	1	4	1	1	8	0
						F	8	0	0	0	0	1	2	1	0	0	4	0
070	Viral hepatitis	9	0.4	W	5	M	5	0	0	0	0	0	1	0	2	0	2	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	4	M	2	0	0	0	0	0	0	0	0	0	2	0
						F	2	0	0	0	0	0	0	0	0	0	2	0
140-208	Malignant neoplasms	4,436	173.9	W	3,006	M	1,730	0	1	3	0	12	13	43	143	418	1,096	1
						F	1,276	1	2	2	3	4	9	41	122	263	829	0
				NW	1,430	M	828	0	4	4	1	6	6	25	67	191	522	2
						F	602	1	0	2	5	4	14	21	58	141	356	0
210-239	Benign neoplasms and neoplasms of undetermined nature	59	2.3	W	30	M	11	0	0	0	0	1	0	0	1	2	7	0
						F	19	0	0	0	0	0	0	1	2	5	11	0
				NW	29	M	12	0	0	0	1	1	0	0	1	1	8	0
						F	17	0	0	1	0	1	0	2	0	1	12	0

Table 11 - Page 2
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
240-279	Endocrine, nutritional, and metabolic diseases and immunity disorders	519	20.3	W	251	M	102	5	0	0	0	2	3	7	13	17	55	0
						F	149	1	0	2	0	1	2	7	5	23	108	0
				NW	268	M	103	5	0	1	0	2	0	8	12	13	62	0
						F	165	3	0	1	0	0	1	3	16	28	113	0
250	Diabetes mellitus	361	14.2	W	177	M	71	0	0	0	0	1	2	4	7	14	43	0
						F	106	0	0	0	0	0	1	1	3	18	83	0
				NW	184	M	57	0	0	0	0	1	0	4	9	8	35	0
						F	127	0	0	1	0	0	0	1	12	24	89	0
260-269	Nutritional deficiencies	27	1.0	W	13	M	4	0	0	0	0	0	0	0	0	0	4	0
						F	9	0	0	0	0	0	0	0	0	1	8	0
				NW	14	M	7	0	0	0	0	0	0	1	0	1	5	0
						F	7	1	0	0	0	0	0	0	0	1	5	0
280-289	Diseases of blood and blood-forming organs	86	3.4	W	57	M	21	0	1	0	0	0	1	0	0	1	18	0
						F	36	0	1	0	0	0	3	0	1	5	26	0
				NW	29	M	14	0	3	1	0	1	1	2	1	0	5	0
						F	15	1	0	0	0	0	2	0	1	2	9	0
280-285	Anemias	48	1.9	W	26	M	11	0	1	0	0	0	1	0	0	0	9	0
						F	15	0	0	0	0	0	1	0	0	2	12	0
				NW	22	M	10	0	2	0	0	1	1	2	0	0	4	0
						F	12	1	0	0	0	0	2	0	1	2	6	0
290-319	Mental disorders	122	4.8	W	72	M	39	0	0	0	1	1	1	3	5	5	23	0
						F	33	0	0	1	0	0	0	0	3	0	29	0
				NW	50	M	33	0	0	0	0	0	4	3	6	3	17	0
						F	17	0	0	0	0	1	0	0	1	1	14	0
303	Alcoholism	18	0.7	W	5	M	5	0	0	0	0	0	0	2	1	0	2	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	13	M	11	0	0	0	0	0	0	2	5	1	3	0
						F	2	0	0	0	0	0	0	0	1	0	1	0

Table 11 - Page 3
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
320-389	Diseases of the nervous system and sense organs	222	8.7	W	142	M	73	6	3	1	1	1	5	5	7	4	40	0
						F	69	2	0	2	0	3	2	5	2	9	44	0
				NW	80	M	57	6	7	1	2	7	6	2	6	6	14	0
						F	23	7	0	0	1	1	0	1	4	1	8	0
320-322	Meningitis	21	0.8	W	7	M	4	2	1	0	0	0	1	0	0	0	0	0
						F	3	1	0	0	0	0	0	0	1	1	0	0
				NW	14	M	8	5	1	0	0	1	0	0	0	0	1	0
						F	6	5	0	0	0	0	0	0	0	1	0	0
345	Epilepsy	17	0.7	W	4	M	2	0	0	0	0	0	0	0	0	1	1	0
						F	2	0	0	0	0	2	0	0	0	0	0	0
				NW	13	M	11	0	1	0	0	1	4	1	2	2	0	0
						F	2	0	0	0	0	0	0	0	2	0	0	0
390-459	Diseases of the circulatory system	10,858	425.6	W	7,234	M	3,696	7	2	1	3	2	12	88	245	628	2,708	0
						F	3,538	3	2	1	1	3	13	29	83	247	3,155	1
				NW	3,624	M	1,783	5	3	1	1	9	25	61	136	285	1,251	6
						F	1,841	3	1	1	0	7	14	38	98	228	1,445	6
390-398, 402, 404-429	Heart diseases	8,195	321.2	W	5,583	M	3,004	7	1	1	3	0	10	76	227	546	2,133	0
						F	2,579	3	2	1	1	3	10	16	60	203	2,279	1
				NW	2,612	M	1,330	4	3	1	1	8	21	47	106	222	911	6
						F	1,282	3	1	0	0	4	12	31	62	175	989	5
401,403	Hypertension	91	3.6	W	47	M	22	0	0	0	0	0	0	1	1	3	17	0
						F	25	0	0	0	0	0	0	0	0	0	25	0
				NW	44	M	14	0	0	0	0	0	0	0	0	2	12	0
						F	30	0	0	0	0	0	0	0	2	2	26	0
430-438	Cerebrovascular diseases	2,093	82.0	W	1,266	M	516	0	0	0	0	0	1	7	12	56	440	0
						F	750	0	0	0	0	0	3	11	20	35	681	0
				NW	827	M	380	0	0	0	0	1	3	10	28	52	286	0
						F	447	0	0	0	0	2	2	6	34	44	359	0

Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
440	Atherosclerosis	237	9.3	W	165	M	57	0	0	0	0	0	0	0	1	1	55	0
						F	108	0	0	0	0	0	0	1	0	1	106	0
				NW	72	M	28	0	0	0	0	0	0	0	0	2	26	0
						F	44	0	0	0	0	0	0	0	0	2	41	1
460-519	Diseases of the respiratory system	1,287	50.4	W	963	M	598	4	1	1	0	3	4	1	25	71	488	0
						F	365	2	1	1	0	1	0	5	12	37	306	0
				NW	324	M	203	9	1	1	2	1	2	3	16	33	134	1
						F	121	11	2	0	1	2	6	6	7	8	77	1
480-486	Pneumonia	487	19.1	W	329	M	165	2	1	1	0	2	3	1	7	15	133	0
						F	164	1	1	0	0	0	0	3	5	6	148	0
				NW	158	M	92	8	0	1	2	1	1	0	8	11	60	0
						F	66	8	2	0	1	1	2	3	3	5	40	1
487	Influenza	11	0.4	W	6	M	3	0	0	0	0	0	0	0	0	0	3	0
						F	3	0	0	0	0	0	0	0	0	1	2	0
				NW	5	M	4	0	0	0	0	0	0	0	1	1	2	0
						F	1	1	0	0	0	0	0	0	0	0	0	0
492	Emphysema	82	3.2	W	66	M	51	0	0	0	0	0	0	0	1	9	41	0
						F	15	0	0	0	0	0	0	0	1	5	9	0
				NW	16	M	10	0	0	0	0	0	0	0	0	3	7	0
						F	6	0	0	0	0	0	0	0	0	2	4	0
490,491, 493-496	Other chronic obstructive pulmonary diseases and allied conditions	472	18.5	W	397	M	284	0	0	0	0	0	1	0	8	33	242	0
						F	113	0	0	0	0	0	0	0	3	22	88	0
				NW	75	M	51	1	1	0	0	0	0	1	4	6	38	0
						F	24	0	0	0	0	1	3	2	2	1	15	0
520-579	Diseases of the digestive system	662	26.0	W	484	M	269	2	2	0	0	0	4	10	35	70	146	0
						F	215	0	3	1	0	0	2	5	16	27	161	0
				NW	178	M	94	5	1	1	0	0	6	7	13	19	42	0
						F	84	3	0	0	0	1	4	7	10	11	47	1

able 11 - Page 5
eaths - Mississippi - 1982

nter-national lassi-ication umber*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age: Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
31-533	Ulcer of stomach and duodenum	58	2.3	W	43	M	21	0	0	0	0	0	1	1	2	3	14	0
						F	22	0	0	0	0	0	1	0	0	1	20	0
				NW	15	M	11	0	0	0	0	0	0	1	1	4	5	0
						F	4	0	0	0	0	0	0	0	0	0	4	0
71	Chronic liver disease and cirrhosis	181	7.1	W	144	M	96	0	0	0	0	0	2	5	24	32	33	0
						F	48	0	0	1	0	0	1	3	6	10	27	0
				NW	37	M	21	0	0	0	0	0	4	1	8	4	4	0
						F	16	0	0	0	0	0	2	4	6	1	2	1
80-629	Diseases of the genitourinary system	435	17.0	W	240	M	102	2	0	0	0	1	1	1	2	8	87	0
						F	138	0	0	0	0	0	0	0	2	10	126	0
				NW	195	M	94	1	0	0	1	0	2	2	5	9	74	0
						F	101	1	1	0	0	0	3	3	6	12	75	0
80-589	Nephritis, nephrotic syndrome, and nephrosis	241	9.4	W	126	M	59	2	0	0	0	1	1	1	1	6	47	0
						F	67	0	0	0	0	0	0	0	0	5	62	0
				NW	115	M	51	1	0	0	1	0	2	1	3	3	40	0
						F	64	0	1	0	0	0	1	1	5	11	45	0
90	Infections of kidney	38	1.5	W	26	M	3	0	0	0	0	0	0	0	0	0	3	0
						F	23	0	0	0	0	0	0	0	2	2	19	0
				NW	12	M	6	0	0	0	0	0	0	0	0	1	5	0
						F	6	0	0	0	0	0	1	0	0	0	5	0
30-676	Complications of pregnancy, childbirth, and the puerperium	1	2.2	W	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	0	1	0	0	0	0	0
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
80-709	Diseases of the skin and subcutaneous tissue	46	1.8	W	21	M	9	0	0	0	0	0	0	0	1	1	7	0
						F	12	0	0	0	0	0	0	1	0	1	10	0
				NW	25	M	11	0	0	0	0	0	0	0	0	2	9	0
						F	14	0	0	0	0	0	2	0	0	0	12	0

ter-ational lassi-ication mber*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
10-739	Diseases of the musculoskeletal system and connective tissue	69	2.7	W	40	M	14	0	0	0	0	0	0	0	0	3	11	0
						F	26	0	0	0	0	0	0	2	2	3	19	0
				NW	29	M	10	0	0	0	0	1	0	1	1	1	6	0
						F	19	0	0	0	1	2	2	3	2	2	7	0
40-759	Congenital anomalies	158	6.2	W	90	M	49	32	5	0	2	1	0	2	1	3	3	0
						F	41	20	5	0	2	3	1	1	1	3	5	0
				NW	68	M	38	29	3	0	1	3	2	0	0	0	0	0
						F	30	24	2	0	1	1	0	0	0	0	2	0
60-779	Certain conditions originating in the perinatal period	357	7.8	W	116	M	76	76	0	0	0	0	0	0	0	0	0	0
						F	40	40	0	0	0	0	0	0	0	0	0	0
				NW	241	M	127	127	0	0	0	0	0	0	0	0	0	0
						F	114	114	0	0	0	0	0	0	0	0	0	0
80-799	Symptoms, signs, and ill-defined conditions	1,447	56.7	W	640	M	398	19	3	0	1	3	4	14	35	77	241	1
						F	242	10	1	0	1	0	1	1	21	31	175	1
				NW	807	M	450	35	0	1	0	4	13	17	43	75	260	2
						F	357	38	4	0	0	1	5	11	21	46	230	1
00-999	All external causes	2,171	85.1	W	1,352	M	948	4	11	12	23	232	190	114	100	101	159	2
						F	404	10	16	11	13	66	61	44	46	31	106	0
				NW	819	M	623	13	13	16	18	155	125	97	60	45	79	2
						F	196	6	25	9	2	41	31	22	9	4	47	0
10-825	Motor vehicle accidents	755	29.6	W	541	M	363	2	6	4	7	134	73	34	31	33	38	1
						F	178	5	6	5	9	46	35	16	18	11	27	0
				NW	214	M	175	1	4	5	3	52	33	27	16	17	17	0
						F	39	0	9	3	0	9	7	6	1	1	3	0
00-807, 26-949	All other accidents and adverse effects	758	29.7	W	455	M	319	1	5	8	14	43	53	40	34	36	85	0
						F	136	4	8	6	4	11	9	11	7	6	70	0
				NW	303	M	211	11	8	10	13	36	34	19	22	11	46	1
						F	92	6	16	6	2	10	6	4	5	2	35	0

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1982

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	706	249	457	467	166	301	239	83	156
Adams	8	3	5	4	1	3	4	2	2
Alcorn	3	2	1	3	2	1	0	0	0
Amite	1	0	1	1	0	1	0	0	0
Attala	6	1	5	4	1	3	2	0	2
Benton	0	0	0	0	0	0	0	0	0
Bolivar	21	2	19	11	1	10	10	1	9
Calhoun	4	0	4	4	0	4	0	0	0
Carroll	3	1	2	2	1	1	1	0	1
Chickasaw	3	1	2	3	1	2	0	0	0
Choctaw	2	2	0	1	1	0	1	1	0
Claiborne	3	2	1	3	2	1	0	0	0
Clarke	3	3	0	1	1	0	2	2	0
Clay	7	2	5	5	2	3	2	0	2
Coahoma	25	0	25	12	0	12	13	0	13
Copiah	8	4	4	7	4	3	1	0	1
Covington	5	3	2	2	2	0	3	1	2
DeSoto	11	9	2	6	5	1	5	4	1
Forrest	13	8	5	10	6	4	3	2	1
Franklin	1	1	0	1	1	0	0	0	0
George	4	3	1	2	2	0	2	1	1
Greene	3	1	2	1	0	1	2	1	1
Grenada	6	1	5	5	1	4	1	0	1
Hancock	3	3	0	1	1	0	2	2	0
Harrison	39	20	19	29	12	17	10	8	2
Hinds	74	18	56	51	13	38	23	5	18
Holmes	13	1	12	9	1	8	4	0	4
Humphreys	12	3	9	6	1	5	6	2	4
Issaquena	0	0	0	0	0	0	0	0	0
Itawamba	3	3	0	1	1	0	2	2	0
Jackson	30	17	13	22	12	10	8	5	3
Jasper	4	1	3	3	1	2	1	0	1
Jefferson	1	0	1	1	0	1	0	0	0
Jeff Davis	4	1	3	2	0	2	2	1	1
Jones	27	14	13	22	12	10	5	2	3
Kemper	3	0	3	3	0	3	0	0	0
Lafayette	5	1	4	3	0	3	2	1	1
Lamar	2	2	0	2	2	0	0	0	0
Lauderdale	20	10	10	17	8	9	3	2	1
Lawrence	2	1	1	2	1	1	0	0	0
Leake	12	2	10	9	1	8	3	1	2
Lee	8	4	4	6	3	3	2	1	1
Leflore	21	4	17	14	3	11	7	1	6

Table 12A - Page 2
Infant, Neonatal, and Postneonatal Deaths - Mississippi - 1982

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	10	3	7	7	3	4	3	0	3
Lowndes	16	8	8	14	8	6	2	0	2
Madison	15	7	8	10	5	5	5	2	3
Marion	6	1	5	1	0	1	5	1	4
Marshall	6	1	5	3	1	2	3	0	3
Monroe	14	10	4	10	7	3	4	3	1
Montgomery	1	0	1	0	0	0	1	0	1
Neshoba	5	0	5	3	0	3	2	0	2
Newton	5	0	5	4	0	4	1	0	1
Noxubee	4	1	3	3	1	2	1	0	1
Oktibbeha	7	2	5	5	1	4	2	1	1
Panola	10	1	9	7	1	6	3	0	3
Pearl River	5	3	2	2	1	1	3	2	1
Perry	1	1	0	0	0	0	1	1	0
Pike	9	2	7	5	1	4	4	1	3
Pontotoc	1	0	1	0	0	0	1	0	1
Prentiss	5	5	0	4	4	0	1	1	0
Quitman	8	0	8	5	0	5	3	0	3
Rankin	14	5	9	10	2	8	4	3	1
Scott	10	2	8	6	1	5	4	1	3
Sharkey	5	1	4	3	0	3	2	1	1
Simpson	9	6	3	6	3	3	3	3	0
Smith	2	1	1	1	0	1	1	1	0
Stone	2	1	1	1	1	0	1	0	1
Sunflower	15	1	14	5	0	5	10	1	9
Tallahatchie	1	0	1	0	0	0	1	0	1
Tate	4	3	1	2	1	1	2	2	0
Tippah	3	3	0	3	3	0	0	0	0
Tishomingo	3	3	0	3	3	0	0	0	0
Tunica	6	0	6	5	0	5	1	0	1
Union	2	1	1	0	0	0	2	1	1
Walthall	7	2	5	4	0	4	3	2	1
Warren	14	7	7	12	6	6	2	1	1
Washington	29	4	25	19	3	16	10	1	9
Wayne	4	4	0	1	1	0	3	3	0
Webster	5	2	3	3	1	2	2	1	1
Wilkinson	2	0	2	0	0	0	2	0	2
Winston	7	2	5	4	1	3	3	1	2
Yalobusha	2	1	1	0	0	0	2	1	1
Yazoo	9	1	8	5	1	4	4	0	4

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

TABLE 12B

NFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1978-1982 (5-YEAR AVERAGE)

	Infant**			Neonatal**			Postneonatal**		
ounty	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
TATE	16.9	11.1	23.0	11.1	7.6	14.7	5.8	3.5	8.3
dams	16.2	9.4	21.1	11.0	6.0	14.7	5.1	3.4	6.4
lcorn	12.6	10.0	26.5	9.3	7.5	18.6	3.4	2.5	8.0
mite	13.8	2.2	22.5	9.2	-	16.0	4.6	2.2	6.4
ttala	20.4	7.2	32.2	13.6	4.3	21.9	6.8	2.9	10.3
enton	7.5	6.1	8.9	6.0	6.1	6.0	1.5	-	3.0
olivar	24.3	13.8	27.3	16.3	9.8	18.2	8.0	4.1	9.1
alhoun	21.2	14.2	31.7	13.6	9.9	19.0	7.6	4.2	12.7
arroll	21.6	3.4	36.5	10.8	3.4	16.8	10.8	-	19.7
hickasaw	16.8	6.0	26.7	12.7	3.6	21.2	4.0	2.4	5.6
hoctaw	9.0	9.6	8.4	2.6	2.4	2.8	6.4	7.2	5.6
laiborne	21.8	9.2	24.6	17.6	9.2	19.5	4.2	-	5.1
larke	13.8	12.5	15.2	9.2	8.8	9.6	4.6	3.8	5.5
lay	13.5	10.3	23.2	12.8	9.0	15.0	5.7	1.3	8.2
oahoma	24.4	10.0	28.6	14.6	7.8	16.5	9.9	2.2	12.0
opiah	16.0	7.8	20.8	9.0	5.6	11.0	7.0	2.2	9.8
ovington	23.9	13.3	34.0	16.8	9.3	24.0	7.1	4.0	10.1
eSoto	13.5	12.4	17.1	9.0	8.8	9.6	4.5	3.6	7.5
orrest	15.5	14.2	17.5	11.6	10.8	13.0	3.9	3.5	4.5
ranklin	14.9	19.0	10.8	8.1	13.6	2.7	6.8	5.4	8.1
eorge	14.3	12.9	21.6	8.2	8.1	8.6	6.1	4.8	12.9
reene	14.9	11.2	24.4	6.9	1.6	20.3	8.0	9.6	4.1
renada	17.4	10.0	24.0	14.2	8.9	19.0	3.2	1.1	5.0
ancock	8.9	9.1	7.5	5.2	5.5	3.7	3.6	3.6	3.7
arrison	12.9	10.8	18.7	8.2	7.1	11.1	4.7	3.6	7.6
inds	14.4	6.8	19.4	9.8	5.0	13.1	4.6	1.8	6.4
olmes	17.8	10.0	19.3	10.1	10.0	10.1	7.8	-	9.2
umphreys	37.3	21.1	41.7	23.2	12.1	26.2	14.2	9.1	15.5
ssaquena	22.8	-	37.3	13.7	-	22.4	9.1	-	14.9
tawamba	12.7	14.3	-	6.7	7.6	-	6.0	6.7	-
ackson	13.9	10.4	23.3	10.6	7.8	18.2	3.2	2.5	5.1
asper	18.1	12.2	21.2	9.0	7.0	10.1	9.0	5.2	11.1
efferson	14.6	-	16.2	12.7	-	14.0	1.9	-	2.2
eff Davis	15.4	9.2	18.5	9.2	6.9	10.4	6.2	2.3	8.1
ones	18.6	14.0	27.0	12.1	9.4	16.9	6.5	4.6	10.0
emper	20.0	7.0	26.6	10.6	-	16.0	9.4	7.0	10.6
afayette	11.1	8.2	14.6	5.5	4.6	6.7	5.5	3.6	7.9
amar	8.0	7.2	13.0	5.2	5.0	6.5	2.8	2.2	6.5
auderdale	15.5	13.6	17.8	11.1	8.8	13.8	4.4	4.8	4.1
awrence	8.7	4.5	14.4	7.0	3.0	12.4	1.7	1.5	2.1
eake	20.2	10.4	28.9	14.1	6.5	20.8	6.1	3.9	8.1
ee	16.2	12.4	24.1	9.6	6.6	15.7	6.6	5.8	8.4
eflore	25.9	16.3	29.9	18.4	12.4	21.0	7.4	3.9	9.0

Table 12B - Page 2
Infant, Neonatal, and Postneonatal Mortality Rates - Mississippi - 1978-1982

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	15.1	10.3	21.8	9.5	7.5	12.3	5.6	2.7	9.5
Lowndes	17.8	13.4	23.4	12.0	9.9	14.8	5.8	3.5	8.6
Madison	18.2	12.2	21.8	11.5	9.0	13.0	6.7	3.2	8.8
Marion	15.2	10.5	22.4	7.6	6.3	9.6	7.6	4.2	12.8
Marshall	14.7	10.6	17.2	9.0	6.7	10.3	5.7	3.8	6.9
Monroe	18.4	18.4	18.4	11.1	11.9	10.0	7.3	6.5	8.4
Montgomery	14.4	11.9	16.3	5.1	6.0	4.4	9.4	6.0	11.9
Neshoba	14.8	7.1	24.3	8.9	5.3	13.3	5.9	1.8	11.1
Newton	13.4	8.4	19.1	9.6	6.0	13.6	3.8	2.4	5.4
Noxubee	22.3	11.0	26.1	11.8	8.3	13.0	10.4	2.8	13.0
Oktibbeha	19.0	9.0	27.7	13.5	6.0	20.0	5.5	3.0	7.7
Panola	23.1	6.0	32.1	13.8	3.0	19.5	9.3	3.0	12.6
Pearl River	13.0	10.8	21.8	6.8	5.4	12.7	6.1	5.4	9.1
Perry	16.5	16.8	15.7	13.6	12.6	15.7	2.9	4.2	-
Pike	20.0	12.2	25.8	13.8	9.3	17.2	6.2	2.9	8.6
Pontotoc	14.4	13.1	19.3	9.6	10.5	6.4	4.8	2.6	12.9
Prentiss	13.2	10.1	27.8	9.0	8.7	10.4	4.2	1.4	17.4
Quitman	25.3	-	34.2	15.5	-	20.9	9.8	-	13.3
Rankin	10.7	7.9	20.1	7.4	5.0	15.5	3.3	2.9	4.6
Scott	17.3	11.0	25.2	11.7	7.6	16.8	5.6	3.4	8.4
Sharkey	22.2	16.5	23.8	13.9	12.3	14.3	8.3	4.1	9.5
Simpson	16.3	13.5	20.0	11.0	9.3	13.3	5.3	4.2	6.7
Smith	21.9	15.7	33.2	11.8	10.5	14.2	10.1	5.2	19.0
Stone	12.0	11.2	13.5	7.2	9.3	3.4	4.8	1.8	10.1
Sunflower	23.3	9.1	27.4	16.5	5.7	19.6	6.8	3.4	7.8
Tallahatchie	26.3	19.7	28.5	17.5	15.3	18.3	8.8	4.4	10.2
Tate	19.1	16.2	21.6	10.4	8.8	11.9	8.7	7.5	9.7
Tippah	19.4	17.6	25.2	14.1	12.3	19.6	5.4	5.3	5.6
Tishomingo	13.3	14.0	-	9.4	9.9	-	3.9	4.1	-
Tunica	31.3	15.6	34.3	16.9	10.4	18.2	14.4	5.2	16.2
Union	9.2	7.3	16.8	5.8	4.4	11.2	3.5	2.9	5.6
Walthall	19.6	7.2	29.2	13.4	1.8	22.3	6.3	5.4	7.0
Warren	19.6	13.0	26.6	14.6	10.1	19.3	5.0	2.8	7.3
Washington	17.3	12.2	19.5	11.1	10.2	11.4	6.2	2.0	8.1
Wayne	16.8	14.4	19.7	11.0	8.6	13.9	5.8	5.8	5.8
Webster	21.2	16.1	31.0	14.2	14.3	13.8	7.1	1.8	17.2
Wilkinson	17.6	8.5	20.8	11.0	8.5	11.9	6.6	-	8.9
Winston	14.8	14.8	14.8	9.3	11.9	7.4	5.6	3.0	7.4
Yalobusha	19.8	12.8	26.6	15.3	11.0	19.5	4.5	1.8	7.1
Yazoo	24.4	13.1	30.4	13.2	7.0	16.6	11.2	6.0	13.9

* Deaths per 1,000 live births.

** Infant - age less than one year; neonatal - age less than 28 days; postneonatal - age 28 days to one year.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE, ALSO MORTALITY RATES FOR SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1982

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
ALL CAUSES	706	15.4	W	249	166	77	55	14	11	9	83
			NW	457	301	157	91	28	13	12	156
Meningococcal infection (036)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
Septicemia (038)	9	0.2	W	2	0	0	0	0	0	0	2
			NW	7	0	0	0	0	0	0	7
Other infectious and parasitic diseases (001-035, 037, 039-139)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	0	0	0	0	0	0	3
Meningitis (320-322)	13	0.3	W	3	2	0	0	0	2	0	1
			NW	10	4	0	0	1	2	1	6
Acute upper respiratory infections (460-465)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	1	0	0
Bronchitis and bronchiolitis (466, 490, 491)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	0	0	0	0	0	0	1
Pneumonia and influenza (480-487)	20	0.4	W	3	0	0	0	0	0	0	3
			NW	17	1	0	0	0	0	1	16
Hernia and intestinal obstruction (550-553, 560)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	1	0	0	0
Congenital anomalies (740-759)	105	2.3	W	52	43	17	14	6	1	5	9
			NW	53	40	13	23	2	1	1	13
Maternal conditions unrelated to pregnancy (760)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
Maternal complications of pregnancy (761)	30	0.6	W	8	8	8	0	0	0	0	0
			NW	22	22	20	1	0	1	0	0
Complications of placenta, cord, and membranes (762)	11	0.2	W	5	5	5	0	0	0	0	0
			NW	6	6	6	0	0	0	0	0
Other complications of labor and delivery (763)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Disorders relating to short gestation and unspecified low birthweight (765)	58	1.3	W	7	7	6	0	1	0	0	0
			NW	51	51	50	1	0	0	0	0

Table 13 - Page 2
Infant Deaths - Mississippi - 1982

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Birth trauma (767)	10	0.2	W	5	5	0	2	1	1	1	0
			NW	5	5	1	2	2	0	0	0
Intrauterine hypoxia and birth asphyxia (768)	33	0.7	W	10	10	6	4	0	0	0	0
			NW	23	23	7	9	4	2	1	0
Respiratory distress syndrome (769)	86	1.9	W	44	41	17	19	3	2	0	3
			NW	42	40	17	17	6	0	0	2
Infections specific to the perinatal period (771)	28	0.6	W	7	7	2	3	2	0	0	0
			NW	21	21	3	11	4	2	1	0
Neonatal hemorrhage (772)	21	0.4	W	7	7	1	5	0	0	1	0
			NW	14	14	2	10	2	0	0	0
Hemorrhagic disease of newborn (776.0)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Sudden infant death syndrome (798.0)	75	1.6	W	21	0	0	0	0	0	0	21
			NW	54	4	0	3	0	0	1	50
All other symptoms, signs, and ill-defined conditions (780-797, 798.1-799)	27	0.6	W	8	0	0	0	0	0	0	8
			NW	19	4	4	0	0	0	0	15
Accidents (800-949)	30	0.6	W	12	1	0	0	0	1	0	11
			NW	18	2	0	1	0	1	0	16
All other causes	137	3.0	W	51	28	13	8	1	4	2	23
			NW	86	59	32	12	6	3	6	27

* Deaths of children under 1 year of age.

** Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Deaths per 1,000 live births.

## Less than 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT, MISSISSIPPI, 1982

County	Total	Motor Vehicle	Water Trans-port	Poison-ing	Falls	Fires and Flames	Drowning and Sub-mersion	Fire-arms	All Other
STATE	1,527	777	35	54	108	110	99	72	272
Adams	15	5	0	1	5	0	1	0	3
Alcorn	25	16	0	0	3	2	0	0	4
Amite	3	2	0	0	0	0	0	0	1
Attala	9	6	0	0	0	0	1	0	2
Benton	1	1	0	0	0	0	0	0	0
Bolivar	21	9	0	1	0	1	4	1	5
Calhoun	8	3	0	0	0	1	0	1	3
Carroll	2	0	0	0	0	1	0	0	1
Chickasaw	9	6	0	0	1	1	0	0	1
Choctaw	1	0	0	0	1	0	0	0	0
Claiborne	14	7	0	0	0	0	3	1	3
Clarke	10	8	0	0	0	1	0	0	1
Clay	8	2	0	1	0	1	1	0	3
Coahoma	22	12	2	0	1	0	4	2	1
Copiah	7	6	0	0	1	0	0	0	0
Covington	11	5	0	0	0	1	1	1	3
DeSoto	7	3	0	0	0	0	4	0	0
Forrest	62	45	0	2	6	3	1	3	2
Franklin	3	2	0	0	0	1	0	0	0
George	12	9	0	0	0	0	0	1	2
Greene	4	4	0	0	0	0	0	0	0
Grenada	17	7	1	0	3	2	1	1	2
Hancock	25	12	1	1	1	0	4	0	6
Harrison	100	40	4	13	6	2	3	1	31
Hinds	182	96	0	7	26	10	4	4	35
Holmes	11	6	1	1	1	0	1	0	1
Humphreys	8	2	0	0	0	0	3	2	1
Issaquena	1	0	0	0	0	1	0	0	0
Itawamba	10	2	0	0	0	1	1	1	5
Jackson	62	29	7	1	3	5	2	4	11
Jasper	4	3	0	0	0	1	0	0	0
Jefferson	12	8	0	0	0	0	1	1	2
Jeff Davis	13	5	0	1	1	5	0	1	0
Jones	28	13	0	1	2	0	3	3	6
Kemper	6	4	1	0	0	0	0	1	0
Lafayette	19	9	1	0	4	0	0	5	0
Lamar	7	5	0	1	0	0	1	0	0
Lauderdale	51	27	1	2	3	3	1	4	10
Lawrence	4	2	0	0	0	0	0	1	1
Leake	13	4	3	2	1	0	1	1	1
Lee	58	37	0	2	7	2	3	2	5
Leflore	30	9	2	0	1	1	4	0	13

Table 14 - Page 2
Accidental Deaths - Mississippi - 1982

County	Total	Motor Vehicle	Water Transport	Poisoning	Falls	Fires and Flames	Drowning and Submersion	Firearms	All Other
Lincoln	17	12	0	0	0	1	1	0	3
Lowndes	34	17	0	1	1	1	3	2	9
Madison	16	9	0	0	0	5	0	1	1
Marion	14	6	0	0	0	0	1	5	2
Marshall	19	9	0	0	1	4	1	0	4
Monroe	13	9	0	2	0	0	0	0	2
Montgomery	7	2	0	0	3	0	0	0	2
Neshoba	16	6	2	0	0	0	3	1	4
Newton	9	7	0	0	0	0	1	0	1
Noxubee	9	5	0	0	0	3	1	0	0
Oktibbeha	18	10	0	0	1	1	0	2	4
Panola	19	10	0	0	0	3	3	1	2
Pearl River	20	13	1	1	1	0	2	0	2
Perry	6	3	0	0	0	0	2	0	1
Pike	19	7	0	1	3	1	5	0	2
Pontotoc	8	6	0	0	0	1	0	0	1
Prentiss	10	5	0	0	0	0	1	1	3
Quitman	9	0	0	2	0	6	1	0	0
Rankin	36	20	2	1	2	0	1	2	8
Scott	12	5	1	0	2	0	1	0	3
Sharkey	8	4	0	0	0	1	1	0	2
Simpson	17	10	0	1	1	1	1	1	2
Smith	11	7	0	0	0	0	0	2	2
Stone	3	2	0	0	0	1	0	0	0
Sunflower	16	4	0	0	0	8	1	0	3
Tallahatchie	10	8	0	0	0	0	2	0	0
Tate	9	6	0	0	0	0	1	1	1
Tippah	7	3	0	0	1	0	0	1	2
Tishomingo	19	14	0	1	0	0	1	0	3
Tunica	5	3	1	0	0	0	0	1	0
Union	9	2	0	0	4	1	0	0	2
Walthall	3	1	0	1	0	0	0	0	1
Warren	43	20	0	1	3	5	1	4	9
Washington	66	25	2	2	4	17	4	2	10
Wayne	22	12	0	2	1	2	1	1	3
Webster	5	3	0	0	0	0	1	0	1
Wilkinson	10	4	0	0	0	0	0	1	5
Winston	15	7	1	0	2	0	0	1	4
Yalobusha	5	1	1	0	0	1	1	0	1
Yazoo	18	9	0	1	1	1	4	0	2

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
950-959	Suicide	221	8.7	W	190	M	140	0	0	0	1	29	32	18	15	19	26	0
						F	50	0	0	0	0	3	10	9	12	10	6	0
				NW	31	M	26	0	0	0	1	9	5	4	1	3	3	0
						F	5	0	0	0	0	1	1	1	0	0	2	0
960-978	Homicide and legal intervention	412	16.2	W	152	M	114	1	0	0	1	22	30	20	19	11	9	1
						F	38	1	1	0	0	6	7	8	9	3	3	0
				NW	260	M	203	1	1	1	1	54	52	46	19	14	13	1
						F	57	0	0	0	0	19	16	11	3	1	7	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-676) are per 100,000 live births and deaths from certain conditions originating in the perinatal period (classification numbers 760-779) are per 1,000 live births.

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE, ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE, ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE, MISSISSIPPI, 1982

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	27,584	20,547	7,037	27,584	20,547	7,037	25,261	18,622	6,639
Adams	465	315	150	463	313	150	398	257	141
Alcorn	437	395	42	440	399	41	344	317	27
Amite	114	76	38	128	86	42	109	68	41
Attala	178	115	63	166	105	61	151	96	55
Benton	55	36	19	66	47	19	56	34	22
Bolivar	372	190	182	364	178	186	357	177	180
Calhoun	131	91	40	130	91	39	136	95	41
Carroll	72	43	29	85	51	34	66	38	28
Chickasaw	200	136	64	182	120	62	176	121	55
Choctaw	89	67	22	87	67	20	92	69	23
Claiborne	105	38	67	106	41	65	79	24	55
Clarke	168	105	63	188	126	62	173	109	64
Clay	193	121	72	190	122	68	187	115	72
Coahoma	281	149	132	273	136	137	263	134	129
Copiah	226	157	69	251	176	75	218	148	70
Covington	150	110	40	162	119	43	164	118	46
DeSoto	763	611	152	743	596	147	429	369	60
Forrest	951	753	198	861	677	184	841	667	174
Franklin	70	59	11	77	65	12	71	56	15
George	326	297	29	314	286	28	205	189	16
Greene	75	69	6	100	88	12	80	71	9
Grenada	186	135	51	179	126	53	191	137	54
Hancock	354	334	20	341	321	20	261	250	11
Harrison	2,682	2,324	358	2,670	2,323	347	2,193	1,896	297
Hinds	3,055	1,997	1,058	2,777	1,799	978	2,867	1,848	1,019
Holmes	154	52	102	167	62	105	160	58	102
Humphreys	108	46	62	104	46	58	101	41	60
Issaquena	13	9	4	15	8	7	12	6	6
Itawamba	192	187	5	202	195	7	198	192	6
Jackson	1,537	1,339	198	1,618	1,412	206	1,493	1,303	190
Jasper	122	66	56	152	89	63	126	60	66
Jefferson	59	11	48	67	13	54	53	7	46
Jeff Davis	127	64	63	142	75	67	134	70	64
Jones	805	655	150	781	641	140	797	657	140
Kemper	59	28	31	64	35	29	76	37	39
Lafayette	230	184	46	239	189	50	210	158	52
Lamar	177	161	16	209	186	23	220	199	21
Lauderdale	870	661	209	842	635	207	805	605	200
Lawrence	146	106	40	150	111	39	146	110	36
Leake	197	133	64	190	131	59	185	126	59
Lee	758	626	132	754	622	132	725	596	129
Leflore	365	210	155	368	211	157	372	216	156

Table 15 - Page 2
Marriages - Mississippi - 1982

	Licensure Data			Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	317	238	79	315	237	78	284	209	75
Lowndes	541	406	135	535	395	140	486	353	133
Madison	281	136	145	355	183	172	321	173	148
Marion	314	239	75	314	242	72	269	204	65
Marshall	266	158	108	263	149	114	228	133	95
Monroe	293	228	65	324	245	79	292	225	67
Montgomery	143	98	45	158	111	47	146	99	47
Neshoba	233	180	53	227	171	56	233	175	58
Newton	143	97	46	167	118	49	152	105	47
Noxubee	90	40	50	95	43	52	85	41	44
Oktibbeha	330	233	97	292	200	92	300	205	95
Panola	251	169	82	269	180	89	241	157	84
Pearl River	453	415	38	446	409	37	397	366	31
Perry	139	122	17	112	96	16	107	95	12
Pike	359	233	126	379	246	133	334	214	120
Pontotoc	206	185	21	222	200	22	203	184	19
Prentiss	279	254	25	256	233	23	271	249	22
Quitman	109	64	45	117	73	44	120	72	48
Rankin	718	614	104	728	628	100	783	676	107
Scott	249	165	84	249	174	75	244	166	78
Sharkey	74	34	40	66	32	34	64	27	37
Simpson	273	208	65	290	218	72	262	199	63
Smith	103	90	13	142	118	24	114	93	21
Stone	131	112	19	114	96	18	99	85	14
Sunflower	246	116	130	261	132	129	230	109	121
Tallahatchie	138	77	61	149	88	61	131	73	58
Tate	188	131	57	177	123	54	163	113	50
Tippah	197	179	18	206	186	20	175	160	15
Tishomingo	288	281	7	287	280	7	188	185	3
Tunica	95	43	52	96	42	54	73	25	48
Union	234	200	34	243	211	32	250	217	33
Walthall	111	78	33	123	85	38	105	66	39
Warren	521	382	139	504	367	137	512	373	139
Washington	692	397	295	694	401	293	643	368	275
Wayne	198	157	41	197	159	38	157	126	31
Webster	105	92	13	110	96	14	91	81	10
Wilkinson	143	92	51	138	86	52	71	32	39
Winston	185	136	49	200	148	52	179	129	50
Yalobusha	132	90	42	141	101	40	138	98	40
Yazoo	199	117	82	211	123	88	200	118	82
Unknown county				5	3	2			
Out of state	*	*	*	*	*	*	2,317	1,919	398
Unknown state							6	6	0

* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*, MISSISSIPPI, 1982

County	Total	White	Non-white	Un-known	County	Total	White	Non-white	Un-known
STATE	12,861	10,239	2,570	52					
Adams	138	96	41	1	Lincoln	103	90	12	1
Alcorn	159	153	5	1	Lowndes	332	274	53	5
Amite	45	28	17	0	Madison	153	110	43	0
Attala	71	55	14	2	Marion	146	119	27	0
Benton	37	27	10	0	Marshall	127	91	36	0
Bolivar	131	72	59	0	Monroe	186	166	20	0
Calhoun	61	49	9	3	Montgomery	65	48	17	0
Carroll	9	7	2	0	Neshoba	97	77	20	0
Chickasaw	61	41	20	0	Newton	81	57	24	0
Choctaw	23	16	7	0	Noxubee	35	9	26	0
Claiborne	62	18	44	0	Oktibbeha	135	98	37	0
Clarke	83	63	20	0	Panola	130	95	35	0
Clay	67	47	20	0	Pearl River	211	195	16	0
Coahoma	120	69	51	0	Perry	53	44	9	0
Copiah	121	73	48	0	Pike	127	88	39	0
Covington	88	66	22	0	Pontotoc	123	111	12	0
DeSoto	358	343	15	0	Prentiss	113	109	4	0
Forrest	356	282	74	0	Quitman	34	22	12	0
Franklin	30	23	7	0	Rankin	489	456	33	0
George	101	97	4	0	Scott	162	125	37	0
Greene	56	51	5	0	Sharkey	21	8	13	0
Grenada	109	79	30	0	Simpson	76	57	17	2
Hancock	111	101	7	3	Smith	65	52	11	2
Harrison	1,265	1,114	151	0	Stone	57	51	6	0
Hinds	1,389	983	397	9	Sunflower	128	76	52	0
Holmes	62	20	42	0	Tallahatchie	56	40	16	0
Humphreys	26	16	10	0	Tate	83	70	13	0
Issaquena	3	3	0	0	Tippah	109	101	8	0
Itawamba	89	87	2	0	Tishomingo	89	87	2	0
Jackson	864	757	107	0	Tunica	23	12	11	0
Jasper	63	35	28	0	Union	111	105	6	0
Jefferson	18	1	14	3	Walthall	40	31	9	0
Jeff Davis	40	23	17	0	Warren	313	249	64	0
Jones	483	392	80	11	Washington	339	227	112	0
Kemper	26	22	4	0	Wayne	98	75	23	0
Lafayette	129	98	31	0	Webster	58	54	4	0
Lamar	136	120	8	8	Wilkinson	18	4	14	0
Lauderdale	437	367	70	0	Winston	82	53	29	0
Lawrence	61	47	14	0	Yalobusha	58	41	17	0
Leake	87	65	21	1	Yazoo	86	75	11	0
Lee	332	279	53	0					
Leflore	142	102	40	0					

* Divorces of mixed-race couples are included in figures for nonwhites.

NOTE:

Table 17 extends from page 97 through page 117 with identical data for each county as well as for the state.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Adams County			Alcorn County			Amite County			Attala County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	1	0	1
Malignant neoplasms (140-208)	75	49	26	55	48	7	28	19	9	46	36	10
Diabetes mellitus (250)	5	1	4	2	1	1	2	1	1	6	4	2
Diseases of heart (390-398, 402, 404, 410-429)	142	64	78	138	125	13	41	27	14	99	61	38
Hypertension (401, 403)	1	0	1	1	0	1	3	1	2	2	1	1
Cerebrovascular diseases (430-438)	33	11	22	23	16	7	12	7	5	24	17	7
Atherosclerosis (440)	3	3	0	3	1	2	0	0	0	5	3	2
Pneumonia and influenza (480-487)	3	1	2	13	12	1	2	0	2	7	6	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	7	7	0	4	2	2	6	6	0
Chronic liver disease and cirrhosis (571)	5	3	2	2	2	0	0	0	0	3	3	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	2	2	0	1	1	0	3	1	2
Infections of kidney (590)	0	0	0	1	1	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	1	1	0	0	0	0	1	1	0
Certain conditions originating in the perinatal period (760-779)	3	1	2	2	1	1	1	0	1	4	1	3
Accidents (800-949)	16	11	5	22	21	1	8	3	5	12	9	3
Motor vehicle accidents# (810-825)	7	6	1	14	13	1	4	1	3	7	6	1
Suicide (950-959)	6	5	1	0	0	0	0	0	0	4	4	0
Homicide and legal intervention (960-978)	9	4	5	4	4	0	1	1	0	3	0	3
Symptoms, signs, and ill-defined conditions# (780-799)	7	1	6	2	0	2	31	10	21	8	7	1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Benton County			Bolivar County			Calhoun County			Carroll County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	1	1	0	0	0	0
Malignant neoplasms (140-208)	12	9	3	62	23	39	23	20	3	18	13	5
Diabetes mellitus (250)	0	0	0	8	1	7	0	0	0	1	0	1
Diseases of heart (390-398, 402, 404, 410-429)	18	13	5	171	72	99	51	43	8	25	14	11
Hypertension (401, 403)	1	1	0	1	0	1	3	1	2	0	0	0
Cerebrovascular diseases (430-438)	6	4	2	40	13	27	19	16	3	3	3	0
Atherosclerosis (440)	0	0	0	5	2	3	0	0	0	1	1	0
Pneumonia and influenza (480-487)	1	1	0	11	3	8	5	5	0	2	1	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	7	5	2	4	3	1	1	1	0
Chronic liver disease and cirrhosis (571)	0	0	0	5	2	3	3	3	0	2	2	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	5	1	4	3	3	0	0	0	0
Infections of kidney (590)	0	0	0	1	0	1	1	0	1	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	2	0	2	0	0	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	0	0	0	8	0	8	4	0	4	3	1	2
Accidents (800-949)	1	1	0	25	7	18	16	9	7	8	4	4
Motor vehicle accidents# (810-825)	0	0	0	11	2	9	7	5	2	1	1	0
Suicide (950-959)	0	0	0	4	3	1	0	0	0	1	1	0
Homicide and legal intervention (960-978)	0	0	0	5	1	4	0	0	0	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	12	5	7	36	10	26	7	6	1	9	3	6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Clay County			Coahoma County			Copiah County			Covington County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	2	0	2	0	0	0	0	0	0
Malignant neoplasms (140-208)	32	16	16	88	37	51	59	27	32	37	29	8
Diabetes mellitus (250)	4	2	2	11	2	9	4	2	2	1	1	0
Diseases of heart (390-398, 402, 404, 410-429)	88	41	47	125	52	73	80	56	24	52	40	12
Hypertension (401, 403)	0	0	0	1	1	0	1	0	1	1	0	1
Cerebrovascular diseases (430-438)	15	7	8	54	23	31	33	14	19	14	11	3
Atherosclerosis (440)	0	0	0	3	2	1	1	0	1	6	6	0
Pneumonia and influenza (480-487)	5	3	2	3	1	2	9	6	3	3	3	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	5	1	6	4	2	8	7	1	0	0	0
Chronic liver disease and cirrhosis (571)	1	1	0	4	3	1	2	2	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	4	1	3	5	3	2	1	1	0
Infections of kidney (590)	0	0	0	5	3	2	1	1	0	1	1	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	4	0	4	3	1	2	0	0	0
Certain conditions originating in the perinatal period (760-779)	4	1	3	10	0	10	4	2	2	2	2	0
Accidents (800-949)	11	3	8	17	11	6	9	5	4	17	13	4
Motor vehicle accidents# (810-825)	4	3	1	6	5	1	6	3	3	10	9	1
Suicide (950-959)	1	1	0	4	4	0	1	1	0	1	1	0
Homicide and legal intervention (960-978)	4	1	3	12	2	10	5	1	4	1	1	0
Symptoms, signs, and ill-defined conditions# (780-799)	4	2	2	54	6	48	31	11	20	11	6	5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Chickasaw County			Choctaw County			Claiborne County			Clarke County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-whit
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	24	18	6	15	11	4	21	10	11	29	21	8
Diabetes mellitus (250)	5	1	4	0	0	0	6	0	6	4	2	2
Diseases of heart (390-398, 402, 404, 410-429)	67	38	29	34	26	8	45	14	31	63	43	20
Hypertension (401, 403)	1	0	1	0	0	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	16	12	4	4	2	2	4	1	3	16	9	7
Atherosclerosis (440)	1	0	1	0	0	0	0	0	0	5	4	1
Pneumonia and influenza (480-487)	4	2	2	2	2	0	1	1	0	4	4	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	3	0	0	0	0	0	0	0	1	1	0
Chronic liver disease and cirrhosis (571)	1	1	0	0	0	0	0	0	0	1	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	0	0	0	1	0	1	2	0	2
Infections of kidney (590)	0	0	0	1	0	1	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	2	2	0	0	0	0	1	0	1
Certain conditions originating in the perinatal period (760-779)	2	1	1	0	0	0	3	2	1	1	1	0
Accidents (800-949)	9	7	2	4	4	0	10	2	8	18	11	7
Motor vehicle accidents# (810-825)	7	6	1	1	1	0	5	1	4	16	10	6
Suicide (950-959)	0	0	0	1	1	0	1	0	1	3	1	2
Homicide and legal intervention (960-978)	1	0	1	0	0	0	4	0	4	5	1	4
Symptoms, signs, and ill-defined conditions# (780-799)	2	1	1	1	1	0	2	0	2	22	14	8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes o Death.

# Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1982

use and International assification Number*	DeSoto County			Forrest County			Franklin County			George County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
berculosis (010-018)	0	0	0	1	0	1	0	0	0	0	0	0
lignant neoplasms (140-208)	65	52	13	124	89	35	11	9	2	20	16	4
abetes mellitus (250)	0	0	0	21	12	9	1	0	1	2	2	0
seases of heart (390-398, 402, 404, 410-429)	83	63	20	193	156	37	43	29	14	46	41	5
pertension (401, 403)	3	3	0	5	1	4	2	1	1	0	0	0
erebrovascular diseases (430-438)	28	22	6	62	52	10	6	3	3	17	15	2
herosclerosis (440)	1	1	0	12	12	0	2	1	1	0	0	0
eumonia and influenza (480-487)	4	4	0	13	9	4	1	1	0	3	2	1
physema and other chronic obstructive pulmonary diseases (490-496)	8	8	0	11	10	1	3	3	0	1	1	0
ronic liver disease and cirrhosis (571)	0	0	0	6	6	0	1	0	1	2	2	0
phritis, nephrotic syndrome, and nephrosis (580-589)	4	3	1	8	5	3	0	0	0	2	2	0
fections of kidney (590)	0	0	0	1	0	1	0	0	0	0	0	0
ternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
ngenital anomalies (740-759)	1	1	0	6	4	2	0	0	0	2	2	0
rtain conditions originating in the perinatal period (760-779)	6	5	1	5	3	2	1	1	0	2	2	0
cidents (800-949)	14	12	2	31	19	12	5	2	3	16	15	1
Motor vehicle accidents# (810-825)	4	4	0	20	14	6	2	1	1	12	11	1
icide (950-959)	1	1	0	1	1	0	3	2	1	1	1	0
micide and legal intervention (960-978)	4	2	2	11	4	7	4	2	2	3	3	0
mptoms, signs, and ill-defined conditions# (780-799)	75	49	26	57	26	31	1	0	1	5	4	1

Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1982

use and International assification Number*	Greene County			Grenada County			Hancock County			Harrison County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
berculosis (010-018)	0	0	0	0	0	0	0	0	0	1	0	1
lignant neoplasms (140-208)	14	11	3	47	27	20	52	44	8	267	222	45
abetes mellitus (250)	0	0	0	1	1	0	4	3	1	18	14	4
seases of heart (390-398, 402, 404, 410-429)	31	28	3	92	53	39	89	81	8	488	412	76
pertension (401, 403)	1	0	1	0	0	0	1	0	1	8	8	0
rebrovascular diseases (430-438)	9	7	2	32	18	14	16	14	2	83	66	17
herosclerosis (440)	1	1	0	1	0	1	4	3	1	7	6	1
eumonia and influenza (480-487)	2	1	1	1	1	0	7	6	1	41	34	7
physema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	3	3	0	2	1	1	39	32	7
ronic liver disease and cirrhosis (571)	0	0	0	1	0	1	6	6	0	24	24	0
phritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	1	1	0	2	2	0	13	8	5
fections of kidney (590)	0	0	0	0	0	0	0	0	0	2	1	1
ternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
ngenital anomalies (740-759)	1	0	1	0	0	0	0	0	0	10	8	2
rtain conditions originating in the perinatal period (760-779)	1	0	1	4	1	3	1	1	0	22	7	15
cidents (800-949)	7	4	3	16	7	9	16	14	2	91	74	17
Motor vehicle accidents# (810-825)	5	3	2	9	4	5	8	6	2	34	32	2
icide (950-959)	1	1	0	3	3	0	4	4	0	15	14	1
micide and legal intervention (960-978)	2	2	0	10	5	5	2	1	1	49	28	21
mptoms, signs, and ill-defined conditions# (780-799)	11	10	1	3	1	2	2	2	0	4	4	0

Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Hinds County			Holmes County			Humphreys County			Issaquena County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	2	1	1	1	0	1	1	0	1	0	0	0
Malignant neoplasms (140-208)	490	289	201	42	20	22	24	13	11	1	0	1
Diabetes mellitus (250)	31	10	21	8	2	6	1	0	1	1	0	1
Diseases of heart (390-398, 402, 404, 410-429)	713	436	277	92	31	61	42	19	23	3	0	3
Hypertension (401, 403)	7	4	3	4	1	3	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	153	90	63	17	2	15	12	2	10	1	0	1
Atherosclerosis (440)	19	11	8	4	2	2	0	0	0	0	0	0
Pneumonia and influenza (480-487)	42	21	21	4	1	3	5	1	4	0	0	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	59	45	14	3	2	1	2	1	1	0	0	0
Chronic liver disease and cirrhosis (571)	26	19	7	2	0	2	1	1	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	5	5	3	0	3	1	0	1	0	0	0
Infections of kidney (590)	4	4	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	16	8	8	3	0	3	0	0	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	39	10	29	7	0	7	4	1	3	0	0	0
Accidents (800-949)	111	70	41	15	4	11	9	5	4	3	1	2
Motor vehicle accidents# (810-825)	52	35	17	10	3	7	2	2	0	2	0	2
Suicide (950-959)	23	19	4	0	0	0	0	0	0	0	0	0
Homicide and legal intervention (960-978)	63	16	47	5	1	4	4	1	3	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	43	10	33	12	2	10	12	3	9	0	0	0

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Itawamba County			Jackson County			Jasper County			Jefferson County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	1	0	1	0	0	0	0	0	0
Malignant neoplasms (140-208)	22	20	2	141	119	22	31	16	15	19	2	17
Diabetes mellitus (250)	3	3	0	10	7	3	2	1	1	1	1	0
Diseases of heart (390-398, 402, 404, 410-429)	79	75	4	237	185	52	57	35	22	28	7	21
Hypertension (401, 403)	0	0	0	3	2	1	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	33	30	3	51	45	6	15	7	8	3	1	2
Atherosclerosis (440)	3	3	0	12	11	1	1	1	0	1	0	1
Pneumonia and influenza (480-487)	3	3	0	9	5	4	2	0	2	0	0	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	3	0	18	17	1	2	1	1	1	0	1
Chronic liver disease and cirrhosis (571)	1	1	0	6	5	1	1	0	1	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	5	4	1	0	0	0	0	0	0
Infections of kidney (590)	0	0	0	1	1	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	8	5	3	1	0	1	0	0	0
Certain conditions originating in the perinatal period (760-779)	1	1	0	16	10	6	1	0	1	1	0	1
Accidents (800-949)	11	10	1	55	45	10	10	7	3	11	3	8
Motor vehicle accidents# (810-825)	5	4	1	29	27	2	9	7	2	7	2	5
Suicide (950-959)	0	0	0	4	4	0	1	1	0	0	0	0
Homicide and legal intervention (960-978)	0	0	0	11	8	3	1	0	1	4	1	3
Symptoms, signs, and ill-defined conditions# (780-799)	3	2	1	40	34	6	27	10	17	4	0	4

---

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Jeff Davis County			Jones County			Kemper County			Lafayette County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	2	0	2	0	0	0	0	0	0
Malignant neoplasms (140-208)	28	18	10	127	103	24	12	7	5	39	30	9
Diabetes mellitus (250)	2	1	1	11	5	6	2	1	1	2	1	1
Diseases of heart (390-398, 402, 404, 410-429)	41	24	17	248	194	54	30	14	16	77	63	14
Hypertension (401, 403)	0	0	0	0	0	0	0	0	0	2	2	0
Cerebrovascular diseases (430-438)	13	4	9	76	52	24	8	4	4	18	16	2
Atherosclerosis (440)	0	0	0	6	4	2	2	2	0	0	0	0
Pneumonia and influenza (480-487)	3	1	2	19	15	4	7	5	2	1	1	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	0	1	15	14	1	3	2	1	5	4	1
Chronic liver disease and cirrhosis (571)	1	1	0	6	2	4	2	1	1	1	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	6	3	3	1	1	0	4	1	3
Infections of kidney (590)	1	0	1	1	0	1	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	2	0	9	7	2	1	0	1	2	1	1
Certain conditions originating in the perinatal period (760-779)	2	0	2	16	8	8	1	0	1	3	0	3
Accidents (800-949)	19	8	11	36	31	5	7	2	5	17	12	5
Motor vehicle accidents# (810-825)	10	2	8	21	18	3	4	1	3	9	6	3
Suicide (950-959)	2	1	1	5	4	1	1	1	0	0	0	0
Homicide and legal intervention (960-978)	6	2	4	5	1	4	0	0	0	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	15	9	6	24	14	10	10	5	5	6	4	2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1982

ause and International lassification Number*	Lamar County			Lauderdale County			Lawrence County			Leake County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
uberculosis (010-018)	2	1	1	1	0	1	1	0	1	0	0	0
alignant neoplasms (140-208)	41	39	2	137	103	34	22	16	6	34	22	12
iabetes mellitus (250)	3	2	1	7	2	5	0	0	0	1	0	1
iseases of heart (390-398, 402, 404, 410-429)	54	48	6	282	215	67	51	35	16	94	71	23
ypertension (401, 403)	0	0	0	1	1	0	0	0	0	0	0	0
erebrovascular diseases (430-438)	8	8	0	100	57	43	9	5	4	17	11	6
therosclerosis (440)	1	0	1	5	2	3	1	1	0	1	1	0
neumonia and influenza (480-487)	7	5	2	13	11	2	3	3	0	6	5	1
mphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	18	17	1	3	0	3	6	5	1
hronic liver disease and cirrhosis (571)	0	0	0	11	9	2	1	1	0	0	0	0
ephritis, nephrotic syndrome, and nephrosis (580-589)	3	3	0	10	6	4	1	1	0	5	2	3
nfections of kidney (590)	0	0	0	1	1	0	0	0	0	0	0	0
aternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
ongenital anomalies (740-759)	0	0	0	6	4	2	0	0	0	3	0	3
ertain conditions originating in the perinatal period (760-779)	2	2	0	11	5	6	2	1	1	5	1	4
ccidents (800-949)	15	12	3	49	34	15	5	3	2	12	4	8
Motor vehicle accidents# (810-825)	13	11	2	21	15	6	3	3	0	5	3	2
uicide (950-959)	1	1	0	13	11	2	0	0	0	1	0	1
omicide and legal intervention (960-978)	2	1	1	19	6	13	0	0	0	1	1	0
ymptoms, signs, and ill-defined conditions# (780-799)	7	7	0	7	5	2	0	0	0	3	2	1

Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Lee County			Leflore County			Lincoln County			Lowndes County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	0	1	1	0	1	0	0	0	1	0	1
Malignant neoplasms (140-208)	96	68	28	72	33	39	41	28	13	75	52	23
Diabetes mellitus (250)	6	2	4	4	0	4	3	1	2	5	3	2
Diseases of heart (390-398, 402, 404, 410-429)	208	166	42	235	102	133	121	97	24	153	98	55
Hypertension (401, 403)	1	1	0	5	4	1	0	0	0	1	0	1
Cerebrovascular diseases (430-438)	39	27	12	55	22	33	18	10	8	34	19	15
Atherosclerosis (440)	10	8	2	1	0	1	2	2	0	5	3	2
Pneumonia and influenza (480-487)	10	5	5	7	3	4	15	8	7	9	4	5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	23	22	1	7	5	2	10	8	2	10	8	2
Chronic liver disease and cirrhosis (571)	1	1	0	2	1	1	5	4	1	4	4	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	5	0	0	0	0	2	1	1	6	2	4
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	2	0	2
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	1	1	0
Congenital anomalies (740-759)	4	4	0	1	0	1	1	0	1	2	2	0
Certain conditions originating in the perinatal period (760-779)	3	0	3	12	3	9	8	3	5	12	6	6
Accidents (800-949)	34	27	7	20	8	12	20	14	6	29	20	9
Motor vehicle accidents# (810-825)	21	17	4	6	4	2	11	7	4	15	9	6
Suicide (950-959)	4	4	0	6	2	4	2	2	0	7	6	1
Homicide and legal intervention (960-978)	3	1	2	12	3	9	4	2	2	5	3	2
Symptoms, signs, and ill-defined conditions# (780-799)	8	4	4	5	1	4	29	21	8	11	3	8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1982

ause and International lassification Number*	Madison County			Marion County			Marshall County			Monroe County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
uberculosis (010-018)	0	0	0	1	0	1	0	0	0	0	0	0
alignant neoplasms (140-208)	54	28	26	40	27	13	40	23	17	71	60	11
iabetes mellitus (250)	3	2	1	6	4	2	1	0	1	2	1	1
iseases of heart (390-398, 402, 404, 410-429)	76	47	29	71	49	22	72	45	27	141	110	31
ypertension (401, 403)	0	0	0	2	2	0	0	0	0	0	0	0
erebrovascular diseases (430-438)	21	4	17	32	24	8	23	8	15	43	26	17
therosclerosis (440)	1	1	0	8	6	2	4	2	2	12	8	4
neumonia and influenza (480-487)	1	1	0	9	5	4	4	3	1	12	7	5
mphysema and other chronic obstructive pulmonary diseases (490-496)	9	7	2	11	10	1	5	4	1	15	14	1
hronic liver disease and cirrhosis (571)	2	2	0	0	0	0	1	1	0	2	2	0
ephritis, nephrotic syndrome, and nephrosis (580-589)	2	1	1	0	0	0	1	0	1	6	3	3
nfections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
aternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
ongenital anomalies (740-759)	5	2	3	0	0	0	4	2	2	1	1	0
ertain conditions originating in the perinatal period (760-779)	7	4	3	1	0	1	1	0	1	9	6	3
ccidents (800-949)	29	17	12	26	19	7	26	12	14	19	12	7
Motor vehicle accidents# (810-825)	13	9	4	9	7	2	11	5	6	16	10	6
uicide (950-959)	5	4	1	2	2	0	4	4	0	3	3	0
omicide and legal intervention (960-978)	8	0	8	6	3	3	5	2	3	5	4	1
ymptoms, signs, and ill-defined conditions# (780-799)	61	8	53	29	19	10	26	4	22	20	8	12

Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MONTGOMERY, NESHOBA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Montgomery County			Neshoba County			Newton County			Noxubee County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	2	0	2	0	0	0
Malignant neoplasms (140-208)	34	23	11	26	16	10	37	28	9	19	11	8
Diabetes mellitus (250)	5	2	3	3	1	2	13	7	6	3	1	2
Diseases of heart (390-398, 402, 404, 410-429)	60	40	20	50	41	9	96	73	23	40	19	21
Hypertension (401, 403)	2	1	1	2	0	2	2	1	1	0	0	0
Cerebrovascular diseases (430-438)	20	11	9	22	19	3	13	7	6	13	2	11
Atherosclerosis (440)	1	0	1	0	0	0	2	1	1	0	0	0
Pneumonia and influenza (480-487)	3	2	1	4	4	0	3	2	1	2	1	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	8	7	1	7	5	2	2	2	0
Chronic liver disease and cirrhosis (571)	0	0	0	2	2	0	1	0	1	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	7	6	1	2	1	1	2	0	2
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0	1	1	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	0	0	0	3	0	3	4	0	4	3	1	2
Accidents (800-949)	6	5	1	20	13	7	12	8	4	5	1	4
Motor vehicle accidents# (810-825)	4	3	1	9	6	3	7	5	2	1	1	0
Suicide (950-959)	2	2	0	2	2	0	2	0	2	2	2	0
Homicide and legal intervention (960-978)	1	0	1	7	3	4	3	1	2	2	1	1
Symptoms, signs, and ill-defined conditions# (780-799)	14	9	5	40	31	9	14	5	9	25	6	19

---

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Oktibbeha County			Panola County			Pearl River County			Perry County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	42	21	21	52	34	18	66	57	9	21	14	7
Diabetes mellitus (250)	3	0	3	2	1	1	7	7	0	3	2	1
Diseases of heart (390-398, 402, 404, 410-429)	89	51	38	83	45	38	93	74	19	28	22	6
Hypertension (401, 403)	1	0	1	1	0	1	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	27	13	14	28	18	10	12	11	1	4	4	0
Atherosclerosis (440)	5	5	0	5	3	2	2	0	2	1	1	0
Pneumonia and influenza (480-487)	8	7	1	4	0	4	7	7	0	2	2	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	7	5	2	4	3	1	2	2	0
Chronic liver disease and cirrhosis (571)	0	0	0	3	2	1	2	2	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	0	6	3	1	2	4	2	2	0	0	0
Infections of kidney (590)	0	0	0	1	1	0	1	1	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	2	0	2	1	0	1	0	0	0
Certain conditions originating in the perinatal period (760-779)	5	1	4	5	1	4	2	1	1	0	0	0
Accidents (800-949)	11	6	5	18	10	8	27	21	6	6	2	4
Motor vehicle accidents# (810-825)	5	3	2	11	6	5	18	17	1	2	2	0
Suicide (950-959)	3	3	0	2	1	1	3	3	0	1	1	0
Homicide and legal intervention (960-978)	1	0	1	3	1	2	8	2	6	1	1	0
Symptoms, signs, and ill-defined conditions# (780-799)	2	1	1	17	3	14	15	14	1	7	4	3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1982

ause and International lassification Number*	Pike County			Pontotoc County			Prentiss County			Quitman County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
uberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
alignant neoplasms (140-208)	78	46	32	41	39	2	40	36	4	34	15	19
iabetes mellitus (250)	6	5	1	2	1	1	2	1	1	2	2	0
iseases of heart (390-398, 402, 404, 410-429)	151	111	40	101	94	7	73	69	4	56	20	36
ypertension (401, 403)	2	2	0	0	0	0	1	1	0	1	1	0
erebrovascular diseases (430-438)	28	18	10	8	8	0	20	20	0	18	8	10
therosclerosis (440)	4	2	2	2	2	0	1	1	0	1	0	1
neumonia and influenza (480-487)	4	4	0	4	4	0	3	3	0	4	3	1
mphysema and other chronic obstructive pulmonary diseases (490-496)	12	11	1	9	8	1	5	4	1	5	2	3
hronic liver disease and cirrhosis (571)	2	2	0	2	2	0	0	0	0	0	0	0
ephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	0	0	0	6	5	1	1	0	1
nfections of kidney (590)	1	1	0	0	0	0	0	0	0	1	1	0
aternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
ongenital anomalies (740-759)	4	1	3	1	1	0	2	2	0	1	0	1
ertain conditions originating in the perinatal period (760-779)	4	1	3	0	0	0	3	3	0	3	0	3
ccidents (800-949)	18	10	8	10	10	0	15	10	5	14	4	10
Motor vehicle accidents# (810-825)	10	6	4	6	6	0	10	7	3	3	2	1
uicide (950-959)	5	4	1	2	2	0	3	3	0	2	2	0
omicide and legal intervention (960-978)	3	2	1	2	1	1	2	1	1	1	0	1
ymptoms, signs, and ill-defined conditions# (780-799)	38	10	28	2	1	1	31	25	6	1	1	0

Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Rankin County			Scott County			Sharkey County			Simpson County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	2	0	2	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	98	75	23	44	26	18	25	13	12	54	42	12
Diabetes mellitus (250)	12	9	3	3	1	2	0	0	0	2	2	0
Diseases of heart (390-398, 402, 404, 410-429)	150	123	27	105	64	41	17	4	13	110	83	27
Hypertension (401, 403)	3	2	1	0	0	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	23	16	7	37	22	15	11	2	9	36	29	7
Atherosclerosis (440)	3	3	0	1	1	0	1	0	1	3	2	1
Pneumonia and influenza (480-487)	22	16	6	4	3	1	4	3	1	7	6	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	11	11	0	7	5	2	3	2	1	5	5	0
Chronic liver disease and cirrhosis (571)	4	3	1	0	0	0	0	0	0	1	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	3	2	3	0	3	3	1	2	0	0	0
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	1	1	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	5	5	0	5	2	3	1	1	0	4	2	2
Certain conditions originating in the perinatal period (760-779)	8	1	7	2	0	2	3	0	3	3	1	2
Accidents (800-949)	42	37	5	14	10	4	6	5	1	25	20	5
Motor vehicle accidents# (810-825)	23	19	4	2	0	2	3	3	0	18	15	3
Suicide (950-959)	8	8	0	0	0	0	0	0	0	5	5	0
Homicide and legal intervention (960-978)	3	1	2	3	1	2	0	0	0	5	2	3
Symptoms, signs, and ill-defined conditions# (780-799)	35	19	16	15	8	7	12	2	10	6	5	1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Smith County			Stone County			Sunflower County			Tallahatchie County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	32	31	1	22	20	2	56	28	28	27	14	13
Diabetes mellitus (250)	2	1	1	2	2	0	10	4	6	4	1	3
Diseases of heart (390-398, 402, 404, 410-429)	45	40	5	36	30	6	142	64	78	55	36	19
Hypertension (401, 403)	0	0	0	0	0	0	2	1	1	2	0	2
Cerebrovascular diseases (430-438)	10	9	1	2	2	0	42	16	26	21	6	15
Atherosclerosis (440)	1	1	0	0	0	0	3	1	2	1	0	1
Pneumonia and influenza (480-487)	2	1	1	2	1	1	1	1	0	5	4	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	5	1	2	2	0	5	2	3	3	2	1
Chronic liver disease and cirrhosis (571)	0	0	0	0	0	0	2	1	1	2	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	1	3	2	1	3	1	2	1	0	1
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	1	0	1	0	1	0	0	0
Certain conditions originating in the perinatal period (760-779)	1	0	1	0	0	0	4	0	4	0	0	0
Accidents (800-949)	9	7	2	4	4	0	21	5	16	14	7	7
Motor vehicle accidents# (810-825)	6	4	2	1	1	0	2	1	1	10	5	5
Suicide (950-959)	2	2	0	0	0	0	4	3	1	2	2	0
Homicide and legal intervention (960-978)	3	3	0	2	1	1	8	1	7	2	0	2
Symptoms, signs, and ill-defined conditions# (780-799)	20	16	4	8	8	0	14	2	12	21	7	14

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Tate County			Tippah County			Tishomingo County			Tunica County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non whit
Tuberculosis (010-018)	1	0	1	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	28	19	9	51	46	5	51	49	2	8	3	5
Diabetes mellitus (250)	5	3	2	3	1	2	2	1	1	1	0	1
Diseases of heart (390-398, 402, 404, 410-429)	59	34	25	89	78	11	81	76	5	37	14	23
Hypertension (401, 403)	1	1	0	0	0	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	19	12	7	32	29	3	6	6	0	14	2	12
Atherosclerosis (440)	4	4	0	6	5	1	0	0	0	0	0	0
Pneumonia and influenza (480-487)	6	5	1	4	4	0	7	6	1	2	1	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	4	1	4	4	0	11	11	0	0	0	0
Chronic liver disease and cirrhosis (571)	0	0	0	0	0	0	0	0	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	3	1	3	2	1	2	2	0	3	0	3
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	2	2	0	1	1	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	2	1	1	2	2	0	2	2	0	5	0	5
Accidents (800-949)	7	4	3	10	9	1	29	29	0	6	0	6
Motor vehicle accidents# (810-825)	1	1	0	3	3	0	19	19	0	4	0	4
Suicide (950-959)	0	0	0	6	5	1	1	1	0	0	0	0
Homicide and legal intervention (960-978)	2	1	1	1	1	0	1	1	0	2	0	2
Symptoms, signs, and ill-defined conditions# (780-799)	6	5	1	3	2	1	13	13	0	23	4	19

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes Death.

# Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1982

ause and International lassification Number*	Union County			Walthall County			Warren County			Washington County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
uberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
alignant neoplasms (140-208)	48	39	9	25	16	9	110	62	48	133	55	78
iabetes mellitus (250)	2	2	0	6	3	3	6	3	3	7	2	5
iseases of heart (390-398, 402, 404, 410-429)	78	71	7	48	37	11	188	102	86	174	82	92
ypertension (401, 403)	0	0	0	0	0	0	1	0	1	3	1	2
erebrovascular diseases (430-438)	20	14	6	14	13	1	37	11	26	75	29	46
therosclerosis (440)	3	3	0	1	1	0	6	3	3	4	3	1
neumonia and influenza (480-487)	3	3	0	0	0	0	13	4	9	7	3	4
mphysema and other chronic obstructive pulmonary diseases (490-496)	7	6	1	6	6	0	9	6	3	16	11	5
hronic liver disease and cirrhosis (571)	0	0	0	0	0	0	6	4	2	5	4	1
ephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	1	2	0	2	9	2	7	9	3	6
nfections of kidney (590)	0	0	0	0	0	0	5	5	0	3	2	1
aternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
ongenital anomalies (740-759)	0	0	0	2	0	2	4	4	0	2	1	1
ertain conditions originating in the perinatal period (760-779)	0	0	0	2	0	2	10	4	6	15	2	13
ccidents (800-949)	10	9	1	9	4	5	33	20	13	49	23	26
Motor vehicle accidents# (810-825)	3	3	0	2	1	1	12	9	3	25	16	9
uicide (950-959)	2	2	0	4	4	0	4	3	1	1	1	0
omicide and legal intervention (960-978)	3	2	1	3	0	3	5	0	5	17	2	15
ymptoms, signs, and ill-defined conditions# (780-799)	22	18	4	21	11	10	9	1	8	99	16	83

Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1982

use and International lassification Number*	Wayne County			Webster County			Wilkinson County			Winston County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
berculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
lignant neoplasms (140-208)	29	19	10	25	22	3	28	7	21	35	28	7
abetes mellitus (250)	7	2	5	0	0	0	3	1	2	6	4	2
seases of heart (390-398, 402, 404, 410-429)	58	35	23	44	37	7	40	19	21	80	53	27
pertension (401, 403)	0	0	0	0	0	0	1	0	1	0	0	0
erebrovascular diseases (430-438)	14	10	4	9	7	2	16	3	13	26	20	6
herosclerosis (440)	2	1	1	0	0	0	1	0	1	0	0	0
eumonia and influenza (480-487)	3	2	1	4	3	1	2	1	1	1	0	1
physema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	3	3	0	2	2	0	5	5	0
ronic liver disease and cirrhosis (571)	0	0	0	0	0	0	1	0	1	1	1	0
phritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	0	0	0	2	2	0	2	0	2
fections of kidney (590)	0	0	0	0	0	0	0	0	0	1	1	0
ternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
ngenital anomalies (740-759)	2	2	0	1	1	0	0	0	0	3	1	2
rtain conditions originating in the perinatal period (760-779)	0	0	0	2	0	2	0	0	0	3	1	2
cidents (800-949)	14	12	2	5	3	2	8	5	3	17	12	5
Motor vehicle accidents# (810-825)	6	5	1	3	2	1	3	1	2	7	5	2
icide (950-959)	5	3	2	0	0	0	1	1	0	5	5	0
micide and legal intervention (960-978)	0	0	0	0	0	0	1	0	1	4	1	3
mptoms, signs, and ill-defined conditions# (780-799)	11	2	9	3	2	1	9	1	8	11	7	4

Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND STATE OF MISSISSIPPI, 1982

Cause and International Classification Number*	Yalobusha County			Yazoo County			State of Mississippi		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	27	4	23
Malignant neoplasms (140-208)	35	27	8	59	33	26	4,436	3,006	1,430
Diabetes mellitus (250)	3	3	0	3	3	0	361	177	184
Diseases of heart (390-398, 402, 404, 410-429)	39	27	12	91	57	34	8,195	5,583	2,612
Hypertension (401, 403)	3	1	2	1	0	1	91	47	44
Cerebrovascular diseases (430-438)	21	15	6	27	17	10	2,093	1,266	827
Atherosclerosis (440)	2	1	1	11	7	4	237	165	72
Pneumonia and influenza (480-487)	5	2	3	8	5	3	498	335	163
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	5	1	9	7	2	554	463	91
Chronic liver disease and cirrhosis (571)	1	1	0	1	1	0	181	144	37
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	1	4	3	1	241	126	115
Infections of kidney (590)	0	0	0	0	0	0	38	26	12
Maternal causes (630-676)	0	0	0	0	0	0	1	1	0
Congenital anomalies (740-759)	0	0	0	2	1	1	158	90	68
Certain conditions originating in the perinatal period (760-779)	0	0	0	4	0	4	357	116	241
Accidents (800-949)	9	7	2	23	16	7	1,513	996	517
Motor vehicle accidents# (810-825)	2	1	1	10	9	1	755	541	214
Suicide (950-959)	1	1	0	1	1	0	221	190	31
Homicide and legal intervention (960-978)	2	2	0	3	1	2	412	152	260
Symptoms, signs, and ill-defined conditions# (780-799)	15	12	3	66	15	51	1,447	640	807

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

# Not to be used for ranking.

TIME SERIES TABLES

TABLE 18
LIVE BIRTHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1982, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1982)

	Number			Rate*		
Year	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

Table 18 - Page 2
Live Births - Mississippi - 1913-1982

	Number			Rate*		
Year	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	Not Available	
1973	44,638	23,119	21,519	19.3	Not Available	
1974	44,032	23,023	21,009	18.9	Not Available	
1975	43,336	22,559	20,777	18.5	Not Available	
1976	42,983	22,605	20,378	18.2	Not Available	
1977	45,532	23,369	22,163	19.1	Not Available	
1978	44,373	22,632	21,741	18.5	Not Available	
1979	45,919	23,487	22,432	19.1	Not Available	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	Not Available	

* Births per 1,000 population.

TABLE 19
DEATHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1982, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1982)

	Number			Rate*		
Year	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

Table 19 - Page 2
Deaths - Mississippi - 1913-1982

	Number			Rate*		
Year	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	Not Available	
1973	24,007	14,461	9,546	10.4	Not Available	
1974	23,153	14,268	8,885	9.9	Not Available	
1975	22,768	13,790	8,978	9.7	Not Available	
1976	23,124	14,307	8,817	9.8	Not Available	
1977	23,022	14,318	8,704	9.6	Not Available	
1978	23,363	14,631	8,732	9.7	Not Available	
1979	22,932	14,348	8,584	9.5	Not Available	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	Not Available	

* Deaths per 1,000 population.

TABLE 20
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1982, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1982)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

Table 20 - Page 2
Maternal Deaths - Mississippi - 1913-1982

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 21
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1917-1982, (OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1982)

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

Table 21 - Page 2
Infant Deaths - Mississippi - 1917-1982

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9

* Deaths of children under one year of age.

** Deaths per 1,000 live births.

# Not available.

TABLE 22
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1982, (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1982)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

Table 22 - Page 2
Neonatal Deaths - Mississippi - 1924-1982

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 23
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1982,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1982)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

Table 23 - Page 2
Postneonatal Deaths - Mississippi - 1924-1982

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 24
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA, MISSISSIPPI, 1926-1982

	Marriages			Divorces		
Year	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

Table 24 - Page 2
Marriages and Divorces - Mississippi - 1926-1982

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.